
Xavier Santarelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7913681/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Media Selection in Ion Exchange Chromatography in a Single Microplate. Methods in Molecular Biology, 2021, 2178, 27-33. | 0.9 | 0 |
| 2 | Comparative study of strong cation exchangers: Structure-related chromatographic performances. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1080, 1-10. | 2.3 | 1 |
| 3 | Mixed Mode Chromatography: A Novel Way Toward New Selectivity. Current Protein and Peptide Science, 2018, 20, 14-21. | 1.4 | 13 |
| 4 | Mixed Mode Chromatography, Complex Development for Large Opportunities. Current Protein and Peptide Science, 2018, 20, 22-27. | 1.4 | 7 |
| 5 | A Recombinant Human Anti-Platelet scFv Antibody Produced in Pichia pastoris for Atheroma Targeting. PLoS ONE, 2017, 12, e0170305. | 2.5 | 15 |
| 6 | High yield of recombinant human Apolipoprotein Aâ€i expressed in <i>Pichia pastoris</i> by using mixedâ€mode chromatography. Biotechnology Journal, 2016, 11, 117-126. | 3.5 | 10 |
| 7 | Production, in Pichia pastoris, of a recombinant monomeric mapacalcine, a protein with anti-ischemic properties. Biochemistry and Biophysics Reports, 2015, 4, 299-305. | 1.3 | 0 |
| 8 | Production and purification of recombinant human hepcidin-25 with authentic N and C-termini. Journal of Biotechnology, 2015, 195, 89-92. | 3.8 | 6 |
| 9 | Purification process of recombinant monoclonal antibodies with mixed mode chromatography. Journal of Chromatography A, 2015, 1393, 57-64. | 3.7 | 43 |
| 10 | A comprehensive evaluation of mixed mode interactions of HEA and PPA HyperCelâ,,¢ chromatographic media. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 976-977, 68-77. | 2.3 | 25 |
| 11 | Media Selection in Ion-Exchange Chromatography in a Single Microplate. Methods in Molecular Biology, 2014, 1129, 45-51. | 0.9 | 2 |
| 12 | A study on the nature of interactions of mixed-mode ligands HEA and PPA HyperCel using phenylglyoxal modified lysozyme. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 960, 209-213. | 2.3 | 8 |
| 13 | Cation exchange versus multimodal cation exchange resins for antibody capture from CHO supernatants: Identification of contaminating Host Cell Proteins by mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2013, 942-943, 126-133. | 2.3 | 51 |
| 14 | In Vivo Phage Display to Identify New Human Antibody Fragments Homing to Atherosclerotic Endothelial and Subendothelial Tissues. American Journal of Pathology, 2012, 180, 2576-2589. | 3.8 | 21 |
| 15 | Electrodeposition of Polymer Nanodots with Controlled Density and Their Reversible Functionalization by Polyhistidine-Tag Proteins. Langmuir, 2012, 28, 13968-13975. | 3.5 | 5 |
| 16 | Evidence for specific interaction between the RhoGAP domain from the yeast Rgd1 protein and phosphoinositides. Biochemical and Biophysical Research Communications, 2011, 405, 74-78. | 2.1 | 4 |
| 17 | Antibody capture by mixed-mode chromatography: A comprehensive study from determination of optimal purification conditions to identification of contaminating host cell proteins. Journal of Chromatography A, 2011, 1218, 8197-8208. | 3.7 | 127 |
| 18 | Structure–activity relationship of human liver-expressed antimicrobial peptide 2. Peptides, 2010, 31, 58-66. | 2.4 | 43 |

XAVIER SANTARELLI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparative study of strong anion exchangers: Structure-related chromatographic performances. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2443-2450. | 2.3 | 10 |
| 20 | Purification of an alcohol dehydrogenase involved in the conversion of methional to methionol in Oenococcus oeni IOEB 8406. Applied Microbiology and Biotechnology, 2009, 82, 87-94. | 3.6 | 13 |
| 21 | Rapid screening of purification strategies for the capture of a human recombinant F(ab′)2 expressed in baculovirus-infected cells using a micro-plate approach and SELDI-MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 2428-2434. | 2.3 | 8 |
| 22 | Efficient purification of recombinant proteins fused to maltose-binding protein by mixed-mode chromatography. Journal of Chromatography A, 2009, 1216, 4451-4456. | 3.7 | 19 |
| 23 | Evaluation of radial chromatography versus axial chromatography, practical approachâ~†. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 845, 191-199. | 2.3 | 25 |
| 24 | Large-scale production, bacterial localization assessment and immobilized metal affinity chromatography purification of a human single-chain Fv antibody against alphallb-beta3 integrin. International Journal of Biological Macromolecules, 2006, 39, 51-59. | 7.5 | 13 |
| 25 | LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 818, 19-22. | 2.3 | 10 |
| 26 | Purification and on-column refolding of EGFP overexpressed as inclusion bodies in Escherichia coli with expanded bed anion exchange chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 818, 23-27. | 2.3 | 30 |
| 27 | Improvement in production and purification bioprocesses of bacterially expressed anti-alphallbbeta3 human single-chain FV antibodies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2005, 818, 43-51. | 2.3 | 6 |
| 28 | Production of a human monoclonal IgM directed against human cardiac myosin in a hollow-fiber bioreactor for Membrane Anion Exchange Chromatography one-step purification. Human Antibodies, 2004, 13, 69-79. | 1.5 | 10 |
| 29 | Regioselective acylation of flavonoids catalyzed by immobilized Candida antarctica lipase under reduced pressure. Biotechnology Letters, 2004, 26, 1073-1076. | 2.2 | 35 |
| 30 | Evaluation of three expanded bed adsorption anion exchange matrices with the aid of recombinant enhanced green fluorescent protein overexpressed in Escherichia coli. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 808, 91-97. | 2.3 | 13 |
| 31 | Penicillin acylase purification with the aid of hydrophobic charge induction chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 808, 111-115. | 2.3 | 29 |
| 32 | Chromatographic purification of an insoluble histidine tag recombinant Ykt6p SNARE from Arabidopsis thaliana over-expressed in E. coli. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2004, 808, 83-89. | 2.3 | 14 |
| 33 | On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from Trypanosoma brucei overexpressed in Escherichia coli. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 786, 305-309. | 2.3 | 49 |
| 34 | Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in Escherichia coli. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 786, 153-159. | 2.3 | 21 |
| 35 | Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2003, 790, 153-159. | 2.3 | 10 |
| 36 | Modification of flavonoid using lipase in non-conventional media: effect of the water content. Journal of Biotechnology, 2003, 101, 29-36. | 3.8 | 69 |

XAVIER SANTARELLI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Evaluation of Matrex cellufine GH 25. Journal of Proteomics, 2003, 56, 69-78. | 2.4 | 4 |
| 38 | On-line purification of His-tag enhanced green fluorescent protein taken directly from a bioreactor by continuous ultrasonic homogenization coupled with immobilized metal affinity expanded bed adsorption. Journal of Chromatography A, 2002, 968, 113-120. | 3.7 | 19 |
| 39 | Penicillin acylase purification with the aid of pseudo-affinity chromatography. Journal of Proteomics, 2001, 49, 553-560. | 2.4 | 16 |
| 40 | One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in Escherichia coli as a secreted form. Biomedical Applications, 2001, 753, 17-22. | 1.7 | 6 |
| 41 | Efficient two-step chromatographic purification of penicillin acylase from clarified Escherichia coli ultrasonic homogenate. Biomedical Applications, 2001, 753, 45-50. | 1.7 | 10 |
| 42 | Evaluation of immobilized metal affinity chromatography for purification of penicillin acylase. Biomedical Applications, 2001, 754, 135-140. | 1.7 | 16 |
| 43 | One-Step Purification of Enterocytozoon bieneusi Spores from Human Stools by Immunoaffinity Expanded-Bed Adsorption. Journal of Clinical Microbiology, 2001, 39, 1947-1951. | 3.9 | 8 |
| 44 | A Novel C-terminal Kinesin Is Essential for Maintaining Functional Acidocalcisomes in Trypanosoma brucei. Journal of Biological Chemistry, 2001, 276, 49117-49124. | 3.4 | 18 |
| 45 | Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification. Biomedical Applications, 2000, 739, 63-72. | 1.7 | 12 |
| 46 | Three-step purification of bacterially expressed human single-chain Fv antibodies for clinical applications. Biomedical Applications, 2000, 737, 107-117. | 1.7 | 14 |
| 47 | Three-step chromatographic purification procedure for the production of a His-tag recombinant kinesin overexpressed in E. coli. Biomedical Applications, 2000, 737, 143-150. | 1.7 | 35 |
| 48 | Purification, Cloning, and Characterization of an Acidic Ectoprotein Phosphatase Differentially Expressed in the Infectious Bloodstream Form of Trypanosoma brucei. Journal of Biological Chemistry, 2000, 275, 8863-8871. | 3.4 | 53 |
| 49 | Evidence that oleoyl-CoA and ATP-dependent elongations coexist in rapeseed (Brassica napus L.). FEBS Journal, 1999, 263, 464-470. | 0.2 | 22 |
| 50 | Characterization and application of new macroporous membrane ion exchangers. Biomedical Applications, 1998, 706, 13-22. | 1.7 | 25 |
| 51 | Arginyl residues are involved in acyl-CoA binding to the elongase from etiolated leek seedlings. Lipids and Lipid Metabolism, 1998, 1391, 357-366. | 2.6 | 2 |
| 52 | Dextran-coated silica packings for high-performance size-exclusion chromatography of proteins. Journal of Chromatography A, 1988, 443, 55-62. | 3.7 | 73 |
| 53 | New phospholiposaccharides as model glycoconjugates. Synthesis and structural study. Die Makromolekulare Chemie, 1986, 187, 485-496. | 1.1 | 6 |
| 54 | Study by X-ray diffraction of the geometrical shape of glycoprotein sugar chains in two model glycoconjugates, a liposaccharide and a phospholiposaccharide, having the same sugar chain. Carbohydrate Research, 1986, 149, 309-318. | 2.3 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Title is missing!. Die Makromolekulare Chemie, 1985, 186, 2375-2382. | 1.1 | 6 |