

Xavier Santarelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7913681/publications.pdf>

Version: 2024-02-01

55
papers

1,120
citations

394286

19
h-index

434063

31
g-index

61
all docs

61
docs citations

61
times ranked

1077
citing authors

#	ARTICLE	IF	CITATIONS
1	Media Selection in Ion Exchange Chromatography in a Single Microplate. <i>Methods in Molecular Biology</i> , 2021, 2178, 27-33.	0.4	0
2	Comparative study of strong cation exchangers: Structure-related chromatographic performances. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1080, 1-10.	1.2	1
3	Mixed Mode Chromatography: A Novel Way Toward New Selectivity. <i>Current Protein and Peptide Science</i> , 2018, 20, 14-21.	0.7	13
4	Mixed Mode Chromatography, Complex Development for Large Opportunities. <i>Current Protein and Peptide Science</i> , 2018, 20, 22-27.	0.7	7
5	A Recombinant Human Anti-Platelet scFv Antibody Produced in <i>Pichia pastoris</i> for Atheroma Targeting. <i>PLoS ONE</i> , 2017, 12, e0170305.	1.1	15
6	High yield of recombinant human Apolipoprotein Aâ€ expressed in <i>Pichia pastoris</i> by using mixedâ€mode chromatography. <i>Biotechnology Journal</i> , 2016, 11, 117-126.	1.8	10
7	Production, in <i>Pichia pastoris</i> , of a recombinant monomeric mapacalcine, a protein with anti-ischemic properties. <i>Biochemistry and Biophysics Reports</i> , 2015, 4, 299-305.	0.7	0
8	Production and purification of recombinant human hepcidin-25 with authentic N and C-termini. <i>Journal of Biotechnology</i> , 2015, 195, 89-92.	1.9	6
9	Purification process of recombinant monoclonal antibodies with mixed mode chromatography. <i>Journal of Chromatography A</i> , 2015, 1393, 57-64.	1.8	43
10	A comprehensive evaluation of mixed mode interactions of HEA and PPA HyperCelâ„ chromatographic media. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 976-977, 68-77.	1.2	25
11	Media Selection in Ion-Exchange Chromatography in a Single Microplate. <i>Methods in Molecular Biology</i> , 2014, 1129, 45-51.	0.4	2
12	A study on the nature of interactions of mixed-mode ligands HEA and PPA HyperCel using phenylglyoxal modified lysozyme. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 960, 209-213.	1.2	8
13	Cation exchange versus multimodal cation exchange resins for antibody capture from CHO supernatants: Identification of contaminating Host Cell Proteins by mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 942-943, 126-133.	1.2	51
14	In Vivo Phage Display to Identify New Human Antibody Fragments Homing to Atherosclerotic Endothelial and Subendothelial Tissues. <i>American Journal of Pathology</i> , 2012, 180, 2576-2589.	1.9	21
15	Electrodeposition of Polymer Nanodots with Controlled Density and Their Reversible Functionalization by Polyhistidine-Tag Proteins. <i>Langmuir</i> , 2012, 28, 13968-13975.	1.6	5
16	Evidence for specific interaction between the RhoGAP domain from the yeast Rgd1 protein and phosphoinositides. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 74-78.	1.0	4
17	Antibody capture by mixed-mode chromatography: A comprehensive study from determination of optimal purification conditions to identification of contaminating host cell proteins. <i>Journal of Chromatography A</i> , 2011, 1218, 8197-8208.	1.8	127
18	Structureâ€activity relationship of human liver-expressed antimicrobial peptide 2. <i>Peptides</i> , 2010, 31, 58-66.	1.2	43

#	ARTICLE	IF	CITATIONS
19	Comparative study of strong anion exchangers: Structure-related chromatographic performances. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2443-2450.	1.2	10
20	Purification of an alcohol dehydrogenase involved in the conversion of methional to methionol in <i>Oenococcus oeni</i> IOEB 8406. <i>Applied Microbiology and Biotechnology</i> , 2009, 82, 87-94.	1.7	13
21	Rapid screening of purification strategies for the capture of a human recombinant F(ab ϵ) ₂ expressed in baculovirus-infected cells using a micro-plate approach and SELDI-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2428-2434.	1.2	8
22	Efficient purification of recombinant proteins fused to maltose-binding protein by mixed-mode chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 4451-4456.	1.8	19
23	Evaluation of radial chromatography versus axial chromatography, practical approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 845, 191-199.	1.2	25
24	Large-scale production, bacterial localization assessment and immobilized metal affinity chromatography purification of a human single-chain Fv antibody against α IIb β 3 integrin. <i>International Journal of Biological Macromolecules</i> , 2006, 39, 51-59.	3.6	13
25	LdARL-1 His-tagged recombinant protein: purification by immobilized metal affinity expanded bed adsorption. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 818, 19-22.	1.2	10
26	Purification and on-column refolding of EGFP overexpressed as inclusion bodies in <i>Escherichia coli</i> with expanded bed anion exchange chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 818, 23-27.	1.2	30
27	Improvement in production and purification bioprocesses of bacterially expressed anti- α IIb β 3 human single-chain Fv antibodies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 818, 43-51.	1.2	6
28	Production of a human monoclonal IgM directed against human cardiac myosin in a hollow-fiber bioreactor for Membrane Anion Exchange Chromatography one-step purification. <i>Human Antibodies</i> , 2004, 13, 69-79.	0.6	10
29	Regioselective acylation of flavonoids catalyzed by immobilized <i>Candida antarctica</i> lipase under reduced pressure. <i>Biotechnology Letters</i> , 2004, 26, 1073-1076.	1.1	35
30	Evaluation of three expanded bed adsorption anion exchange matrices with the aid of recombinant enhanced green fluorescent protein overexpressed in <i>Escherichia coli</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 808, 91-97.	1.2	13
31	Penicillin acylase purification with the aid of hydrophobic charge induction chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 808, 111-115.	1.2	29
32	Chromatographic purification of an insoluble histidine tag recombinant Ykt6p SNARE from <i>Arabidopsis thaliana</i> over-expressed in <i>E. coli</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 808, 83-89.	1.2	14
33	On-column refolding of an insoluble histidine tag recombinant exopolyphosphatase from <i>Trypanosoma brucei</i> overexpressed in <i>Escherichia coli</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 786, 305-309.	1.2	49
34	Cloning, expression and two-step purification of recombinant His-tag enhanced green fluorescent protein over-expressed in <i>Escherichia coli</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 786, 153-159.	1.2	21
35	Evaluation of chromatographic recycling for imidazole used in the chromatographic purification of His-tag recombinant proteins. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 790, 153-159.	1.2	10
36	Modification of flavonoid using lipase in non-conventional media: effect of the water content. <i>Journal of Biotechnology</i> , 2003, 101, 29-36.	1.9	69

#	ARTICLE	IF	CITATIONS
37	Evaluation of Matrex cellulose GH 25. <i>Journal of Proteomics</i> , 2003, 56, 69-78.	2.4	4
38	On-line purification of His-tag enhanced green fluorescent protein taken directly from a bioreactor by continuous ultrasonic homogenization coupled with immobilized metal affinity expanded bed adsorption. <i>Journal of Chromatography A</i> , 2002, 968, 113-120.	1.8	19
39	Penicillin acylase purification with the aid of pseudo-affinity chromatography. <i>Journal of Proteomics</i> , 2001, 49, 553-560.	2.4	16
40	One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in <i>Escherichia coli</i> as a secreted form. <i>Biomedical Applications</i> , 2001, 753, 17-22.	1.7	6
41	Efficient two-step chromatographic purification of penicillin acylase from clarified <i>Escherichia coli</i> ultrasonic homogenate. <i>Biomedical Applications</i> , 2001, 753, 45-50.	1.7	10
42	Evaluation of immobilized metal affinity chromatography for purification of penicillin acylase. <i>Biomedical Applications</i> , 2001, 754, 135-140.	1.7	16
43	One-Step Purification of <i>Enterocytozoon bieneusi</i> Spores from Human Stools by Immunoaffinity Expanded-Bed Adsorption. <i>Journal of Clinical Microbiology</i> , 2001, 39, 1947-1951.	1.8	8
44	A Novel C-terminal Kinesin Is Essential for Maintaining Functional Acidocalcisomes in <i>Trypanosoma brucei</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 49117-49124.	1.6	18
45	Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification. <i>Biomedical Applications</i> , 2000, 739, 63-72.	1.7	12
46	Three-step purification of bacterially expressed human single-chain Fv antibodies for clinical applications. <i>Biomedical Applications</i> , 2000, 737, 107-117.	1.7	14
47	Three-step chromatographic purification procedure for the production of a His-tag recombinant kinesin overexpressed in <i>E. coli</i> . <i>Biomedical Applications</i> , 2000, 737, 143-150.	1.7	35
48	Purification, Cloning, and Characterization of an Acidic Ectoprotein Phosphatase Differentially Expressed in the Infectious Bloodstream Form of <i>Trypanosoma brucei</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 8863-8871.	1.6	53
49	Evidence that oleoyl-CoA and ATP-dependent elongations coexist in rapeseed (<i>Brassica napus</i> L.). <i>FEBS Journal</i> , 1999, 263, 464-470.	0.2	22
50	Characterization and application of new macroporous membrane ion exchangers. <i>Biomedical Applications</i> , 1998, 706, 13-22.	1.7	25
51	Arginyl residues are involved in acyl-CoA binding to the elongase from etiolated leek seedlings. <i>Lipids and Lipid Metabolism</i> , 1998, 1391, 357-366.	2.6	2
52	Dextran-coated silica packings for high-performance size-exclusion chromatography of proteins. <i>Journal of Chromatography A</i> , 1988, 443, 55-62.	1.8	73
53	New phospholiposaccharides as model glycoconjugates. Synthesis and structural study. <i>Die Makromolekulare Chemie</i> , 1986, 187, 485-496.	1.1	6
54	Study by X-ray diffraction of the geometrical shape of glycoprotein sugar chains in two model glycoconjugates, a liposaccharide and a phospholiposaccharide, having the same sugar chain. <i>Carbohydrate Research</i> , 1986, 149, 309-318.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Title is missing!. Die Makromolekulare Chemie, 1985, 186, 2375-2382.	1.1	6