

# Xiaoming Jin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7914115/publications.pdf>

Version: 2024-02-01

34  
papers

637  
citations

567144

15  
h-index

610775

24  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1222  
citing authors

#	ARTICLE	IF	CITATIONS
1	miR-136 suppresses tumor invasion and metastasis by targeting RASAL2 in triple-negative breast cancer. <i>Oncology Reports</i> , 2016, 36, 65-71.	1.2	69
2	The lncRNA H19 Promotes Cell Proliferation by Competitively Binding to miR-200a and Derepressing $\beta$ -Catenin Expression in Colorectal Cancer. <i>BioMed Research International</i> , 2017, 2017, 1-8.	0.9	64
3	Necroptosis in cancer: An angel or a demon?. <i>Tumor Biology</i> , 2017, 39, 101042831771153.	0.8	61
4	Downregulation of BC200 in ovarian cancer contributes to cancer cell proliferation and chemoresistance to carboplatin. <i>Oncology Letters</i> , 2016, 11, 1189-1194.	0.8	43
5	Hepatitis B virus x protein induces epithelial-mesenchymal transition of hepatocellular carcinoma cells by regulating long non-coding RNA. <i>Virology Journal</i> , 2017, 14, 238.	1.4	32
6	Comparison of the expression and function of Lin28A and Lin28B in colon cancer. <i>Oncotarget</i> , 2016, 7, 79605-79616.	0.8	28
7	Co-Positivity for Anti-dsDNA, -Nucleosome and -Histone Antibodies in Lupus Nephritis Is Indicative of High Serum Levels and Severe Nephropathy. <i>PLoS ONE</i> , 2015, 10, e0140441.	1.1	27
8	miR-211 facilitates platinum chemosensitivity by blocking the DNA damage response (DDR) in ovarian cancer. <i>Cell Death and Disease</i> , 2019, 10, 495.	2.7	26
9	Epithelial-mesenchymal interconversions and the regulatory function of the ZEB family during the development and progression of ovarian cancer. <i>Oncology Letters</i> , 2016, 11, 1463-1468.	0.8	25
10	Lin28A enhances chemosensitivity of colon cancer cells to 5-FU by promoting apoptosis in a let-7 independent manner. <i>Tumor Biology</i> , 2016, 37, 7657-7665.	0.8	21
11	Inhibition LC3B can increase chemosensitivity of ovarian cancer cells. <i>Cancer Cell International</i> , 2019, 19, 199.	1.8	20
12	EF24 Suppresses Invasion and Migration of Hepatocellular Carcinoma Cells <i>In Vitro</i> via Inhibiting the Phosphorylation of Src. <i>BioMed Research International</i> , 2016, 2016, 1-10.	0.9	19
13	Elevated Src expression associated with hepatocellular carcinoma metastasis in northern Chinese patients. <i>Oncology Letters</i> , 2015, 10, 3026-3034.	0.8	18
14	MicroRNA-181a enhances the chemotherapeutic sensitivity of chronic myeloid leukemia to imatinib. <i>Oncology Letters</i> , 2015, 10, 2835-2841.	0.8	17
15	Plasma Gelsolin Induced Glomerular Fibrosis via the TGF- $\beta$ 1/Smads Signal Transduction Pathway in IgA Nephropathy. <i>International Journal of Molecular Sciences</i> , 2017, 18, 390.	1.8	16
16	Increased autophagy in EOC re-ascites cells can inhibit cell death and promote drug resistance. <i>Cell Death and Disease</i> , 2018, 9, 419.	2.7	15
17	Comprehensive Analysis of the Relationship Between RAS and RAF Mutations and MSI Status of Colorectal Cancer in Northeastern China. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 1496-1509.	1.1	15
18	MicroRNA-650 targets inhibitor of growth 4 to promote colorectal cancer progression via mitogen activated protein kinase signaling. <i>Oncology Letters</i> , 2018, 16, 2326-2334.	0.8	15

#	ARTICLE	IF	CITATIONS
19	Targeting IL-17A Improves the Dysmotility of the Small Intestine and Alleviates the Injury of the Interstitial Cells of Cajal during Sepsis. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-15.	1.9	12
20	High load hepatitis B virus replication inhibits hepatocellular carcinoma cell metastasis through regulation of epithelialâ€mesenchymal transition. <i>International Journal of Infectious Diseases</i> , 2014, 20, 37-41.	1.5	10
21	Gelsolin inhibits the proliferation and invasion of the 786-0 clear cell renal cell carcinoma cell line in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 6887-6894.	1.1	9
22	Application of Oxford classification, and overexpression of transforming growth factor- $\beta$ 21 and immunoglobulins in immunoglobulin A nephropathy: correlation with World Health Organization classification of immunoglobulin A nephropathy in a Chinese patient cohort. <i>Translational Research</i> , 2014, 163, 8-18.	2.2	8
23	Eps15 homology domain 1 promotes the evolution of papillary thyroid cancer by regulating endocytotic recycling of epidermal growth factor receptor. <i>Oncology Letters</i> , 2018, 16, 4263-4270.	0.8	8
24	HE4 level in ascites may assess the ovarian cancer chemotherapeutic effect. <i>Journal of Ovarian Research</i> , 2018, 11, 47.	1.3	7
25	The impact of inflammatory cells in malignant ascites on small intestinal ICCs' morphology and function. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 2118-2127.	1.6	6
26	Adipose differentiation-related protein is not involved in hypoxia inducible factor-1-induced lipid accumulation under hypoxia. <i>Molecular Medicine Reports</i> , 2015, 12, 8055-8061.	1.1	6
27	Identification of TMEM208 and PQLC2 as reference genes for normalizing mRNA expression in colorectal cancer treated with aspirin. <i>Oncotarget</i> , 2017, 8, 22759-22771.	0.8	6
28	Clinical Significance of Screening Differential Metabolites in Ovarian Cancer Tissue and Ascites by LC/MS. <i>Frontiers in Pharmacology</i> , 2021, 12, 701487.	1.6	6
29	Association between hyperpolarization-activated channel in interstitial cells of Cajal and gastrointestinal dysmotility induced by malignant ascites. <i>Oncology Letters</i> , 2017, 13, 1601-1608.	0.8	5
30	Triptolide inhibits tonsillar IgA production by upregulating FDC-SP in IgA nephropathy. <i>Histology and Histopathology</i> , 2020, 35, 599-608.	0.5	5
31	ALDH enzyme activity is regulated by Nodal and histamine in the A549 cell line. <i>Oncology Letters</i> , 2017, 14, 6955-6961.	0.8	4
32	Tripterygium Wilfordii inhibits tonsillar IgA production by downregulating IgA class switching in IgA nephropathy. <i>Oncotarget</i> , 2017, 8, 109027-109042.	0.8	3
33	Hypoxia-Induced LIN28A mRNA Promotes the Metastasis of Colon Cancer in a Protein-Coding-Independent Manner. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 642930.	1.8	3
34	ARID3A promotes the chemosensitivity of colon cancer by inhibiting AKR1C3. <i>Cell Biology International</i> , 2022, 46, 965-975.	1.4	3