Barbro K Linderholm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7914240/publications.pdf

Version: 2024-02-01

46 papers 1,623

393982 19 h-index 39 g-index

48 all docs

48 docs citations

48 times ranked

2517 citing authors

#	Article	IF	Citations
1	Correlation of Vascular Endothelial Growth Factor Content With Recurrences, Survival, and First Relapse Site in Primary Node-Positive Breast Carcinoma After Adjuvant Treatment. Journal of Clinical Oncology, 2000, 18, 1423-1431.	0.8	237
2	p53 and vascular-endothelial-growth-factor (VEGF) expression predicts outcome in 833 patients with primary breast carcinoma. International Journal of Cancer, 2000, 89, 51-62.	2.3	136
3	Expression of Cyclin E and the Cyclin-Dependent Kinase Inhibitor p27 in Malignant Lymphomasâ€"Prognostic Implications. Blood, 1998, 92, 770-777.	0.6	127
4	Tumor Specific VEGF-A and VEGFR2/KDR Protein are Co-expressed in Breast Cancer. Breast Cancer Research and Treatment, 2003, 82, 147-154.	1.1	104
5	An Autocrine VEGF/VEGFR2 and p38 Signaling Loop Confers Resistance to 4-Hydroxytamoxifen in MCF-7 Breast Cancer Cells. Molecular Cancer Research, 2008, 6, 1630-1638.	1.5	84
6	Genomic and Transcriptomic Analyses of Breast Cancer Primaries and Matched Metastases in AURORA, the Breast International Group (BIG) Molecular Screening Initiative. Cancer Discovery, 2021, 11, 2796-2811.	7.7	79
7	Comparative Proteome Analysis Revealing an 11-Protein Signature for Aggressive Triple-Negative Breast Cancer. Journal of the National Cancer Institute, 2014, 106, djt376.	3.0	77
8	Molecular subtype and tumor characteristics of breast cancer metastases as assessed by gene expression significantly influence patient post-relapse survival. Annals of Oncology, 2015, 26, 81-88.	0.6	75
9	Pathological characterisation of male breast cancer: Results of the EORTC 10085/TBCRC/BIG/NABCG International Male Breast Cancer Program. European Journal of Cancer, 2017, 82, 219-227.	1.3	71
10	Prognostic Correlation of Basic Fibroblast Growth Factor and Vascular Endothelial Growth Factor in 1307 Primary Breast Cancers. Clinical Breast Cancer, 2003, 4, 340-347.	1.1	64
11	Retinoic acid receptor alpha is associated with tamoxifen resistance in breast cancer. Nature Communications, 2013, 4, 2175.	5.8	53
12	Activated ERK1/2 and phosphorylated oestrogen receptor \hat{l}_{\pm} are associated with improved breast cancer survival in women treated with tamoxifen. European Journal of Cancer, 2006, 42, 1104-1112.	1.3	50
13	A comparison between young and old patients with triple-negative breast cancer: biology, survival and metastatic patterns. Breast Cancer Research and Treatment, 2020, 182, 643-654.	1.1	45
14	Diagnostic and prognostic role of plasma levels of two forms of cytokeratin 18 in patients with non-small-cell lung cancer. European Journal of Cancer, 2011, 47, 131-137.	1.3	38
15	Transcriptional Profiling of Breast Cancer Metastases Identifies Liver Metastasis–Selective Genes Associated with Adverse Outcome in Luminal A Primary Breast Cancer. Clinical Cancer Research, 2016, 22, 146-157.	3.2	38
16	Immune gene expression and response to chemotherapy in advanced breast cancer. British Journal of Cancer, 2018, 118, 480-488.	2.9	37
17	Molecular profiling of male breast cancer – Lost in translation?. International Journal of Biochemistry and Cell Biology, 2014, 53, 526-535.	1.2	34
18	Male breast cancer precursor lesions: analysis of the EORTC 10085/TBCRC/BIG/NABCG International Male Breast Cancer Program. Modern Pathology, 2017, 30, 509-518.	2.9	32

#	Article	IF	CITATIONS
19	Proteomics profiling identify CAPS as a potential predictive marker of tamoxifen resistance in estrogen receptor positive breast cancer. Clinical Proteomics, 2015, 12, 8.	1.1	31
20	Communicative challenges among physicians, patients, and family caregivers in cancer care: An exploratory qualitative study in Ethiopia. PLoS ONE, 2020, 15, e0230309.	1.1	23
21	Vascular endothelial growth factor is a strong predictor of early distant recurrences in a prospective study of premenopausal women with lymph-node negative breast cancer. Breast, 2008, 17, 484-491.	0.9	19
22	Vascular endothelial growth factor receptor 2 and downstream p38 mitogen-activated protein kinase are possible candidate markers of intrinsic resistance to adjuvant endocrine treatment in steroid receptor positive breast cancer. Breast Cancer Research and Treatment, 2011, 125, 457-465.	1.1	19
23	PAM50 Provides Prognostic Information When Applied to the Lymph Node Metastases of Advanced Breast Cancer Patients. Clinical Cancer Research, 2017, 23, 7225-7231.	3.2	17
24	A Population-based Study on the First Forty-Eight Breast Cancer Patients Receiving Trastuzumab (Herceptin®) on a Named Patient Basis in Sweden. Acta Oncológica, 2002, 41, 276-281.	0.8	16
25	A randomised feasibility/phase II study (SBG 2004-1) with dose-dense/tailored epirubicin, cyclophoshamide (EC) followed by docetaxel (T) or fixed dosed dose-dense EC/T versus T, doxorubicin and C (TAC) in node-positive breast cancer. Acta Oncológica, 2011, 50, 35-41.	0.8	16
26	Thrombospondin-1 expression in relation to p53 status and VEGF expression in human breast cancers. European Journal of Cancer, 2004, 40, 2417-2423.	1.3	13
27	Survival patterns of invasive lobular and invasive ductal breast cancer in a large population-based cohort with two decades of follow up. Breast, 2021, 59, 294-300.	0.9	12
28	Clinical outcome of patients with brain metastases from breast cancer - A population based study over 21 years. Breast, 2020, 50, 113-124.	0.9	10
29	Discordance of PIK3CA and TP53 mutations between breast cancer brain metastases and matched primary tumors. Scientific Reports, 2021, 11, 23548.	1.6	8
30	Impact of the first tumor response at eight weeks on overall survival in metastatic breast cancer patients treated with first-line combination chemotherapy. Medical Oncology, 2013, 30, 415.	1.2	7
31	Expression of Cyclin E and the Cyclin-Dependent Kinase Inhibitor p27 in Malignant Lymphomas—Prognostic Implications. Blood, 1998, 92, 770-777.	0.6	7
32	Improved survival for women with stage I breast cancer in south-east Sweden: A comparison between two time periods before and after increased use of adjuvant systemic therapy. Acta Oncológica, 2009, 48, 504-513.	0.8	6
33	Long-term safety and survival outcomes from the Scandinavian Breast Group 2004-1 randomized phase II trial of tailored dose-dense adjuvant chemotherapy for early breast cancer. Breast Cancer Research and Treatment, 2018, 168, 349-355.	1.1	5
34	Delta NT-proBNP predicts cardiotoxicity in HER2-positive breast cancer patients treated with trastuzumab. Acta Oncol \tilde{A}^3 gica, 2021, 60, 475-481.	0.8	5
35	Alterations of the Immunoglobulin Heavy Chain Locus in Progressive B-cell Lymphomas. Acta Oncol \tilde{A}^3 gica, 1998, 37, 193-200.	0.8	4
36	Sequencing of the Tumor Suppressor Gene <i>TP 53</i> ., 2006, 120, 389-402.		4

#	Article	IF	CITATIONS
37	The MAGIC survey in hormone receptor positive (HR+), HER2-negative (HER2â^') breast cancer: When might multigene assays be of value?. Breast, 2017, 33, 191-199.	0.9	4
38	Evaluation of multiple transcriptomic gene risk signatures in male breast cancer. Npj Breast Cancer, 2021, 7, 98.	2.3	4
39	Weekly taxanes A leap forward or a minute progress?. Acta Oncológica, 2004, 43, 5-7.	0.8	3
40	Breaking Bad News in Cancer Care: Ethiopian Patients Want More Information Than What Family and the Public Want Them to Have. JCO Global Oncology, 2021, 7, 1341-1348.	0.8	3
41	Efficacy and tolerability of metronomic chemotherapy in patients with metastatic breast cancer $\hat{a} \in \mathbb{C}$ an international experience in West Sweden and in the South of Ireland Cancer Treatment and Research Communications, 2020, 25, 100237.	0.7	2
42	Personalised medicine and the decision to withhold chemotherapy in early breast cancer with intermediate risk of recurrence $\hat{a} \in \hat{a}$ a systematic review and meta-analysis. European Journal of Clinical Pharmacology, 2020, 76, 1199-1211.	0.8	2
43	Person and Family Centeredness in Ethiopian Cancer Care: Proposal for a Project for Improving Communication, Ethics, Decision Making, and Health. JMIR Research Protocols, 2020, 9, e16493.	0.5	2
44	Corrigendum to "Vascular endothelial growth factor is a strong predictor of early distant recurrences in a prospective study of premenopausal women with lymph-node negative breast cancer― [The Breast 17 (2008) 484–491]. Breast, 2009, 18, 142.	0.9	0
45	Cellular and Tissue Markers in Solid Tumors. , 2004, , 181-213.		0
46	Abstract OT2-30-01: Nordictrip, a translational randomized phase-3study exploring the effect of the addition of capecitabine to carboplatinum-based chemotherapy in early "triple negative―breast cancer, ClinicalTrials.gov Identifier: NCT04335669. Cancer Research, 2022, 82, OT2-30-01-OT2-30-01.	0.4	0