

# Denis Soares

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7914791/denis-soares-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24  
papers

374  
citations

12  
h-index

19  
g-index

30  
ext. papers

410  
ext. citations

4.4  
avg, IF

2.88  
L-index

#	Paper	IF	Citations
24	Triazol-phenyl Antipyretic Derivatives Inhibit mPGES-1 mRNA Levels in LPS-Induced RAW 264.7 Macrophage Cells. <i>Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry</i> , <b>2021</b> , 20, 271-281	2	
23	Role of CINC-1 and CXCR2 receptors on LPS-induced fever in rats. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2019</b> , 471, 301-311	4.6	2
22	Nanoemulsions and dermatological diseases: contributions and therapeutic advances. <i>International Journal of Dermatology</i> , <b>2018</b> , 57, 894-900	1.7	11
21	Virtual screening and biological evaluation of novel antipyretic compounds. <i>Chemical Biology and Drug Design</i> , <b>2017</b> , 90, 739-752	2.9	2
20	The relevance of kalikrein-kinin system via activation of B receptor in LPS-induced fever in rats. <i>Neuropharmacology</i> , <b>2017</b> , 126, 84-96	5.5	8
19	The transcription factor nuclear factor interleukin 6 mediates pro- and anti-inflammatory responses during LPS-induced systemic inflammation in mice. <i>Brain, Behavior, and Immunity</i> , <b>2015</b> , 48, 147-64	16.6	33
18	Central mediators involved in the febrile response: effects of antipyretic drugs. <i>Temperature</i> , <b>2015</b> , 2, 506-21	5.2	30
17	Chemokine ligand (CCL)-3 promotes an integrated febrile response when injected within pre-optic area (POA) of rats and induces calcium signaling in cells of POA microcultures but not TNF- $\alpha$ or IL-6 synthesis. <i>Brain, Behavior, and Immunity</i> , <b>2013</b> , 34, 120-9	16.6	11
16	Novel bisabolane derivative from "arnica-da-serra" (Vernonieae: Asteraceae) reduces pro-nociceptive cytokines levels in LPS-stimulated rat macrophages. <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 148, 993-8	5	8
15	A crucial role for IL-6 in the CNS of rats during fever induced by the injection of live E. coli. <i>Medical Microbiology and Immunology</i> , <b>2012</b> , 201, 47-60	4	20
14	Febrile response induced by cecal ligation and puncture (CLP) in rats: involvement of prostaglandin E2 and cytokines. <i>Medical Microbiology and Immunology</i> , <b>2012</b> , 201, 219-29	4	16
13	Involvement of PGE2 and RANTES in Staphylococcus aureus-induced fever in rats. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 1456-65	3.7	5
12	Cyclooxygenase-independent mechanism of ibuprofen-induced antipyresis: the role of central vasopressin V1 receptors. <i>Fundamental and Clinical Pharmacology</i> , <b>2011</b> , 25, 670-81	3.1	7
11	The antipyretic effect of dipyron is unrelated to inhibition of PGE(2) synthesis in the hypothalamus. <i>British Journal of Pharmacology</i> , <b>2011</b> , 162, 1401-9	8.6	27
10	Effects of Caffeoylquinic Acid Derivatives and C-Flavonoid from <i>Lychnophora ericoides</i> on in vitro Inflammatory Mediator Production. <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000500	0.9	7
9	LC-MS-MS Identification and Determination of the Flavone-C-Glucoside Vicenin-2 in Rat Plasma Samples Following Intraperitoneal Administration of <i>Lychnophora</i> Extract. <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000500	0.9	3
8	Increase of core temperature induced by corticotropin-releasing factor and urocortin: a comparative study. <i>Regulatory Peptides</i> , <b>2010</b> , 165, 191-9		12

7	Effects of caffeoylquinic acid derivatives and C-flavonoid from <i>Lychnophora ericoides</i> on in vitro inflammatory mediator production. <i>Natural Product Communications</i> , <b>2010</b> , 5, 733-40	0.9	24
6	CCL3/MIP-1 alpha is not involved in the LPS-induced fever and its pyrogenic activity depends on CRF. <i>Brain Research</i> , <b>2009</b> , 1269, 54-60	3.7	16
5	Characterization and pharmacological evaluation of febrile response on zymosan-induced arthritis in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2009</b> , 296, R1631-40	3.2	33
4	Cytokine-induced neutrophil chemoattractant (CINC)-1 induces fever by a prostaglandin-dependent mechanism in rats. <i>Brain Research</i> , <b>2008</b> , 1233, 79-88	3.7	22
3	Inflammatory mediators involved in the nociceptive and oedematogenic responses induced by <i>Tityus serrulatus</i> scorpion venom injected into rat paws. <i>Toxicon</i> , <b>2008</b> , 52, 729-36	2.8	25
2	CCR1 and CCR5 chemokine receptors are involved in fever induced by LPS ( <i>E. coli</i> ) and RANTES in rats. <i>Brain Research</i> , <b>2007</b> , 1161, 21-31	3.7	29
1	CCL3/macrophage inflammatory protein-1alpha induces fever and increases prostaglandin E2 in cerebrospinal fluid of rats: effect of antipyretic drugs. <i>Brain Research</i> , <b>2006</b> , 1109, 83-92	3.7	23