

Kazuyoshi Kobayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7915090/publications.pdf>

Version: 2024-02-01

26
papers

325
citations

1051969

10
h-index

993246

17
g-index

26
all docs

26
docs citations

26
times ranked

443
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of Transcranial Motor Evoked Potential Monitoring During Intra- and Extramedullary Spinal Cord Tumor Surgery: A Prospective Multicenter Study of the Monitoring Committee of the Japanese Society for Spine Surgery and Related Research. <i>Global Spine Journal</i> , 2023, 13, 961-969.	1.2	4
2	Spinopelvic Imbalance Is Associated With Increased Sway in the Center of Gravity: Validation of the "Cone of Economy" Concept in Healthy Subjects. <i>Global Spine Journal</i> , 2023, 13, 1502-1508.	1.2	4
3	Association Between Vitamin A Intake and Disease Severity in Early-Onset Heterotopic Ossification of the Posterior Longitudinal Ligament of the Spine. <i>Global Spine Journal</i> , 2022, 12, 1770-1780.	1.2	10
4	Efficacy of D-Wave Monitoring Combined With the Transcranial Motor-Evoked Potentials in High-Risk Spinal Surgery: A Retrospective Multicenter Study of the Monitoring Committee of the Japanese Society for Spine Surgery and Related Research. <i>Global Spine Journal</i> , 2022, , 219256822210846.	1.2	4
5	Bioelectrical Impedance Analysis and Manual Measurements of Neck Circumference Are Interchangeable, and Declining Neck Circumference Is Related to Presarcopenia. <i>BioMed Research International</i> , 2021, 2021, 1-9.	0.9	5
6	Impact of Neck and Shoulder Pain on Health-Related Quality of Life in a Middle-Aged Community-Living Population. <i>BioMed Research International</i> , 2021, 2021, 1-7.	0.9	6
7	Understanding the effect of non-surgical factors in a transcranial motor-evoked potential alert: A retrospective cohort study. <i>Journal of Orthopaedic Science</i> , 2021, 26, 739-743.	0.5	6
8	Weakness of grip strength reflects future locomotive syndrome and progression of locomotive risk stage: A 10-year longitudinal cohort study. <i>Modern Rheumatology</i> , 2020, 30, 573-579.	0.9	10
9	Shoulder pain has most impact on poor quality of life among various types of musculoskeletal pain in middle-aged and elderly people: Yakumo study. <i>Modern Rheumatology</i> , 2020, 30, 568-572.	0.9	27
10	Epidemiology and effect on physical function of osteosarcopenia in community-dwelling elderly people in Japan. <i>Modern Rheumatology</i> , 2020, 30, 592-597.	0.9	20
11	Trends in Medical Costs for Adolescent Idiopathic Scoliosis Surgery in Japan. <i>Global Spine Journal</i> , 2020, 10, 1040-1045.	1.2	4
12	Poor spinal alignment in females with obesity: The Yakumo study. <i>Journal of Orthopaedics</i> , 2020, 21, 512-516.	0.6	8
13	Influence of Global Spine Sagittal Balance and Spinal Degenerative Changes on Locomotive Syndrome Risk in a Middle-Age and Elderly Community-Living Population. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	15
14	Associations of Serum MicroRNA with Bone Mineral Density in Community-Dwelling Subjects: The Yakumo Study. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	7
15	Predictors of locomotive syndrome in community-living people: A prospective five-year longitudinal study. <i>Modern Rheumatology</i> , 2019, 29, 669-675.	0.9	17
16	Cut off value in each gender and decade of 10-s grip and release and 10-s step test: A comparative study between 454 patients with cervical spondylotic myelopathy and 818 healthy subjects. <i>Clinical Neurology and Neurosurgery</i> , 2019, 184, 105414.	0.6	15
17	Low Bioelectrical Impedance Phase Angle Is a Significant Risk Factor for Frailty. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	38
18	Waist Circumference Measured by Bioelectrical Impedance Analysis Is Interchangeable with Manual Measurement: Increased Waist Circumference Is Associated with Locomotive Syndrome Risk. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	11

#	ARTICLE	IF	CITATIONS
19	Optimal stimulation intensity for Br(E)-MsEP waveform derivation at baseline in pediatric spinal surgery. <i>Clinical Neurology and Neurosurgery</i> , 2019, 180, 74-78.	0.6	0
20	Utility of the Serum Cystatin C Level for Diagnosis of Osteoporosis among Middle-Aged and Elderly People. <i>BioMed Research International</i> , 2019, 2019, 1-6.	0.9	14
21	Locomotive Syndrome Stage 1 Predicts Significant Worsening of Future Motor Performance: The Prospective Yakumo Study. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	10
22	Multivariate analysis of factors related to the absence of musculoskeletal degenerative disease in middle-aged and older people. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1141-1146.	0.7	6
23	Musculoskeletal Factors and Geriatric Syndromes Related to the Absence of Musculoskeletal Degenerative Disease in Elderly People Aged over 70 Years. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	5
24	Alert Timing and Corresponding Intervention With Intraoperative Spinal Cord Monitoring for High-Risk Spinal Surgery. <i>Spine</i> , 2019, 44, E470-E479.	1.0	60
25	MR T2 image classification in adult patients of cervical spinal cord injury without radiographic abnormality: A predictor of surgical outcome. <i>Clinical Neurology and Neurosurgery</i> , 2019, 177, 1-5.	0.6	13
26	Collaboration with an infection control team for patients with infection after spine surgery. <i>American Journal of Infection Control</i> , 2017, 45, 767-770.	1.1	6