

# Yoshikazu Nakamura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/791540/publications.pdf>

Version: 2024-02-01

161  
papers

6,677  
citations

76326

40  
h-index

74163

75  
g-index

188  
all docs

188  
docs citations

188  
times ranked

5817  
citing authors

#	ARTICLE	IF	CITATIONS
1	Revision of diagnostic guidelines for Kawasaki disease (the 5th revised edition). <i>Pediatrics International</i> , 2005, 47, 232-234.	0.5	436
2	ITPKC functional polymorphism associated with Kawasaki disease susceptibility and formation of coronary artery aneurysms. <i>Nature Genetics</i> , 2008, 40, 35-42.	21.4	423
3	Epidemiologic Features of Kawasaki Disease in Japan: Results of the 2009&ndash;2010 Nationwide Survey. <i>Journal of Epidemiology</i> , 2012, 22, 216-221.	2.4	338
4	Descriptive Epidemiology of Kawasaki Disease in Japan, 2011&ndash;2012: From the Results of the 22nd Nationwide Survey. <i>Journal of Epidemiology</i> , 2015, 25, 239-245.	2.4	293
5	Quantifying prion disease penetrance using large population control cohorts. <i>Science Translational Medicine</i> , 2016, 8, 322ra9.	12.4	289
6	Revision of diagnostic guidelines for Kawasaki disease (6th revised edition). <i>Pediatrics International</i> , 2020, 62, 1135-1138.	0.5	227
7	Epidemiologic Features of Kawasaki Disease in Japan: Results of the 2007&ndash;2008 Nationwide Survey. <i>Journal of Epidemiology</i> , 2010, 20, 302-307.	2.4	201
8	Tropospheric winds from northeastern China carry the etiologic agent of Kawasaki disease from its source to Japan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7952-7957.	7.1	171
9	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	10.4	160
10	Seasonality and Temporal Clustering of Kawasaki Syndrome. <i>Epidemiology</i> , 2005, 16, 220-225.	2.7	158
11	Nationwide epidemiologic survey of Kawasaki disease in Japan, 2015&ndash;2016. <i>Pediatrics International</i> , 2019, 61, 397-403.	0.5	151
12	Association of Kawasaki disease with tropospheric wind patterns. <i>Scientific Reports</i> , 2011, 1, 152.	3.3	150
13	Epidemiologic Features of Kawasaki Disease in Japan: Results from the Nationwide Survey in 2005-2006. <i>Journal of Epidemiology</i> , 2008, 18, 167-172.	2.4	139
14	Analysis of Potential Risk Factors Associated With Nonresponse to Initial Intravenous Immunoglobulin Treatment Among Kawasaki Disease Patients in Japan. <i>Pediatric Infectious Disease Journal</i> , 2008, 27, 155-160.	2.0	130
15	Prevalence of coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2007, 49, 421-426.	0.5	125
16	Epidemiology, Treatments, and Cardiac Complications in Patients with Kawasaki Disease: The Nationwide Survey in Japan, 2017-2018. <i>Journal of Pediatrics</i> , 2020, 225, 23-29.e2.	1.8	111
17	Increasing incidence of Kawasaki disease in Japan: Nationwide survey. <i>Pediatrics International</i> , 2008, 50, 287-290.	0.5	106
18	Incidence of Kawasaki disease in Japan: the nationwide surveys of 1999&ndash;2002. <i>Pediatrics International</i> , 2006, 48, 356-361.	0.5	103

#	ARTICLE	IF	CITATIONS
19	Epidemiological observations of Kawasaki disease in Japan, 2013–2014. <i>Pediatrics International</i> , 2018, 60, 581-587.	0.5	103
20	Estimated prevalence of ulcerative colitis and Crohn’s disease in Japan in 2014: an analysis of a nationwide survey. <i>Journal of Gastroenterology</i> , 2019, 54, 1070-1077.	5.1	90
21	Kawasaki Disease Patients With Redness or Crust Formation at the Bacille Calmette-Guérin Inoculation Site. <i>Pediatric Infectious Disease Journal</i> , 2010, 29, 430-433.	2.0	84
22	Coronary artery lesions of incomplete Kawasaki disease: a nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2012, 171, 651-656.	2.7	84
23	Kawasaki disease: epidemiology and the lessons from it. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 16-19.	1.9	76
24	A genomewide linkage analysis of Kawasaki disease: evidence for linkage to chromosome 12. <i>Journal of Human Genetics</i> , 2007, 52, 179-190.	2.3	72
25	Use of laboratory data to identify risk factors of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2004, 46, 33-38.	0.5	69
26	Age and Smoking Predict Antibody Titres at 3 Months after the Second Dose of the BNT162b2 COVID-19 Vaccine. <i>Vaccines</i> , 2021, 9, 1042.	4.4	64
27	Incidence of Kawasaki disease in northern European countries. <i>Pediatrics International</i> , 2012, 54, 770-772.	0.5	62
28	Age-related and historical changes in the clinical characteristics of sarcoidosis in Japan. <i>Respiratory Medicine</i> , 2015, 109, 272-278.	2.9	62
29	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014, 59, 179-188.	3.1	58
30	Recurrent Kawasaki disease: USA and Japan. <i>Pediatrics International</i> , 2015, 57, 1116-1120.	0.5	56
31	Cardiac Sequelae of Kawasaki Disease in Japan: Statistical Analysis. <i>Pediatrics</i> , 1991, 88, 1144-1147.	2.1	56
32	Update of the Epidemiology of Kawasaki Disease in Japan. <i>Journal of Epidemiology</i> , 1996, 6, 148-157.	2.4	55
33	Mortality among Children with Kawasaki Disease in Japan. <i>New England Journal of Medicine</i> , 1992, 326, 1246-1249.	27.0	54
34	Older Age Is a Risk Factor for the Development of Cardiovascular Sequelae in Kawasaki Disease. <i>Pediatrics</i> , 2004, 114, 751-754.	2.1	53
35	Mortality Among Persons With a History of Kawasaki Disease in Japan. <i>JAMA Pediatrics</i> , 2002, 156, 162.	3.0	51
36	Mortality Among Persons With a History of Kawasaki Disease in Japan Mortality Among Males With Cardiac Sequelae is Significantly Higher Than That of the General Population. <i>Circulation Journal</i> , 2008, 72, 134-138.	1.6	50

#	ARTICLE	IF	CITATIONS
37	Mortality Among Japanese With a History of Kawasaki Disease: Results at the End of 2009. <i>Journal of Epidemiology</i> , 2013, 23, 429-434.	2.4	49
38	NATIONWIDE SURVEILLANCE OF KAWASAKI DISEASE IN JAPAN, 1984 TO 1993. <i>Pediatric Infectious Disease Journal</i> , 1995, 14, 69-71.	2.0	43
39	Preoperative T Staging of Colorectal Cancer by CT Colonography. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 875-881.	1.3	43
40	Clinical features of genetic Creutzfeldt-Jakob disease with V180I mutation in the prion protein gene. <i>BMJ Open</i> , 2014, 4, e004968.	1.9	42
41	Cardiac Lesions and Initial Laboratory Data in Kawasaki Disease: a Nationwide Survey in Japan. <i>Journal of Epidemiology</i> , 2015, 25, 189-193.	2.4	41
42	Coronary artery lesions and the increasing incidence of Kawasaki disease resistant to initial immunoglobulin. <i>International Journal of Cardiology</i> , 2016, 214, 209-215.	1.7	40
43	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , 2015, 38, 790-795.	2.7	39
44	Mortality rates for patients with a history of Kawasaki disease in Japan. <i>Journal of Pediatrics</i> , 1996, 128, 75-81.	1.8	36
45	Five-Year Intra-Individual Variability in C-Reactive Protein Levels in a Japanese Population-Based Study. <i>Japanese Circulation Journal</i> , 2000, 64, 303-308.	1.0	35
46	Monthly Observation of the Number of Patients with Kawasaki Disease and its Incidence Rates in Japan: Chronological and Geographical Observation from Nationwide Surveys. <i>Journal of Epidemiology</i> , 2008, 18, 273-279.	2.4	33
47	Nationwide surveys show that the incidence of recurrent Kawasaki disease in Japan has hardly changed over the last 30 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 796-800.	1.5	33
48	Case-control study of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2003, 45, 410-413.	0.5	32
49	Mortality among patients with a history of Kawasaki disease: The third look. <i>Pediatrics International</i> , 1998, 40, 419-423.	0.5	31
50	Case-control study of giant coronary aneurysms due to Kawasaki disease: The 19th nationwide survey. <i>Pediatrics International</i> , 2010, 52, 790-794.	0.5	31
51	Kawasaki Disease and Pediatric Infectious Diseases During the Coronavirus Disease 2019 Pandemic. <i>Journal of Pediatrics</i> , 2021, 239, 50-58.e2.	1.8	31
52	Mortality Among Persons with a History of Kawasaki Disease in Japan: Existence of Cardiac Sequelae Elevated the Mortality.. <i>Journal of Epidemiology</i> , 2000, 10, 372-375.	2.4	30
53	Cardiac Complications, Earlier Treatment, and Initial Disease Severity in Kawasaki Disease. <i>Journal of Pediatrics</i> , 2017, 188, 64-69.	1.8	30
54	Parents with a history of Kawasaki disease whose child also had the same disease. <i>Pediatrics International</i> , 2011, 53, 511-514.	0.5	29

#	ARTICLE	IF	CITATIONS
55	The worldwide epidemiology of Kawasaki disease. <i>Progress in Pediatric Cardiology</i> , 2004, 19, 99-108.	0.4	28
56	Association between toothbrushing and risk factors for cardiovascular disease: a large-scale, cross-sectional Japanese study. <i>BMJ Open</i> , 2016, 6, e009870.	1.9	27
57	Temporal and geographical clustering of Kawasaki disease in Japan: 2007-2012. <i>Pediatrics International</i> , 2016, 58, 1140-1145.	0.5	27
58	Low frequency of toothbrushing practices is an independent risk factor for diabetes mellitus in male and dyslipidemia in female: A large-scale, 5-year cohort study in Japan. <i>Journal of Cardiology</i> , 2017, 70, 107-112.	1.9	27
59	Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 319-330.	2.0	27
60	Assessment of Pediatric Admissions for Kawasaki Disease or Infectious Disease During the COVID-19 State of Emergency in Japan. <i>JAMA Network Open</i> , 2021, 4, e214475.	5.9	26
61	The effects of early intravenous immunoglobulin therapy for Kawasaki disease: The 22nd nationwide survey in Japan. <i>International Journal of Cardiology</i> , 2018, 269, 334-338.	1.7	25
62	Emergence and Characterization of Acute Coronary Syndrome in Adults After Confirmed or Missed History of Kawasaki Disease in Japan: A Japanese Nationwide Survey. <i>Frontiers in Pediatrics</i> , 2019, 7, 275.	1.9	24
63	Neonatal Kawasaki disease: case report and data from nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2014, 173, 1533-1536.	2.7	23
64	Cumulative incidence of Kawasaki disease in Japan. <i>Pediatrics International</i> , 2018, 60, 19-22.	0.5	22
65	Prevalence of patients with lysosomal storage disorders and peroxisomal disorders: A nationwide survey in Japan. <i>Molecular Genetics and Metabolism</i> , 2021, 133, 277-288.	1.1	22
66	Factor VII and Fibrinogen Levels Examined by Age, Sex, and other Atherosclerotic Risk Factors in a Japanese Population. <i>Thrombosis and Haemostasis</i> , 1997, 77, 0890-0893.	3.4	22
67	Attenuation of Antibody Titers from 3 to 6 Months after the Second Dose of the BNT162b2 Vaccine Depends on Sex, with Age and Smoking Risk Factors for Lower Antibody Titers at 6 Months. <i>Vaccines</i> , 2021, 9, 1500.	4.4	22
68	Metabolic syndrome is a risk factor for cancer mortality in the general Japanese population: the Jichi Medical School Cohort Study. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 3.	2.7	21
69	Giant coronary aneurysms due to Kawasaki disease: A case-control study. <i>Pediatrics International</i> , 2002, 44, 254-258.	0.5	20
70	Mortality among persons with a history of Kawasaki disease in Japan: Can paediatricians safely discontinue follow-up of children with a history of the disease but without cardiac sequelae?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 429-434.	1.5	20
71	Cardiac sequelae of Kawasaki disease in Japan over 10 years. <i>Pediatrics International</i> , 1995, 37, 667-671.	0.5	19
72	Kawasaki disease and ENSO-driven wind circulation. <i>Geophysical Research Letters</i> , 2013, 40, 2284-2289.	4.0	19

#	ARTICLE	IF	CITATIONS
73	Selection Bias of Internet Panel Surveys. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP2390-NP2399.	1.0	19
74	Vitamin D receptor gene polymorphisms, smoking, and risk of sporadic Parkinson's disease in Japan. <i>Neuroscience Letters</i> , 2017, 643, 97-102.	2.1	19
75	Outcomes in Kawasaki disease patients with coronary artery abnormalities at admission. <i>American Heart Journal</i> , 2020, 225, 120-128.	2.7	19
76	Physical and Mental Effects of Bathing: A Randomized Intervention Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-5.	1.2	18
77	Suicidal patients presenting to secondary and tertiary emergency departments and referral to a psychiatrist: a population-based descriptive study from Japan. <i>BMC Psychiatry</i> , 2018, 18, 112.	2.6	18
78	Computed Tomography Images of Fibrotic Pulmonary Sarcoidosis Leading to Chronic Respiratory Failure. <i>Journal of Clinical Medicine</i> , 2020, 9, 142.	2.4	18
79	Long-term Consequences of Kawasaki Disease Among First-Year Junior High School Students. <i>JAMA Pediatrics</i> , 2002, 156, 77.	3.0	17
80	Relationship between carbohydrate and dietary fibre intake and the risk of cardiovascular disease mortality in Japanese: 24-year follow-up of NIPPON DATA80. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 67-76.	2.9	17
81	A case-control study of recurrent Kawasaki disease using the database of the nationwide surveys in Japan. <i>European Journal of Pediatrics</i> , 1996, 155, 303-307.	2.7	16
82	Association between smoking and the peripheral vestibular disorder: a retrospective cohort study. <i>Scientific Reports</i> , 2017, 7, 16889.	3.3	15
83	Epidemiologic features of Kawasaki disease distinguished by seasonal variation: an age-specific analysis. <i>Annals of Epidemiology</i> , 2018, 28, 796-800.	1.9	15
84	Corticosteroids Added to Initial Intravenous Immunoglobulin Treatment for the Prevention of Coronary Artery Abnormalities in High-Risk Patients With Kawasaki Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e015308.	3.7	15
85	Epidemiology and Risk Factors for Giant Coronary Artery Aneurysms Identified After Acute Kawasaki Disease. <i>Pediatric Cardiology</i> , 2021, 42, 969-977.	1.3	15
86	State-of-the-art basic and clinical science of Kawasaki disease. <i>Pediatric Health</i> , 2008, 2, 405-409.	0.3	14
87	An 18-Year Follow-up Survey of Dioxin Levels in Human Milk in Japan. <i>Journal of Epidemiology</i> , 2018, 28, 300-306.	2.4	14
88	Impact of body mass index and metabolically unhealthy status on mortality in the Japanese general population: The JMS cohort study. <i>PLoS ONE</i> , 2019, 14, e0224802.	2.5	14
89	Kawasaki Disease in Mongolia: Results From 2 Nationwide Retrospective Surveys, 1996-2008. <i>Journal of Epidemiology</i> , 2011, 21, 293-298.	2.4	13
90	Difference in Risk Factors for Subtypes of Acute Cardiac Lesions Resulting from Kawasaki Disease. <i>Pediatric Cardiology</i> , 2017, 38, 375-380.	1.3	13

#	ARTICLE	IF	CITATIONS
91	MM2-type sporadic Creutzfeldt-Jakob disease: new diagnostic criteria for MM2-cortical type. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 1158-1165.	1.9	13
92	Estimated Prevalence of Cronkhite-Canada Syndrome, Chronic Enteropathy Associated With <i>SLCO2A1</i> Gene, and Intestinal Behçet's Disease in Japan in 2017: A Nationwide Survey. <i>Journal of Epidemiology</i> , 2021, 31, 139-144.	2.4	13
93	Effect of Revision of Japanese Diagnostic Criterion for Fever in Kawasaki Disease on Treatment and Cardiovascular Outcome. <i>Circulation Journal</i> , 2007, 71, 1791-1793.	1.6	12
94	Incidence rate and characteristics of symptomatic vitamin D deficiency in children: a nationwide survey in Japan. <i>Endocrine Journal</i> , 2018, 65, 593-599.	1.6	12
95	Age-related differences in chest radiographic staging of sarcoidosis in Japan. <i>European Respiratory Journal</i> , 2014, 43, 1810-1812.	6.7	11
96	Prevalence and Demographic Distribution of Adult Survivors of Child Abuse in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP2578-NP2586.	1.0	11
97	Serum Non-High-Density Lipoprotein Cholesterol Levels and the Incidence of Ischemic Stroke in a Japanese Population. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP535-NP543.	1.0	11
98	Platelet Count Variation and Risk for Coronary Artery Abnormalities in Kawasaki Disease. <i>Pediatric Infectious Disease Journal</i> , 2020, 39, 197-203.	2.0	11
99	Kawasaki Disease With Coronary Artery Lesions Detected at Initial Echocardiography. <i>Journal of the American Heart Association</i> , 2021, 10, e019853.	3.7	11
100	Deaths from Pesticide Poisoning in Japan, 1968-2005: Data from Vital Statistics. <i>Journal of Rural Medicine: JRM</i> , 2008, 3, 5-9.	0.5	10
101	Increased Kawasaki Disease Incidence Associated With Higher Precipitation and Lower Temperatures, Japan, 1991-2004. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 526-530.	2.0	10
102	Seasonality differs by IVIG responsiveness in patients with Kawasaki disease. <i>Pediatrics International</i> , 2019, 61, 539-543.	0.5	10
103	Japanese periodical nationwide epidemiologic survey of aberrant portal hemodynamics. <i>Hepatology Research</i> , 2019, 49, 890-901.	3.4	10
104	Cardiac Valvular Lesions due to Kawasaki Disease: A Japanese Nationwide Survey. <i>Journal of Pediatrics</i> , 2020, 218, 78-84.e2.	1.8	10
105	PARK16 polymorphisms, interaction with smoking, and sporadic Parkinson's disease in Japan. <i>Journal of the Neurological Sciences</i> , 2016, 362, 47-52.	0.6	9
106	Osetamivir use and severe abnormal behavior in Japanese children and adolescents with influenza: Is a self-controlled case series study applicable?. <i>Vaccine</i> , 2017, 35, 4817-4824.	3.8	9
107	Six principal symptoms and coronary artery sequelae in Kawasaki disease. <i>Pediatrics International</i> , 2009, 51, 705-708.	0.5	8
108	Recurrent Kawasaki disease and cardiac complications: nationwide surveys in Japan. <i>Archives of Disease in Childhood</i> , 2020, 105, 848-852.	1.9	8

#	ARTICLE	IF	CITATIONS
109	High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical School Cohort Study. <i>Asia-Pacific Journal of Public Health</i> , 2020, 32, 27-34.	1.0	8
110	Association among age, gender, menopausal status and small dense low-density lipoprotein cholesterol: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e041613.	1.9	8
111	Overlapping Features in Kawasaki Disease-Related Arthritis and Systemic-Onset Juvenile Idiopathic Arthritis: A Nationwide Study in Japan. <i>Frontiers in Pediatrics</i> , 2021, 9, 597458.	1.9	8
112	Glycated Hemoglobin Levels and Their Correlation With Atherosclerotic Risk Factors in a Japanese Population. <i>Japanese Circulation Journal</i> , 1998, 62, 261-266.	1.0	7
113	Seasonal Patterns of Legionellosis in Saitama, 2005 <sup>^</sup>   ^ndash;2009. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 330-333.	1.2	7
114	Epidemiologic features of Kawasaki disease: Winter versus summer. <i>Pediatrics International</i> , 2017, 59, 821-825.	0.5	6
115	Serum sodium level associated with coronary artery lesions in patients with Kawasaki disease. <i>Clinical Rheumatology</i> , 2022, 41, 137-145.	2.2	6
116	A nationwide questionnaire survey on the prevalence of ankylosing spondylitis and non-radiographic axial spondyloarthritis in Japan. <i>Modern Rheumatology</i> , 2022, 32, 960-967.	1.8	6
117	Systemic Adverse Effects Induced by the BNT162b2 Vaccine Are Associated with Higher Antibody Titers from 3 to 6 Months after Vaccination. <i>Vaccines</i> , 2022, 10, 451.	4.4	6
118	Methionine homozygosity for PRNP polymorphism and susceptibility to human prion diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 779-784.	1.9	6
119	Incidence of dizziness and vertigo in Japanese primary care clinic patients with lifestyle-related diseases: an observational study. <i>International Journal of General Medicine</i> , 2015, 8, 149.	1.8	5
120	Time course of cardiac lesions due to Kawasaki disease in Japan: 22nd nationwide survey (2011-2012). <i>Pediatrics International</i> , 2016, 58, 1274-1276.	0.5	5
121	Appendectomy, tonsillectomy, and risk for sarcoidosis â€“ A hospital-based case-control study in Japan. <i>Respiratory Investigation</i> , 2017, 55, 196-202.	1.8	5
122	Isolated low levels of highâ€density lipoprotein cholesterol and stroke incidence: JMS Cohort Study. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23087.	2.1	5
123	Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. <i>Pediatrics International</i> , 2020, 62, 444-450.	0.5	5
124	Hospitalisations due to respiratory syncytial virus infection in children with Down syndrome before and after palivizumab recommendation in Japan. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 1299-1306.	1.5	5
125	Characteristics of patients with a diagnosis of sarcoidosis: a comparison of the 2006 and 2015 versions of diagnostic criteria for sarcoidosis in Japan. <i>Journal of Rural Medicine: JRM</i> , 2021, 16, 77-82.	0.5	5
126	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , 2021, 16, e0254706.	2.5	5



#	ARTICLE	IF	CITATIONS
127	Human Mobility and Droplet-Transmissible Pediatric Infectious Diseases during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6941.	2.6	5
128	Relationship between the Cumulative Incidence of Kawasaki Disease and the Prevalence of Electrocardiographic Abnormalities in Birth-Year Cohorts. <i>Journal of Epidemiology</i> , 2010, 20, 453-459.	2.4	4
129	A comparative study of degree of colorectal distention with manual air insufflation or automated CO2 insufflation at CT colonography as a preoperative examination. <i>Japanese Journal of Radiology</i> , 2014, 32, 274-281.	2.4	4
130	Caregiver daily impression could reflect illness latency and severity in frail elderly residents in long-term care facilities: A pilot study. <i>Geriatrics and Gerontology International</i> , 2016, 16, 612-617.	1.5	4
131	Differences in caregiver daily impression by sex, education and career length. <i>Geriatrics and Gerontology International</i> , 2017, 17, 410-415.	1.5	4
132	Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 1086-1092.e1.	1.2	4
133	Diffusion-weighted magnetic resonance imaging in dura mater graft-associated Creutzfeldt-Jakob disease. <i>Journal of the Neurological Sciences</i> , 2020, 418, 117094.	0.6	4
134	Kawasaki Disease and Vaccination: Prospective Case-Control and Case-Crossover Studies among Infants in Japan. <i>Vaccines</i> , 2021, 9, 839.	4.4	4
135	Effects of Dioxins and Polychlorinated Biphenyls(PCBs) on Thyroid Function in Infants Born in Japan: Report from Research on Environmental Health.. <i>Clinical Pediatric Endocrinology</i> , 2001, 10, 1-6.	0.8	4
136	Efficacy and safety of adding mizoribine to standard treatment in patients with immunoglobulin A nephropathy: A randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 159-166.	2.2	4
137	The Association Between Sleeping Pill Use and Metabolic Syndrome in an Apparently Healthy Population in Japan: JMS-II Cohort Study. <i>Journal of Epidemiology</i> , 2022, 32, 145-150.	2.4	4
138	Hospital facilities available to patients with Kawasaki disease: Results of a national survey of Kawasaki disease in Japan. <i>Pediatrics International</i> , 1996, 38, 562-566.	0.5	3
139	Geographic Difference of Mortality of Creutzfeldt-Jakob Disease in Japan. <i>Journal of Epidemiology</i> , 2007, 17, 19-24.	2.4	3
140	Characteristics and Validity of a Web-Based Kawasaki Disease Surveillance System in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 429-432.	2.4	3
141	Trends in incidence of childhood malignant solid tumors in Japan: Estimation based on hospital-based registration. <i>Journal of Pediatric Surgery</i> , 2015, 50, 1506-1512.	1.6	3
142	A cohort study of chronic diseases for Mongolian people: Outline with baseline data of the Moncohort study. <i>Journal of Epidemiology and Global Health</i> , 2016, 6, 187.	2.9	3
143	Clinical Characteristics of Patients With Kawasaki Disease Whose Siblings Had the Same Disease. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 531-536.	2.0	3
144	Incidence Rate, Cumulative Incidence, and Cohort Effect of Kawasaki Disease in Japan. <i>Journal of Epidemiology</i> , 1994, 4, 13-16.	2.4	2

#	ARTICLE	IF	CITATIONS
145	Relationship between screening plasma glucose concentrations and cancer- and all-cause mortality: the Jichi Medical School (JMS) cohort study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014, 22, 505-511.	1.6	2
146	Differentials in variables associated with past history of artificial abortion and current contraception by age: Results of a randomized national survey in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 516-522.	1.3	2
147	Treatment change and coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2020, 62, 779-784.	0.5	2
148	No relationship was observed between Kawasaki disease and COVID-19 in Japan. <i>Pediatrics International</i> , 2021, 63, 977-977.	0.5	2
149	Annual Surveillance Report of HIV/AIDS in Japan, 1997. <i>Japanese Journal of Infectious Diseases</i> , 1999, 52, 55-87.	1.2	2
150	Epidemiologic Features of Kawasaki Disease in Japan: from the View Point of the Nationwide Surveys. <i>Nihon Shoni Junkanki Gakkai Zasshi = Pediatric Cardiology and Cardiac Surgery</i> , 2012, 28, 148-156.	0.0	1
151	Hemoglobin Concentration and the Incidence of Stroke in the General Japanese Population: The Jichi Medical School Cohort Study. <i>Journal of Epidemiology</i> , 2022, 32, 125-130.	2.4	1
152	Stroke Risk Due to Smoking Characterized by Sex Differences in Japan: The Jichi Medical School Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106203.	1.6	1
153	First-line corticosteroids for Kawasaki disease: Pulse versus multiple dose. <i>Pediatrics International</i> , 2022, 64, e15112.	0.5	1
154	Follow up of Kawasaki disease based on nationwide survey data in Japan. <i>Pediatrics International</i> , 2022, 64, .	0.5	1
155	Risk factors associated with the need for additional intravenous gamma-globulin therapy for Kawasaki disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 189-193.	1.5	0
156	STRATEGY FOR HIGH-DOSE IMMUNOGLOBULIN THERAPY-RESISTANT KAWASAKI DISEASE: CURRENT STATUS IN JAPAN. <i>Pediatrics</i> , 2008, 121, S96.2-S96.	2.1	0
157	Mental health status of Japanese-Brazilian children at Brazilian schools in Japan. <i>Asia-Pacific Psychiatry</i> , 2010, 2, 92-98.	2.2	0
158	Bacille Calmette-Guérin inoculation site changes and cardiac complications in patients with Kawasaki disease. <i>Archives of Disease in Childhood</i> , 2020, 106, archdischild-2020-319543.	1.9	0
159	Epidemiology of Kawasaki disease in Japan, 2017-2018: results from the nationwide survey. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
160	Prevalence and HLA-B27 Positivity Rate among Patients with Ankylosing Spondylitis/Non-Radiographic Axial Spondyloarthritis in Japan. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
161	Serum alanine aminotransferase level and intravenous immunoglobulin resistance in patients with kawasaki disease. <i>Clinical Rheumatology</i> , 0, , .	2.2	0