

Yoshikazu Nakamura

List of Publications by Citations

Source: <https://exaly.com/author-pdf/791540/yoshikazu-nakamura-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 papers	4,573 citations	36 h-index	64 g-index
188 ext. papers	5,790 ext. citations	3.7 avg, IF	5.36 L-index

#	Paper	IF	Citations
155	Revision of diagnostic guidelines for Kawasaki disease (the 5th revised edition). <i>Pediatrics International</i> , 2005 , 47, 232-4	1.2	353
154	ITPKC functional polymorphism associated with Kawasaki disease susceptibility and formation of coronary artery aneurysms. <i>Nature Genetics</i> , 2008 , 40, 35-42	36.3	339
153	Epidemiologic features of Kawasaki disease in Japan: results of the 2009-2010 nationwide survey. <i>Journal of Epidemiology</i> , 2012 , 22, 216-21	3.4	265
152	Descriptive epidemiology of Kawasaki disease in Japan, 2011-2012: from the results of the 22nd nationwide survey. <i>Journal of Epidemiology</i> , 2015 , 25, 239-45	3.4	214
151	Quantifying prion disease penetrance using large population control cohorts. <i>Science Translational Medicine</i> , 2016 , 8, 322ra9	17.5	205
150	Epidemiologic features of Kawasaki disease in Japan: results of the 2007-2008 nationwide survey. <i>Journal of Epidemiology</i> , 2010 , 20, 302-7	3.4	156
149	Tropospheric winds from northeastern China carry the etiologic agent of Kawasaki disease from its source to Japan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7952-7	11.5	121
148	Epidemiologic features of Kawasaki disease in Japan: results from the nationwide survey in 2005-2006. <i>Journal of Epidemiology</i> , 2008 , 18, 167-72	3.4	118
147	Seasonality and temporal clustering of Kawasaki syndrome. <i>Epidemiology</i> , 2005 , 16, 220-5	3.1	118
146	Association of Kawasaki disease with tropospheric wind patterns. <i>Scientific Reports</i> , 2011 , 1, 152	4.9	114
145	Analysis of potential risk factors associated with nonresponse to initial intravenous immunoglobulin treatment among Kawasaki disease patients in Japan. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 155-60	3.4	102
144	Prevalence of coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2007 , 49, 421-6	1.2	102
143	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307	14.4	98
142	Incidence of Kawasaki disease in Japan: the nationwide surveys of 1999-2002. <i>Pediatrics International</i> , 2006 , 48, 356-61	1.2	88
141	Nationwide epidemiologic survey of Kawasaki disease in Japan, 2015-2016. <i>Pediatrics International</i> , 2019 , 61, 397-403	1.2	81
140	Increasing incidence of Kawasaki disease in Japan: nationwide survey. <i>Pediatrics International</i> , 2008 , 50, 287-90	1.2	80
139	Kawasaki disease patients with redness or crust formation at the Bacille Calmette-Guérin inoculation site. <i>Pediatric Infectious Disease Journal</i> , 2010 , 29, 430-3	3.4	66

138	Epidemiological observations of Kawasaki disease in Japan, 2013-2014. <i>Pediatrics International</i> , 2018 , 60, 581-587	1.2	64
137	Coronary artery lesions of incomplete Kawasaki disease: a nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2012 , 171, 651-6	4.1	64
136	A genomewide linkage analysis of Kawasaki disease: evidence for linkage to chromosome 12. <i>Journal of Human Genetics</i> , 2007 , 52, 179-190	4.3	62
135	Use of laboratory data to identify risk factors of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2004 , 46, 33-8	1.2	57
134	Incidence of Kawasaki disease in northern European countries. <i>Pediatrics International</i> , 2012 , 54, 770-2	1.2	50
133	Kawasaki disease: epidemiology and the lessons from it. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 16-19	2.3	50
132	Update of the epidemiology of Kawasaki disease in Japan--from the results of 1993-94 nationwide survey. <i>Journal of Epidemiology</i> , 1996 , 6, 148-57	3.4	48
131	Epidemiology, Treatments, and Cardiac Complications in Patients with Kawasaki Disease: The Nationwide Survey in Japan, 2017-2018. <i>Journal of Pediatrics</i> , 2020 , 225, 23-29.e2	3.6	47
130	Age-related and historical changes in the clinical characteristics of sarcoidosis in Japan. <i>Respiratory Medicine</i> , 2015 , 109, 272-8	4.6	47
129	Mortality among children with Kawasaki disease in Japan. <i>New England Journal of Medicine</i> , 1992 , 326, 1246-9	59.2	47
128	Cardiac Sequelae of Kawasaki Disease in Japan: Statistical Analysis. <i>Pediatrics</i> , 1991 , 88, 1144-1147	7.4	43
127	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
126	Mortality among persons with a history of kawasaki disease in Japan: mortality among males with cardiac sequelae is significantly higher than that of the general population. <i>Circulation Journal</i> , 2008 , 72, 134-8	2.9	40
125	Recurrent Kawasaki disease: USA and Japan. <i>Pediatrics International</i> , 2015 , 57, 1116-20	1.2	38
124	Older age is a risk factor for the development of cardiovascular sequelae in Kawasaki disease. <i>Pediatrics</i> , 2004 , 114, 751-4	7.4	38
123	Estimated prevalence of ulcerative colitis and Crohn's disease in Japan in 2014: an analysis of a nationwide survey. <i>Journal of Gastroenterology</i> , 2019 , 54, 1070-1077	6.9	37
122	Preoperative T staging of colorectal cancer by CT colonography. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 875-81	3.1	37
121	Revision of diagnostic guidelines for Kawasaki disease (6th revised edition). <i>Pediatrics International</i> , 2020 , 62, 1135-1138	1.2	37

120	Mortality among persons with a history of Kawasaki disease in Japan: the fifth look. <i>JAMA Pediatrics</i> , 2002 , 156, 162-5		36
119	Nationwide surveillance of Kawasaki disease in Japan, 1984 to 1993. <i>Pediatric Infectious Disease Journal</i> , 1995 , 14, 69-71	3.4	35
118	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , 2015 , 38, 790-5	4.7	32
117	Five-year intra-individual variability in C-reactive protein levels in a Japanese population-based study: the Jichi Medical School Cohort Study at Yamato, 1993-1998. <i>Japanese Circulation Journal</i> , 2000 , 64, 303-8		32
116	Clinical features of genetic Creutzfeldt-Jakob disease with V180I mutation in the prion protein gene. <i>BMJ Open</i> , 2014 , 4, e004968	3	31
115	Mortality among Japanese with a history of Kawasaki disease: results at the end of 2009. <i>Journal of Epidemiology</i> , 2013 , 23, 429-34	3.4	30
114	Cardiac lesions and initial laboratory data in Kawasaki disease: a nationwide survey in Japan. <i>Journal of Epidemiology</i> , 2015 , 25, 189-93	3.4	29
113	Coronary artery lesions and the increasing incidence of Kawasaki disease resistant to initial immunoglobulin. <i>International Journal of Cardiology</i> , 2016 , 214, 209-15	3.2	29
112	Monthly observation of the number of patients with Kawasaki disease and its incidence rates in Japan: chronological and geographical observation from nationwide surveys. <i>Journal of Epidemiology</i> , 2008 , 18, 273-9	3.4	27
111	Mortality rates for patients with a history of Kawasaki disease in Japan. Kawasaki Disease Follow-up Group. <i>Journal of Pediatrics</i> , 1996 , 128, 75-81	3.6	27
110	Case-control study of giant coronary aneurysms due to Kawasaki disease: the 19th nationwide survey. <i>Pediatrics International</i> , 2010 , 52, 790-4	1.2	26
109	Case-control study of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2003 , 45, 410-3	1.2	26
108	Nationwide surveys show that the incidence of recurrent Kawasaki disease in Japan has hardly changed over the last 30 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 796-800	3.1	24
107	Mortality among persons with a history of Kawasaki disease in Japan: existence of cardiac sequelae elevated the mortality. <i>Journal of Epidemiology</i> , 2000 , 10, 372-5	3.4	23
106	Neonatal Kawasaki disease: case report and data from nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2014 , 173, 1533-6	4.1	22
105	Low frequency of toothbrushing practices is an independent risk factor for diabetes mellitus in male and dyslipidemia in female: A large-scale, 5-year cohort study in Japan. <i>Journal of Cardiology</i> , 2017 , 70, 107-112	3	21
104	The worldwide epidemiology of Kawasaki disease. <i>Progress in Pediatric Cardiology</i> , 2004 , 19, 99-108	0.4	21
103	Mortality among patients with a history of Kawasaki disease: the third look. The Kawasaki Disease Follow-up Group. <i>Pediatrics International</i> , 1998 , 40, 419-23	1.2	20

102	Parents with a history of Kawasaki disease whose child also had the same disease. <i>Pediatrics International</i> , 2011 , 53, 511-4	1.2	19
101	Age and Smoking Predict Antibody Titres at 3 Months after the Second Dose of the BNT162b2 COVID-19 Vaccine. <i>Vaccines</i> , 2021 , 9,	5.3	19
100	Temporal and geographical clustering of Kawasaki disease in Japan: 2007-2012. <i>Pediatrics International</i> , 2016 , 58, 1140-1145	1.2	18
99	Giant coronary aneurysms due to Kawasaki disease: a case-control study. <i>Pediatrics International</i> , 2002 , 44, 254-8	1.2	18
98	Association between toothbrushing and risk factors for cardiovascular disease: a large-scale, cross-sectional Japanese study. <i>BMJ Open</i> , 2016 , 6, e009870	3	18
97	Mortality among persons with a history of Kawasaki disease in Japan: can paediatricians safely discontinue follow-up of children with a history of the disease but without cardiac sequelae?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 429-34	3.1	17
96	Cardiac Complications, Earlier Treatment, and Initial Disease Severity in Kawasaki Disease. <i>Journal of Pediatrics</i> , 2017 , 188, 64-69	3.6	16
95	Kawasaki disease and ENSO-driven wind circulation. <i>Geophysical Research Letters</i> , 2013 , 40, 2284-2289	4.9	16
94	Cardiac sequelae of Kawasaki disease in Japan over 10 years. <i>Pediatrics International</i> , 1995 , 37, 667-71	1.2	16
93	Factor VII and Fibrinogen Levels Examined by Age, Sex, and other Atherosclerotic Risk Factors in a Japanese Population. <i>Thrombosis and Haemostasis</i> , 1997 , 77, 0890-0893	7	16
92	Selection bias of Internet panel surveys: a comparison with a paper-based survey and national governmental statistics in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2390-9	2	14
91	A case-control study of recurrent Kawasaki disease using the database of the nationwide surveys in Japan. <i>European Journal of Pediatrics</i> , 1996 , 155, 303-7	4.1	14
90	Cumulative incidence of Kawasaki disease in Japan. <i>Pediatrics International</i> , 2018 , 60, 19-22	1.2	14
89	Vitamin D receptor gene polymorphisms, smoking, and risk of sporadic Parkinson's disease in Japan. <i>Neuroscience Letters</i> , 2017 , 643, 97-102	3.3	13
88	State-of-the-art basic and clinical science of Kawasaki disease. <i>Pediatric Health</i> , 2008 , 2, 405-409		13
87	Suicidal patients presenting to secondary and tertiary emergency departments and referral to a psychiatrist: a population-based descriptive study from Japan. <i>BMC Psychiatry</i> , 2018 , 18, 112	4.2	12
86	Long-term consequences of Kawasaki disease among first-year junior high school students. <i>JAMA Pediatrics</i> , 2002 , 156, 77-80		12
85	Physical and Mental Effects of Bathing: A Randomized Intervention Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 9521086	2.3	11

84	Metabolic syndrome is a risk factor for cancer mortality in the general Japanese population: the Jichi Medical School Cohort Study. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 3	5.6	10
83	Outcomes in Kawasaki disease patients with coronary artery abnormalities at admission. <i>American Heart Journal</i> , 2020 , 225, 120-128	4.9	10
82	The effects of early intravenous immunoglobulin therapy for Kawasaki disease: The 22nd nationwide survey in Japan. <i>International Journal of Cardiology</i> , 2018 , 269, 334-338	3.2	10
81	Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 319-330	4	10
80	Computed Tomography Images of Fibrotic Pulmonary Sarcoidosis Leading to Chronic Respiratory Failure. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	9
79	Age-related differences in chest radiographic staging of sarcoidosis in Japan. <i>European Respiratory Journal</i> , 2014 , 43, 1810-2	13.6	9
78	Increased Kawasaki Disease Incidence Associated With Higher Precipitation and Lower Temperatures, Japan, 1991-2004. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 526-530	3.4	9
77	Emergence and Characterization of Acute Coronary Syndrome in Adults After Confirmed or Missed History of Kawasaki Disease in Japan: A Japanese Nationwide Survey. <i>Frontiers in Pediatrics</i> , 2019 , 7, 275	3.4	8
76	Difference in Risk Factors for Subtypes of Acute Cardiac Lesions Resulting from Kawasaki Disease. <i>Pediatric Cardiology</i> , 2017 , 38, 375-380	2.1	8
75	Deaths from Pesticide Poisoning in Japan, 1968-2005: Data from Vital Statistics. <i>Journal of Rural Medicine: JRM</i> , 2008 , 3, 5-9	0.5	8
74	Corticosteroids Added to Initial Intravenous Immunoglobulin Treatment for the Prevention of Coronary Artery Abnormalities in High-Risk Patients With Kawasaki Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e015308	6	8
73	Assessment of Pediatric Admissions for Kawasaki Disease or Infectious Disease During the COVID-19 State of Emergency in Japan. <i>JAMA Network Open</i> , 2021 , 4, e214475	10.4	8
72	PARK16 polymorphisms, interaction with smoking, and sporadic Parkinson's disease in Japan. <i>Journal of the Neurological Sciences</i> , 2016 , 362, 47-52	3.2	7
71	An 18-Year Follow-up Survey of Dioxin Levels in Human Milk in Japan. <i>Journal of Epidemiology</i> , 2018 , 28, 300-306	3.4	7
70	Incidence rate and characteristics of symptomatic vitamin D deficiency in children: a nationwide survey in Japan. <i>Endocrine Journal</i> , 2018 , 65, 593-599	2.9	7
69	Impact of body mass index and metabolically unhealthy status on mortality in the Japanese general population: The JMS cohort study. <i>PLoS ONE</i> , 2019 , 14, e0224802	3.7	7
68	Oseltamivir use and severe abnormal behavior in Japanese children and adolescents with influenza: Is a self-controlled case series study applicable?. <i>Vaccine</i> , 2017 , 35, 4817-4824	4.1	7
67	Kawasaki disease in Mongolia: results from 2 nationwide retrospective surveys, 1996-2008. <i>Journal of Epidemiology</i> , 2011 , 21, 293-8	3.4	7

66	MM2-type sporadic Creutzfeldt-Jakob disease: new diagnostic criteria for MM2-cortical type. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 1158-1165	5.5	7
65	Serum non-high-density lipoprotein cholesterol levels and the incidence of ischemic stroke in a Japanese population: the Jichi Medical School cohort study. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP535-43	2	6
64	Cardiac Valvular Lesions due to Kawasaki Disease: A Japanese Nationwide Survey. <i>Journal of Pediatrics</i> , 2020 , 218, 78-84.e2	3.6	6
63	Epidemiologic features of Kawasaki disease distinguished by seasonal variation: an age-specific analysis. <i>Annals of Epidemiology</i> , 2018 , 28, 796-800	6.4	6
62	Association between smoking and the peripheral vestibular disorder: a retrospective cohort study. <i>Scientific Reports</i> , 2017 , 7, 16889	4.9	6
61	Prevalence and demographic distribution of adult survivors of child abuse in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2578-86	2	6
60	Effect of revision of Japanese diagnostic criterion for fever in Kawasaki disease on treatment and cardiovascular outcome. <i>Circulation Journal</i> , 2007 , 71, 1791-3	2.9	6
59	Seasonal Patterns of Legionellosis in Saitama, 2005^ –2009. <i>Japanese Journal of Infectious Diseases</i> , 2012 , 65, 330-333	2.7	6
58	Estimated Prevalence of Cronkhite-Canada Syndrome, Chronic Enteropathy Associated With SLCO2A1 Gene, and Intestinal Behët Disease in Japan in 2017: A Nationwide Survey. <i>Journal of Epidemiology</i> , 2021 , 31, 139-144	3.4	6
57	Seasonality of i.v. immunoglobulin responsiveness in Kawasaki disease. <i>Pediatrics International</i> , 2019 , 61, 539-543	1.2	5
56	High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical School Cohort Study. <i>Asia-Pacific Journal of Public Health</i> , 2020 , 32, 27-34	2	5
55	Incidence of dizziness and vertigo in Japanese primary care clinic patients with lifestyle-related diseases: an observational study. <i>International Journal of General Medicine</i> , 2015 , 8, 149-54	2.3	5
54	Six principal symptoms and coronary artery sequelae in Kawasaki disease. <i>Pediatrics International</i> , 2009 , 51, 705-8	1.2	5
53	Time course of cardiac lesions due to Kawasaki disease in Japan: 22nd nationwide survey (2011-2012). <i>Pediatrics International</i> , 2016 , 58, 1274-1276	1.2	5
52	Epidemiologic features of Kawasaki disease: Winter versus summer. <i>Pediatrics International</i> , 2017 , 59, 821-825	1.2	4
51	Recurrent Kawasaki disease and cardiac complications: nationwide surveys in Japan. <i>Archives of Disease in Childhood</i> , 2020 , 105, 848-852	2.2	4
50	A comparative study of degree of colorectal distention with manual air insufflation or automated CO(2) insufflation at CT colonography as a preoperative examination. <i>Japanese Journal of Radiology</i> , 2014 , 32, 274-81	2.9	4
49	Relationship between the cumulative incidence of Kawasaki disease and the prevalence of electrocardiographic abnormalities in birth-year cohorts. <i>Journal of Epidemiology</i> , 2010 , 20, 453-9	3.4	4

48	Effects of Dioxins and Polychlorinated Biphenyls(PCBs) on Thyroid Function in Infants Born in Japan: Report from Research on Environmental Health.. <i>Clinical Pediatric Endocrinology</i> , 2001 , 10, 1-6	1.4	4
47	Prevalence of patients with lysosomal storage disorders and peroxisomal disorders: A nationwide survey in Japan. <i>Molecular Genetics and Metabolism</i> , 2021 , 133, 277-288	3.7	4
46	Relationship between carbohydrate and dietary fibre intake and the risk of cardiovascular disease mortality in Japanese: 24-year follow-up of NIPPON DATA80. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 67-76	5.2	4
45	Association among age, gender, menopausal status and small dense low-density lipoprotein cholesterol: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e041613	3	4
44	Appendectomy, tonsillectomy, and risk for sarcoidosis - A hospital-based case-control study in Japan. <i>Respiratory Investigation</i> , 2017 , 55, 196-202	3.4	3
43	A cohort study of chronic diseases for Mongolian people: Outline with baseline data of the Moncohort study. <i>Journal of Epidemiology and Global Health</i> , 2016 , 6, 187-96	5.5	3
42	Characteristics and validity of a web-based Kawasaki disease surveillance system in Japan. <i>Journal of Epidemiology</i> , 2010 , 20, 429-32	3.4	3
41	Geographic difference of mortality of Creutzfeldt-Jakob disease in Japan. <i>Journal of Epidemiology</i> , 2007 , 17, 19-24	3.4	3
40	Glycated hemoglobin levels and their correlation with atherosclerotic risk factors in a Japanese population--the Jichi Medical School Cohort Study 1993-1995. <i>Japanese Circulation Journal</i> , 1998 , 62, 261-6		3
39	Hospital facilities available to patients with Kawasaki disease: results of a national survey of Kawasaki disease in Japan. <i>Pediatrics International</i> , 1996 , 38, 562-6	1.2	3
38	Attenuation of Antibody Titers from 3 to 6 Months after the Second Dose of the BNT162b2 Vaccine Depends on Sex, with Age and Smoking Risk Factors for Lower Antibody Titers at 6 Months.. <i>Vaccines</i> , 2021 , 9,	5.3	3
37	Efficacy and safety of adding mizoribine to standard treatment in patients with immunoglobulin A nephropathy: A randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2017 , 36, 159-166	3.6	3
36	Kawasaki Disease With Coronary Artery Lesions Detected at Initial Echocardiography. <i>Journal of the American Heart Association</i> , 2021 , 10, e019853	6	3
35	Kawasaki Disease and Pediatric Infectious Diseases During the Coronavirus Disease 2019 Pandemic. <i>Journal of Pediatrics</i> , 2021 , 239, 50-58.e2	3.6	3
34	Epidemiology and Risk Factors for Giant Coronary Artery Aneurysms Identified After Acute Kawasaki Disease. <i>Pediatric Cardiology</i> , 2021 , 42, 969-977	2.1	3
33	Differences in caregiver daily impression by sex, education and career length. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 410-415	2.9	2
32	Differentials in variables associated with past history of artificial abortion and current contraception by age: Results of a randomized national survey in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 516-522	1.9	2
31	Japanese periodical nationwide epidemiologic survey of aberrant portal hemodynamics. <i>Hepatology Research</i> , 2019 , 49, 890-901	5.1	2

30	Relationship between screening plasma glucose concentrations and cancer- and all-cause mortality: the Jichi Medical School (JMS) cohort study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014 , 22, 505-511 ^{1.4}	2
29	Annual Surveillance Report of HIV/AIDS in Japan, 1997. <i>Japanese Journal of Infectious Diseases</i> , 1999 , 52, 55-87	2.7 2
28	Isolated low levels of high-density lipoprotein cholesterol and stroke incidence: JMS Cohort Study. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23087	3 2
27	Platelet Count Variation and Risk for Coronary Artery Abnormalities in Kawasaki Disease. <i>Pediatric Infectious Disease Journal</i> , 2020 , 39, 197-203	3.4 2
26	Characteristics of patients with a diagnosis of sarcoidosis: a comparison of the 2006 and 2015 versions of diagnostic criteria for sarcoidosis in Japan. <i>Journal of Rural Medicine: JRM</i> , 2021 , 16, 77-82	0.5 2
25	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , 2021 , 16, e0254706	3.7 2
24	Trends in incidence of childhood malignant solid tumors in Japan: Estimation based on hospital-based registration. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1506-12	2.6 1
23	Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. <i>Pediatrics International</i> , 2020 , 62, 444-450	1.2 1
22	Treatment change and coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2020 , 62, 779-784	1.2 1
21	Incidence Rate, Cumulative Incidence, and Cohort Effect of Kawasaki Disease in Japan. <i>Journal of Epidemiology</i> , 1994 , 4, 13-16	3.4 1
20	The Association between Sleeping Pill Use and Metabolic Syndrome in an Apparently Healthy Population in Japan: JMS-II Cohort Study. <i>Journal of Epidemiology</i> , 2020 ,	3.4 1
19	A Nationwide Questionnaire Survey on the Prevalence of Ankylosing Spondylitis and Non-Radiographic Axial Spondyloarthritis in Japan. <i>Modern Rheumatology</i> , 2021 ,	3.3 1
18	Attenuation of antibody titres during 3-6 months after the second dose of the BNT162b2 vaccine depends on sex, with age and smoking as risk factors for lower antibody titres at 6 months	1
17	Epidemiologic Features of Kawasaki Disease in Japan: from the View Point of the Natuonwide Surveys. <i>Nihon Shoni Junkanki Gakkai Zasshi = Pediatric Cardiology and Cardiac Surgery</i> , 2012 , 28, 148-156 ⁰	1
16	Overlapping Features in Kawasaki Disease-Related Arthritis and Systemic-Onset Juvenile Idiopathic Arthritis: A Nationwide Study in Japan. <i>Frontiers in Pediatrics</i> , 2021 , 9, 597458	3.4 1
15	Kawasaki Disease and Vaccination: Prospective Case-Control and Case-Crossover Studies among Infants in Japan. <i>Vaccines</i> , 2021 , 9,	5.3 1
14	Caregiver daily impression could reflect illness latency and severity in frail elderly residents in long-term care facilities: A pilot study. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 612-7	2.9 1
13	Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1086-1092.e1 ^{4.5}	1

12	Hospitalisations due to respiratory syncytial virus infection in children with Down syndrome before and after palivizumab recommendation in Japan. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1299-1306	3.1	1
11	No relationship was observed between Kawasaki disease and COVID-19 in Japan. <i>Pediatrics International</i> , 2021 , 63, 977	1.2	0
10	Clinical Characteristics of Patients With Kawasaki Disease Whose Siblings Had the Same Disease. <i>Pediatric Infectious Disease Journal</i> , 2021 , 40, 531-536	3.4	0
9	Serum sodium level associated with coronary artery lesions in patients with Kawasaki disease. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	0
8	Bacille Calmette-Guérin inoculation site changes and cardiac complications in patients with Kawasaki disease. <i>Archives of Disease in Childhood</i> , 2021 , 106, 669-673	2.2	
7	Update on Nationwide Surveys and Epidemiologic Characteristics of Kawasaki Disease in Japan 2017 , 79-84		
6	Mental health status of Japanese-Brazilian children at Brazilian schools in Japan. <i>Asia-Pacific Psychiatry</i> , 2010 , 2, 92-98	3.2	
5	STRATEGY FOR HIGH-DOSE IMMUNOGLOBULIN THERAPY-RESISTANT KAWASAKI DISEASE: CURRENT STATUS IN JAPAN. <i>Pediatrics</i> , 2008 , 121, S96.2-S96	7.4	
4	Risk factors associated with the need for additional intravenous gamma-globulin therapy for Kawasaki disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 95, 189-193	3.1	
3	Stroke Risk Due to Smoking Characterized by Sex Differences in Japan: The Jichi Medical School Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106203	2.8	
2	Diffusion-weighted magnetic resonance imaging in dura mater graft-associated Creutzfeldt-Jakob disease. <i>Journal of the Neurological Sciences</i> , 2020 , 418, 117094	3.2	
1	First-line corticosteroids for Kawasaki disease: Pulse versus multiple dose.. <i>Pediatrics International</i> , 2021 , 64, e15112	1.2	