

Yoshikazu Nakamura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/791540/yoshikazu-nakamura-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 papers	4,573 citations	36 h-index	64 g-index
188 ext. papers	5,790 ext. citations	3.7 avg, IF	5.36 L-index

#	Paper	IF	Citations
155	Bacille Calmette-Guérin inoculation site changes and cardiac complications in patients with Kawasaki disease. <i>Archives of Disease in Childhood</i> , 2021 , 106, 669-673	2.2	
154	Attenuation of Antibody Titers from 3 to 6 Months after the Second Dose of the BNT162b2 Vaccine Depends on Sex, with Age and Smoking Risk Factors for Lower Antibody Titers at 6 Months.. <i>Vaccines</i> , 2021 , 9,	5.3	3
153	A Nationwide Questionnaire Survey on the Prevalence of Ankylosing Spondylitis and Non-Radiographic Axial Spondyloarthritis in Japan. <i>Modern Rheumatology</i> , 2021 ,	3.3	1
152	Stroke Risk Due to Smoking Characterized by Sex Differences in Japan: The Jichi Medical School Cohort Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106203	2.8	
151	No relationship was observed between Kawasaki disease and COVID-19 in Japan. <i>Pediatrics International</i> , 2021 , 63, 977	1.2	0
150	Kawasaki Disease With Coronary Artery Lesions Detected at Initial Echocardiography. <i>Journal of the American Heart Association</i> , 2021 , 10, e019853	6	3
149	Assessment of Pediatric Admissions for Kawasaki Disease or Infectious Disease During the COVID-19 State of Emergency in Japan. <i>JAMA Network Open</i> , 2021 , 4, e214475	10.4	8
148	Clinical Characteristics of Patients With Kawasaki Disease Whose Siblings Had the Same Disease. <i>Pediatric Infectious Disease Journal</i> , 2021 , 40, 531-536	3.4	0
147	Prevalence of patients with lysosomal storage disorders and peroxisomal disorders: A nationwide survey in Japan. <i>Molecular Genetics and Metabolism</i> , 2021 , 133, 277-288	3.7	4
146	Overlapping Features in Kawasaki Disease-Related Arthritis and Systemic-Onset Juvenile Idiopathic Arthritis: A Nationwide Study in Japan. <i>Frontiers in Pediatrics</i> , 2021 , 9, 597458	3.4	1
145	Kawasaki Disease and Pediatric Infectious Diseases During the Coronavirus Disease 2019 Pandemic. <i>Journal of Pediatrics</i> , 2021 , 239, 50-58.e2	3.6	3
144	Kawasaki Disease and Vaccination: Prospective Case-Control and Case-Crossover Studies among Infants in Japan. <i>Vaccines</i> , 2021 , 9,	5.3	1
143	Estimated Prevalence of Cronkhite-Canada Syndrome, Chronic Enteropathy Associated With <i>SLCO2A1</i> Gene, and Intestinal Behçet Disease in Japan in 2017: A Nationwide Survey. <i>Journal of Epidemiology</i> , 2021 , 31, 139-144	3.4	6
142	Hospitalisations due to respiratory syncytial virus infection in children with Down syndrome before and after palivizumab recommendation in Japan. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1299-1306	3.1	1
141	Characteristics of patients with a diagnosis of sarcoidosis: a comparison of the 2006 and 2015 versions of diagnostic criteria for sarcoidosis in Japan. <i>Journal of Rural Medicine: JRM</i> , 2021 , 16, 77-82	0.5	2
140	Association among age, gender, menopausal status and small dense low-density lipoprotein cholesterol: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e041613	3	4
139	Epidemiology and Risk Factors for Giant Coronary Artery Aneurysms Identified After Acute Kawasaki Disease. <i>Pediatric Cardiology</i> , 2021 , 42, 969-977	2.1	3

138	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , 2021 , 16, e0254706	3.7	2
137	Serum sodium level associated with coronary artery lesions in patients with Kawasaki disease. <i>Clinical Rheumatology</i> , 2021 , 1	3.9	0
136	Age and Smoking Predict Antibody Titres at 3 Months after the Second Dose of the BNT162b2 COVID-19 Vaccine. <i>Vaccines</i> , 2021 , 9,	5.3	19
135	First-line corticosteroids for Kawasaki disease: Pulse versus multiple dose.. <i>Pediatrics International</i> , 2021 , 64, e15112	1.2	
134	Outcomes in Kawasaki disease patients with coronary artery abnormalities at admission. <i>American Heart Journal</i> , 2020 , 225, 120-128	4.9	10
133	Epidemiology, Treatments, and Cardiac Complications in Patients with Kawasaki Disease: The Nationwide Survey in Japan, 2017-2018. <i>Journal of Pediatrics</i> , 2020 , 225, 23-29.e2	3.6	47
132	Recurrent Kawasaki disease and cardiac complications: nationwide surveys in Japan. <i>Archives of Disease in Childhood</i> , 2020 , 105, 848-852	2.2	4
131	Cardiac Valvular Lesions due to Kawasaki Disease: A Japanese Nationwide Survey. <i>Journal of Pediatrics</i> , 2020 , 218, 78-84.e2	3.6	6
130	High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes: Jichi Medical School Cohort Study. <i>Asia-Pacific Journal of Public Health</i> , 2020 , 32, 27-34	2	5
129	Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. <i>Pediatrics International</i> , 2020 , 62, 444-450	1.2	1
128	Computed Tomography Images of Fibrotic Pulmonary Sarcoidosis Leading to Chronic Respiratory Failure. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	9
127	Treatment change and coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2020 , 62, 779-784	1.2	1
126	The Association between Sleeping Pill Use and Metabolic Syndrome in an Apparently Healthy Population in Japan: JMS-II Cohort Study. <i>Journal of Epidemiology</i> , 2020 ,	3.4	1
125	Isolated low levels of high-density lipoprotein cholesterol and stroke incidence: JMS Cohort Study. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23087	3	2
124	Platelet Count Variation and Risk for Coronary Artery Abnormalities in Kawasaki Disease. <i>Pediatric Infectious Disease Journal</i> , 2020 , 39, 197-203	3.4	2
123	Revision of diagnostic guidelines for Kawasaki disease (6th revised edition). <i>Pediatrics International</i> , 2020 , 62, 1135-1138	1.2	37
122	Diffusion-weighted magnetic resonance imaging in dura mater graft-associated Creutzfeldt-Jakob disease. <i>Journal of the Neurological Sciences</i> , 2020 , 418, 117094	3.2	
121	MM2-type sporadic Creutzfeldt-Jakob disease: new diagnostic criteria for MM2-cortical type. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020 , 91, 1158-1165	5.5	7

120	Corticosteroids Added to Initial Intravenous Immunoglobulin Treatment for the Prevention of Coronary Artery Abnormalities in High-Risk Patients With Kawasaki Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e015308	6	8
119	Relationship between carbohydrate and dietary fibre intake and the risk of cardiovascular disease mortality in Japanese: 24-year follow-up of NIPPON DATA80. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 67-76	5.2	4
118	Combined Effect of Small Dense Low-Density Lipoprotein Cholesterol (sdLDL-C) and Remnant-Like Particle Cholesterol (RLP-C) on Low-Grade Inflammation. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 319-330	4	10
117	Seasonality of i.v. immunoglobulin responsiveness in Kawasaki disease. <i>Pediatrics International</i> , 2019 , 61, 539-543	1.2	5
116	Japanese periodical nationwide epidemiologic survey of aberrant portal hemodynamics. <i>Hepatology Research</i> , 2019 , 49, 890-901	5.1	2
115	Metabolic syndrome is a risk factor for cancer mortality in the general Japanese population: the Jichi Medical School Cohort Study. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 3	5.6	10
114	Estimated prevalence of ulcerative colitis and Crohn's disease in Japan in 2014: an analysis of a nationwide survey. <i>Journal of Gastroenterology</i> , 2019 , 54, 1070-1077	6.9	37
113	Emergence and Characterization of Acute Coronary Syndrome in Adults After Confirmed or Missed History of Kawasaki Disease in Japan: A Japanese Nationwide Survey. <i>Frontiers in Pediatrics</i> , 2019 , 7, 275	3.4	8
112	Impact of body mass index and metabolically unhealthy status on mortality in the Japanese general population: The JMS cohort study. <i>PLoS ONE</i> , 2019 , 14, e0224802	3.7	7
111	Nationwide epidemiologic survey of Kawasaki disease in Japan, 2015-2016. <i>Pediatrics International</i> , 2019 , 61, 397-403	1.2	81
110	Results of a nationwide epidemiologic survey of autosomal recessive congenital ichthyosis and ichthyosis syndromes in Japan. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1086-1092.e14.5	4.5	1
109	Epidemiological observations of Kawasaki disease in Japan, 2013-2014. <i>Pediatrics International</i> , 2018 , 60, 581-587	1.2	64
108	The effects of early intravenous immunoglobulin therapy for Kawasaki disease: The 22nd nationwide survey in Japan. <i>International Journal of Cardiology</i> , 2018 , 269, 334-338	3.2	10
107	Physical and Mental Effects of Bathing: A Randomized Intervention Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 9521086	2.3	11
106	An 18-Year Follow-up Survey of Dioxin Levels in Human Milk in Japan. <i>Journal of Epidemiology</i> , 2018 , 28, 300-306	3.4	7
105	Incidence rate and characteristics of symptomatic vitamin D deficiency in children: a nationwide survey in Japan. <i>Endocrine Journal</i> , 2018 , 65, 593-599	2.9	7
104	Suicidal patients presenting to secondary and tertiary emergency departments and referral to a psychiatrist: a population-based descriptive study from Japan. <i>BMC Psychiatry</i> , 2018 , 18, 112	4.2	12
103	Epidemiologic features of Kawasaki disease distinguished by seasonal variation: an age-specific analysis. <i>Annals of Epidemiology</i> , 2018 , 28, 796-800	6.4	6

102	Cumulative incidence of Kawasaki disease in Japan. <i>Pediatrics International</i> , 2018 , 60, 19-22	1.2	14
101	Increased Kawasaki Disease Incidence Associated With Higher Precipitation and Lower Temperatures, Japan, 1991-2004. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 526-530	3.4	9
100	Kawasaki disease: epidemiology and the lessons from it. <i>International Journal of Rheumatic Diseases</i> , 2018 , 21, 16-19	2.3	50
99	Differences in caregiver daily impression by sex, education and career length. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 410-415	2.9	2
98	Low frequency of toothbrushing practices is an independent risk factor for diabetes mellitus in male and dyslipidemia in female: A large-scale, 5-year cohort study in Japan. <i>Journal of Cardiology</i> , 2017 , 70, 107-112	3	21
97	Vitamin D receptor gene polymorphisms, smoking, and risk of sporadic Parkinson's disease in Japan. <i>Neuroscience Letters</i> , 2017 , 643, 97-102	3.3	13
96	Nationwide surveys show that the incidence of recurrent Kawasaki disease in Japan has hardly changed over the last 30 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 796-800	3.1	24
95	Epidemiologic features of Kawasaki disease: Winter versus summer. <i>Pediatrics International</i> , 2017 , 59, 821-825	1.2	4
94	Appendectomy, tonsillectomy, and risk for sarcoidosis - A hospital-based case-control study in Japan. <i>Respiratory Investigation</i> , 2017 , 55, 196-202	3.4	3
93	Cardiac Complications, Earlier Treatment, and Initial Disease Severity in Kawasaki Disease. <i>Journal of Pediatrics</i> , 2017 , 188, 64-69	3.6	16
92	Differentials in variables associated with past history of artificial abortion and current contraception by age: Results of a randomized national survey in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 516-522	1.9	2
91	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307	14.4	98
90	Oseltamivir use and severe abnormal behavior in Japanese children and adolescents with influenza: Is a self-controlled case series study applicable?. <i>Vaccine</i> , 2017 , 35, 4817-4824	4.1	7
89	Association between smoking and the peripheral vestibular disorder: a retrospective cohort study. <i>Scientific Reports</i> , 2017 , 7, 16889	4.9	6
88	Update on Nationwide Surveys and Epidemiologic Characteristics of Kawasaki Disease in Japan 2017 , 79-84		
87	Difference in Risk Factors for Subtypes of Acute Cardiac Lesions Resulting from Kawasaki Disease. <i>Pediatric Cardiology</i> , 2017 , 38, 375-380	2.1	8
86	Efficacy and safety of adding mizoribine to standard treatment in patients with immunoglobulin A nephropathy: A randomized controlled trial. <i>Kidney Research and Clinical Practice</i> , 2017 , 36, 159-166	3.6	3
85	A cohort study of chronic diseases for Mongolian people: Outline with baseline data of the Moncohort study. <i>Journal of Epidemiology and Global Health</i> , 2016 , 6, 187-96	5.5	3

84	Temporal and geographical clustering of Kawasaki disease in Japan: 2007-2012. <i>Pediatrics International</i> , 2016 , 58, 1140-1145	1.2	18
83	Quantifying prion disease penetrance using large population control cohorts. <i>Science Translational Medicine</i> , 2016 , 8, 322ra9	17.5	205
82	PARK16 polymorphisms, interaction with smoking, and sporadic Parkinson's disease in Japan. <i>Journal of the Neurological Sciences</i> , 2016 , 362, 47-52	3.2	7
81	Time course of cardiac lesions due to Kawasaki disease in Japan: 22nd nationwide survey (2011-2012). <i>Pediatrics International</i> , 2016 , 58, 1274-1276	1.2	5
80	Caregiver daily impression could reflect illness latency and severity in frail elderly residents in long-term care facilities: A pilot study. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 612-7	2.9	1
79	Association between toothbrushing and risk factors for cardiovascular disease: a large-scale, cross-sectional Japanese study. <i>BMJ Open</i> , 2016 , 6, e009870	3	18
78	Coronary artery lesions and the increasing incidence of Kawasaki disease resistant to initial immunoglobulin. <i>International Journal of Cardiology</i> , 2016 , 214, 209-15	3.2	29
77	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , 2015 , 38, 790-5	4.7	32
76	Serum non-high-density lipoprotein cholesterol levels and the incidence of ischemic stroke in a Japanese population: the Jichi Medical School cohort study. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP535-43	2	6
75	Trends in incidence of childhood malignant solid tumors in Japan: Estimation based on hospital-based registration. <i>Journal of Pediatric Surgery</i> , 2015 , 50, 1506-12	2.6	1
74	Descriptive epidemiology of Kawasaki disease in Japan, 2011-2012: from the results of the 22nd nationwide survey. <i>Journal of Epidemiology</i> , 2015 , 25, 239-45	3.4	214
73	Cardiac lesions and initial laboratory data in Kawasaki disease: a nationwide survey in Japan. <i>Journal of Epidemiology</i> , 2015 , 25, 189-93	3.4	29
72	Recurrent Kawasaki disease: USA and Japan. <i>Pediatrics International</i> , 2015 , 57, 1116-20	1.2	38
71	Incidence of dizziness and vertigo in Japanese primary care clinic patients with lifestyle-related diseases: an observational study. <i>International Journal of General Medicine</i> , 2015 , 8, 149-54	2.3	5
70	Selection bias of Internet panel surveys: a comparison with a paper-based survey and national governmental statistics in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2390-9	2	14
69	Prevalence and demographic distribution of adult survivors of child abuse in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2578-86	2	6
68	Age-related and historical changes in the clinical characteristics of sarcoidosis in Japan. <i>Respiratory Medicine</i> , 2015 , 109, 272-8	4.6	47
67	Tropospheric winds from northeastern China carry the etiologic agent of Kawasaki disease from its source to Japan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7952-7	11.5	121

66	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
65	Neonatal Kawasaki disease: case report and data from nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2014 , 173, 1533-6	4.1	22
64	A comparative study of degree of colorectal distention with manual air insufflation or automated CO(2) insufflation at CT colonography as a preoperative examination. <i>Japanese Journal of Radiology</i> , 2014 , 32, 274-81	2.9	4
63	Relationship between screening plasma glucose concentrations and cancer- and all-cause mortality: the Jichi Medical School (JMS) cohort study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2014 , 22, 505-511 ^{1.4}	1.4	2
62	Age-related differences in chest radiographic staging of sarcoidosis in Japan. <i>European Respiratory Journal</i> , 2014 , 43, 1810-2	13.6	9
61	Clinical features of genetic Creutzfeldt-Jakob disease with V180I mutation in the prion protein gene. <i>BMJ Open</i> , 2014 , 4, e004968	3	31
60	Kawasaki disease and ENSO-driven wind circulation. <i>Geophysical Research Letters</i> , 2013 , 40, 2284-2289	4.9	16
59	Mortality among Japanese with a history of Kawasaki disease: results at the end of 2009. <i>Journal of Epidemiology</i> , 2013 , 23, 429-34	3.4	30
58	Epidemiologic features of Kawasaki disease in Japan: results of the 2009-2010 nationwide survey. <i>Journal of Epidemiology</i> , 2012 , 22, 216-21	3.4	265
57	Incidence of Kawasaki disease in northern European countries. <i>Pediatrics International</i> , 2012 , 54, 770-2	1.2	50
56	Coronary artery lesions of incomplete Kawasaki disease: a nationwide survey in Japan. <i>European Journal of Pediatrics</i> , 2012 , 171, 651-6	4.1	64
55	Seasonal Patterns of Legionellosis in Saitama, 2005-2009. <i>Japanese Journal of Infectious Diseases</i> , 2012 , 65, 330-333	2.7	6
54	Epidemiologic Features of Kawasaki Disease in Japan: from the View Point of the Nationwide Surveys. <i>Nihon Shoni Junkanki Gakkai Zasshi = Pediatric Cardiology and Cardiac Surgery</i> , 2012 , 28, 148-156 ⁰		1
53	Kawasaki disease in Mongolia: results from 2 nationwide retrospective surveys, 1996-2008. <i>Journal of Epidemiology</i> , 2011 , 21, 293-8	3.4	7
52	Parents with a history of Kawasaki disease whose child also had the same disease. <i>Pediatrics International</i> , 2011 , 53, 511-4	1.2	19
51	Association of Kawasaki disease with tropospheric wind patterns. <i>Scientific Reports</i> , 2011 , 1, 152	4.9	114
50	Case-control study of giant coronary aneurysms due to Kawasaki disease: the 19th nationwide survey. <i>Pediatrics International</i> , 2010 , 52, 790-4	1.2	26
49	Kawasaki disease patients with redness or crust formation at the Bacille Calmette-Guérin inoculation site. <i>Pediatric Infectious Disease Journal</i> , 2010 , 29, 430-3	3.4	66

48	Relationship between the cumulative incidence of Kawasaki disease and the prevalence of electrocardiographic abnormalities in birth-year cohorts. <i>Journal of Epidemiology</i> , 2010 , 20, 453-9	3-4	4
47	Epidemiologic features of Kawasaki disease in Japan: results of the 2007-2008 nationwide survey. <i>Journal of Epidemiology</i> , 2010 , 20, 302-7	3-4	156
46	Characteristics and validity of a web-based Kawasaki disease surveillance system in Japan. <i>Journal of Epidemiology</i> , 2010 , 20, 429-32	3-4	3
45	Mental health status of Japanese-Brazilian children at Brazilian schools in Japan. <i>Asia-Pacific Psychiatry</i> , 2010 , 2, 92-98	3-2	
44	Six principal symptoms and coronary artery sequelae in Kawasaki disease. <i>Pediatrics International</i> , 2009 , 51, 705-8	1-2	5
43	ITPKC functional polymorphism associated with Kawasaki disease susceptibility and formation of coronary artery aneurysms. <i>Nature Genetics</i> , 2008 , 40, 35-42	36-3	339
42	Increasing incidence of Kawasaki disease in Japan: nationwide survey. <i>Pediatrics International</i> , 2008 , 50, 287-90	1-2	80
41	STRATEGY FOR HIGH-DOSE IMMUNOGLOBULIN THERAPY-RESISTANT KAWASAKI DISEASE: CURRENT STATUS IN JAPAN. <i>Pediatrics</i> , 2008 , 121, S96.2-S96	7-4	
40	Mortality among persons with a history of kawasaki disease in Japan: mortality among males with cardiac sequelae is significantly higher than that of the general population. <i>Circulation Journal</i> , 2008 , 72, 134-8	2-9	40
39	Epidemiologic features of Kawasaki disease in Japan: results from the nationwide survey in 2005-2006. <i>Journal of Epidemiology</i> , 2008 , 18, 167-72	3-4	118
38	Monthly observation of the number of patients with Kawasaki disease and its incidence rates in Japan: chronological and geographical observation from nationwide surveys. <i>Journal of Epidemiology</i> , 2008 , 18, 273-9	3-4	27
37	State-of-the-art basic and clinical science of Kawasaki disease. <i>Pediatric Health</i> , 2008 , 2, 405-409		13
36	Analysis of potential risk factors associated with nonresponse to initial intravenous immunoglobulin treatment among Kawasaki disease patients in Japan. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 155-60	3-4	102
35	Deaths from Pesticide Poisoning in Japan, 1968-2005: Data from Vital Statistics. <i>Journal of Rural Medicine: JRM</i> , 2008 , 3, 5-9	0-5	8
34	Preoperative T staging of colorectal cancer by CT colonography. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 875-81	3-1	37
33	Prevalence of coronary artery abnormality in incomplete Kawasaki disease. <i>Pediatrics International</i> , 2007 , 49, 421-6	1-2	102
32	Risk factors associated with the need for additional intravenous gamma-globulin therapy for Kawasaki disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 95, 189-193	3-1	
31	A genomewide linkage analysis of Kawasaki disease: evidence for linkage to chromosome 12. <i>Journal of Human Genetics</i> , 2007 , 52, 179-190	4-3	62

30	Geographic difference of mortality of Creutzfeldt-Jakob disease in Japan. <i>Journal of Epidemiology</i> , 2007 , 17, 19-24	3.4	3
29	Effect of revision of Japanese diagnostic criterion for fever in Kawasaki disease on treatment and cardiovascular outcome. <i>Circulation Journal</i> , 2007 , 71, 1791-3	2.9	6
28	Incidence of Kawasaki disease in Japan: the nationwide surveys of 1999-2002. <i>Pediatrics International</i> , 2006 , 48, 356-61	1.2	88
27	Mortality among persons with a history of Kawasaki disease in Japan: can paediatricians safely discontinue follow-up of children with a history of the disease but without cardiac sequelae?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 429-34	3.1	17
26	Revision of diagnostic guidelines for Kawasaki disease (the 5th revised edition). <i>Pediatrics International</i> , 2005 , 47, 232-4	1.2	353
25	Seasonality and temporal clustering of Kawasaki syndrome. <i>Epidemiology</i> , 2005 , 16, 220-5	3.1	118
24	Older age is a risk factor for the development of cardiovascular sequelae in Kawasaki disease. <i>Pediatrics</i> , 2004 , 114, 751-4	7.4	38
23	Use of laboratory data to identify risk factors of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2004 , 46, 33-8	1.2	57
22	The worldwide epidemiology of Kawasaki disease. <i>Progress in Pediatric Cardiology</i> , 2004 , 19, 99-108	0.4	21
21	Case-control study of giant coronary aneurysms due to Kawasaki disease. <i>Pediatrics International</i> , 2003 , 45, 410-3	1.2	26
20	Long-term consequences of Kawasaki disease among first-year junior high school students. <i>JAMA Pediatrics</i> , 2002 , 156, 77-80		12
19	Giant coronary aneurysms due to Kawasaki disease: a case-control study. <i>Pediatrics International</i> , 2002 , 44, 254-8	1.2	18
18	Mortality among persons with a history of Kawasaki disease in Japan: the fifth look. <i>JAMA Pediatrics</i> , 2002 , 156, 162-5		36
17	Effects of Dioxins and Polychlorinated Biphenyls(PCBs) on Thyroid Function in Infants Born in Japan: Report from Research on Environmental Health.. <i>Clinical Pediatric Endocrinology</i> , 2001 , 10, 1-6	1.4	4
16	Mortality among persons with a history of Kawasaki disease in Japan: existence of cardiac sequelae elevated the mortality. <i>Journal of Epidemiology</i> , 2000 , 10, 372-5	3.4	23
15	Five-year intra-individual variability in C-reactive protein levels in a Japanese population-based study: the Jichi Medical School Cohort Study at Yamato, 1993-1998. <i>Japanese Circulation Journal</i> , 2000 , 64, 303-8		32
14	Annual Surveillance Report of HIV/AIDS in Japan, 1997. <i>Japanese Journal of Infectious Diseases</i> , 1999 , 52, 55-87	2.7	2
13	Mortality among patients with a history of Kawasaki disease: the third look. The Kawasaki Disease Follow-up Group. <i>Pediatrics International</i> , 1998 , 40, 419-23	1.2	20

12	Glycated hemoglobin levels and their correlation with atherosclerotic risk factors in a Japanese population--the Jichi Medical School Cohort Study 1993-1995. <i>Japanese Circulation Journal</i> , 1998 , 62, 261-6		3
11	Factor VII and Fibrinogen Levels Examined by Age, Sex, and other Atherosclerotic Risk Factors in a Japanese Population. <i>Thrombosis and Haemostasis</i> , 1997 , 77, 0890-0893	7	16
10	Mortality rates for patients with a history of Kawasaki disease in Japan. Kawasaki Disease Follow-up Group. <i>Journal of Pediatrics</i> , 1996 , 128, 75-81	3.6	27
9	Update of the epidemiology of Kawasaki disease in Japan--from the results of 1993-94 nationwide survey. <i>Journal of Epidemiology</i> , 1996 , 6, 148-57	3.4	48
8	A case-control study of recurrent Kawasaki disease using the database of the nationwide surveys in Japan. <i>European Journal of Pediatrics</i> , 1996 , 155, 303-7	4.1	14
7	Hospital facilities available to patients with Kawasaki disease: results of a national survey of Kawasaki disease in Japan. <i>Pediatrics International</i> , 1996 , 38, 562-6	1.2	3
6	Cardiac sequelae of Kawasaki disease in Japan over 10 years. <i>Pediatrics International</i> , 1995 , 37, 667-71	1.2	16
5	Nationwide surveillance of Kawasaki disease in Japan, 1984 to 1993. <i>Pediatric Infectious Disease Journal</i> , 1995 , 14, 69-71	3.4	35
4	Incidence Rate, Cumulative Incidence, and Cohort Effect of Kawasaki Disease in Japan. <i>Journal of Epidemiology</i> , 1994 , 4, 13-16	3.4	1
3	Mortality among children with Kawasaki disease in Japan. <i>New England Journal of Medicine</i> , 1992 , 326, 1246-9	59.2	47
2	Cardiac Sequelae of Kawasaki Disease in Japan: Statistical Analysis. <i>Pediatrics</i> , 1991 , 88, 1144-1147	7.4	43
1	Attenuation of antibody titres during 3-6 months after the second dose of the BNT162b2 vaccine depends on sex, with age and smoking as risk factors for lower antibody titres at 6 months		1