

# Richard N Bergman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7917971/richard-n-bergman-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121  
papers

12,277  
citations

47  
h-index

110  
g-index

129  
ext. papers

14,050  
ext. citations

7.4  
avg, IF

5.87  
L-index

#	Paper	IF	Citations
121	Measures of glucose homeostasis during and after duodenal exclusion using a duodenal-jejunal bypass liner in a normoglycemic, nonobese canine model.. <i>Surgery for Obesity and Related Diseases</i> , <b>2022</b> ,	3	1
120	Response to Zubieta-Calleja et al., Re: "Mortality Attributed to COVID-19 in High-Altitude Populations". <i>High Altitude Medicine and Biology</i> , <b>2021</b> , 22, 109	1.9	
119	Response to Comment on Piccinini and Bergman The Measurement of Insulin Clearance. <i>Diabetes Care</i> 2020;43:2296-2302. <i>Diabetes Care</i> , <b>2021</b> , 44, e100-e101	14.6	
118	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , <b>2021</b> , 53, 840-860	36.3	44
117	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , <b>2021</b> , 12, 24	17.4	30
116	Chronic mirabegron treatment increases human brown fat, HDL cholesterol, and insulin sensitivity. <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 2209-2219	15.9	101
115	Impact of sleep deprivation and high-fat feeding on insulin sensitivity and beta cell function in dogs. <i>Diabetologia</i> , <b>2020</b> , 63, 875-884	10.3	0
114	Defining cutoffs to diagnose obesity using the relative fat mass (RFM): Association with mortality in NHANES 1999-2014. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 1301-1310	5.5	13
113	A Peripheral CB1R Antagonist Increases Lipolysis, Oxygen Consumption Rate, and Markers of Beiging in 3T3-L1 Adipocytes Similar to RIM, Suggesting that Central Effects Can Be Avoided. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	5
112	The Measurement of Insulin Clearance. <i>Diabetes Care</i> , <b>2020</b> , 43, 2296-2302	14.6	17
111	Mortality Attributed to COVID-19 in High-Altitude Populations. <i>High Altitude Medicine and Biology</i> , <b>2020</b> , 21, 409-416	1.9	21
110	Origins and History of the Minimal Model of Glucose Regulation. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 583016	5.7	6
109	Novel aspects of the role of the liver in carbohydrate metabolism. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 119-125	12.7	11
108	Hypothesis: Role of Reduced Hepatic Insulin Clearance in the Pathogenesis of Type 2 Diabetes. <i>Diabetes</i> , <b>2019</b> , 68, 1709-1716	0.9	35
107	Activation of NPRs and UCP1-independent pathway following CB1R antagonist treatment is associated with adipose tissue beiging in fat-fed male dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 317, E535-E547	6	3
106	Relative Fat Mass as an estimator of whole-body fat percentage among children and adolescents: A cross-sectional study using NHANES. <i>Scientific Reports</i> , <b>2019</b> , 9, 15279	4.9	9
105	Glucoregulatory responses to hypothalamic preoptic area cooling. <i>Brain Research</i> , <b>2019</b> , 1710, 136-145	3.7	3

104	Peripheral Mechanisms Mediating the Sustained Antidiabetic Action of FGF1 in the Brain. <i>Diabetes</i> , <b>2019</b> , 68, 654-664	0.9	26
103	Relative fat mass (RFM) as a new estimator of whole-body fat percentage - A cross-sectional study in American adult individuals. <i>Scientific Reports</i> , <b>2018</b> , 8, 10980	4.9	88
102	Variability of Directly Measured First-Pass Hepatic Insulin Extraction and Its Association With Insulin Sensitivity and Plasma Insulin. <i>Diabetes</i> , <b>2018</b> , 67, 1495-1503	0.9	19
101	Insulin Access to Skeletal Muscle is Preserved in Obesity Induced by Polyunsaturated Diet. <i>Obesity</i> , <b>2018</b> , 26, 119-125	8	5
100	Quantitative path to deep phenotyping: Possible importance of reduced hepatic insulin degradation to type 2 diabetes mellitus pathogenesis. <i>Journal of Diabetes</i> , <b>2018</b> , 10, 778-783	3.8	2
99	Assessment of hepatic insulin extraction from in vivo surrogate methods of insulin clearance measurement. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2018</b> , 315, E605-E612	6	8
98	Dissection of hepatic versus extra-hepatic insulin clearance: Ethnic differences in childhood. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 2869-2875	6.7	15
97	Evidence That the Sympathetic Nervous System Elicits Rapid, Coordinated, and Reciprocal Adjustments of Insulin Secretion and Insulin Sensitivity During Cold Exposure. <i>Diabetes</i> , <b>2017</b> , 66, 823-834	0.9	28
96	A Genome-Wide Association Study of IVGTT-Based Measures of First-Phase Insulin Secretion Refines the Underlying Physiology of Type 2 Diabetes Variants. <i>Diabetes</i> , <b>2017</b> , 66, 2296-2309	0.9	69
95	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , <b>2017</b> , 8, 14977	17.4	105
94	Indirect Regulation of Endogenous Glucose Production by Insulin: The Single Gateway Hypothesis Revisited. <i>Diabetes</i> , <b>2017</b> , 66, 1742-1747	0.9	24
93	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. <i>Diabetes</i> , <b>2017</b> , 66, 2888-2902	0.9	414
92	Exaggerated glucagon responses to hypoglycemia in women with polycystic ovary syndrome. <i>Metabolism: Clinical and Experimental</i> , <b>2017</b> , 71, 125-131	12.7	4
91	A Low-Frequency Inactivating Variant Enriched in the Finnish Population Is Associated With Fasting Insulin Levels and Type 2 Diabetes Risk. <i>Diabetes</i> , <b>2017</b> , 66, 2019-2032	0.9	29
90	Dietary Fat Intake Modulates Effects of a Frequent ACE Gene Variant on Glucose Tolerance with association to Type 2 Diabetes. <i>Scientific Reports</i> , <b>2017</b> , 7, 9234	4.9	7
89	Hepatic but Not Extrahepatic Insulin Clearance Is Lower in African American Than in European American Women. <i>Diabetes</i> , <b>2017</b> , 66, 2564-2570	0.9	48
88	Genome-wide physical activity interactions in adiposity - A meta-analysis of 200,452 adults. <i>PLoS Genetics</i> , <b>2017</b> , 13, e1006528	6	103
87	Insulin access to skeletal muscle is impaired during the early stages of diet-induced obesity. <i>Obesity</i> , <b>2016</b> , 24, 1922-8	8	17

86	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. <i>Nature Communications</i> , <b>2016</b> , 7, 13357	17.4	46
85	Genome-Wide Association Study of the Modified Stumvoll Insulin Sensitivity Index Identifies BCL2 and FAM19A2 as Novel Insulin Sensitivity Loci. <i>Diabetes</i> , <b>2016</b> , 65, 3200-11	0.9	47
84	Transwomen and the Metabolic Syndrome: Is Orchiectomy Protective?. <i>Transgender Health</i> , <b>2016</b> , 1, 165-171	171	8
83	Hepatic and Extrahepatic Insulin Clearance Are Differentially Regulated: Results From a Novel Model-Based Analysis of Intravenous Glucose Tolerance Data. <i>Diabetes</i> , <b>2016</b> , 65, 1556-64	0.9	61
82	Rapid development of cardiac dysfunction in a canine model of insulin resistance and moderate obesity. <i>Diabetologia</i> , <b>2016</b> , 59, 197-207	10.3	12
81	Exenatide Treatment Alone Improves $\beta$ Cell Function in a Canine Model of Pre-Diabetes. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158703	3.7	2
80	Inverse association between altitude and obesity: A prevalence study among andean and low-altitude adult individuals of Peru. <i>Obesity</i> , <b>2016</b> , 24, 929-37	8	38
79	Metabolic effects of eradicating breath methane using antibiotics in prediabetic subjects with obesity. <i>Obesity</i> , <b>2016</b> , 24, 576-82	8	18
78	Mechanisms of improved glucose handling after metabolic surgery: the big 6. <i>Surgery for Obesity and Related Diseases</i> , <b>2016</b> , 12, 1192-8	3	3
77	Central injection of fibroblast growth factor 1 induces sustained remission of diabetic hyperglycemia in rodents. <i>Nature Medicine</i> , <b>2016</b> , 22, 800-6	50.5	89
76	Improved Performance of Dynamic Measures of Insulin Response Over Surrogate Indices to Identify Genetic Contributors of Type 2 Diabetes: The GUARDIAN Consortium. <i>Diabetes</i> , <b>2016</b> , 65, 2072-80	0.9	3
75	Renal Denervation Reverses Hepatic Insulin Resistance Induced by High-Fat Diet. <i>Diabetes</i> , <b>2016</b> , 65, 3453-3463	0.9	16
74	Genetic Variants Associated With Quantitative Glucose Homeostasis Traits Translate to Type 2 Diabetes in Mexican Americans: The GUARDIAN (Genetics Underlying Diabetes in Hispanics) Consortium. <i>Diabetes</i> , <b>2015</b> , 64, 1853-66	0.9	62
73	Lipid-induced insulin resistance does not impair insulin access to skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2015</b> , 308, E1001-9	6	8
72	Glucose intolerance induced by blockade of central FGF receptors is linked to an acute stress response. <i>Molecular Metabolism</i> , <b>2015</b> , 4, 561-8	8.8	22
71	Elevated nocturnal NEFA are an early signal for hyperinsulinaemic compensation during diet-induced insulin resistance in dogs. <i>Diabetologia</i> , <b>2015</b> , 58, 2663-70	10.3	13
70	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , <b>2015</b> , 47, 1415-25	36.3	292
69	Increase in visceral fat per se does not induce insulin resistance in the canine model. <i>Obesity</i> , <b>2015</b> , 23, 105-11	8	6

68	High-fat diet-induced insulin resistance does not increase plasma anandamide levels or potentiate anandamide insulinotropic effect in isolated canine islets. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123558	3.7	4
67	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005378	6	220
66	CB1R antagonist increases hepatic insulin clearance in fat-fed dogs likely via upregulation of liver adiponectin receptors. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2015</b> , 309, E747-58	6	19
65	Modest hyperglycemia prevents interstitial dispersion of insulin in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , <b>2015</b> , 64, 330-7	12.7	3
64	Failure of homeostatic model assessment of insulin resistance to detect marked diet-induced insulin resistance in dogs. <i>Diabetes</i> , <b>2014</b> , 63, 1914-9	0.9	24
63	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , <b>2014</b> , 46, 234-44	36.3	784
62	Diets high in protein or saturated fat do not affect insulin sensitivity or plasma concentrations of lipids and lipoproteins in overweight and obese adults. <i>Journal of Nutrition</i> , <b>2014</b> , 144, 1753-9	4.1	24
61	CDKN2B expression and subcutaneous adipose tissue expandability: possible influence of the 9p21 atherosclerosis locus. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 446, 1126-31	3.4	16
60	Obesity, insulin resistance and comorbidities? Mechanisms of association. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , <b>2014</b> , 58, 600-9		125
59	Impact of type 2 diabetes susceptibility variants on quantitative glycemic traits reveals mechanistic heterogeneity. <i>Diabetes</i> , <b>2014</b> , 63, 2158-71	0.9	235
58	Hepatic portal vein denervation impairs oral glucose tolerance but not exenatide's effect on glycemia. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2014</b> , 307, E644-52	6	11
57	Insulin sensitivity and insulin clearance are heritable and have strong genetic correlation in Mexican Americans. <i>Obesity</i> , <b>2014</b> , 22, 1157-64	8	32
56	Hepatic insulin clearance is the primary determinant of insulin sensitivity in the normal dog. <i>Obesity</i> , <b>2014</b> , 22, 1238-45	8	41
55	Systems analysis and the prediction and prevention of Type 2 diabetes mellitus. <i>Current Opinion in Biotechnology</i> , <b>2014</b> , 28, 165-70	11.4	15
54	Insulin clearance and the incidence of type 2 diabetes in Hispanics and African Americans: the IRAS Family Study. <i>Diabetes Care</i> , <b>2013</b> , 36, 901-7	14.6	74
53	FGF19 action in the brain induces insulin-independent glucose lowering. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 4799-808	15.9	147
52	Severe left ventricular dysfunction following short-term high fat feeding in a canine model. <i>FASEB Journal</i> , <b>2013</b> , 27, 1153.10	0.9	
51	Simultaneous measurement of insulin sensitivity, insulin secretion, and the disposition index in conscious unhandled mice. <i>Obesity</i> , <b>2012</b> , 20, 1403-12	8	37

50	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , <b>2012</b> , 44, 981-90	36.3	1482
49	Estimating hepatic glucokinase activity using a simple model of lactate kinetics. <i>Diabetes Care</i> , <b>2012</b> , 35, 1015-20	14.6	18
48	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , <b>2012</b> , 44, 659-69	36.3	615
47	CB(1) antagonism restores hepatic insulin sensitivity without normalization of adiposity in diet-induced obese dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2012</b> , 302, E1261-8	6	15
46	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , <b>2012</b> , 44, 991-1005	36.3	621
45	Simplified method to isolate highly pure canine pancreatic islets. <i>Pancreas</i> , <b>2012</b> , 41, 31-8	2.6	13
44	Large size cells in the visceral adipose depot predict insulin resistance in the canine model. <i>Obesity</i> , <b>2011</b> , 19, 2121-9	8	24
43	Consistency of the disposition index in the face of diet induced insulin resistance: potential role of FFA. <i>PLoS ONE</i> , <b>2011</b> , 6, e18134	3.7	26
42	A better index of body adiposity. <i>Obesity</i> , <b>2011</b> , 19, 1083-9	8	553
41	Abdominal obesity, fatty acids and insulin resistance. <i>FASEB Journal</i> , <b>2011</b> , 25, 196.3	0.9	2
40	Disposition index, glucose effectiveness, and conversion to type 2 diabetes: the Insulin Resistance Atherosclerosis Study (IRAS). <i>Diabetes Care</i> , <b>2010</b> , 33, 2098-103	14.6	99
39	Diet-induced obesity prevents interstitial dispersion of insulin in skeletal muscle. <i>Diabetes</i> , <b>2010</b> , 59, 619-26	0.9	18
38	Novel canine models of obese prediabetes and mild type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2010</b> , 298, E38-48	6	37
37	Exenatide sensitizes insulin-mediated whole-body glucose disposal and promotes uptake of exogenous glucose by the liver. <i>Diabetes</i> , <b>2009</b> , 58, 352-9	0.9	32
36	Rimonabant prevents additional accumulation of visceral and subcutaneous fat during high-fat feeding in dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2009</b> , 296, E1311-8	6	24
35	Greater omentectomy improves insulin sensitivity in nonobese dogs. <i>Obesity</i> , <b>2009</b> , 17, 674-80	8	35
34	Intermittent hypoxia (IH) causes greater insulin resistance than chronic hypoxia (CH) in lean mice. <i>FASEB Journal</i> , <b>2009</b> , 23, 993.5	0.9	
33	Nocturnal free fatty acids are uniquely elevated in the longitudinal development of diet-induced insulin resistance and hyperinsulinemia. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E1590-8	6	72

32	Beta-cell "rest" accompanies reduced first-pass hepatic insulin extraction in the insulin-resistant, fat-fed canine model. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E1581-9 <sup>6</sup>		53
31	Abdominal obesity: role in the pathophysiology of metabolic disease and cardiovascular risk. <i>American Journal of Medicine</i> , <b>2007</b> , 120, S3-8; discussion S29-32	2.4	187
30	Why visceral fat is bad: mechanisms of the metabolic syndrome. <i>Obesity</i> , <b>2006</b> , 14 Suppl 1, 16S-19S	8	256
29	Minimal model: perspective from 2005. <i>Hormone Research in Paediatrics</i> , <b>2005</b> , 64 Suppl 3, 8-15	3.3	122
28	The genetic basis of glucose homeostasis. <i>Current Diabetes Reviews</i> , <b>2005</b> , 1, 221-6	2.7	4
27	AKA-Glucose: a program for kinetic and epidemiological analysis of frequently sampled intravenous glucose tolerance test data using database technology. <i>Diabetes Technology and Therapeutics</i> , <b>2005</b> , 7, 298-307	8.1	7
26	Metabolic dysregulation with atypical antipsychotics occurs in the absence of underlying disease: a placebo-controlled study of olanzapine and risperidone in dogs. <i>Diabetes</i> , <b>2005</b> , 54, 862-71	0.9	132
25	Atypical antipsychotics and glucose homeostasis. <i>Journal of Clinical Psychiatry</i> , <b>2005</b> , 66, 504-14	4.6	94
24	Identification of quantitative trait loci for glucose homeostasis: the Insulin Resistance Atherosclerosis Study (IRAS) Family Study. <i>Diabetes</i> , <b>2004</b> , 53, 1866-75	0.9	48
23	Minimal model-based insulin sensitivity has greater heritability and a different genetic basis than homeostasis model assessment or fasting insulin. <i>Diabetes</i> , <b>2003</b> , 52, 2168-74	0.9	104
22	The minimal model of glucose regulation: a biography. <i>Advances in Experimental Medicine and Biology</i> , <b>2003</b> , 537, 1-19	3.6	14
21	MINMOD Millennium: a computer program to calculate glucose effectiveness and insulin sensitivity from the frequently sampled intravenous glucose tolerance test. <i>Diabetes Technology and Therapeutics</i> , <b>2003</b> , 5, 1003-15	8.1	336
20	Genetic epidemiology of insulin resistance and visceral adiposity. The IRAS Family Study design and methods. <i>Annals of Epidemiology</i> , <b>2003</b> , 13, 211-7	6.4	128
19	Accurate assessment of beta-cell function: the hyperbolic correction. <i>Diabetes</i> , <b>2002</b> , 51 Suppl 1, S212-20.9		396
18	Insulin resistance and associated compensatory responses in african-american and Hispanic children. <i>Diabetes Care</i> , <b>2002</b> , 25, 2184-90	14.6	200
17	Pathogenesis and prediction of diabetes mellitus: lessons from integrative physiology. <i>Mount Sinai Journal of Medicine</i> , <b>2002</b> , 69, 280-90		23
16	Insulin secretion, obesity, and potential behavioral influences: results from the Insulin Resistance Atherosclerosis Study (IRAS). <i>Diabetes/Metabolism Research and Reviews</i> , <b>2001</b> , 17, 137-45	7.5	28
15	Influence of total vs. visceral fat on insulin action and secretion in African American and white children. <i>Obesity</i> , <b>2001</b> , 9, 423-31		87

14	Dietary restriction and glucose regulation in aging rhesus monkeys: a follow-up report at 8.5 yr. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2001</b> , 281, E757-65	6	73
13	Inhibition of lipolysis causes suppression of endogenous glucose production independent of changes in insulin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2000</b> , 279, E630-7	6	63
12	Acute enhancement of insulin secretion by FFA in humans is lost with prolonged FFA elevation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>1999</b> , 276, E1055-66	6	100
11	Failure of acute hyperinsulinemia to alter blood pressure is not due to baroreceptor feedback. <i>American Journal of Hypertension</i> , <b>1999</b> , 12, 405-13	2.3	5
10	Improved estimation of anaplerosis in heart using <sup>13</sup> C NMR. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>1997</b> , 273, E1228-42	6	8
9	OOPSEG: a data smoothing program for quantitation and isolation of random measurement error. <i>Computer Methods and Programs in Biomedicine</i> , <b>1995</b> , 46, 67-77	6.9	24
8	The role of liver glucosensors in the integrated sympathetic response induced by deep hypoglycemia in dogs. <i>Diabetes</i> , <b>1994</b> , 43, 1052-60	0.9	53
7	On insulin action in vivo: the single gateway hypothesis. <i>Advances in Experimental Medicine and Biology</i> , <b>1993</b> , 334, 181-98	3.6	16
6	The modified minimal model: application to measurement of insulin sensitivity in children. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1990</b> , 70, 1644-50	5.6	152
5	Treatment with a somatostatin analog decreases pancreatic B-cell and whole body sensitivity to glucose. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1990</b> , 71, 994-1002	5.6	89
4	Insulin sensitivity and B-cell responsiveness to glucose during late pregnancy in lean and moderately obese women with normal glucose tolerance or mild gestational diabetes. <i>American Journal of Obstetrics and Gynecology</i> , <b>1990</b> , 162, 1008-14	6.4	353
3	MINMOD: a computer program to calculate insulin sensitivity and pancreatic responsivity from the frequently sampled intravenous glucose tolerance test. <i>Computer Methods and Programs in Biomedicine</i> , <b>1986</b> , 23, 113-22	6.9	530
2	Assessment of insulin sensitivity in vivo. <i>Endocrine Reviews</i> , <b>1985</b> , 6, 45-86	27.2	932
1	Dynamic control of hepatic glucose metabolism: Studies by experiment and computer simulation. <i>Annals of Biomedical Engineering</i> , <b>1975</b> , 3, 411-32	4.7	10