

Mads Utke Werner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7918671/mads-utke-werner-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

2,465

citations

26

h-index

48

g-index

93

ext. papers

2,798

ext. citations

3.7

avg, IF

4.84

L-index

#	Paper	IF	Citations
82	A clinical pathway to accelerate recovery after colonic resection. <i>Annals of Surgery</i> , 2000 , 232, 51-7	7.8	541
81	Prediction of postoperative pain: a systematic review of predictive experimental pain studies. <i>Anesthesiology</i> , 2010 , 112, 1494-502	4.3	178
80	Prediction of postoperative pain by preoperative nociceptive responses to heat stimulation. <i>Anesthesiology</i> , 2004 , 100, 115-9; discussion 5A	4.3	164
79	Does an acute pain service improve postoperative outcome?. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1361-72, table of contents	3.9	158
78	Pain and sensory dysfunction 6 to 12 months after inguinal herniotomy. <i>Anesthesia and Analgesia</i> , 2004 , 99, 146-151	3.9	121
77	Balanced analgesia: what is it and what are its advantages in postoperative pain?. <i>Drugs</i> , 1999 , 58, 793-7	12.1	93
76	Pharmacokinetics of oral and intravenous melatonin in healthy volunteers. <i>BMC Pharmacology & Toxicology</i> , 2016 , 17, 8	2.6	77
75	Thiopental and propofol affect different regions of the brain at similar pharmacologic effects. <i>Anesthesia and Analgesia</i> , 2004 , 99, 912-918	3.9	60
74	Is Urinary Drainage Necessary During Continuous Epidural Analgesia After Colonic Resection?. <i>Regional Anesthesia and Pain Medicine</i> , 2000 , 25, 498-501	3.4	60
73	Ultrasound-guided ilioinguinal/iliohypogastric nerve blocks for persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled, crossover trial. <i>Anesthesia and Analgesia</i> , 2012 , 114, 1323-9	3.9	58
72	Effects of Gabapentin in Acute Inflammatory Pain in Humans. <i>Regional Anesthesia and Pain Medicine</i> , 2001 , 26, 322-328	3.4	56
71	Dysejaculation after laparoscopic inguinal herniorrhaphy: a nationwide questionnaire study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 979-83	5.2	50
70	Dexamethasone prolongs local analgesia after subcutaneous infiltration of bupivacaine microcapsules in human volunteers. <i>Anesthesiology</i> , 2002 , 96, 1331-5	4.3	43
69	Quantitative sensory testing and pain tolerance in patients with mild to moderate Alzheimer disease compared to healthy control subjects. <i>Pain</i> , 2014 , 155, 1439-1445	8	42
68	Local cooling does not prevent hyperalgesia following burn injury in humans. <i>Pain</i> , 2002 , 98, 297-303	8	35
67	Lidocaine patch (5%) in treatment of persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled, crossover trial. <i>Anesthesiology</i> , 2013 , 119, 1444-52	4.3	35
66	Pharmacokinetics of high-dose intravenous melatonin in humans. <i>Journal of Clinical Pharmacology</i> , 2016 , 56, 324-9	2.9	34

65	Prediction of pain sensitivity in healthy volunteers. <i>Journal of Pain Research</i> , 2012 , 5, 313-26	2.9	32
64	Pulsed radiofrequency in the treatment of persistent pain after inguinal herniotomy: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 340-3	3.4	31
63	Healthy volunteers can be phenotyped using cutaneous sensitization pain models. <i>PLoS ONE</i> , 2013 , 8, e62733	3.7	31
62	Morphine metabolism after major liver surgery. <i>Anesthesia and Analgesia</i> , 2007 , 104, 1409-14, table of contents	3.9	29
61	A capsaicin (8%) patch in the treatment of severe persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled trial. <i>PLoS ONE</i> , 2014 , 9, e109144	3.7	29
60	Analgesic treatment in laparoscopic gastric bypass surgery: a systematic review of randomized trials. <i>Obesity Surgery</i> , 2014 , 24, 462-70	3.7	28
59	Endogenous Opioid-Masked Latent Pain Sensitization: Studies from Mouse to Human. <i>PLoS ONE</i> , 2015 , 10, e0134441	3.7	28
58	Neurophysiological characterization of persistent postthoracotomy pain. <i>Clinical Journal of Pain</i> , 2012 , 28, 136-42	3.5	28
57	Management of persistent postsurgical inguinal pain. <i>Langenbeck's Archives of Surgery</i> , 2014 , 399, 559-63	3.4	27
56	Morphine- and buprenorphine-induced analgesia and antihyperalgesia in a human inflammatory pain model: a double-blind, randomized, placebo-controlled, five-arm crossover study. <i>Journal of Pain Research</i> , 2013 , 6, 23-38	2.9	24
55	Persistent postsurgical pain: evidence from breast cancer surgery, groin hernia repair, and lung cancer surgery. <i>Current Topics in Behavioral Neurosciences</i> , 2014 , 20, 3-29	3.4	23
54	Analgesic and antihyperalgesic effects of melatonin in a human inflammatory pain model: a randomized, double-blind, placebo-controlled, three-arm crossover study. <i>Pain</i> , 2015 , 156, 2286-2294	8	21
53	Secondary hyperalgesia phenotypes exhibit differences in brain activation during noxious stimulation. <i>PLoS ONE</i> , 2015 , 10, e0114840	3.7	18
52	Does naloxone reinstate secondary hyperalgesia in humans after resolution of a burn injury? A placebo-controlled, double-blind, randomized, cross-over study. <i>PLoS ONE</i> , 2013 , 8, e64608	3.7	17
51	Discrepancy between stimulus response and tolerance of pain in Alzheimer disease. <i>Neurology</i> , 2015 , 84, 1575-81	6.5	16
50	Prediction of postoperative pain. <i>Current Anaesthesia and Critical Care</i> , 2007 , 18, 157-165		16
49	Analgesic effects of dexamethasone in burn injury. <i>Regional Anesthesia and Pain Medicine</i> , 2002 , 27, 254-60	3.4	16
48	Sensory testing in patients with postthoracotomy pain syndrome: Part 1: mirror-image sensory dysfunction. <i>Clinical Journal of Pain</i> , 2013 , 29, 775-83	3.5	14

47	Persistent postoperative pain and sensory changes following lymph node excision in melanoma patients: a topical review. <i>Melanoma Research</i> , 2014 , 24, 93-8	3.3	13
46	Prediction of postoperative pain after mandibular third molar surgery. <i>Journal of Orofacial Pain</i> , 2010 , 24, 189-96		11
45	Pain perception in healthy volunteers: effect of repeated exposure to experimental systemic inflammation. <i>Innate Immunity</i> , 2016 , 22, 546-56	2.7	10
44	Evidence-based medicine works best when there is evidence: challenges in palliative medicine when randomized controlled trials are not possible. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2009 , 23, 48-50	0.8	10
43	Novel formulations and routes of administration for opioids in the treatment of breakthrough pain. <i>Therapy: Open Access in Clinical Medicine</i> , 2009 , 6, 695-706		10
42	Endogenous opioid antagonism in physiological experimental pain models: a systematic review. <i>PLoS ONE</i> , 2015 , 10, e0125887	3.7	10
41	Effect of a high-dose target-controlled naloxone infusion on pain and hyperalgesia in patients following groin hernia repair: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 511	2.8	9
40	Absence of analgesic effect of intravenous melatonin administration during daytime after laparoscopic cholecystectomy: a randomized trial. <i>Journal of Clinical Anesthesia</i> , 2014 , 26, 545-50	1.9	9
39	Arthroscopic knee surgery does not modify hyperalgesic responses to heat injury. <i>Anesthesiology</i> , 2003 , 99, 1152-7	4.3	9
38	Effects of target-controlled infusion of high-dose naloxone on pain and hyperalgesia in a human thermal injury model: a study protocol: A randomized, double-blind, placebo-controlled, crossover trial with an enriched design. <i>Medicine (United States)</i> , 2016 , 95, e5336	1.8	8
37	Characterization of persistent postoperative pain by quantitative sensory testing. <i>European Journal of Pain Supplements</i> , 2010 , 4, 203-207		8
36	Demarcation of secondary hyperalgesia zones: Punctate stimulation pressure matters. <i>Journal of Neuroscience Methods</i> , 2015 , 256, 74-81	3	7
35	Pharmacokinetic-pharmacodynamic modelling of the analgesic and antihyperalgesic effects of morphine after intravenous infusion in human volunteers. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 115, 257-67	3.1	7
34	E-learning programs in oncology: a nationwide experience from 2005 to 2014. <i>BMC Research Notes</i> , 2017 , 10, 39	2.3	7
33	How is neuropathic cancer pain assessed in randomised controlled trials?. <i>Pain</i> , 2012 , 153, 13-17	8	6
32	Assessment of Postoperative Analgesic Drug Efficacy: Method of Data Analysis Is Critical. <i>Anesthesia and Analgesia</i> , 2017 , 125, 1008-1013	3.9	5
31	High-dose naloxone, an experimental tool uncovering latent sensitisation: pharmacokinetics in humans. <i>British Journal of Anaesthesia</i> , 2019 , 123, e204-e214	5.4	5
30	The relationship between chronic pain and cardiovascular disease: Squaring the circle?. <i>Scandinavian Journal of Pain</i> , 2016 , 13, 134-135	1.9	5

29	The acute pain service: Present and future role. <i>Current Anaesthesia and Critical Care</i> , 2007 , 18, 135-139		5
28	Acetaminophen and Upper Gastrointestinal Complications. <i>Epidemiology</i> , 2002 , 13, 605-606	3.1	5
27	Vanguard research in opioid-induced hyperalgesia - but guard the basics. <i>Pain</i> , 2012 , 153, 943-944	8	4
26	Endoscopic versus open radial artery harvest and mammario-radial versus aorto-radial grafting in patients undergoing coronary artery bypass surgery: protocol for the 2 x 2 factorial designed randomised NEO trial. <i>Trials</i> , 2014 , 15, 135	2.8	4
25	Good from far. Far from good. <i>Pain</i> , 2013 , 154, 175-176	8	4
24	Quantitative sensory testing in patients with postthoracotomy pain syndrome: Part 2: variability in thermal threshold assessments. <i>Clinical Journal of Pain</i> , 2013 , 29, 784-90	3.5	4
23	A single session of hyperbaric oxygen therapy demonstrates acute and long-lasting neuroplasticity effects in humans: a replicated, randomized controlled clinical trial. <i>Journal of Pain Research</i> , 2019 , 12, 2337-2348	2.9	3
22	Simultaneous quantification of high-dose naloxone and naloxone-3-β-glucuronide in human plasma by UHPLC-MS/MS. <i>Bioanalysis</i> , 2019 ,	2.1	3
21	Bilateral distribution of anterior cutaneous nerve entrapment syndrome (ACNES): are clinical features and outcomes comparable to unilateral ACNES?. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	3
20	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design. <i>PLoS ONE</i> , 2020 , 15, e0242169	3.7	3
19	A national center for persistent severe pain after groin hernia repair: Five-year prospective data. <i>Medicine (United States)</i> , 2019 , 98, e16600	1.8	3
18	Spatial summation of thermal stimuli assessed by a standardized, randomized, single-blinded technique. <i>Scandinavian Journal of Pain</i> , 2015 , 9, 81-86	1.9	2
17	Clinical trials: cancer pain 2008 , 538-551		2
16	Aδ and not C fibers mediate thermal hyperalgesia to short laser stimuli after burn injury in man. <i>Pain</i> , 2018 , 159, 2331-2338	8	2
15	P2-169: STIMULUS-RESPONSE FUNCTION TO HEAT PAIN IN PATIENTS WITH MILD-MODERATE ALZHEIMER'S DISEASE 2014 , 10, P532-P532		1
14	Sample size and effect size calculations are necessary in clinical studies in order to avoid false positive and false negative conclusions. <i>Scandinavian Journal of Pain</i> , 2013 , 4, 163-164	1.9	1
13	Neuroplasticity induced by general anaesthesia: study protocol for a randomised cross-over clinical trial exploring the effects of sevoflurane and propofol on the brain - A 3-T magnetic resonance imaging study of healthy volunteers. <i>Trials</i> , 2020 , 21, 805	2.8	1
12	The Brief Pain Inventory (BPI) - Revisited and rejuvenated?. <i>Scandinavian Journal of Pain</i> , 2016 , 12, 108-109		1

11	Trajectories in severe persistent pain after groin hernia repair: a retrospective analysis. <i>Scandinavian Journal of Pain</i> , 2021 , 21, 70-80	1.9	0
10	The variability in thermal threshold-assessments in post-thoracotomy pain syndrome. <i>Scandinavian Journal of Pain</i> , 2012 , 3, 188-189	1.9	
9	Mirror-image sensory dysfunction in the post-thoracotomy pain syndrome. <i>Scandinavian Journal of Pain</i> , 2012 , 3, 193-193	1.9	
8	Trismus-An important issue in pain and palliative care. <i>Scandinavian Journal of Pain</i> , 2010 , 1, 82-83	1.9	
7	Factors Affecting Morphine Metabolism Following Major Liver Resection. <i>Anesthesia and Analgesia</i> , 2008 , 106, 349	3.9	
6	Preventing chronic postoperative pain and nerve injury. Comment on Br J Anaesth 2021; 127: 331-5. <i>British Journal of Anaesthesia</i> , 2021 ,	5.4	
5	Methodology and applicability of the human contact burn injury model: A systematic review. <i>PLoS ONE</i> , 2021 , 16, e0254790	3.7	
4	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design 2020 , 15, e0242169		
3	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design 2020 , 15, e0242169		
2	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design 2020 , 15, e0242169		
1	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design 2020 , 15, e0242169		