

# Mads Utke Werner

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7918671/mads-utke-werner-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

2,465

citations

26

h-index

48

g-index

93

ext. papers

2,798

ext. citations

3.7

avg, IF

4.84

L-index

#	Paper	IF	Citations
82	Trajectories in severe persistent pain after groin hernia repair: a retrospective analysis. <i>Scandinavian Journal of Pain</i> , <b>2021</b> , 21, 70-80	1.9	0
81	Preventing chronic postoperative pain and nerve injury. Comment on Br J Anaesth 2021; 127: 331-5. <i>British Journal of Anaesthesia</i> , <b>2021</b> ,	5.4	
80	Methodology and applicability of the human contact burn injury model: A systematic review. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254790	3.7	
79	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design. <i>PLoS ONE</i> , <b>2020</b> , 15, e0242169	3.7	3
78	Neuroplasticity induced by general anaesthesia: study protocol for a randomised cross-over clinical trial exploring the effects of sevoflurane and propofol on the brain - A 3-T magnetic resonance imaging study of healthy volunteers. <i>Trials</i> , <b>2020</b> , 21, 805	2.8	1
77	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design <b>2020</b> , 15, e0242169		
76	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design <b>2020</b> , 15, e0242169		
75	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design <b>2020</b> , 15, e0242169		
74	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design <b>2020</b> , 15, e0242169		
73	A single session of hyperbaric oxygen therapy demonstrates acute and long-lasting neuroplasticity effects in humans: a replicated, randomized controlled clinical trial. <i>Journal of Pain Research</i> , <b>2019</b> , 12, 2337-2348	2.9	3
72	Simultaneous quantification of high-dose naloxone and naloxone-3- $\beta$ -glucuronide in human plasma by UHPLC-MS/MS. <i>Bioanalysis</i> , <b>2019</b> ,	2.1	3
71	High-dose naloxone, an experimental tool uncovering latent sensitisation: pharmacokinetics in humans. <i>British Journal of Anaesthesia</i> , <b>2019</b> , 123, e204-e214	5.4	5
70	Bilateral distribution of anterior cutaneous nerve entrapment syndrome (ACNES): are clinical features and outcomes comparable to unilateral ACNES?. <i>Regional Anesthesia and Pain Medicine</i> , <b>2019</b> ,	3.4	3
69	A national center for persistent severe pain after groin hernia repair: Five-year prospective data. <i>Medicine (United States)</i> , <b>2019</b> , 98, e16600	1.8	3
68	A $\delta$ and not C fibers mediate thermal hyperalgesia to short laser stimuli after burn injury in man. <i>Pain</i> , <b>2018</b> , 159, 2331-2338	8	2
67	Assessment of Postoperative Analgesic Drug Efficacy: Method of Data Analysis Is Critical. <i>Anesthesia and Analgesia</i> , <b>2017</b> , 125, 1008-1013	3.9	5
66	E-learning programs in oncology: a nationwide experience from 2005 to 2014. <i>BMC Research Notes</i> , <b>2017</b> , 10, 39	2.3	7

65	Pain perception in healthy volunteers: effect of repeated exposure to experimental systemic inflammation. <i>Innate Immunity</i> , <b>2016</b> , 22, 546-56	2.7	10
64	The relationship between chronic pain and cardiovascular disease: Squaring the circle?. <i>Scandinavian Journal of Pain</i> , <b>2016</b> , 13, 134-135	1.9	5
63	Effects of target-controlled infusion of high-dose naloxone on pain and hyperalgesia in a human thermal injury model: a study protocol: A randomized, double-blind, placebo-controlled, crossover trial with an enriched design. <i>Medicine (United States)</i> , <b>2016</b> , 95, e5336	1.8	8
62	Pharmacokinetics of oral and intravenous melatonin in healthy volunteers. <i>BMC Pharmacology &amp; Toxicology</i> , <b>2016</b> , 17, 8	2.6	77
61	Pharmacokinetics of high-dose intravenous melatonin in humans. <i>Journal of Clinical Pharmacology</i> , <b>2016</b> , 56, 324-9	2.9	34
60	The Brief Pain Inventory (BPI) - Revisited and rejuvenated?. <i>Scandinavian Journal of Pain</i> , <b>2016</b> , 12, 108-109	1.9	1
59	Discrepancy between stimulus response and tolerance of pain in Alzheimer disease. <i>Neurology</i> , <b>2015</b> , 84, 1575-81	6.5	16
58	Demarcation of secondary hyperalgesia zones: Punctate stimulation pressure matters. <i>Journal of Neuroscience Methods</i> , <b>2015</b> , 256, 74-81	3	7
57	Spatial summation of thermal stimuli assessed by a standardized, randomized, single-blinded technique. <i>Scandinavian Journal of Pain</i> , <b>2015</b> , 9, 81-86	1.9	2
56	Effect of a high-dose target-controlled naloxone infusion on pain and hyperalgesia in patients following groin hernia repair: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2015</b> , 16, 511	2.8	9
55	Analgesic and antihyperalgesic effects of melatonin in a human inflammatory pain model: a randomized, double-blind, placebo-controlled, three-arm crossover study. <i>Pain</i> , <b>2015</b> , 156, 2286-2294	8	21
54	Endogenous Opioid-Masked Latent Pain Sensitization: Studies from Mouse to Human. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134441	3.7	28
53	Secondary hyperalgesia phenotypes exhibit differences in brain activation during noxious stimulation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0114840	3.7	18
52	Endogenous opioid antagonism in physiological experimental pain models: a systematic review. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125887	3.7	10
51	Analgesic treatment in laparoscopic gastric bypass surgery: a systematic review of randomized trials. <i>Obesity Surgery</i> , <b>2014</b> , 24, 462-70	3.7	28
50	Persistent postsurgical pain: evidence from breast cancer surgery, groin hernia repair, and lung cancer surgery. <i>Current Topics in Behavioral Neurosciences</i> , <b>2014</b> , 20, 3-29	3.4	23
49	Pharmacokinetic-pharmacodynamic modelling of the analgesic and antihyperalgesic effects of morphine after intravenous infusion in human volunteers. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2014</b> , 115, 257-67	3.1	7
48	Management of persistent postsurgical inguinal pain. <i>Langenbeck's Archives of Surgery</i> , <b>2014</b> , 399, 559-69	3.4	27

47	P2-169: STIMULUS-RESPONSE FUNCTION TO HEAT PAIN IN PATIENTS WITH MILD-MODERATE ALZHEIMER'S DISEASE <b>2014</b> , 10, P532-P532		1
46	Endoscopic versus open radial artery harvest and mammario-radial versus aorto-radial grafting in patients undergoing coronary artery bypass surgery: protocol for the 2 × 2 factorial designed randomised NEO trial. <i>Trials</i> , <b>2014</b> , 15, 135	2.8	4
45	Absence of analgesic effect of intravenous melatonin administration during daytime after laparoscopic cholecystectomy: a randomized trial. <i>Journal of Clinical Anesthesia</i> , <b>2014</b> , 26, 545-50	1.9	9
44	Persistent postoperative pain and sensory changes following lymph node excision in melanoma patients: a topical review. <i>Melanoma Research</i> , <b>2014</b> , 24, 93-8	3.3	13
43	Quantitative sensory testing and pain tolerance in patients with mild to moderate Alzheimer disease compared to healthy control subjects. <i>Pain</i> , <b>2014</b> , 155, 1439-1445	8	42
42	A capsaicin (8%) patch in the treatment of severe persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled trial. <i>PLoS ONE</i> , <b>2014</b> , 9, e109144	3.7	29
41	Sample size and effect size calculations are necessary in clinical studies in order to avoid false positive and false negative conclusions. <i>Scandinavian Journal of Pain</i> , <b>2013</b> , 4, 163-164	1.9	1
40	Good from far. Far from good. <i>Pain</i> , <b>2013</b> , 154, 175-176	8	4
39	Sensory testing in patients with postthoracotomy pain syndrome: Part 1: mirror-image sensory dysfunction. <i>Clinical Journal of Pain</i> , <b>2013</b> , 29, 775-83	3.5	14
38	Quantitative sensory testing in patients with postthoracotomy pain syndrome: Part 2: variability in thermal threshold assessments. <i>Clinical Journal of Pain</i> , <b>2013</b> , 29, 784-90	3.5	4
37	Morphine- and buprenorphine-induced analgesia and antihyperalgesia in a human inflammatory pain model: a double-blind, randomized, placebo-controlled, five-arm crossover study. <i>Journal of Pain Research</i> , <b>2013</b> , 6, 23-38	2.9	24
36	Does naloxone reinstate secondary hyperalgesia in humans after resolution of a burn injury? A placebo-controlled, double-blind, randomized, cross-over study. <i>PLoS ONE</i> , <b>2013</b> , 8, e64608	3.7	17
35	Healthy volunteers can be phenotyped using cutaneous sensitization pain models. <i>PLoS ONE</i> , <b>2013</b> , 8, e62733	3.7	31
34	Lidocaine patch (5%) in treatment of persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled, crossover trial. <i>Anesthesiology</i> , <b>2013</b> , 119, 1444-52	4.3	35
33	How is neuropathic cancer pain assessed in randomised controlled trials?. <i>Pain</i> , <b>2012</b> , 153, 13-17	8	6
32	Vanguard research in opioid-induced hyperalgesia - but guard the basics. <i>Pain</i> , <b>2012</b> , 153, 943-944	8	4
31	The variability in thermal threshold-assessments in post-thoracotomy pain syndrome. <i>Scandinavian Journal of Pain</i> , <b>2012</b> , 3, 188-189	1.9	
30	Mirror-image sensory dysfunction in the post-thoracotomy pain syndrome. <i>Scandinavian Journal of Pain</i> , <b>2012</b> , 3, 193-193	1.9	

29	Prediction of pain sensitivity in healthy volunteers. <i>Journal of Pain Research</i> , <b>2012</b> , 5, 313-26	2.9	32
28	Dysejaculation after laparoscopic inguinal herniorrhaphy: a nationwide questionnaire study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2012</b> , 26, 979-83	5.2	50
27	Pulsed radiofrequency in the treatment of persistent pain after inguinal herniotomy: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , <b>2012</b> , 37, 340-3	3.4	31
26	Ultrasound-guided ilioinguinal/iliohypogastric nerve blocks for persistent inguinal postherniorrhaphy pain: a randomized, double-blind, placebo-controlled, crossover trial. <i>Anesthesia and Analgesia</i> , <b>2012</b> , 114, 1323-9	3.9	58
25	Neurophysiological characterization of persistent postthoracotomy pain. <i>Clinical Journal of Pain</i> , <b>2012</b> , 28, 136-42	3.5	28
24	Characterization of persistent postoperative pain by quantitative sensory testing. <i>European Journal of Pain Supplements</i> , <b>2010</b> , 4, 203-207		8
23	Trismus-An important issue in pain and palliative care. <i>Scandinavian Journal of Pain</i> , <b>2010</b> , 1, 82-83	1.9	
22	Prediction of postoperative pain: a systematic review of predictive experimental pain studies. <i>Anesthesiology</i> , <b>2010</b> , 112, 1494-502	4.3	178
21	Prediction of postoperative pain after mandibular third molar surgery. <i>Journal of Orofacial Pain</i> , <b>2010</b> , 24, 189-96		11
20	Evidence-based medicine works best when there is evidence: challenges in palliative medicine when randomized controlled trials are not possible. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , <b>2009</b> , 23, 48-50	0.8	10
19	Novel formulations and routes of administration for opioids in the treatment of breakthrough pain. <i>Therapy: Open Access in Clinical Medicine</i> , <b>2009</b> , 6, 695-706		10
18	Factors Affecting Morphine Metabolism Following Major Liver Resection. <i>Anesthesia and Analgesia</i> , <b>2008</b> , 106, 349	3.9	
17	Clinical trials: cancer pain <b>2008</b> , 538-551		2
16	The acute pain service: Present and future role. <i>Current Anaesthesia and Critical Care</i> , <b>2007</b> , 18, 135-139		5
15	Prediction of postoperative pain. <i>Current Anaesthesia and Critical Care</i> , <b>2007</b> , 18, 157-165		16
14	Morphine metabolism after major liver surgery. <i>Anesthesia and Analgesia</i> , <b>2007</b> , 104, 1409-14, table of contents	3.9	29
13	Thiopental and propofol affect different regions of the brain at similar pharmacologic effects. <i>Anesthesia and Analgesia</i> , <b>2004</b> , 99, 912-918	3.9	60
12	Pain and sensory dysfunction 6 to 12 months after inguinal herniotomy. <i>Anesthesia and Analgesia</i> , <b>2004</b> , 99, 146-151	3.9	121

11	Prediction of postoperative pain by preoperative nociceptive responses to heat stimulation. <i>Anesthesiology</i> , <b>2004</b> , 100, 115-9; discussion 5A	4.3	164
10	Arthroscopic knee surgery does not modify hyperalgesic responses to heat injury. <i>Anesthesiology</i> , <b>2003</b> , 99, 1152-7	4.3	9
9	Dexamethasone prolongs local analgesia after subcutaneous infiltration of bupivacaine microcapsules in human volunteers. <i>Anesthesiology</i> , <b>2002</b> , 96, 1331-5	4.3	43
8	Does an acute pain service improve postoperative outcome?. <i>Anesthesia and Analgesia</i> , <b>2002</b> , 95, 1361-72, table of contents	3.9	158
7	Local cooling does not prevent hyperalgesia following burn injury in humans. <i>Pain</i> , <b>2002</b> , 98, 297-303	8	35
6	Analgesic effects of dexamethasone in burn injury. <i>Regional Anesthesia and Pain Medicine</i> , <b>2002</b> , 27, 254-60	3.4	16
5	Acetaminophen and Upper Gastrointestinal Complications. <i>Epidemiology</i> , <b>2002</b> , 13, 605-606	3.1	5
4	Effects of Gabapentin in Acute Inflammatory Pain in Humans. <i>Regional Anesthesia and Pain Medicine</i> , <b>2001</b> , 26, 322-328	3.4	56
3	Is Urinary Drainage Necessary During Continuous Epidural Analgesia After Colonic Resection?. <i>Regional Anesthesia and Pain Medicine</i> , <b>2000</b> , 25, 498-501	3.4	60
2	A clinical pathway to accelerate recovery after colonic resection. <i>Annals of Surgery</i> , <b>2000</b> , 232, 51-7	7.8	541
1	Balanced analgesia: what is it and what are its advantages in postoperative pain?. <i>Drugs</i> , <b>1999</b> , 58, 793-7	12.1	93