Eliot L Gardner

List of Publications by Citations

Source: https://exaly.com/author-pdf/7918869/eliot-l-gardner-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 6,637 43 81 g-index

87 7,142 6.6 avg, IF L-index

#	Paper	IF	Citations
85	Relapse to cocaine-seeking after hippocampal theta burst stimulation. <i>Science</i> , 2001 , 292, 1175-8	33.3	412
84	Endocannabinoid signaling system and brain reward: emphasis on dopamine. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 263-84	3.9	316
83	Brain cannabinoid CBI receptors modulate cocaines actions in mice. <i>Nature Neuroscience</i> , 2011 , 14, 116	0-£ 5.5	304
82	Delta 9-tetrahydrocannabinol produces naloxone-blockable enhancement of presynaptic basal dopamine efflux in nucleus accumbens of conscious, freely-moving rats as measured by intracerebral microdialysis. <i>Psychopharmacology</i> , 1990 , 102, 156-62	4.7	294
81	The role of central dopamine D3 receptors in drug addiction: a review of pharmacological evidence. <i>Brain Research Reviews</i> , 2005 , 49, 77-105		272
80	Dopamine D3 receptor antagonism inhibits cocaine-seeking and cocaine-enhanced brain reward in rats. <i>Journal of Neuroscience</i> , 2002 , 22, 9595-603	6.6	242
79	Addiction and brain reward and antireward pathways. <i>Advances in Psychosomatic Medicine</i> , 2011 , 30, 22-60		231
78	Cannabinoid CB2 receptors modulate midbrain dopamine neuronal activity and dopamine-related behavior in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E5007-15	11.5	222
77	Cannabinoid transmission and reward-related events. <i>Neurobiology of Disease</i> , 1998 , 5, 502-33	7.5	209
76	Conditioned place preference induced by delta 9-tetrahydrocannabinol: comparison with cocaine, morphine, and food reward. <i>Life Sciences</i> , 1995 , 56, 2073-80	6.8	189
75	Critical assessment of how to study addiction and its treatment: human and non-human animal models 2005 , 108, 18-58		182
74	MarijuanaS interaction with brain reward systems: update 1991. <i>Pharmacology Biochemistry and Behavior</i> , 1991 , 40, 571-80	3.9	174
73	A pharmacologic strategy for the treatment of nicotine addiction. <i>Synapse</i> , 1999 , 31, 76-86	2.4	156
72	Agents in development for the management of cocaine abuse. <i>Drugs</i> , 2004 , 64, 1547-73	12.1	154
71	Strain-specific facilitation of dopamine efflux by delta 9-tetrahydrocannabinol in the nucleus accumbens of rat: an in vivo microdialysis study. <i>Neuroscience Letters</i> , 1991 , 129, 136-80	3.3	149
70	A novel strategy for the treatment of cocaine addiction. <i>Synapse</i> , 1998 , 30, 119-29	2.4	142
69	Cannabinoid CB1 receptor antagonist AM251 inhibits cocaine-primed relapse in rats: role of glutamate in the nucleus accumbens. <i>Journal of Neuroscience</i> , 2006 , 26, 8531-6	6.6	141

(2006-1988)

68	The effects of delta 9-tetrahydrocannabinol on potassium-evoked release of dopamine in the rat caudate nucleus: an in vivo electrochemical and in vivo microdialysis study. <i>Brain Research</i> , 1988 , 451, 59-68	3.7	129
67	The novel dopamine D3 receptor antagonist NGB 2904 inhibits cocaine's rewarding effects and cocaine-induced reinstatement of drug-seeking behavior in rats. <i>Neuropsychopharmacology</i> , 2006 , 31, 1393-405	8.7	128
66	Selective dopamine D3 receptor antagonism by SB-277011A attenuates cocaine reinforcement as assessed by progressive-ratio and variable-cost-variable-payoff fixed-ratio cocaine self-administration in rats. <i>European Journal of Neuroscience</i> , 2005 , 21, 3427-38	3.5	120
65	Addictive potential of cannabinoids: the underlying neurobiology. <i>Chemistry and Physics of Lipids</i> , 2002 , 121, 267-90	3.7	117
64	Delta 9-tetrahydrocannabinol enhances presynaptic dopamine efflux in medial prefrontal cortex. <i>European Journal of Pharmacology</i> , 1990 , 190, 259-62	5.3	109
63	(-)-Nicotine produces conditioned place preference in Lewis, but not Fischer 344 rats. <i>Synapse</i> , 1997 , 26, 93-4	2.4	102
62	What we have learned about addiction from animal models of drug self-administration. <i>American Journal on Addictions</i> , 2000 , 9, 285-313	3.7	98
61	Genetic differences in delta 9-tetrahydrocannabinol-induced facilitation of brain stimulation reward as measured by a rate-frequency curve-shift electrical brain stimulation paradigm in three different rat strains. <i>Life Sciences</i> , 1996 , 58, PL365-72	6.8	98
60	Expression of functional cannabinoid CB receptor in VTA dopamine neurons in rats. <i>Addiction Biology</i> , 2017 , 22, 752-765	4.6	94
59	Species differences in cannabinoid receptor 2 and receptor responses to cocaine self-administration in mice and rats. <i>Neuropsychopharmacology</i> , 2015 , 40, 1037-51	8.7	87
58	Cannabinoid CB1 receptor antagonists attenuate cocaine's rewarding effects: experiments with self-administration and brain-stimulation reward in rats. <i>Neuropsychopharmacology</i> , 2008 , 33, 1735-45	8.7	87
57	Pharmacological actions of NGB 2904, a selective dopamine D3 receptor antagonist, in animal models of drug addiction. <i>CNS Neuroscience & Therapeutics</i> , 2007 , 13, 240-59		87
56	Ventral tegmental microinjection of delta 9-tetrahydrocannabinol enhances ventral tegmental somatodendritic dopamine levels but not forebrain dopamine levels: evidence for local neural action by marijuanas psychoactive ingredient. <i>Brain Research</i> , 1993 , 621, 65-70	3.7	85
55	Cannabinoid type 2 receptors in dopamine neurons inhibits psychomotor behaviors, alters anxiety, depression and alcohol preference. <i>Scientific Reports</i> , 2017 , 7, 17410	4.9	81
54	Gamma-vinyl GABA inhibits methamphetamine, heroin, or ethanol-induced increases in nucleus accumbens dopamine. <i>Synapse</i> , 1999 , 34, 11-9	2.4	80
53	Presynaptic dopamine release is enhanced by 5-HT3 receptor activation in medial prefrontal cortex of freely moving rats. <i>Synapse</i> , 1992 , 10, 264-6	2.4	79
52	YQA14: a novel dopamine D3 receptor antagonist that inhibits cocaine self-administration in rats and mice, but not in D3 receptor-knockout mice. <i>Addiction Biology</i> , 2012 , 17, 259-73	4.6	77
51	The selective dopamine D3 receptor antagonist SB-277011A reduces nicotine-enhanced brain reward and nicotine-paired environmental cue functions. <i>International Journal of Neuropsychopharmacology</i> 2006 , 9, 585-602	5.8	73

50	Slow-onset, long-duration 3-(3\$45dichlorophenyl)-1-indanamine monoamine reuptake blockers as potential medications to treat cocaine abuse. <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 4981-92	8.3	72
49	Hypothesis-driven medication discovery for the treatment of psychostimulant addiction. <i>Current Drug Abuse Reviews</i> , 2008 , 1, 303-27		57
48	PG01037, a novel dopamine D3 receptor antagonist, inhibits the effects of methamphetamine in rats. <i>Journal of Psychopharmacology</i> , 2011 , 25, 263-73	4.6	55
47	Electrical and chemical stimulation of the basolateral complex of the amygdala reinstates cocaine-seeking behavior in the rat. <i>Psychopharmacology</i> , 2003 , 168, 75-83	4.7	53
46	Highly Selective Dopamine D3 Receptor (D3R) Antagonists and Partial Agonists Based on Eticlopride and the D3R Crystal Structure: New Leads for Opioid Dependence Treatment. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 7634-50	8.3	53
45	Dopamine D(3) receptor antagonist SB-277011A inhibits methamphetamine self-administration and methamphetamine-induced reinstatement of drug-seeking in rats. <i>European Journal of Pharmacology</i> , 2011 , 659, 187-92	5.3	52
44	GABAergic blockade of cocaine-associated cue-induced increases in nucleus accumbens dopamine. <i>European Journal of Pharmacology</i> , 2001 , 414, 205-9	5.3	43
43	Enhancement of conditioned place preference response to cocaine in rats following subchronic administration of 3, 4-methylenedioxymethamphetamine (MDMA). <i>Synapse</i> , 2000 , 35, 160-2	2.4	43
42	Levo-tetrahydropalmatine inhibits cocaine's rewarding effects: experiments with self-administration and brain-stimulation reward in rats. <i>Neuropharmacology</i> , 2007 , 53, 771-82	5.5	40
41	Drug craving and positive/negative hedonic brain substrates activated by addicting drugs. <i>Seminars in Neuroscience</i> , 1993 , 5, 359-368		38
40	Dopamine agonists induce recovery from surgically-induced septal rage. <i>Nature</i> , 1977 , 269, 513-5	50.4	37
39	Imitational and social facilitatory aspects of observational learning in the laboratory rat. <i>Learning and Behavior</i> , 1971 , 25, 5-6		36
38	Cannabinoid CB and CB receptor mechanisms underlie cannabis reward and aversion in rats. <i>British Journal of Pharmacology</i> , 2019 , 176, 1268-1281	8.6	35
37	Blockade of D3 receptors by YQA14 inhibits cocaines rewarding effects and relapse to drug-seeking behavior in rats. <i>Neuropharmacology</i> , 2014 , 77, 398-405	5.5	35
36	Overview of chemical sampling techniques. <i>Journal of Neuroscience Methods</i> , 1993 , 48, 173-97	3	35
35	CB1 Receptor Activation on VgluT2-Expressing Glutamatergic Neurons Underlies Eletrahydrocannabinol (Eletro)-Induced Aversive Effects in Mice. <i>Scientific Reports</i> , 2017 , 7, 12315	4.9	30
34	Cannabinoid CB receptor neutral antagonist AM4113 inhibits heroin self-administration without depressive side effects in rats. <i>Acta Pharmacologica Sinica</i> , 2019 , 40, 365-373	8	26
33	Gamma-vinyl GABA (GVG) blocks expression of the conditioned place preference response to heroin in rats. <i>Synapse</i> , 2001 , 41, 219-20	2.4	25

32	The Novel Modafinil Analog, JJC8-016, as a Potential Cocaine Abuse Pharmacotherapeutic. <i>Neuropsychopharmacology</i> , 2017 , 42, 1871-1883	8.7	23
31	GABA antagonism lowers self-stimulation thresholds in the ventral tegmental area. <i>Brain Research</i> , 1980 , 189, 279-83	3.7	23
30	Is slow-onset long-acting monoamine transport blockade to cocaine as methadone is to heroin? Implication for anti-addiction medications. <i>Neuropsychopharmacology</i> , 2010 , 35, 2564-78	8.7	22
29	Gamma-vinyl GABA inhibits cocaine-triggered reinstatement of drug-seeking behavior in rats by a non-dopaminergic mechanism. <i>Drug and Alcohol Dependence</i> , 2008 , 97, 216-25	4.9	22
28	Effects of gabapentin on cocaine self-administration, cocaine-triggered relapse and cocaine-enhanced nucleus accumbens dopamine in rats. <i>Drug and Alcohol Dependence</i> , 2008 , 97, 207-15	4.9	21
27	The basolateral complex of the amygdala mediates the modulation of intracranial self-stimulation threshold by drug-associated cues. <i>European Journal of Neuroscience</i> , 2004 , 20, 273-80	3.5	21
26	The effect of intravenous administration of delta-9-tetrahydrocannabinol on the activity of A10 dopamine neurons recorded in vivo in anesthetized rats. <i>Neuropsychobiology</i> , 1997 , 36, 96-9	4	20
25	Cocaine treatment increases expression of a 40 kDa catecholamine-regulated protein in discrete brain regions. <i>Synapse</i> , 2003 , 47, 33-44	2.4	18
24	The selective DIreceptor antagonist SB-277011A attenuates morphine-triggered reactivation of expression of cocaine-induced conditioned place preference. <i>Synapse</i> , 2013 , 67, 469-75	2.4	15
23	A slow-onset, long-duration indanamine monoamine reuptake inhibitor as a potential maintenance pharmacotherapy for psychostimulant abuse: effects in laboratory rat models relating to addiction. <i>Neuropharmacology</i> , 2006 , 51, 993-1003	5.5	15
22	Interaction of [3H](-)-SKF-10,047 with brain sigma receptors: characterization and autoradiographic visualization. <i>Journal of Neurochemistry</i> , 1986 , 46, 1032-41	6	13
21	Different receptor mechanisms underlying phytocannabinoid-versus synthetic cannabinoid-induced tetrad effects: Opposite roles of CB /CB versus GPR55 receptors. <i>British Journal of Pharmacology</i> , 2020 , 177, 1865-1880	8.6	13
20	ECaryophyllene, a dietary terpenoid, inhibits nicotine taking and nicotine seeking in rodents. British Journal of Pharmacology, 2020 , 177, 2058-2072	8.6	13
19	R-modafinil attenuates nicotine-taking and nicotine-seeking behavior in alcohol-preferring rats. <i>Neuropsychopharmacology</i> , 2015 , 40, 1762-71	8.7	12
18	Systemic cocaine challenge after chronic cocaine treatment reveals sensitization of extracellular dopamine levels in nucleus accumbens but direct cocaine perfusion into nucleus accumbens does not: implications for the neural locus of cocaine sensitization. <i>Life Sciences</i> , 1996 , 58, PL139-46	6.8	12
17	Anatomically Selective Action of Atypical Neuroleptics on the Mesocorticolimbic Dopamine System. <i>Annals of the New York Academy of Sciences</i> , 1988 , 537, 502-504	6.5	11
16	Beta-caryophyllene inhibits cocaine addiction-related behavior by activation of PPAR and PPAR repurposing a FDA-approved food additive for cocaine use disorder. <i>Neuropsychopharmacology</i> , 2021 , 46, 860-870	8.7	11
15	Use of animal models to develop antiaddiction medications. <i>Current Psychiatry Reports</i> , 2008 , 10, 377-84	9.1	9

14	The Neurobiology of Chemical Addiction 1999 , 93-136		8
13	Tetrahydrocannabivarin has potent anti-nicotine effects in several rodent models of nicotine dependence. <i>British Journal of Pharmacology</i> , 2019 , 176, 4773-4784	8.6	7
12	CTDP-32476: A Promising Agonist Therapy for Treatment of Cocaine Addiction. <i>Neuropsychopharmacology</i> , 2017 , 42, 682-694	8.7	7
11	Cannabinoid CB receptors are expressed in glutamate neurons in the red nucleus and functionally modulate motor behavior in mice. <i>Neuropharmacology</i> , 2021 , 189, 108538	5.5	7
10	Dissecting the role of CB and CB receptors in cannabinoid reward versus aversion using transgenic CB- and CB-knockout mice. <i>European Neuropsychopharmacology</i> , 2021 , 43, 38-51	1.2	7
9	Cannabinoids and Addiction 2014 , 173-188		5
8	Etaryophyllene, an FDA-Approved Food Additive, Inhibits Methamphetamine-Taking and Methamphetamine-Seeking Behaviors Possibly CB2 and Non-CB2 Receptor Mechanisms. <i>Frontiers in Pharmacology</i> , 2021 , 12, 722476	5.6	4
7	Differential effects of chronic haloperidol administration on midbrain dopamine neurons in Sprague-Dawley, Fischer 344, and Lewis rats: an in vivo electrophysiological study. <i>Synapse</i> , 1998 , 29, 269-71	2.4	3
6	A pharmacologic strategy for the treatment of nicotine addiction 1999 , 31, 76		3
5	Enhancement of conditioned place preference response to cocaine in rats following subchronic administration of 3,4-methylenedioxymethamphetamine (MDMA) 2000 , 35, 160		3
4	Cocaine-taking and cocaine-seeking behaviors in rats remain stable after systemic administration of GYKI 52466: a non-competitive AMPA receptor antagonist. <i>Neuroscience Letters</i> , 2012 , 508, 106-9	3.3	2
3	(Inicotine produces conditioned place preference in Lewis, but not Fischer 344 rats 1997 , 26, 93		2
2	The neuropathology of schizophrenia, mania, and depression: Diseases of cognitive initiation and switching?. <i>Behavioral and Brain Sciences</i> , 1987 , 10, 213-214	0.9	
1	Animal Models of Addiction 2021 , 35-49		