Cai Tie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7919034/publications.pdf

Version: 2024-02-01

759055 677027 23 482 12 22 citations h-index g-index papers 23 23 23 726 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	A fast strategy for profiling and identifying pharmaceutic excipient polysorbates by ultra-high performance liquid chromatography coupled with high-resolution mass spectrometry. Journal of Chromatography A, 2020, 1609, 460450.	1.8	10
2	Differential analysis of urinary albumin for membranous nephropathy patients by online capillary isoelectric focusing - Mass spectrometry. Journal of Proteomics, 2020, 216, 103676.	1.2	5
3	Perturbed Lipidomic Profiles in Rats With Chronic Cerebral Ischemia Are Regulated by Xiao-Xu-Ming Decoction. Frontiers in Pharmacology, 2019, 10, 264.	1.6	11
4	Polydatin protects the respiratory system from PM2.5 exposure. Scientific Reports, 2017, 7, 40030.	1.6	37
5	Quantitative Proteomics and Targeted Fatty Acids Analysis Reveal the Damage of Triptolide in Liver and Kidney. Proteomics, 2017, 17, 1700001.	1.3	20
6	Development of a hydrophilic interaction liquid chromatography coupled with matrix-assisted laser desorption/ionization-mass spectrometric imaging platform for N-glycan relative quantitation using stable-isotope labeled hydrazide reagents. Analytical and Bioanalytical Chemistry, 2017, 409, 4437-4447.	1.9	21
7	Highly sensitive and specific derivatization strategy to profile and quantitate eicosanoids by UPLC-MS/MS. Analytica Chimica Acta, 2017, 950, 108-118.	2.6	29
8	Derivatization Strategy for the Comprehensive Characterization of Endogenous Fatty Aldehydes Using HPLC-Multiple Reaction Monitoring. Analytical Chemistry, 2016, 88, 7762-7768.	3.2	39
9	Potential of capillary electrophoresis mass spectrometry for the characterization and monitoring of amine-derivatized naphthenic acids from oil sands process-affected water. Journal of Environmental Sciences, 2016, 49, 203-212.	3.2	8
10	Novel identification strategy for ground coffee adulteration based on UPLC–HRMS oligosaccharide profiling. Food Chemistry, 2016, 190, 1046-1049.	4.2	39
11	Automatic Identification Approach for High-Performance Liquid Chromatography-Multiple Reaction Monitoring Fatty Acid Global Profiling. Analytical Chemistry, 2015, 87, 8181-8185.	3.2	19
12	Novel strategy for herbal species classification based on UPLC–HRMS oligosaccharide profiling. Journal of Pharmaceutical and Biomedical Analysis, 2015, 111, 14-20.	1.4	4
13	Deuterated hydrazino-s-triazine as highly-efficient labelling reagent for glycan relative quantification analysis using electrospray ionization mass spectrometry. RSC Advances, 2015, 5, 79317-79322.	1.7	3
14	HPLC-MRM relative quantification analysis of fatty acids based on a novel derivatization strategy. Analyst, The, 2014, 139, 6154-6159.	1.7	33
15	G-quadruplex based two-stage isothermal exponential amplification reaction for label-free DNA colorimetric detection. Biosensors and Bioelectronics, 2014, 56, 237-242.	5.3	50
16	A label-free DNA hairpin biosensor for colorimetric detection of target with suitable functional DNA partners. Biosensors and Bioelectronics, 2013, 49, 236-242.	5.3	26
17	The coating of smart pHâ€responsive polyelectrolyte brushes in capillary and its application in CE. Electrophoresis, 2013, 34, 1352-1358.	1.3	12
18	Capillary electrophoresisâ€mass spectrometry for analysis of complex samples. Proteomics, 2012, 12, 2991-3012.	1.3	58

#	Article	IF	CITATIONS
19	A new labelling reagent for glycans analysis by capillary electrophoresis-mass spectrometry. Analytical Methods, 2012, 4, 357.	1.3	26
20	Study of the electrical connection mechanism of sheathless interface for capillary electrophoresisâ€electrospray ionizationâ€mass spectrometry. Journal of Mass Spectrometry, 2012, 47, 1429-1434.	0.7	9
21	Cocaine detection by structureâ€switch aptamerâ€based capillary zone electrophoresis. Electrophoresis, 2012, 33, 1465-1470.	1.3	12
22	Star-shaped polymers for DNA sequencing by capillary electrophoresis. Journal of Chromatography A, 2011, 1218, 3037-3041.	1.8	10
23	Sources of coal remains from the Jartai Pass Site in Nilka County, Xinjiang, China. Holocene, 0, , 095968362211012.	0.9	1