Ann K Goodchild

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7920545/ann-k-goodchild-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers3,290
citations32
h-index52
g-index112
ext. papers3,561
ext. citations4
avg, IF5.07
L-index

#	Paper	IF	Citations
107	Polysialic acid in the rat brainstem and thoracolumbar spinal cord: Distribution, cellular location, and comparison with mouse. <i>Journal of Comparative Neurology</i> , 2021 , 529, 811-827	3.4	1
106	A Student's Guide to Neural Circuit Tracing. Frontiers in Neuroscience, 2019, 13, 897	5.1	48
105	On the presence and functional significance of sympathetic premotor neurons with collateralized spinal axons in the rat. <i>Journal of Physiology</i> , 2019 , 597, 3407-3423	3.9	17
104	Somatostatin 2 Receptors in the Spinal Cord Tonically Restrain Thermogenic, Cardiac and Other Sympathetic Outflows. <i>Frontiers in Neuroscience</i> , 2019 , 13, 121	5.1	5
103	Somatostatin 2 Receptor Activation in the Rostral Ventrolateral Medulla Does Not Mediate the Decompensatory Phase of Haemorrhage. <i>Shock</i> , 2018 , 50, 331-338	3.4	O
102	Excessive Respiratory Modulation of Blood Pressure Triggers Hypertension. <i>Cell Metabolism</i> , 2017 , 25, 739-748	24.6	37
101	Behavioral sensitization to methamphetamine induces specific interneuronal mRNA pathology across the prelimbic and orbitofrontal cortices. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 42-48	5.5	8
100	Neurochemistry of neurons in the ventrolateral medulla activated by hypotension: Are the same neurons activated by glucoprivation?. <i>Journal of Comparative Neurology</i> , 2017 , 525, 2249-2264	3.4	11
99	Mapping and Analysis of the Connectome of Sympathetic Premotor Neurons in the Rostral Ventrolateral Medulla of the Rat Using a Volumetric Brain Atlas. <i>Frontiers in Neural Circuits</i> , 2017 , 11, 9	3.5	22
98	Polysialic Acid Regulates Sympathetic Outflow by Facilitating Information Transfer within the Nucleus of the Solitary Tract. <i>Journal of Neuroscience</i> , 2017 , 37, 6558-6574	6.6	4
97	GABAergic mRNA expression is differentially expressed across the prelimbic and orbitofrontal cortices of rats sensitized to methamphetamine: Relevance to psychosis. <i>Neuropharmacology</i> , 2016 , 111, 107-118	5.5	9
96	Coordinated autonomic and respiratory responses evoked by alerting stimuli: Role of the midbrain colliculi. <i>Respiratory Physiology and Neurobiology</i> , 2016 , 226, 87-93	2.8	10
95	Quantitative Proteomic Analysis of the Orbital Frontal Cortex in Rats Following Extended Exposure to Caffeine Reveals Extensive Changes to Protein Expression: Implications for Neurological Disease. <i>Journal of Proteome Research</i> , 2016 , 15, 1455-71	5.6	4
94	Tonically Active cAMP-Dependent Signaling in the Ventrolateral Medulla Regulates Sympathetic and Cardiac Vagal Outflows. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 356, 424-33	4.7	6
93	GABAergic mRNA expression is upregulated in the prefrontal cortex of rats sensitized to methamphetamine. <i>Behavioural Brain Research</i> , 2016 , 297, 224-30	3.4	13
92	Quantitative shotgun proteomics reveals extensive changes to the proteome of the orbitofrontal cortex in rats that are hyperactive following withdrawal from a high sugar diet. <i>Proteomics</i> , 2016 , 16, 657-73	4.8	8
91	Somatostatin in the rat rostral ventrolateral medulla: Origins and mechanism of action. <i>Journal of Comparative Neurology</i> , 2016 , 524, 323-42	3.4	14

(2013-2016)

90	Somatostatin 2a receptors are not expressed on functionally identified respiratory neurons in the ventral respiratory column of the rat. <i>Journal of Comparative Neurology</i> , 2016 , 524, 1384-98	3.4	5
89	Effects of acute and chronic systemic methamphetamine on respiratory, cardiovascular and metabolic function, and cardiorespiratory reflexes. <i>Journal of Physiology</i> , 2016 , 594, 763-80	3.9	58
88	Extended exposure to sugar and/or caffeine produces distinct behavioral and neurochemical profiles in the orbitofrontal cortex of rats: Implications for neural function. <i>Proteomics</i> , 2016 , 16, 2894-	2 9 10	1
87	Hydralazine administration activates sympathetic preganglionic neurons whose activity mobilizes glucose and increases cardiovascular function. <i>Brain Research</i> , 2015 , 1604, 25-34	3.7	3
86	Two Splice Variants of Y Chromosome-Located Lysine-Specific Demethylase 5D Have Distinct Function in Prostate Cancer Cell Line (DU-145). <i>Journal of Proteome Research</i> , 2015 , 14, 3492-502	5.6	23
85	Comparison of noradrenaline, dopamine and serotonin in mediating the tachycardic and thermogenic effects of methamphetamine in the ventral medial prefrontal cortex. <i>Neuroscience</i> , 2015 , 295, 209-20	3.9	11
84	GABA and enkephalin tonically alter sympathetic outflows in the rat spinal cord. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015 , 193, 84-91	2.4	7
83	Recording, labeling, and transfection of single neurons in deep brain structures. <i>Physiological Reports</i> , 2015 , 3, e12246	2.6	10
82	Methamphetamine-induced sensitization is associated with alterations to the proteome of the prefrontal cortex: implications for the maintenance of psychotic disorders. <i>Journal of Proteome Research</i> , 2015 , 14, 397-410	5.6	26
81	Distribution and neurochemical characterization of neurons in the rat ventrolateral medulla activated by glucoprivation. <i>Brain Structure and Function</i> , 2015 , 220, 117-34	4	22
80	Combining protein ratio p-values as a pragmatic approach to the analysis of multirun iTRAQ experiments. <i>Journal of Proteome Research</i> , 2015 , 14, 738-46	5.6	11
79	Testing the role of preBtzinger Complex somatostatin neurons in respiratory and vocal behaviors. <i>European Journal of Neuroscience</i> , 2014 , 40, 3067-77	3.5	20
78	Menthol enhances phasic and tonic GABAA receptor-mediated currents in midbrain periaqueductal grey neurons. <i>British Journal of Pharmacology</i> , 2014 , 171, 2803-13	8.6	30
77	Neurobiological consequences of acute footshock stress: effects on tyrosine hydroxylase phosphorylation and activation in the rat brain and adrenal medulla. <i>Journal of Neurochemistry</i> , 2014 , 128, 547-60	6	29
76	Behavioral and neural substrates of habit formation in rats intravenously self-administering nicotine. <i>Neuropsychopharmacology</i> , 2014 , 39, 2584-93	8.7	43
<i>75</i>	Disinhibition of the midbrain colliculi unmasks coordinated autonomic, respiratory, and somatomotor responses to auditory and visual stimuli. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R1025-35	3.2	8
74	A fresh look at the male-specific region of the human Y chromosome. <i>Journal of Proteome Research</i> , 2013 , 12, 6-22	5.6	39
73	Brain sources of inhibitory input to the rat rostral ventrolateral medulla. <i>Journal of Comparative Neurology</i> , 2013 , 521, 213-32	3.4	44

72	Insight into Autonomic Nervous System Control of Heart Rate in the Rat Using Analysis of Heart Rate Variability and Baroreflex Sensitivity. <i>Neuromethods</i> , 2013 , 203-223	0.4	5
71	Catecholamine receptors differentially mediate impulsive choice in the medial prefrontal and orbitofrontal cortex. <i>Journal of Psychopharmacology</i> , 2013 , 27, 203-12	4.6	45
70	Temporal development of baroreceptor dysfunction in a rodent model of chronic kidney disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 458-65	3	15
69	Inhibition of protein kinase A activity depresses phrenic drive and glycinergic signalling, but not rhythmogenesis in anaesthetized rat. <i>European Journal of Neuroscience</i> , 2013 , 38, 2260-70	3.5	3
68	Neurochemical codes of sympathetic preganglionic neurons activated by glucoprivation. <i>Journal of Comparative Neurology</i> , 2013 , 521, 2703-18	3.4	19
67	Respiratory, metabolic and cardiac functions are altered by disinhibition of subregions of the medial prefrontal cortex. <i>Journal of Physiology</i> , 2013 , 591, 6069-88	3.9	33
66	Distribution and localisation of Giproteins in the rostral ventrolateral medulla of normotensive and hypertensive rats: focus on catecholaminergic neurons. <i>Neuroscience</i> , 2012 , 218, 20-34	3.9	6
65	Targeting somatostatin receptors using in situ-bioconjugated fluorescent nanoparticles. <i>Nanomedicine</i> , 2012 , 7, 1551-60	5.6	12
64	Tyrosine hydroxylase phosphorylation in catecholaminergic brain regions: a marker of activation following acute hypotension and glucoprivation. <i>PLoS ONE</i> , 2012 , 7, e50535	3.7	28
63	Long-term effects of chronic oral Ritalin administration on cognitive and neural development in adolescent wistar kyoto rats. <i>Brain Sciences</i> , 2012 , 2, 375-404	3.4	14
62	Pharmacological characterization of a recombinant, fluorescent somatostatin receptor agonist. <i>Bioconjugate Chemistry</i> , 2011 , 22, 1768-75	6.3	11
61	Patterning of somatosympathetic reflexes reveals nonuniform organization of presympathetic drive from C1 and non-C1 RVLM neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 301, R1112-22	3.2	21
60	Effect of barodenervation on tyrosine hydroxylase phosphorylation in rat brain following hypotension. <i>FASEB Journal</i> , 2011 , 25, 1027.18	0.9	
59	Signal transduction pathways and tyrosine hydroxylase regulation in the adrenal medulla following glucoprivation: an in vivo analysis. <i>Neurochemistry International</i> , 2010 , 57, 162-7	4.4	19
58	Cardiovascular autonomic dysfunction in a novel rodent model of polycystic kidney disease. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010 , 152, 60-6	2.4	16
57	Role of ionotropic GABA, glutamate and glycine receptors in the tonic and reflex control of cardiac vagal outflow in the rat. <i>BMC Neuroscience</i> , 2010 , 11, 128	3.2	14
56	Distribution of G alpha subunit mRNA in rat adrenal cortex and adrenal medulla. <i>FASEB Journal</i> , 2010 , 24, lb632	0.9	
55	Neuropeptides and the Central Neural Regulation of the Cardiorespiratory System. <i>Tzu Chi Medical Journal</i> , 2009 , 21, 99-102	1.1	2

(2006-2009)

54	Maps of cardiovascular and respiratory regions of rat ventral medulla: focus on the caudal medulla. Journal of Chemical Neuroanatomy, 2009 , 38, 209-21	3.2	40
53	Differential muscarinic receptor gene expression levels in the ventral medulla of spontaneously hypertensive and Wistar-Kyoto rats: role in sympathetic baroreflex function. <i>Journal of Hypertension</i> , 2009 , 27, 1001-8	1.9	12
52	Identification and distribution of inositol trisphosphate receptor subtypes in catecholaminergic cell groups in rat brainstem and midbrain. <i>FASEB Journal</i> , 2009 , 23, 889.2	0.9	
51	Metabotropic neurotransmission and integration of sympathetic nerve activity by the rostral ventrolateral medulla in the rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 508-1	13	20
50	Control of sympathetic, respiratory and somatomotor outflow by an intraspinal pattern generator. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 447-53	3	13
49	Retrograde projections to a discrete apneic site in the midline medulla oblongata of the rat. <i>Brain Research</i> , 2008 , 1208, 128-36	3.7	28
48	Somatic nerve stimulation evokes qualitatively different somatosympathetic responses in the cervical and splanchnic sympathetic nerves in the rat. <i>Brain Research</i> , 2008 , 1217, 139-47	3.7	23
47	Significance of multiple neurochemicals that regulate respiration. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 605, 268-73	3.6	1
46	Neuropeptide Y in the rostral ventrolateral medulla blocks somatosympathetic reflexes in anesthetized rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2008 , 142, 64-70	2.4	15
45	Somatostatin 2A receptor-expressing presympathetic neurons in the rostral ventrolateral medulla maintain blood pressure. <i>Hypertension</i> , 2008 , 52, 1127-33	8.5	41
44	PACAP is expressed in sympathoexcitatory bulbospinal C1 neurons of the brain stem and increases sympathetic nerve activity in vivo. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R1304-11	3.2	56
43	Impaired serotonergic regulation of heart rate may underlie reduced baroreflex sensitivity in an animal model of depression. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H474-80	5.2	27
42	Circulating angiotensin II attenuates the sympathetic baroreflex by reducing the barosensitivity of medullary cardiovascular neurones in the rat. <i>Journal of Physiology</i> , 2007 , 582, 711-22	3.9	30
41	Central command regulation of circulatory function mediated by descending pontine cholinergic inputs to sympathoexcitatory rostral ventrolateral medulla neurons. <i>Circulation Research</i> , 2007 , 100, 284-91	15.7	64
40	A monosynaptic connection between baroinhibited neurons in the RVLM and IML in Sprague-Dawley rats. <i>Brain Research</i> , 2006 , 1089, 153-61	3.7	15
39	A novel pressor area at the medullo-cervical junction that is not dependent on the RVLM: efferent pathways and chemical mediators. <i>Journal of Neuroscience</i> , 2006 , 26, 5420-7	6.6	32
38	An aldosterone-related system in the ventrolateral medulla oblongata of spontaneously hypertensive and Wistar-Kyoto rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 71-5	3	8
37	Upregulation of angiotensin AT1 receptor and intracellular kinase gene expression in hypertensive rats. Clinical and Experimental Pharmacology and Physiology, 2006, 33, 690-5	3	59

36	Hypotension and short-term anaesthesia induce ERK1/2 phosphorylation in autonomic nuclei of the brainstem. <i>European Journal of Neuroscience</i> , 2005 , 22, 2257-70	3.5	32
35	Serotonin inputs to laryngeal constrictor motoneurons in the rat. <i>Laryngoscope</i> , 2005 , 115, 105-9	3.6	20
34	Angiotensin II evokes hypotension and renal sympathoinhibition from a highly restricted region in the nucleus tractus solitarii. <i>Brain Research</i> , 2005 , 1036, 70-6	3.7	22
33	NK1 receptor activation in rat rostral ventrolateral medulla selectively attenuates somato-sympathetic reflex while antagonism attenuates sympathetic chemoreflex. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005 , 288, R1707-15	3.2	28
32	Impaired cardiac and sympathetic autonomic control in rats differing in acetylcholine receptor sensitivity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 289, H1985-92	5.2	27
31	A mapping study of cardiorespiratory responses to chemical stimulation of the midline medulla oblongata in ventilated and freely breathing rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 287, R411-21	3.2	24
30	A novel method for marking microinjection sites using methylene blue and diaminobenzidine. <i>Journal of Neuroscience Methods</i> , 2003 , 124, 207-11	3	4
29	Cannabinoid receptor activation in the rostral ventrolateral medulla oblongata evokes cardiorespiratory effects in anaesthetised rats. <i>British Journal of Pharmacology</i> , 2003 , 140, 384-94	8.6	52
28	Effect of haemorrhage on the expression of neurotransmitter-related genes in rat ventrolateral medulla: a quantitative real-time RT-PCR study. <i>Molecular Brain Research</i> , 2003 , 114, 46-54		11
27	Substance P inputs to laryngeal motoneurons in the rat. <i>Respiratory Physiology and Neurobiology</i> , 2003 , 137, 11-8	2.8	15
26	Mu opioid receptors in rat ventral medulla: effects of endomorphin-1 on phrenic nerve activity. <i>Respiratory Physiology and Neurobiology</i> , 2003 , 138, 165-78	2.8	43
25	Evidence for a tonic GABA-ergic inhibition of excitatory respiratory-related afferents to presympathetic neurons in the rostral ventrolateral medulla. <i>Brain Research</i> , 2002 , 924, 56-62	3.7	40
24	Lateralisation of projections from the rostral ventrolateral medulla to sympathetic preganglionic neurons in the rat. <i>Brain Research</i> , 2002 , 929, 181-90	3.7	24
23	Serotonin inputs to inspiratory laryngeal motoneurons in the rat. <i>Journal of Comparative Neurology</i> , 2002 , 451, 91-8	3.4	36
22	Catecholamine-related gene expression correlates with blood pressures in SHR. <i>Hypertension</i> , 2002 , 40, 342-7	8.5	60
21	Baroreceptor reflex pathways and neurotransmitters: 10 years on. <i>Journal of Hypertension</i> , 2002 , 20, 1675-88	1.9	232
20	Tyrosine hydroxylase gene expression in ventrolateral medulla oblongata of WKY and SHR: a quantitative real-time polymerase chain reaction study. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002 , 98, 79-84	2.4	34
19	Site-specific effects of apelin-13 in the rat medulla oblongata on arterial pressure and respiration. Autonomic Neuroscience: Basic and Clinical. 2002. 101. 32-8	2.4	65

18	NK1 receptor and the ventral medulla of the rat: bulbospinal and catecholaminergic neurons. <i>NeuroReport</i> , 2001 , 12, 3663-7	1.7	24
17	Differential expression of catecholamine biosynthetic enzymes in the rat ventrolateral medulla. <i>Journal of Comparative Neurology</i> , 2001 , 432, 20-34	3.4	80
16	Differential expression of catecholamine synthetic enzymes in the caudal ventral pons. <i>Journal of Comparative Neurology</i> , 2001 , 438, 457-67	3.4	11
15	Firing patterns of pre-Btzinger and Btzinger neurons during hypocapnia in the adult rat. <i>Brain Research</i> , 2001 , 903, 198-206	3.7	18
14	Differential role of kinases in brain stem of hypertensive and normotensive rats. <i>Hypertension</i> , 2001 , 38, 1087-92	8.5	68
13	Rostral ventral medulla 5-HT1A receptors selectively inhibit the somatosympathetic reflex. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2001, 280, R1261-8	3.2	29
12	Delta opioid receptor immunoreactive boutons appose bulbospinal CI neurons in the rat. <i>NeuroReport</i> , 2000 , 11, 887-91	1.7	15
11	Calbindin-immunoreactive neurons in the reticular formation of the rat brainstem: catecholamine content and spinal projections. <i>Journal of Comparative Neurology</i> , 2000 , 424, 547-62	3.4	33
10	Spinal GABA(A) receptors do not mediate the sympathetic baroreceptor reflex in the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000 , 279, R320-31	3.2	10
9	The pre-BEzinger complex and phase-spanning neurons in the adult rat. <i>Brain Research</i> , 1998 , 809, 204-	13 _{.7}	81
8	The distribution of calcium-binding proteins in the lateral geniculate nucleus and visual cortex of a New World monkey, the marmoset, Callithrix jacchus. <i>Visual Neuroscience</i> , 1998 , 15, 625-42	1.7	81
7	Segregation of receptive field properties in the lateral geniculate nucleus of a New-World monkey, the marmoset Callithrix jacchus. <i>Journal of Neurophysiology</i> , 1998 , 80, 2063-76	3.2	115
6	The morphology and distribution of horizontal cells in the retina of a New World monkey, the marmoset Callithrix jacchus: a comparison with macaque monkey. <i>Visual Neuroscience</i> , 1997 , 14, 125-40	1.7	27
5	Evidence that blue-on cells are part of the third geniculocortical pathway in primates. <i>European Journal of Neuroscience</i> , 1997 , 9, 1536-41	3.5	215
4	Retinal ganglion cells in the albino rat: Revised morphological classification 1997 , 385, 309-323		71
3	Comparison of photoreceptor spatial density and ganglion cell morphology in the retina of human, macaque monkey, cat, and the marmoset Callithrix jacchus. <i>Journal of Comparative Neurology</i> , 1996 , 366, 55-75	3.4	124
2	Morphology of retinal ganglion cells in a new world monkey, the marmoset Callithrix jacchus. <i>Journal of Comparative Neurology</i> , 1996 , 366, 76-92	3.4	94
1	Horizontal cell connections with short-wavelength-sensitive cones in macaque monkey retina. Visual Neuroscience, 1996, 13, 833-45	1.7	69