

# Hiroshi Hasegawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7920688/publications.pdf>

Version: 2024-02-01

71  
papers

996  
citations

643344

15  
h-index

563245

28  
g-index

73  
all docs

73  
docs citations

73  
times ranked

1007  
citing authors

#	ARTICLE	IF	CITATIONS
1	Laparoscopic sigmoidectomy with splenic flexure mobilization for colon cancer in situs inversus totalis: Preoperative assessment and preparation. <i>Asian Journal of Endoscopic Surgery</i> , 2022, 15, 168-171.	0.4	7
2	Comparison of laparoscopic gastrectomy with 3-D/HD and 2-D/4K camera system for gastric cancer: a prospective randomized control study. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 105-112.	0.8	5
3	Laparoscopic creation of a retrosternal route for gastric conduit reconstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 2680-2687.	1.3	6
4	Day of surgery and mortality after pancreatoduodenectomy: A retrospective analysis of 29270 surgical cases of pancreatic head cancer from Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 778-784.	1.4	7
5	Sarcopenia assessed by skeletal muscle mass volume is a prognostic factor for oncological outcomes of rectal cancer patients undergoing neoadjuvant chemoradiotherapy followed by surgery. <i>European Journal of Surgical Oncology</i> , 2022, 48, 850-856.	0.5	10
6	Survey Regarding Gastrointestinal Stoma Construction and Closure in Japan. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 212-226.	1.2	5
7	Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2663-2671.	0.7	10
8	Quantitative Comparison of Surgical Device Usage in Laparoscopic Gastrectomy Between Surgeons' Skill Levels: an Automated Analysis Using a Neural Network. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1006-1014.	0.9	6
9	ASO Visual Abstract: Albumin-Derived NLR Score is a Novel Prognostic Marker for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 2672-2672.	0.7	0
10	Proposed modification of the eighth edition of the AJCC-ypTNM staging system of esophageal squamous cell cancer treated with neoadjuvant chemotherapy: Unification of the AJCC staging system and the Japanese classification. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1760-1767.	0.5	4
11	Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 3670-3681.	0.7	8
12	Comprehensive complication index as a prognostic factor in minimally invasive esophagectomy for esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, 19, 410-416.	1.0	4
13	Prognostic Predictors After Surgical Intervention for Stage IV Gastric Cancer. <i>Anticancer Research</i> , 2022, 42, 1541-1546.	0.5	1
14	Correlation between surgical mortality for perforated peritonitis and days of the week for operations: A retrospective study using the Japanese National Clinical Database. <i>American Journal of Surgery</i> , 2022, 224, 546-551.	0.9	4
15	ASO Visual Abstract: Actual Sarcopenia Reflects Poor Prognosis in Patients with Esophageal Cancer. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	1
16	Thoracic cavity-to-cage ratio is a predictor of technical difficulties in minimally invasive esophagectomy. <i>Surgery</i> , 2022, , .	1.0	0
17	Volume 2(2); Pages: 210-215, 2022   DOI: 10.21873/cdp.10096 Perioperative Safety of Gastrectomy for Patients Receiving Antithrombotic Treatment. <i>Cancer Diagnosis &amp; Prognosis</i> , 2022, 2, 210-215.	0.3	1
18	Laparoscopic Surgery for Acute Diffuse Peritonitis Due to Gastrointestinal Perforation: A Nationwide Epidemiologic Study Using the National Clinical Database. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 430-444.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Simple and reliable transhiatal reconstruction after laparoscopic proximal gastrectomy with lower esophagectomy for Siewert type II tumors: y-shaped overlap esophagogastric tube reconstruction. <i>Langenbeck's Archives of Surgery</i> , 2022, , .	0.8	0
20	Impact of the Platelet-to-Lymphocyte Ratio as a Biomarker for Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2022, 42, 2775-2782.	0.5	3
21	Short- and long-term outcomes of thoracoscopic esophagectomy in the prone position for esophageal squamous cell carcinoma in patients with obstructive ventilatory disorder: a propensity score-matched study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, , .	1.3	1
22	Albumin and Derived Neutrophil-to-Lymphocyte Ratio is a Novel Prognostic Factor for Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 6860-6866.	0.7	3
23	Postoperative recurrent laryngeal nerve palsy is associated with pneumonia in minimally invasive esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 837-844.	1.3	37
24	Risk of emergency surgery for complicated appendicitis: Japanese nationwide study. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 236-242.	1.2	10
25	Impact of Lymph Node Ratio on Survival Outcome in Esophageal Squamous Cell Carcinoma After Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 4519-4528.	0.7	11
26	Association of day of the week with mortality after elective right hemicolectomy for colon cancer: Case analysis from the National Clinical Database. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 331-337.	1.2	5
27	Impact of chronic kidney disease stage on morbidity after gastrectomy for gastric cancer. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 519-527.	1.2	2
28	ASO Author Reflections: Visual Abstract: Novel "Modified Bascule Method"™ for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Robot-Assisted Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 6339-6340.	0.7	0
29	Novel "Modified Bascule Method" for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Robot-Assisted Minimally Invasive Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 4918-4927.	0.7	12
30	Surgical outcomes in gastroenterological surgery in Japan: Report of the National Clinical Database 2011-2019. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 639-658.	1.2	70
31	Incidence of Recurrent Laryngeal Nerve Palsy in Robot-Assisted Versus Conventional Minimally Invasive McKeown Esophagectomy in Prone Position: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 7249-7257.	0.7	14
32	ASO Visual Abstract: Incidence of Recurrent Laryngeal Nerve Palsy in Robot-Assisted Versus Conventional Minimally Invasive McKeown Esophagectomy in Prone Position: A Propensity Score-Matched Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 455-455.	0.7	4
33	Robot-Assisted Minimally Invasive Esophagectomy Reduces the Risk of Recurrent Laryngeal Nerve Palsy. <i>Annals of Surgical Oncology</i> , 2021, 28, 7258.	0.7	3
34	Safety of laparoscopic local resection for gastrointestinal stromal tumors near the esophagogastric junction. <i>Surgery Today</i> , 2021, , 1.	0.7	0
35	Preoperative neutrophil-to-lymphocyte ratio predicts the prognosis of esophageal squamous cell cancer patients undergoing minimally invasive esophagectomy after neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2021, 124, 1022-1030.	0.8	11
36	93 A CASE OF G-CSF (GRANULOCYTE-COLONY STIMULATING FACTOR) PRODUCING ESOPHAGEAL CANCER WITH ENTEROBLASTIC DIFFERENTIATION. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.2	0

#	ARTICLE	IF	CITATIONS
37	Validation of data quality in a nationwide gastroenterological surgical database: The National Clinical Database siteâ€visit and remote audits, 2016â€2018. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 296-303.	1.2	11
38	Survival Benefit of Neoadjuvant Chemotherapy for Locally Advanced Adenocarcinoma of Esophagogastric Junction. <i>Cancer Diagnosis &amp; Prognosis</i> , 2021, 1, 185-191.	0.3	0
39	Laparoscopic lateral pelvic lymph node dissection for lower rectal cancer treated with preoperative chemoradiotherapy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 1425-1431.	1.3	14
40	Tooth Loss Predicts Long-Term Prognosis of Esophageal Cancer After Esophagectomy. <i>Annals of Surgical Oncology</i> , 2020, 27, 683-690.	0.7	8
41	Skeletal muscle loss after laparoscopic gastrectomy assessed by measuring the total psoas area. <i>Surgery Today</i> , 2020, 50, 693-702.	0.7	6
42	Significance of prediction of the dorsal landmark using three-dimensional computed tomography during laparoscopic lymph node dissection along the proximal splenic artery in gastric cancer. <i>SAGE Open Medicine</i> , 2020, 8, 205031212093691.	0.7	0
43	Emergency surgery for gastrointestinal cancer: A nationwide study in Japan based on the National Clinical Database. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 549-561.	1.2	7
44	Clinical outcome of laparoscopic vs open right hemicolectomy for colon cancer: A propensity score matching analysis of the Japanese National Clinical Database. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 693-700.	1.2	10
45	Current status and trend of laparoscopic right hemicolectomy for colon cancer. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 521-527.	1.2	11
46	Surgical outcomes in gastroenterological surgery in Japan: Report of the National Clinical Database 2011â€2018. <i>Annals of Gastroenterological Surgery</i> , 2020, 4, 250-274.	1.2	59
47	Does anastomotic leakage after rectal cancer resection worsen long-term oncologic outcome?. <i>International Journal of Colorectal Disease</i> , 2020, 35, 1243-1253.	1.0	8
48	Laparoscopic gastrectomy with lymph node dissection for the treatment of remnant stomach gastrointestinal stromal tumors in incomplete-type Carneyâ€™s triad: a case report. <i>Surgical Case Reports</i> , 2020, 6, 112.	0.2	0
49	Evaluation of the result of single-incision laparoscopic surgery for gastrointestinal stromal tumors in the stomach. <i>Surgical Case Reports</i> , 2019, 5, 50.	0.2	3
50	Thoracic Duct Resection During Esophagectomy Does Not Contribute to Improved Prognosis in Esophageal Squamous Cell Carcinoma: A Propensity Score Matched-Cohort Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 4053-4061.	0.7	30
51	Long-Term Outcomes of Thoracoscopic Esophagectomy in the Prone versus Lateral Position: A Propensity Score-Matched Analysis. <i>Annals of Surgical Oncology</i> , 2019, 26, 3736-3744.	0.7	13
52	Surgical outcomes of gastroenterological surgery in Japan: Report of the National Clinical Database 2011â€2017. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 426-450.	1.2	95
53	Optimal monitor positioning and camera rotation angle for mirror image: overcoming reverse alignment during laparoscopic colorectal surgery. <i>Scientific Reports</i> , 2019, 9, 8371.	1.6	3
54	Prophylactic Cervical Lymph Node Dissection in Thoracoscopic Esophagectomy for Esophageal Cancer Increases Postoperative Complications and Does Not Improve Survival. <i>Annals of Surgical Oncology</i> , 2019, 26, 2899-2904.	0.7	32

#	ARTICLE	IF	CITATIONS
55	Medial approach for subcarinal lymphadenectomy during thoracoscopic esophagectomy in the prone position. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 359-367.	0.8	7
56	Current status of minimally invasive esophagectomy for esophageal cancer: Is it truly less invasive?. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 138-145.	1.2	16
57	Non-placement versus placement of a drainage tube around the cervical anastomosis in McKeown esophagectomy: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 758.	0.7	3
58	Recent updates in the surgical treatment of colorectal cancer. <i>Annals of Gastroenterological Surgery</i> , 2018, 2, 129-136.	1.2	64
59	Outcomes and prognostic factors of selective lateral pelvic lymph node dissection with preoperative chemoradiotherapy for locally advanced rectal cancer. <i>International Journal of Colorectal Disease</i> , 2018, 33, 367-374.	1.0	45
60	Long-term impact of postoperative pneumonia after curative gastrectomy for elderly gastric cancer patients. <i>Annals of Gastroenterological Surgery</i> , 2018, 2, 72-78.	1.2	30
61	The effect on surgical skills of expert surgeons using 3D/HD and 2D/4K resolution monitors in laparoscopic phantom tasks. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 4228-4234.	1.3	61
62	Standardizing procedures improves and homogenizes short-term outcomes after minimally invasive esophagectomy. <i>Langenbeck's Archives of Surgery</i> , 2018, 403, 221-234.	0.8	5
63	The learning effect of using stereoscopic vision in the early phase of laparoscopic surgical training for novices. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 582-588.	1.3	18
64	Immunosuppression Induced by Perioperative Peritonitis Promotes Lung Metastasis. <i>Anticancer Research</i> , 2018, 38, 4333-4338.	0.5	6
65	Reliable Surgical Techniques for Lymphadenectomy Along the Left Recurrent Laryngeal Nerve During Thoracoscopic Esophagectomy in the Prone Position. <i>Annals of Surgical Oncology</i> , 2017, 24, 1018-1018.	0.7	12
66	Practical Surgical Techniques for Lymphadenectomy Along the Right Recurrent Laryngeal Nerve During Thoracoscopic Esophagectomy in the Prone Position. <i>Annals of Surgical Oncology</i> , 2017, 24, 2302-2302.	0.7	6
67	Laparoscopic complete mesocolic excision for right-sided colon cancer using a cranial approach: anatomical and embryological consideration. <i>International Journal of Colorectal Disease</i> , 2017, 32, 139-141.	1.0	30
68	Short-term outcomes and one surgeon's learning curve for thoracoscopic esophagectomy performed with the patient in the prone position. <i>Surgery Today</i> , 2017, 47, 313-319.	0.7	25
69	Hand-assisted laparoscopic surgery (HALS) is associated with less-restrictive ventilatory impairment and less risk for pulmonary complication than open laparotomy in thoracoscopic esophagectomy. <i>Surgery</i> , 2016, 159, 459-466.	1.0	33
70	A new method (the "Bascule method") for lymphadenectomy along the left recurrent laryngeal nerve during prone esophagectomy for esophageal cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015, 29, 2442-2450.	1.3	49
71	ASO Author Reflections: Decrease of Albumin and Derived Neutrophil-to-Lymphocyte Ratio During Neoadjuvant Chemotherapy Reflect the Worse Prognosis in Patients with Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 0, , .	0.7	0