Fernando E GarcÃ-a-Arroyo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7921142/publications.pdf

Version: 2024-02-01

21 papers 749

687363 13 h-index 22 g-index

22 all docs 22 docs citations

times ranked

22

1053 citing authors

#	Article	IF	CITATIONS
1	Current Hydration Habits: The Disregarded Factor for the Development of Renal and Cardiometabolic Diseases. Nutrients, 2022, 14, 2070.	4.1	5
2	Progressive Reduction in Mitochondrial Mass Is Triggered by Alterations in Mitochondrial Biogenesis and Dynamics in Chronic Kidney Disease Induced by 5/6 Nephrectomy. Biology, 2021, 10, 349.	2.8	12
3	Effects of Allicin on Pathophysiological Mechanisms during the Progression of Nephropathy Associated to Diabetes. Antioxidants, 2020, 9, 1134.	5.1	23
4	Fluid Intake Restriction Concomitant to Sweetened Beverages Hydration Induce Kidney Damage. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-11.	4.0	4
5	Allopurinol Prevents the Lipogenic Response Induced by an Acute Oral Fructose Challenge in Short-Term Fructose Fed Rats. Biomolecules, 2019, 9, 601.	4.0	13
6	Antioxidant supplements as a novel mean for blocking recurrent heat stress-induced kidney damage following rehydration with fructose-containing beverages. Free Radical Biology and Medicine, 2019, 141, 182-191.	2.9	17
7	The perils of rehydrating with soft drinks following heat and exercise. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2019, 316, R187-R188.	1.8	4
8	A Role for Both V1a and V2 Receptors in Renal Heat Stress Injury Amplified by Rehydration with Fructose. International Journal of Molecular Sciences, 2019, 20, 5764.	4.1	8
9	Uric acid activates aldose reductase and the polyol pathway for endogenous fructose and fat production causing development of fatty liver in rats. Journal of Biological Chemistry, 2019, 294, 4272-4281.	3.4	78
10	Kidney Injury from Recurrent Heat Stress and Rhabdomyolysis: Protective Role of Allopurinol and Sodium Bicarbonate. American Journal of Nephrology, 2018, 48, 339-348.	3.1	19
11	Rehydration with fructose worsens dehydration-induced renal damage. BMC Nephrology, 2018, 19, 180.	1.8	12
12	Probiotic supplements prevented oxonic acid-induced hyperuricemia and renal damage. PLoS ONE, 2018, 13, e0202901.	2.5	57
13	Pathophysiologic insight into MesoAmerican nephropathy. Current Opinion in Nephrology and Hypertension, 2017, 26, 296-302.	2.0	29
14	Hyperuricemia is Associated with Increased Apo AI Fractional Catabolic Rates and Dysfunctional HDL in New Zealand Rabbits. Lipids, 2017, 52, 999-1006.	1.7	6
15	Curcumin prevents cisplatin-induced renal alterations in mitochondrial bioenergetics and dynamic. Food and Chemical Toxicology, 2017, 107, 373-385.	3.6	90
16	Curcumin prevents mitochondrial dynamics disturbances in early 5/6 nephrectomy: Relation to oxidative stress and mitochondrial bioenergetics. BioFactors, 2017, 43, 293-310.	5.4	75
17	Vasopressin Mediates the Renal Damage Induced by Limited Fructose Rehydration in Recurrently Dehydrated Rats. International Journal of Biological Sciences, 2017, 13, 961-975.	6.4	50
18	Effects of Allicin on Hypertension and Cardiac Function in Chronic Kidney Disease. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-13.	4.0	41

#	Article	IF	CITATIONS
19	Rehydration with soft drink-like beverages exacerbates dehydration and worsens dehydration-associated renal injury. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 311, R57-R65.	1.8	68
20	Renal Oxidative Stress Induced by Long-Term Hyperuricemia Alters Mitochondrial Function and Maintains Systemic Hypertension. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-8.	4.0	80
21	Synergistic effect of uricase blockade plus physiological amounts of fructose-glucose on glomerular hypertension and oxidative stress in rats. American Journal of Physiology - Renal Physiology, 2013, 304, F727-F736.	2.7	57