

Maria João Santos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/792201/publications.pdf>

Version: 2024-02-01

80
papers

840
citations

516215

16
h-index

676716

22
g-index

80
all docs

80
docs citations

80
times ranked

716
citing authors

#	ARTICLE	IF	CITATIONS
1	Preliminary Data on the Occurrence of <i>Anisakis</i> spp. in European Hake (<i>Merluccius merluccius</i>) Caught Off the Portuguese Coast and on Reports of Human Anisakiosis in Portugal. <i>Microorganisms</i> , 2022, 10, 331.	1.6	9
2	Raw fish consumption in Portugal: A survey on trends in consumption and consumer characteristics. <i>Food Control</i> , 2022, 135, 108810.	2.8	8
3	Description of two new species of <i>Ceratomyxa</i> ThÃ©lohan, 1892 (Cnidaria: Myxosporea) infecting the gallbladder of Epinephelinae fishes from Tunisian waters using morphological and molecular data. <i>Parasitology Research</i> , 2022, 121, 1317-1328.	0.6	2
4	Seafood safety and food-borne zoonoses from fish. <i>EFSA Journal</i> , 2022, 20, .	0.9	6
5	<i>Zschokkella epinepheli</i> n. sp. (Myxosporea: Myxidiidae) infecting the gallbladder of the white grouper <i>Epinephelus aeneus</i> (Serranidae) from Tunisian waters. <i>Parasitology Research</i> , 2021, 120, 45-54.	0.6	3
6	Morphological and molecular analysis of <i>Henneguya tietensis</i> n. sp. (Cnidaria: Myxosporea), parasitizing the gill filaments of <i>Prochilodus lineatus</i> (Valenciennes, 1837) from Brazil. <i>Parasitology Research</i> , 2021, 120, 27-36.	0.6	5
7	First description of <i>Chloromyxum squali</i> Gleeson and Adlard, 2012 (Myxozoa) in the Mediterranean Sea in a new host <i>Squalus blainville</i> (Chondrichthyes: Squalidae): morphological, ultrastructural and phylogenetic data. <i>Parasitology Research</i> , 2021, 120, 2479-2491.	0.6	3
8	<i>Anisakis</i> notification in fish: An assessment of the cases reported in the European Union rapid alert system for food and feed (RASFF) database. <i>Food Control</i> , 2021, 124, 107913.	2.8	16
9	Morphological and molecular characterization of a novel <i>Myxobolus</i> species from the gastrointestinal tract of brown trout (<i>Salmo trutta</i>) in Spain. <i>Parasitology Research</i> , 2021, 120, 2469-2478.	0.6	2
10	<i>Myxidium tunisiensis</i> n. sp. (Myxosporea: Myxidiidae) infecting the rough skate <i>Raja radula</i> Delaroche, 1908 (Rajiformes: Rajidae) from North East Tunisia. <i>Parasitology Research</i> , 2021, , 1.	0.6	1
11	Involvement of sphaeractinomyxon in the life cycle of mugiliform-infecting <i>Myxobolus</i> (Cnidaria, Myxosporea) reveals high functionality of actinospore morphotype in promoting transmission. <i>Parasitology</i> , 2020, 147, 1320-1329.	0.7	5
12	A new species, <i>Henneguya lacustris</i> n. sp. (Cnidaria: Myxosporea), infecting the gills of <i>Astyanax lacustris</i> from Brazil. <i>Parasitology Research</i> , 2020, 119, 4259-4265.	0.6	7
13	Morphology, seasonality and molecular characterization of <i>Ceratomyxa draconis</i> n. sp. parasite of <i>Trachinus draco</i> (L.) from the Bay of Bizerte, Tunisia. <i>Parasitology Research</i> , 2020, 119, 2431-2438.	0.6	6
14	<i>Ceratomyxa mennani</i> n. sp. (Myxosporea: Bivalvulida) parasitizing the gallbladder of the dusky grouper <i>Epinephelus marginatus</i> (Serranidae) from Tunisian waters. <i>Parasitology Research</i> , 2020, 119, 1515-1522.	0.6	6
15	Occurrence, pathogenicity, and control of acanthocephalosis caused by <i>Neoechinorhynchus buttnerae</i> : A review. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020, 29, e008320.	0.2	4
16	The potential role of the sphaeractinomyxon collective group (Cnidaria, Myxozoa) in the life cycle of mugiliform-infecting myxobolids, with the morphological and molecular description of three new types from the oligochaete <i>Tubificoides insularis</i> . <i>Journal of Invertebrate Pathology</i> , 2019, 160, 33-42.	1.5	9
17	<i>Syndesmis</i> FranÃ§ois, 1886 (Rhabdocoela: Umagillidae): a revisitation, with a synopsis and an identification key to species, and new molecular evidence for ascertaining the phylogeny of the group. <i>Systematic Parasitology</i> , 2018, 95, 147-171.	0.5	3
18	<i>Ceratomyxa gouletti</i> n. sp. (Myxosporea: Ceratomyxidae), a parasite of the red scorpionfish <i>Scorpaena scrofa</i> (L.) from Tunisian waters. <i>Parasitology Research</i> , 2018, 117, 1933-1939.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Myxozoan parasites of the European sea bass, <i>Dicentrarchus labrax</i> (Teleostei: Moronidae): Correlates of infections at the micro- and macroenvironment scales. <i>Aquaculture</i> , 2018, 485, 17-24.	1.7	3
20	Morphological and molecular analyses of <i>Bipteria lusitanica</i> n. sp. in wild white seabream, <i>Diplodus sargus</i> (Linnaeus, 1758) in Portugal. <i>Parasitology Research</i> , 2018, 117, 2035-2041.	0.6	2
21	A Review of the Parasites of Deep-Water Fishes from Macaronesian Islands, North-East Atlantic Ocean. <i>The Open Parasitology Journal</i> , 2018, 6, 17-31.	1.7	1
22	Electronic Didactic Sequences to assist in the Process of Teaching and Learning in Higher Education in Brazil and Portugal. <i>Acta Scientiae</i> , 2018, 20, .	0.1	0
23	Life cycle inference and phylogeny of <i>Ortholinea labracis</i> n. sp. (Myxosporea: Ortholineidae), a parasite of the European seabass <i>Dicentrarchus labrax</i> (Teleostei: Moronidae), in a Portuguese fish farm. <i>Journal of Fish Diseases</i> , 2017, 40, 243-262.	0.9	16
24	<i>Syndesmis aethopharynx</i> Westervelt & Kozloff, 1990 (Rhabdocoela: Umagillidae): a revisitiation supported by scanning electron microscopy and molecular analyses. <i>Systematic Parasitology</i> , 2017, 94, 1007-1017.	0.5	1
25	Comparison of anisakid infection levels between two species of Atlantic mackerel (&em>Scomber) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 Td (Marina</i> , 2017, 81, 179.	0.3	9
26	Morphology, seasonality and phylogeny of <i>Zschokkella trachini</i> n. sp. (Myxozoa, Myxosporea) infecting the gallbladder of greater weever <i>Trachinus draco</i> (L.) from Tunisian waters. <i>Parasitology Research</i> , 2016, 115, 4129-4138.	0.6	8
27	The challenges of asymmetric mating &€" the influence of male and female size on the reproductive output of <i>Acanthochondria cornuta</i> (Chondracanthidae). <i>Parasitology</i> , 2016, 143, 1945-1953.	0.7	0
28	Tetractinomyxon stages genetically consistent with <i>Sphaerospora dicentrarchi</i> (Myxozoa: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (polychaetes in parasite's life cycle. <i>Parasitology</i> , 2016, 143, 1067-1073.	0.7	12
29	The reproductive effort of <i>Lepeophtheirus pectoralis</i> (Copepoda: Caligidae): insights into the egg production strategy of parasitic copepods. <i>Parasitology</i> , 2016, 143, 87-96.	0.7	1
30	Ultrastructure and phylogeny of <i>Ceratomyxa diplodae</i> (Myxosporea: Ceratomyxidae), from gall bladder of European seabass <i>Dicentrarchus labrax</i> . <i>Diseases of Aquatic Organisms</i> , 2016, 121, 117-128.	0.5	10
31	Morphological description and phylogeny of <i>Ceratomyxa scorpaeni</i> n. sp. (Myxosporea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 Td (from the bay of Bizerte in Tunisia. <i>Parasitology Research</i> , 2016, 115, 4495-4502.	0.6	8
32	Description of new types of sphaeractinomyxon actinospores (Myxozoa: Myxosporea) from marine tubificid oligochaetes, with a discussion on the validity of the tetraspora and the endocapsa as actinospore collective group names. <i>Parasitology Research</i> , 2016, 115, 2341-2351.	0.6	7
33	A New Type of Echinactinomyxon (Myxozoa), Infecting a Marine Polychaete, <i>Heteromastus filiformis</i> (Polychaeta: Capitellidae) In the Alvor Estuary (Portugal). <i>Microscopy and Microanalysis</i> , 2015, 21, 85-86.	0.2	2
34	Ultrastructure and Phylogeny of <i>Ceratomyxa</i> sp. (Myxosporea), a Parasite Infecting <i>Sparus aurata</i> (Teleostei) in a Portuguese Fish Farm. <i>Microscopy and Microanalysis</i> , 2015, 21, 89-90.	0.2	1
35	Ultrastructure and phylogeny of <i>Ceratomyxa auratae</i> n. sp. (Myxosporea: Ceratomyxidae), a parasite infecting the gilthead seabream <i>Sparus aurata</i> (Teleostei: Sparidae). <i>Parasitology International</i> , 2015, 64, 305-313.	0.6	34
36	The life cycle of <i>Ortholinea auratae</i> (Myxozoa: Ortholineidae) involves an actinospore of the triactinomyxon morphotype infecting a marine oligochaete. <i>Parasitology Research</i> , 2015, 114, 2671-2678.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Egg number vs egg size: an important trade-off in parasite life history strategies. <i>International Journal for Parasitology</i> , 2014, 44, 173-182.	1.3	11
38	Synopsis of the species of the genus <i>Myxobilatus</i> Davis, 1944 (Myxozoa: Myxosporidia: Myxobilatidae). <i>Systematic Parasitology</i> , 2014, 87, 187-198.	0.5	4
39	<i>Ortholinea aurata</i> n. sp. (Myxozoa, Ortholineidae) infecting the urinary bladder of the gilthead seabream <i>Sparus aurata</i> (Teleostei, Sparidae), in a Portuguese fish farm. <i>Parasitology Research</i> , 2014, 113, 3427-3437.	0.6	17
40	Numerical and functional responses to the presence of a competitor – the case of <i>Aggregata</i> sp. (Apicomplexa: Aggregatidae) and <i>Octopicola superba</i> (Copepoda: Octopicolidae). <i>Parasitology</i> , 2014, 141, 216-226.	0.7	0
41	Metazoan ectoparasites of Atlantic mackerel, <i>Scomber scombrus</i> (Teleostei: Scombridae): macro- and microhabitat distribution. <i>Parasitology Research</i> , 2013, 112, 3579-3586.	0.6	8
42	Revisiting the octopicolid copepods (Octopicolidae: <i>Octopicola</i> Humes, 1957): comparative morphology and an updated key to species. <i>Systematic Parasitology</i> , 2013, 86, 77-86.	0.5	4
43	Ultrastructural and phylogenetic description of <i>Zschokkella auratis</i> sp. nov. (Myxozoa), a parasite of the gilthead seabream <i>Sparus aurata</i> . <i>Diseases of Aquatic Organisms</i> , 2013, 107, 19-30.	0.5	18
44	Ultrastructural Aspects of <i>Ellipsomyxa mugilis</i> (Myxozoa: Ceratomyxidae) Spores and Developmental Stages In <i>Nereis diversicolor</i> (Polychaeta: Nereidae). <i>Journal of Parasitology</i> , 2012, 98, 513-519.	0.3	9
45	<i>Prosorhynchus crucibulum</i> (Digenea: Bucephalidae) miracidium morphology and its passive transmission pattern. <i>Parasite</i> , 2012, 19, 277-280.	0.8	3
46	Synopsis of the species of <i>Chloromyxum</i> Mingazinni, 1890 (Myxozoa: Myxosporidia: Chloromyxidae). <i>Systematic Parasitology</i> , 2012, 83, 203-225.	0.5	18
47	Morphology, ultrastructure, genetics, and morphometrics of <i>Diplostomum</i> sp. (Digenea: Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50	0.6	19
48	Host-parasite relationships in flatfish (Pleuronectiformes) – the relative importance of host biology, ecology and phylogeny. <i>Parasitology</i> , 2011, 138, 107-121.	0.7	19
49	Morphological and molecular analysis of metacercariae of <i>Diphtherostomum brusinae</i> (Stossich,) Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50 85, 179-184.	0.4	7
50	Site selection of <i>Acanthochondria cornuta</i> (Copepoda: Chondracanthidae) in <i>Platichthys flesus</i> (Teleostei: Pleuronectidae). <i>Parasitology</i> , 2011, 138, 1061-1067.	0.7	8
51	Helminth parasites of the Atlantic chub mackerel, <i>Scomber colias</i> Gmelin, 1789 from Canary Islands, Central North Atlantic, with comments on their relations with other Atlantic regions. <i>Acta Parasitologica</i> , 2011, 56, .	0.4	12
52	Synopsis of the species of <i>Myxidium</i> Bartschli, 1882 (Myxozoa: Myxosporidia: Bivalvulida). <i>Systematic Parasitology</i> , 2011, 80, 81-116.	0.5	31
53	A new actinospore type <i>Unicapsulactinomyxon</i> (Myxozoa), infecting the marine polychaete, <i>Diopatra neapolitana</i> (Polychaeta: Onuphidae) in the Aveiro Estuary (Portugal). <i>Parasitology</i> , 2011, 138, 698-712.	0.7	27
54	Aggregation patterns of macroendoparasites in phylogenetically related fish hosts. <i>Parasitology</i> , 2010, 137, 1671-1680.	0.7	6

#	ARTICLE	IF	CITATIONS
55	Ultrastructure of the intrauterine eggs of <i>Didymobothrium rudolphii</i> (Monticelli, 1890) (Cestoda,) Tj ETQq1 1 0.784314 rgBT ₃ Overloc	0.4	
56	Stone marten (<i>Martes foina</i>) habitat in a Mediterranean ecosystem: effects of scale, sex, and interspecific interactions. <i>European Journal of Wildlife Research</i> , 2010, 56, 275-286.	0.7	40
57	<i>Halomonhystera parasitica</i> n. sp. (Nematoda: Monhysteridae), a parasite of <i>Talorchestia brito</i> (Crustacea: Talitridae) in Portugal. <i>Systematic Parasitology</i> , 2010, 75, 53-58.	0.5	10
58	Impact of amoeba and scuticociliatidia infections on the aquaculture European sea bass (<i>Dicentrarchus labrax</i> L.) in Portugal. <i>Veterinary Parasitology</i> , 2010, 171, 15-21.	0.7	9
59	<i>Caligus Musaicus</i> n. sp. (Copepoda, Caligidae) Parasitic on the European Flounder, <i>Platichthys Flesus</i> (Linnaeus) off Portugal. <i>Crustaceana</i> , 2010, 83, 457-464.	0.1	4
60	Development of a PCR-RFLP marker to genetically distinguish <i>Proisorhynchus crucibulum</i> and <i>Proisorhynchus aculeatus</i> . <i>Parasitology International</i> , 2010, 59, 40-43.	0.6	7
61	Parasites and Symbionts from <i>Mytilus galloprovincialis</i> (Lamarck, 1819) (Bivalves: Mytilidae) of the Aveiro Estuary Portugal. <i>Journal of Parasitology</i> , 2010, 96, 200-205.	0.3	30
62	Seasonality of metazoan ectoparasites in marine European flounder <i>Platichthys flesus</i> (Teleostei: Pleuronectidae). <i>Parasitology</i> , 2009, 136, 855-865.	0.7	12
63	Morphology, Molecular Data, and Development of <i>Zschokkella mugilis</i> (Myxosporea, Bivalvulida) in a Polychaete Alternate Host, <i>Nereis diversicolor</i> . <i>Journal of Parasitology</i> , 2009, 95, 561-569.	0.3	36
64	Identification and Description of <i>Bucephalus minimus</i> (Digenea: Bucephalidae) Life Cycle in Portugal: Morphological, Histopathological, and Molecular Data. <i>Journal of Parasitology</i> , 2009, 95, 353-359.	0.3	20
65	<i>Diopatra neapolitana</i> (Polychaeta: Onuphidae) as a Second Intermediate Host of <i>Gymnophallus choledochus</i> (Digenea: Gymnophallidae) in the Aveiro Estuary (Portugal): Distribution Within the Host and Histopathology. <i>Journal of Parasitology</i> , 2009, 95, 1233-1236.	0.3	16
66	Helminth Parasites From the Stomach of Conger Eel, <i>Conger conger</i> , From Madeira Island, Atlantic Ocean. <i>Journal of Parasitology</i> , 2009, 95, 1013-1015.	0.3	11
67	Zoogeographical patterns of flatfish (Pleuronectiformes) parasites in the Northeast Atlantic and the importance of the Portuguese coast as a transitional area. <i>Scientia Marina</i> , 2009, 73, 461-471.	0.3	12
68	Use of parasites as biological tags in stock identification of the black scabbardfish, <i>Aphanopus carbo</i> (Lowe, 1839) (Osteichthyes: Trichiuridae) from Portuguese waters. <i>Scientia Marina</i> , 2009, 73, 55-62.	0.3	19
69	Stock structure of black scabbardfish (<i>Aphanopus carbo</i> (Lowe, 1839)) in the southern northeast Atlantic. <i>Scientia Marina</i> , 2009, 73, 89-101.	0.3	7
70	Parasitic infection levels by <i>Anisakis</i> spp. larvae (Nematoda: Anisakidae) in the black scabbardfish <i>Aphanopus carbo</i> (Osteichthyes: Trichiuridae) from Portuguese waters. <i>Scientia Marina</i> , 2009, 73, 115-120.	0.3	12
71	Cryptic species of <i>Didymobothrium rudolphii</i> (Cestoda: Spathebothriidea) from the sand sole, <i>Solea lascaris</i> , off the Portuguese coast, with an analysis of their molecules, morphology, ultrastructure and phylogeny. <i>Parasitology</i> , 2007, 134, 1057-1072.	0.7	18
72	Survey of the Metazoan Ectoparasites of the European Flounder <i>Platichthys flesus</i> (Linnaeus, 1758) along the North-Central Portuguese Coast. <i>Journal of Parasitology</i> , 2007, 93, 1218-1222.	0.3	20

#	ARTICLE	IF	CITATIONS
73	QUALITATIVE AND QUANTITATIVE BEHAVIORAL TRAITS IN A COMMUNITY OF FURCOCERCARIAE TREMATODES: TOOLS FOR SPECIES SEPARATION?. <i>Journal of Parasitology</i> , 2007, 93, 1319-1323.	0.3	10
74	<i>Furcocercous cercariae</i> (Trematoda) from freshwater snails in Central Finland. <i>Acta Parasitologica</i> , 2007, 52, 310.	0.4	29
75	<i>Soleidae</i> macroparasites along the Portuguese coast: latitudinal variation and host-parasite associations. <i>Marine Biology</i> , 2006, 150, 285-298.	0.7	14
76	Metazoan parasites as biological indicators of population structure of <i>Halobatrachus didactylus</i> on the Portuguese coast. <i>Journal of Applied Ichthyology</i> , 2005, 21, 220-224.	0.3	11
77	First record of <i>Progrillotia dasyatidis</i> Beveridge Neifar and Euzet, 2004 (Cestoda: Trypanorhyncha) plerocerci from Teleost fishes off the Portuguese coast, with a description of the surface morphology. <i>Parasitology Research</i> , 2005, 96, 206-211.	0.6	6
78	Scanning electron microscopy of <i>Ithyoclinostomum dimorphum</i> (Trematoda: Clinostomidae), a parasite of <i>Ardea cocoi</i> (Aves: Ardeidae). <i>Parasitology Research</i> , 2003, 90, 355-358.	0.6	7
79	Morphological features of <i>Prosorhynchus crucibulum</i> and <i>P. aculeatus</i> (Digenea: Bucephalidae), intestinal parasites of <i>Conger conger</i> (Pisces: Congridae), elucidated by scanning electron microscopy. <i>Folia Parasitologica</i> , 2002, 49, 96-102.	0.7	12
80	A seasonal study on the parasitization of <i>Lipophrys pholis</i> (Pisces: Blenniidae) by <i>Helicometra fasciata</i> (Digenea: Opecoelidae) and <i>Lecithochirium furcolabiatum</i> (Digenea: Hemiuridae) in Portugal. <i>Aquaculture</i> , 1995, 132, 175-181.	1.7	12