

# Yuanhong Xu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7923070/publications.pdf>

Version: 2024-02-01

105  
papers

5,505  
citations

66250

44  
h-index

97045

71  
g-index

106  
all docs

106  
docs citations

106  
times ranked

8164  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxygen-doped MoS <sub>2</sub> nanoflowers with sulfur vacancies as electrocatalyst for efficient hydrazine oxidation. <i>Journal of Electroanalytical Chemistry</i> , 2022, 906, 115986.	1.9	9
2	Sugar-disguised bullets for combating multidrug-resistant bacteria infections based on an oxygen vacancy-engineered glucose-functionalized MoO <sub>3-x</sub> photo-coordinated bienzyme. <i>Chemical Engineering Journal</i> , 2022, 431, 133943.	6.6	8
3	Sulfurization enhancement of FeMoO <sub>4</sub> for electrochemical ammonia synthesis with high Faradaic efficiency in neutral media. <i>Journal of Electroanalytical Chemistry</i> , 2022, 905, 115981.	1.9	8
4	Antibacterial Copolypeptoids with Potent Activity against Drug Resistant Bacteria and Biofilms, Excellent Stability, and Recycling Property. <i>Small</i> , 2022, 18, e2106936.	5.2	9
5	Antibacterial Copolypeptoids with Potent Activity against Drug Resistant Bacteria and Biofilms, Excellent Stability, and Recycling Property ( <i>Small</i> 11/2022). <i>Small</i> , 2022, 18, .	5.2	0
6	Application of a Cascaded Nanozyme in Infected Wound Recovery of Diabetic Mice. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 1522-1531.	2.6	13
7	Silver nanoparticles with vanadium oxide nanowires loaded into electrospun dressings for efficient healing of bacterium-infected wounds. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 117-125.	5.0	15
8	An efficient photothermal-chemotherapy platform based on polyacrylamide/phytic acid/polydopamine hydrogel. <i>Journal of Materials Chemistry B</i> , 2022, , .	2.9	7
9	Hybridization chain reaction-mediated Fe <sub>2</sub> MoO <sub>4</sub> bimetallic nanozyme for colorimetric risk prediction of bladder cancer. <i>Biosensors and Bioelectronics</i> , 2022, 210, 114272.	5.3	9
10	Simultaneously enhancing the selectivity and stability of enzymatic probes via bio-imprinting technology. <i>Sensors and Actuators B: Chemical</i> , 2022, 367, 132039.	4.0	2
11	Near-Infrared Regulated Nanozymatic/Photothermal/Photodynamic Triple-Therapy for Combating Multidrug-Resistant Bacterial Infections via Oxygen Vacancy Molybdenum Trioxide Nanodots. <i>Small</i> , 2021, 17, e2005739.	5.2	116
12	Physiological effect of colloidal carbon quantum dots on <i>Bursaphelenchus xylophilus</i> . <i>RSC Advances</i> , 2021, 11, 6212-6220.	1.7	3
13	Sulfur defect-rich WS <sub>2-x</sub> nanosheet electrocatalysts for N <sub>2</sub> reduction. <i>Science China Materials</i> , 2021, 64, 1910-1918.	3.5	13
14	Two-dimensional transition metal dichalcogenides for electrocatalytic nitrogen fixation to ammonia: Advances, challenges and perspectives. A mini review. <i>Electrochemistry Communications</i> , 2021, 125, 107002.	2.3	14
15	To Love and to Kill: Accurate and Selective Colorimetry for Both Chloride and Mercury Ions Regulated by Electro-Synthesized Oxidase-like SnTe Nanobelts. <i>Analytical Chemistry</i> , 2021, 93, 10132-10140.	3.2	16
16	Synergistical Starvation and Chemo-Dynamic Therapy for Combating Multidrug-Resistant Bacteria and Accelerating Diabetic Wound Healing. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100716.	3.9	49
17	Visible-Light-Driven Photocatalysis-Enhanced Light of TiO <sub>2</sub> Nanotubes@MoS <sub>2</sub> Nanoflowers for Efficient Wound Healing Infected with Multidrug-Resistant Bacteria. <i>Small</i> , 2021, 17, e2103348.	5.2	58
18	Establishment of anti-oxidation platform based on few-layer molybdenum disulfide nanosheet-coated titanium dioxide nanobelt nanocomposite. <i>Journal of Colloid and Interface Science</i> , 2021, 601, 167-176.	5.0	12

#	ARTICLE	IF	CITATIONS
19	Environmental molybdate monitoring based on vanadium oxide quantum dots-derived fluorescent strategy. <i>Microchemical Journal</i> , 2021, 170, 106702.	2.3	3
20	Biozymatic synergism of vanadium oxide nanodots to efficiently eradicate drug-resistant bacteria during wound healing in vivo. <i>Journal of Colloid and Interface Science</i> , 2020, 559, 313-323.	5.0	58
21	Clinically colorimetric diagnostics of blood glucose levels based on vanadium oxide quantum dots enzyme mimics. <i>Microchemical Journal</i> , 2020, 153, 104352.	2.3	13
22	Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene-derived TiO <sub>2</sub> /C-QDs as oxidase mimics for the efficient diagnosis of glutathione in human serum. <i>Journal of Materials Chemistry B</i> , 2020, 8, 3513-3518.	2.9	54
23	Electrochemical generation of Fe <sub>3</sub> C/N-doped graphitic carbon nanozyme for efficient wound healing in vivo. <i>Carbon</i> , 2020, 159, 149-160.	5.4	60
24	Sulfur doped molybdenum oxide quantum dots as efficient fluorescent labels and bacteriostatic. <i>Inorganic Chemistry Communication</i> , 2020, 122, 108275.	1.8	9
25	Heterogeneous Fenton-like magnetic nanosphere coated with vanadium oxide quantum dots for enhanced organic dyes decolorization. <i>Journal of Colloid and Interface Science</i> , 2020, 579, 269-281.	5.0	19
26	Efficient inhibition of Salmonella on chestnuts via Fe <sub>3</sub> C/N-C bacteriostatic suspension prepared by electrochemical method. <i>Inorganic Chemistry Communication</i> , 2020, 118, 108034.	1.8	3
27	A MoFe nitrogenase-mimicking electrocatalyst for nitrogen fixation with high faradaic efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 19278-19282.	5.2	18
28	Electrochemistry in Carbon-based Quantum Dots. <i>Chemistry - an Asian Journal</i> , 2020, 15, 1214-1224.	1.7	31
29	Recognition of the Enzymatically Active and Inhibitive Oxygenous Groups on WO <sub>3</sub> Quantum Dots by Chemical Deactivation and Density Functional Theory Calculations. <i>ACS Applied Bio Materials</i> , 2020, 3, 1459-1468.	2.3	6
30	Recent advances of MXene as promising catalysts for electrochemical nitrogen reduction reaction. <i>Chinese Chemical Letters</i> , 2020, 31, 953-960.	4.8	75
31	Rational Design of Hydroxyl-Rich Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Quantum Dots for High-Performance Electrochemical N <sub>2</sub> Reduction. <i>Advanced Energy Materials</i> , 2020, 10, 2000797.	10.2	153
32	A simple and effective flexible electrochemiluminescence sensor for lidocaine detection. <i>Electrochemistry Communications</i> , 2020, 116, 106760.	2.3	17
33	Y-Shaped Circular Aptamer-DNAzyme Conjugates for Highly Efficient in Vivo Gene Silencing. <i>CCS Chemistry</i> , 2020, 2, 631-641.	4.6	17
34	An MnO <sub>2</sub> @Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene nanohybrid: an efficient and durable electrocatalyst toward artificial N <sub>2</sub> fixation to NH <sub>3</sub> under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18823-18827.	5.2	107
35	Molybdenum Disulfide Quantum Dots Prepared by Bipolar-Electrode Electrochemical Scissoring. <i>Nanomaterials</i> , 2019, 9, 906.	1.9	15
36	A rational strategy to develop a boron nitride quantum dot-based molecular logic gate and fluorescent assay of alkaline phosphatase activity. <i>Journal of Materials Chemistry B</i> , 2019, 7, 897-902.	2.9	27

#	ARTICLE	IF	CITATIONS
37	Ambient electrochemical N <sub>2</sub> -to-NH <sub>3</sub> fixation enabled by Nb <sub>2</sub> O <sub>5</sub> nanowire array. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 423-427.	3.0	49
38	Rational Design of Hierarchical SiO <sub>2</sub> @TiO <sub>2</sub> Composite with Large Internal Void Space for High-Performance Microwave Absorption. <i>Russian Journal of Physical Chemistry A</i> , 2019, 93, 1128-1132.	0.1	5
39	WO <sub>3</sub> nanosheets rich in oxygen vacancies for enhanced electrocatalytic N <sub>2</sub> reduction to NH <sub>3</sub> . <i>Nanoscale</i> , 2019, 11, 19274-19277.	2.8	84
40	One-step hydrothermal synthesis of fluorescent MXene-like titanium carbonitride quantum dots. <i>Inorganic Chemistry Communication</i> , 2019, 105, 151-157.	1.8	38
41	VO <sub>x</sub> Quantum Dots with Multienzyme-Mimic Activities and the Application in Constructing a Three-Dimensional (3D) Coordinate System for Accurate Discrimination of the Hydrogen Peroxide over a Broad Concentration Range. <i>Analytical Chemistry</i> , 2019, 91, 5753-5761.	3.2	38
42	High-Performance Electrocatalytic Conversion of N <sub>2</sub> to NH <sub>3</sub> Using Oxygen-Vacancy-Rich TiO <sub>2</sub> In Situ Grown on Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene. <i>Advanced Energy Materials</i> , 2019, 9, 1803406.	10.2	346
43	Ultra-efficient electromagnetic wave absorption with ethanol-thermally treated two-dimensional Nb <sub>2</sub> C <sub>Tx</sub> nanosheets. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 306-315.	5.0	61
44	Low-Cost and Highly Efficient Metal-Free Electrocatalysts for Oxygen Reduction Reaction: Environment-Friendly Three-Dimensional B, N Co-doped Graphene Aerogels. <i>Electrocatalysis</i> , 2019, 10, 56-62.	1.5	12
45	A signal amplification system constructed by bi-enzymes and bi-nanospheres for sensitive detection of norepinephrine and miRNA. <i>Biosensors and Bioelectronics</i> , 2019, 124-125, 224-232.	5.3	21
46	A versatile signal-enhanced ECL sensing platform based on molecular imprinting technique via PET-RAFT cross-linking polymerization using bifunctional ruthenium complex as both catalyst and sensing probes. <i>Biosensors and Bioelectronics</i> , 2019, 124-125, 15-24.	5.3	33
47	One-step electrochemical strategy for in-situ synthesis of S,N-codoped graphene as metal-free catalyst for oxygen reduction reaction. <i>Carbon</i> , 2018, 134, 316-325.	5.4	61
48	Two-dimensional titanium carbide (MXene)-based solid-state electrochemiluminescent sensor for label-free single-nucleotide mismatch discrimination in human urine. <i>Sensors and Actuators B: Chemical</i> , 2018, 263, 400-407.	4.0	101
49	Design of Enzyme Micelles with Controllable Concavo-Convex Micromorphologies for Highly Enhanced Stability and Catalytical Activity. <i>Macromolecular Bioscience</i> , 2018, 18, 1700312.	2.1	4
50	In situ development of amorphous Mn-Co-P shell on MnCo <sub>2</sub> O <sub>4</sub> nanowire array for superior oxygen evolution electrocatalysis in alkaline media. <i>Chemical Communications</i> , 2018, 54, 1077-1080.	2.2	49
51	Molybdenum oxide quantum dots prepared via a one-step stirring strategy and their application as fluorescent probes for pyrophosphate sensing and efficient antibacterial materials. <i>Journal of Materials Chemistry B</i> , 2018, 6, 3240-3245.	2.9	35
52	Electrochemically generated green-fluorescent N-doped carbon quantum dots for facile monitoring alkaline phosphatase activity based on the Fe <sup>3+</sup> -mediating ON-OFF-ON-OFF fluorescence principle. <i>Carbon</i> , 2018, 127, 340-348.	5.4	125
53	Recent progress in two-dimensional inorganic quantum dots. <i>Chemical Society Reviews</i> , 2018, 47, 586-625.	18.7	230
54	Preparation of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene-Derived Quantum Dots with White/Blue-Emitting Photoluminescence and Electrochemiluminescence. <i>Advanced Optical Materials</i> , 2018, 6, 1800951.	3.6	68

#	ARTICLE	IF	CITATIONS
55	Generation of Vanadium Oxide Quantum Dots with Distinct Fluorescence and Antibacterial Activity via a Room-Temperature Agitation Strategy. <i>ChemNanoMat</i> , 2018, 4, 1048-1053.	1.5	20
56	Ambient N <sub>2</sub> fixation to NH <sub>3</sub> at ambient conditions: Using Nb <sub>2</sub> O <sub>5</sub> nanofiber as a high-performance electrocatalyst. <i>Nano Energy</i> , 2018, 52, 264-270.	8.2	331
57	Multifunctional solid-state electrochemiluminescent chemosensors and aptasensor with free-standing active sites based on task-specific pyrene-terminated polymers via RAFT polymerization. <i>Analytica Chimica Acta</i> , 2018, 1039, 31-40.	2.6	8
58	Solvent-regulated preparation of well-intercalated Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene nanosheets and application for highly effective electromagnetic wave absorption. <i>Nanotechnology</i> , 2018, 29, 355201.	1.3	62
59	Enzymatic bioactivity investigation of glucose oxidase modified with hydrophilic or hydrophobic polymers via in situ RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1289-1293.	2.5	7
60	Simultaneous Synthesis of WO <sub>3</sub> Quantum Dots and Bundle-Like Nanowires Using a One-Pot Template-Free Solvothermal Strategy and Their Versatile Applications. <i>Small</i> , 2017, 13, 1603689.	5.2	85
61	Controllable electrochemical/electroanalytical approach to generate nitrogen-doped carbon quantum dots from varied amino acids: pinpointing the utmost quantum yield and the versatile photoluminescent and electrochemiluminescent applications. <i>Electrochimica Acta</i> , 2017, 236, 239-251.	2.6	62
62	Boron Nitride Quantum Dots with Solvent-Regulated Blue/Green Photoluminescence and Electrochemiluminescent Behavior for Versatile Applications. <i>Advanced Optical Materials</i> , 2017, 5, 1600661.	3.6	82
63	Simultaneous Enhancement of Bioactivity and Stability of Laccase by Cu <sup>2+</sup> /PAA/PPEGA Matrix for Efficient Biosensing and Recyclable Decontamination of Pyrocatechol. <i>Analytical Chemistry</i> , 2017, 89, 2065-2072.	3.2	48
64	Efficient and Facile Fabrication of Glucose Biosensor Based on Electrochemically Etched Porous HOPG Platform. <i>Electroanalysis</i> , 2017, 29, 944-949.	1.5	4
65	Enhanced-quantum yield sulfur/nitrogen co-doped fluorescent carbon nanodots produced from biomass <i>Enteromorpha prolifera</i> : synthesis, posttreatment, applications and mechanism study. <i>Scientific Reports</i> , 2017, 7, 4499.	1.6	57
66	Monolithically integrated CoP nanowire array: An on/off switch for effective on-demand hydrogen generation via hydrolysis of NaBH <sub>4</sub> and NH <sub>3</sub> BH <sub>3</sub> . <i>Nano Research</i> , 2017, 10, 595-604.	5.8	67
67	A novel method to decorate Au clusters onto graphene via a mild co-reduction process for ultrahigh catalytic activity. <i>Journal of Materials Chemistry A</i> , 2017, 5, 230-239.	5.2	65
68	Graphene as Transparent Electrodes: Fabrication and New Emerging Applications. <i>Small</i> , 2016, 12, 1400-1419.	5.2	155
69	Lab-on-paper micro- and nano-analytical devices: Fabrication, modification, detection and emerging applications. <i>Mikrochimica Acta</i> , 2016, 183, 1521-1542.	2.5	110
70	Multifunctional N,S co-doped carbon quantum dots with pH- and thermo-dependent switchable fluorescent properties and highly selective detection of glutathione. <i>Carbon</i> , 2016, 104, 169-178.	5.4	308
71	Cobalt Carbonate Hydroxide Nanowire Array on Ti Mesh: An Efficient and Robust 3D Catalyst for On-Demand Hydrogen Generation from Alkaline NaBH <sub>4</sub> Solution. <i>Chemistry - A European Journal</i> , 2016, 22, 14831-14835.	1.7	25
72	Simultaneous utilization of a bifunctional ruthenium complex as an efficient catalyst for RAFT controlled photopolymerization and a sensing probe for the facile fabrication of an ECL platform. <i>Polymer Chemistry</i> , 2016, 7, 5880-5887.	1.9	12

#	ARTICLE	IF	CITATIONS
73	Facile Fabrication of Solid-state Electrochemiluminescence Sensor via Non-covalent $\pi$ - $\pi$ Stacking and Covalent Bonding on Graphite Electrode. <i>Electroanalysis</i> , 2016, 28, 936-939.	1.5	8
74	Well-controlled preparation of evenly distributed nanoporous HOPG surface via diazonium salt assisted electrochemical etching process. <i>Carbon</i> , 2016, 102, 419-425.	5.4	12
75	Bottom-up electrochemical preparation of solid-state carbon nanodots directly from nitriles/ionic liquids using carbon-free electrodes and the applications in specific ferric ion detection and cell imaging. <i>Nanoscale</i> , 2016, 8, 5470-5477.	2.8	66
76	Carbon quantum dots directly generated from electrochemical oxidation of graphite electrodes in alkaline alcohols and the applications for specific ferric ion detection and cell imaging. <i>Analyst</i> , The, 2016, 141, 2657-2664.	1.7	226
77	One-step preparation of graphene nanosheets via ball milling of graphite and the application in lithium-ion batteries. <i>Journal of Materials Science</i> , 2016, 51, 3675-3683.	1.7	58
78	Electron transfer study on graphene modified glassy carbon substrate via electrochemical reduction and the application for tris(2,2'-bipyridyl)ruthenium(II) electrochemiluminescence sensor fabrication. <i>Talanta</i> , 2015, 139, 6-12.	2.9	14
79	Graphene/tri-block copolymer composites prepared via RAFT polymerizations for dual controlled drug delivery via pH stimulation and biodegradation. <i>European Polymer Journal</i> , 2015, 69, 559-572.	2.6	43
80	A highly conductive porous graphene electrode prepared via in situ reduction of graphene oxide using Cu nanoparticles for the fabrication of high performance supercapacitors. <i>RSC Advances</i> , 2015, 5, 54275-54282.	1.7	85
81	Graphene nanodots encaged 3-D gold substrate as enzyme loading platform for the fabrication of high performance biosensors. <i>Sensors and Actuators B: Chemical</i> , 2015, 220, 1186-1195.	4.0	27
82	Chip-based generation of carbon nanodots via electrochemical oxidation of screen printed carbon electrodes and the applications for efficient cell imaging and electrochemiluminescence enhancement. <i>Nanoscale</i> , 2015, 7, 9421-9426.	2.8	25
83	Graphene nanodots-encaged porous gold electrode fabricated via ion beam sputtering deposition for electrochemical analysis of heavy metal ions. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 592-600.	4.0	58
84	Precise, fast, and flexible determination of protein interactions by affinity capillary electrophoresis: $\mu$ CE. <i>Electrophoresis</i> , 2014, 35, 2203-2212.	1.3	12
85	New Design for Detection Cell Applied in Magnetic Particle-based Electrochemiluminescence Assays. <i>Electroanalysis</i> , 2014, 26, 2563-2566.	1.5	0
86	Applications of electrochemical techniques in mineral analysis. <i>Talanta</i> , 2014, 127, 211-218.	2.9	22
87	Applications of carbon quantum dots in electrochemiluminescence: A mini review. <i>Electrochemistry Communications</i> , 2014, 48, 151-154.	2.3	158
88	One-step process for fabricating paper-based solid-state electrochemiluminescence sensor based on functionalized graphene. <i>Electrochemistry Communications</i> , 2014, 38, 57-60.	2.3	31
89	Paper-based solid-state electrochemiluminescence sensor using poly(sodium 4-styrenesulfonate) functionalized graphene/naion composite film. <i>Analytica Chimica Acta</i> , 2013, 763, 20-27.	2.6	48
90	Discovered triethylamine as impurity in synthetic DNAs for and by electrochemiluminescence techniques. <i>Talanta</i> , 2013, 116, 308-314.	2.9	15

#	ARTICLE	IF	CITATIONS
91	Highly porous magnetite/graphene nanocomposites for a solid-state electrochemiluminescence sensor on paper-based chips. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3549-3558.	1.9	30
92	Electrochemical biosensors based on magnetic micro/nano particles. <i>Electrochimica Acta</i> , 2012, 84, 62-73.	2.6	107
93	Review: Aptamers in microfluidic chips. <i>Analytica Chimica Acta</i> , 2010, 683, 12-20.	2.6	79
94	Successful establishment of MEKC with electrochemiluminescence detection based on one functionalized ionic liquid. <i>Electrophoresis</i> , 2009, 30, 365-371.	1.3	26
95	Ionic liquids used in and analyzed by capillary and microchip electrophoresis. <i>Journal of Chromatography A</i> , 2009, 1216, 4817-4823.	1.8	45
96	Solid-state electrochemiluminescence sensor based on the Nafion/poly(sodium 4-styrene sulfonate) composite film. <i>Talanta</i> , 2009, 79, 454-459.	2.9	26
97	Sensitive, label-free protein assay using 1-ethyl-3-methylimidazolium tetrafluoroborate-supported microchip electrophoresis with laser-induced fluorescence detection. <i>Electrophoresis</i> , 2008, 29, 1852-1858.	1.3	17
98	Ionic liquids supported growth of highly ordered microdroplets induced by fluidic leakage at poly(dimethylsiloxane) interfaces. <i>Analytica Chimica Acta</i> , 2008, 625, 35-40.	2.6	2
99	Microchip micellar electrokinetic chromatography based on one functionalized ionic liquid and its excellent performance on proteins separation. <i>Journal of Chromatography A</i> , 2008, 1207, 175-180.	1.8	46
100	Analysis of quinolizidine alkaloids in <i>Sophora flavescens</i> Ait. by capillary electrophoresis with tris(2,2'-bipyridyl) ruthenium (II)-based electrochemiluminescence detection. <i>Talanta</i> , 2008, 75, 38-42.	2.9	46
101	Capillary Electrophoresis-Amperometric Determination of Antioxidant Propyl Gallate and Butylated Hydroxyanisole in Foods. <i>Analytical Sciences</i> , 2007, 23, 713-717.	0.8	27
102	Enhanced electrochemiluminescence sensor from tris(2,2'-bipyridyl)ruthenium(ii) incorporated into MCM-41 and an ionic liquid-based carbon paste electrode. <i>Analyst</i> , The, 2007, 132, 687-691.	1.7	44
103	Electrochemiluminescence Sensor Based on Partial Sulfonation of Polystyrene with Carbon Nanotubes. <i>Analytical Chemistry</i> , 2007, 79, 5439-5443.	3.2	82
104	Ionic liquid-assisted PDMS microchannel modification for efficiently resolving fluorescent dye and protein adsorption. <i>Electrophoresis</i> , 2007, 28, 4597-4605.	1.3	38
105	Field-amplified sample stacking capillary electrophoresis with electrochemiluminescence applied to the determination of illicit drugs on banknotes. <i>Journal of Chromatography A</i> , 2006, 1115, 260-266.	1.8	67