

Bangyou Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7923615/publications.pdf>

Version: 2024-02-01

64
papers

3,604
citations

147726

31
h-index

138417

58
g-index

65
all docs

65
docs citations

65
times ranked

3431
citing authors

#	ARTICLE	IF	CITATIONS
1	Applications of a Hyperspectral Imaging System Used to Estimate Wheat Grain Protein: A Review. <i>Frontiers in Plant Science</i> , 2022, 13, 837200.	1.7	7
2	Phenological optimization of late reproductive phase for raising wheat yield potential in irrigated mega-environments. <i>Journal of Experimental Botany</i> , 2022, 73, 4236-4249.	2.4	4
3	Integrating a crop growth model and radiative transfer model to improve estimation of crop traits based on deep learning. <i>Journal of Experimental Botany</i> , 2022, 73, 6558-6574.	2.4	3
4	Unsupervised Plot-Scale LAI Phenotyping via UAV-Based Imaging, Modelling, and Machine Learning. <i>Plant Phenomics</i> , 2022, 2022, .	2.5	11
5	A field-based high-throughput method for acquiring canopy architecture using unmanned aerial vehicle images. <i>Agricultural and Forest Meteorology</i> , 2021, 296, 108231.	1.9	31
6	Coupling of machine learning methods to improve estimation of ground coverage from unmanned aerial vehicle (UAV) imagery for high-throughput phenotyping of crops. <i>Functional Plant Biology</i> , 2021, 48, 766-779.	1.1	18
7	Integrating crop growth models with remote sensing for predicting biomass yield of sorghum. In <i>Silico Plants</i> , 2021, 3, .	0.8	18
8	Genotype-specific P-spline response surfaces assist interpretation of regional wheat adaptation to climate change. In <i>Silico Plants</i> , 2021, 3, .	0.8	8
9	Comparison of Modelling Strategies to Estimate Phenotypic Values from an Unmanned Aerial Vehicle with Spectral and Temporal Vegetation Indexes. <i>Remote Sensing</i> , 2021, 13, 2827.	1.8	8
10	Using a gene-based phenology model to identify optimal flowering periods of spring wheat in irrigated mega-environments. <i>Journal of Experimental Botany</i> , 2021, 72, 7203-7218.	2.4	7
11	Understanding the Effects of Growing Seasons, Genotypes, and Their Interactions on the Anthesis Date of Wheat Sown in North China. <i>Biology</i> , 2021, 10, 955.	1.3	0
12	Global Wheat Head Detection 2021: An Improved Dataset for Benchmarking Wheat Head Detection Methods. <i>Plant Phenomics</i> , 2021, 2021, 9846158.	2.5	60
13	Detecting Sorghum Plant and Head Features from Multispectral UAV Imagery. <i>Plant Phenomics</i> , 2021, 2021, 9874650.	2.5	10
14	Does precipitation keep pace with temperature in the marginal double-cropping area of northern China?. <i>European Journal of Agronomy</i> , 2020, 120, 126126.	1.9	9
15	Linking genetic maps and simulation to optimize breeding for wheat flowering time in current and future climates. <i>Crop Science</i> , 2020, 60, 678-699.	0.8	20
16	Designing crops for adaptation to the drought and high-temperature risks anticipated in future climates. <i>Crop Science</i> , 2020, 60, 605-621.	0.8	80
17	A reduced tillering trait shows small but important yield gains in dryland wheat production. <i>Global Change Biology</i> , 2020, 26, 4056-4067.	4.2	8
18	Global Wheat Head Detection (GWHD) Dataset: A Large and Diverse Dataset of High-Resolution RGB-Labelled Images to Develop and Benchmark Wheat Head Detection Methods. <i>Plant Phenomics</i> , 2020, 2020, 3521852.	2.5	128

#	ARTICLE	IF	CITATIONS
19	Effects of climate change on the extension of the potential double cropping region and crop water requirements in Northern China. <i>Agricultural and Forest Meteorology</i> , 2019, 268, 146-155.	1.9	52
20	Pixel size of aerial imagery constrains the applications of unmanned aerial vehicle in crop breeding. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 154, 1-9.	4.9	41
21	A generic approach to modelling, allocation and redistribution of biomass to and from plant organs. <i>In Silico Plants</i> , 2019, 1, .	0.8	14
22	Accuracy assessment of plant height using an unmanned aerial vehicle for quantitative genomic analysis in bread wheat. <i>Plant Methods</i> , 2019, 15, 37.	1.9	86
23	Improving process-based crop models to better capture genotype–environment–management interactions. <i>Journal of Experimental Botany</i> , 2019, 70, 2389-2401.	2.4	46
24	Modelling impact of early vigour on wheat yield in dryland regions. <i>Journal of Experimental Botany</i> , 2019, 70, 2535-2548.	2.4	51
25	Combining Crop Growth Modeling and Statistical Genetic Modeling to Evaluate Phenotyping Strategies. <i>Frontiers in Plant Science</i> , 2019, 10, 1491.	1.7	65
26	From QTLs to Adaptation Landscapes: Using Genotype-To-Phenotype Models to Characterize G–E Over Time. <i>Frontiers in Plant Science</i> , 2019, 10, 1540.	1.7	33
27	A new probabilistic forecasting model for canopy temperature with consideration of periodicity and parameter variation. <i>Agricultural and Forest Meteorology</i> , 2019, 265, 88-98.	1.9	5
28	A Weakly Supervised Deep Learning Framework for Sorghum Head Detection and Counting. <i>Plant Phenomics</i> , 2019, 2019, 1525874.	2.5	114
29	Estimation of plant height using a high throughput phenotyping platform based on unmanned aerial vehicle and self-calibration: Example for sorghum breeding. <i>European Journal of Agronomy</i> , 2018, 95, 24-32.	1.9	122
30	APSIM Next Generation: Overcoming challenges in modernising a farming systems model. <i>Environmental Modelling and Software</i> , 2018, 103, 43-51.	1.9	174
31	Optimizing soil-coring strategies to quantify root-length-density distribution in field-grown maize: virtual coring trials using 3-D root architecture models. <i>Annals of Botany</i> , 2018, 121, 809-819.	1.4	21
32	McGET: A rapid image-based method to determine the morphological characteristics of gravels on the Gobi desert surface. <i>Geomorphology</i> , 2018, 304, 89-98.	1.1	10
33	Modelling maize phenology, biomass growth and yield under contrasting temperature conditions. <i>Agricultural and Forest Meteorology</i> , 2018, 250-251, 319-329.	1.9	56
34	Direct and Indirect Costs of Frost in the Australian Wheatbelt. <i>Ecological Economics</i> , 2018, 150, 122-136.	2.9	13
35	Aerial Imagery Analysis – Quantifying Appearance and Number of Sorghum Heads for Applications in Breeding and Agronomy. <i>Frontiers in Plant Science</i> , 2018, 9, 1544.	1.7	74
36	The Value of Tactical Adaptation to El Niño–Southern Oscillation for East Australian Wheat. <i>Climate</i> , 2018, 6, 77.	1.2	21

#	ARTICLE	IF	CITATIONS
37	Dynamic monitoring of NDVI in wheat agronomy and breeding trials using an unmanned aerial vehicle. <i>Field Crops Research</i> , 2017, 210, 71-80.	2.3	217
38	Comparison of ground cover estimates from experiment plots in cotton, sorghum and sugarcane based on images and ortho-mosaics captured by UAV. <i>Functional Plant Biology</i> , 2017, 44, 169.	1.1	98
39	Economic assessment of wheat breeding options for potential improved levels of post head-emergence frost tolerance. <i>Field Crops Research</i> , 2017, 213, 75-88.	2.3	11
40	Quantifying high temperature risks and their potential effects on sorghum production in Australia. <i>Field Crops Research</i> , 2017, 211, 77-88.	2.3	23
41	Projected impact of future climate on water-stress patterns across the Australian wheatbelt. <i>Journal of Experimental Botany</i> , 2017, 68, 5907-5921.	2.4	49
42	EasyPCC: Benchmark Datasets and Tools for High-Throughput Measurement of the Plant Canopy Coverage Ratio under Field Conditions. <i>Sensors</i> , 2017, 17, 798.	2.1	52
43	Do maize models capture the impacts of heat and drought stresses on yield? Using algorithm ensembles to identify successful approaches. <i>Global Change Biology</i> , 2016, 22, 3112-3126.	4.2	63
44	Do wheat breeders have suitable genetic variation to overcome short coleoptiles and poor establishment in the warmer soils of future climates?. <i>Functional Plant Biology</i> , 2016, 43, 961.	1.1	32
45	Velocity of temperature and flowering time in wheat “ assisting breeders to keep pace with climate change. <i>Global Change Biology</i> , 2016, 22, 921-933.	4.2	53
46	Recent changes in southern Australian frost occurrence: implications for wheat production risk. <i>Crop and Pasture Science</i> , 2016, 67, 801.	0.7	80
47	Identification of Earliness Per Se Flowering Time Locus in Spring Wheat through a Genome-Wide Association Study. <i>Crop Science</i> , 2016, 56, 2962-2672.	0.8	53
48	A standardized workflow to utilise a grid-computing system through advanced message queuing protocols. <i>Environmental Modelling and Software</i> , 2016, 84, 304-310.	1.9	2
49	Dynamic quantification of canopy structure to characterize early plant vigour in wheat genotypes. <i>Journal of Experimental Botany</i> , 2016, 67, 4523-4534.	2.4	98
50	Quantitative evaluation of influence of PROSTRATE GROWTH 1 gene on rice canopy structure based on three-dimensional structure model. <i>Field Crops Research</i> , 2016, 194, 65-74.	2.3	10
51	Simplification of leaf surfaces from scanned data: Effects of two algorithms on leaf morphology. <i>Computers and Electronics in Agriculture</i> , 2016, 121, 393-403.	3.7	5
52	Assessment of the Potential Impacts of Wheat Plant Traits across Environments by Combining Crop Modeling and Global Sensitivity Analysis. <i>PLoS ONE</i> , 2016, 11, e0146385.	1.1	86
53	Projected Impact of Future Climate on Drought Patterns in Complex Rainfed Environments. <i>Procedia Environmental Sciences</i> , 2015, 29, 190-191.	1.3	2
54	The shifting influence of drought and heat stress for crops in northeast Australia. <i>Global Change Biology</i> , 2015, 21, 4115-4127.	4.2	230

#	ARTICLE	IF	CITATIONS
55	The value of adapting to climate change in Australian wheat farm systems: farm to cross-regional scale. <i>Agriculture, Ecosystems and Environment</i> , 2015, 211, 112-125.	2.5	25
56	Frost trends and their estimated impact on yield in the Australian wheatbelt. <i>Journal of Experimental Botany</i> , 2015, 66, 3611-3623.	2.4	131
57	Pheno-Copter: A Low-Altitude, Autonomous Remote-Sensing Robotic Helicopter for High-Throughput Field-Based Phenotyping. <i>Agronomy</i> , 2014, 4, 279-301.	1.3	233
58	Crop design for specific adaptation in variable dryland production environments. <i>Crop and Pasture Science</i> , 2014, 65, 614.	0.7	152
59	Quantification of the effects of VRN1 and Ppd-D1 to predict spring wheat (<i>Triticum aestivum</i>) heading time across diverse environments. <i>Journal of Experimental Botany</i> , 2013, 64, 3747-3761.	2.4	141
60	Breeding for the future: what are the potential impacts of future frost and heat events on sowing and flowering time requirements for Australian bread wheat (<i>Triticum aestivum</i>)? <i>Journal of Experimental Botany</i> , 2014, 65, 101-110.	2.4	141
61	Assessment of light capture and carbon gain of two wheat canopies with 3-D modelling. <i>Journal of Agricultural Science</i> , 2011, 143, 101-110.		0
62	Assessment of the influence of global dimming on the photosynthetic production of rice based on three-dimensional modeling. <i>Science China Earth Sciences</i> , 2011, 54, 290-297.	2.3	13
63	Assessment of the Effects of Leaf Angle Combinations on Potential Photosynthesis Capacity of Rice with 3-D Models Using High Performance Computing. <i>Journal of Agricultural Science</i> , 2009, 141, 101-110.		3
64	Comparison of architecture among different cultivars of hybrid rice using a spatial light model based on 3-D digitising. <i>Functional Plant Biology</i> , 2008, 35, 900.	1.1	73