

Nasir Ali Siddiqui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7923967/publications.pdf>

Version: 2024-02-01

88
papers

1,150
citations

430874
18
h-index

526287
27
g-index

88
all docs

88
docs citations

88
times ranked

1254
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical constituents from <i>Centaurothamnus maximus</i> and their antimicrobial activity. Natural Product Research, 2023, 37, 693-701.	1.8	1
2	Amelioration of Experimental Hepatotoxicity in Rats by <i>Portulaca oleracea</i> Linn. from Kashmir Himalaya. Combinatorial Chemistry and High Throughput Screening, 2022, 25, 1072-1081.	1.1	2
3	Multifactorial antioxidant potential of novel compounds isolated from <i>Zanthoxylum armatum</i> fruits along with cytotoxicity studies on HepG2 cell lines. Journal of King Saud University - Science, 2022, 34, 101792.	3.5	1
4	PI3K-AKT Pathway Modulation by Thymoquinone Limits Tumor Growth and Glycolytic Metabolism in Colorectal Cancer. International Journal of Molecular Sciences, 2022, 23, 2305.	4.1	18
5	Attitudes and Associated Demographic Factors Contributing towards the Abuse of Illicit Drugs: A Cross-Sectional Study from Health Care Students in Saudi Arabia. Medicina (Lithuania), 2022, 58, 322.	2.0	19
6	Assessment of the knowledge beliefs and associated factors among Saudi adults towards blood donation in Saudi Arabia. Hematology, 2022, 27, 412-419.	1.5	11
7	Cytotoxic activity of guaiane-type sesquiterpene lactone (deoxycynaropicrin) isolated from the leaves of <i>Centaurothamnus maximus</i> . Open Chemistry, 2022, 20, 410-416.	1.9	1
8	Quantification of biomarkers and evaluation of antioxidant, anti-inflammatory, and cytotoxicity properties of <i>Dodonaea viscosa</i> grown in Saudi Arabia using HPTLC technique. Open Chemistry, 2022, 20, 559-569.	1.9	5
9	The Reproductive Toxicity Associated with <i>Dodonaea viscosa</i> , a Folk Medicinal Plant in Saudi Arabia. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-9.	1.2	6
10	Recent Advances Towards Treatment of HIV: Synthesis and SAR Studies. Mini-Reviews in Medicinal Chemistry, 2021, 21, 471-499.	2.4	1
11	Design, Synthesis, Molecular Modelling, and Biological Evaluation of Oleanolic Acid-Arylidene Derivatives as Potential Anti-Inflammatory Agents. Drug Design, Development and Therapy, 2021, Volume 15, 385-397.	4.3	11
12	Box-Behnken Design (BBD)-Based Optimization of Microwave-Assisted Extraction of Parthenolide from the Stems of <i>Tarconanthus camphoratus</i> and Cytotoxic Analysis. Molecules, 2021, 26, 1876.	3.8	17
13	Phytochemical screening and anti-oxidant activity of <i>Sargassum wightii</i> enhances the anti-bacterial activity against <i>Pseudomonas aeruginosa</i> . Saudi Journal of Biological Sciences, 2021, 28, 1763-1769.	3.8	11
14	Design, in-silico study and biological evaluation of newly synthesized 3-chlorobenzofuran congeners as antitubercular agents. Arabian Journal of Chemistry, 2021, 14, 103034.	4.9	2
15	Optimization of ultrasound-assisted parthenolide extraction from <i>Tarconanthus camphoratus</i> leaves using response surface methodology: HPTLC and cytotoxicity analysis. Arabian Journal of Chemistry, 2021, 14, 103194.	4.9	10
16	Cytotoxicity and molecular docking analysis of racemolactone I, a new sesquiterpene lactone isolated from <i>Inula racemosa</i> . Pharmaceutical Biology, 2021, 59, 941-952.	2.9	8
17	Cell proliferation activity delineated by molecular docking of four new compounds isolated from the aerial parts of <i>Suaeda monoica</i> Forssk. ex. J.F. Gmel. Saudi Pharmaceutical Journal, 2020, 28, 172-186.	2.7	5
18	Role of LXR alpha in regulating expression of glucose transporter 4 in adipocytes – Investigation on improvement of health of diabetic patients. Journal of Infection and Public Health, 2020, 13, 244-252.	4.1	4

#	ARTICLE	IF	CITATIONS
19	Biosynthesized silver nanoparticles using <i>Caulerpa taxifolia</i> against A549 lung cancer cell line through cytotoxicity effect/morphological damage. Saudi Journal of Biological Sciences, 2020, 27, 3421-3427.	3.8	31
20	Prevalence of Anxiety and Associated Factors among Pharmacy Students in Saudi Arabia: a Cross-Sectional Study. BioMed Research International, 2020, 2020, 1-6.	1.9	20
21	Prevalence and Practice of Unused and Expired Medicine—A Community-Based Study among Saudi Adults in Riyadh, Saudi Arabia. BioMed Research International, 2020, 2020, 1-5.	1.9	14
22	<p>Prevalence and Use of Dietary Supplements Among Pharmacy Students in Saudi Arabia</p>. Risk Management and Healthcare Policy, 2020, Volume 13, 1523-1531.	2.5	21
23	Isolation, Characterization, and HPTLC-Quantification of Compounds with Anticancer Potential from <i>Loranthus Acaciae</i> Zucc.. Separations, 2020, 7, 43.	2.4	5
24	Chemotherapeutic Potential of <i>Carthamus Oxycantha</i> Root Extract as Antidiarrheal and In Vitro Antibacterial Activities. Antibiotics, 2020, 9, 226.	3.7	12
25	Synthetic lethality on drug discovery: an update on cancer therapy. Expert Opinion on Drug Discovery, 2020, 15, 823-832.	5.0	12
26	Stability issues and approaches to stabilised nanoparticles based drug delivery system. Journal of Drug Targeting, 2020, 28, 468-486.	4.4	29
27	Comparative extraction and simple isolation improvement techniques of active constituentsâ€™ momilactone A and B from rice husks of <i>Oryza sativa</i> by HPLC analysis and column chromatography. Saudi Pharmaceutical Journal, 2019, 27, 17-24.	2.7	11
28	Quantification of two biomarker compounds by a validated high-performance thin-layer chromatographic method from different extracts of <i>Pluchea dioscoridis</i> growing in Saudi Arabia. Journal of Planar Chromatography - Modern TLC, 2019, 32, 243-249.	1.2	2
29	The influence of variations of furanosesquiterpenoids content of commercial samples of myrrh on their biological properties. Saudi Pharmaceutical Journal, 2019, 27, 981-989.	2.7	7
30	Thermodynamic solubility and solvation behavior of ferulic acid in different (PEG-400 + water) binary solvent mixtures. Drug Development and Industrial Pharmacy, 2019, 45, 1468-1476.	2.0	17
31	Betulinic acid lowers lipid accumulation in adipocytes through enhanced NCoA1â€™PPARÎ³ interaction. Journal of Infection and Public Health, 2019, 12, 726-732.	4.1	14
32	Pharmacological Evaluation of Secondary Metabolites and Their Simultaneous Determination in the Arabian Medicinal Plant <i>Plicosepalus curviflorus</i> Using HPTLC Validated Method. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-8.	1.6	11
33	Antidiabetic, antioxidant, molecular docking and HPTLC analysis of miquelianin isolated from <i>Euphorbia schimperii</i> C. Presl. Saudi Pharmaceutical Journal, 2019, 27, 655-663.	2.7	23
34	A comprehensive review on Brigatinib â€™ A wonder drug for targeted cancer therapy in non-small cell lung cancer. Saudi Pharmaceutical Journal, 2018, 26, 755-763.	2.7	30
35	Single Step Fabrication of Chitosan Nanocrystals Using <i>Panaeus semisulcatus</i> : Potential as New Insecticides, Antimicrobials and Plant Growth Promoters. Journal of Cluster Science, 2018, 29, 375-384.	3.3	46
36	Concurrent analysis of bioactive triterpenes oleanolic acid and Î²-amyrin in antioxidant active fractions of <i>Hibiscus calyphyllus</i> , <i>Hibiscus deflersii</i> and <i>Hibiscus micranthus</i> grown in Saudi Arabia by applying validated HPTLC method. Saudi Pharmaceutical Journal, 2018, 26, 266-273.	2.7	12

#	ARTICLE	IF	CITATIONS
37	Flavonoid glycosides from leaves and straw of <i>Oryza sativa</i> and their effects of cytotoxicity on a macrophage cell line and allelopathic on weed germination. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 375-387.	2.7	7
38	Eco-friendly and cost-effective Ag nanocrystals fabricated using the leaf extract of <i>Habenaria plantaginea</i> : toxicity on six mosquito vectors and four non-target species. <i>Environmental Science and Pollution Research</i> , 2018, 25, 10317-10327.	5.3	19
39	Development of a stress induced validated UPLC-PDA method for the analysis of Eslicarbazepine acetate. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 286-291.	2.7	5
40	Anti-diabetic Effect of <i>Boerhavia diffusa</i> L. Root Extract via Free Radical Scavenging and Antioxidant Mechanism. <i>Toxicology and Environmental Health Sciences</i> , 2018, 10, 220-227.	2.1	13
41	Interspecies estimation of \hat{I}^2 -sitosterol by a validated high-performance thin-layer chromatography method in genus <i>Ficus</i> and cytotoxic activity against HepG2, HEK-293, MCF-7, and MDA-MB-231 cell lines. <i>Journal of Planar Chromatography - Modern TLC</i> , 2018, 31, 213-219.	1.2	2
42	Biological Evaluation of Different Extracts of Aerial Parts of <i>Nepeta deflersiana</i> and Standardization of Active Extracts Using 8-Epi-7-Deoxyloganic Acid and Ursolic Acid by Validated HPTLC Method. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-11.	1.2	7
43	Anticancer activity and concurrent analysis of ursolic acid, \hat{I}^2 -sitosterol and lupeol in three different <i>Hibiscus</i> species (aerial parts) by validated HPTLC method. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 1060-1067.	2.7	25
44	Development and validation of UPLC-PDA method for concurrent analysis of bergenin and menisdaurin in aerial parts of <i>Flueggea virosa</i> (Roxb. ex Willd.). <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 970-976.	2.7	3
45	Interspecies Anticancer and Antimicrobial Activities of Genus <i>Solanum</i> and Estimation of Rutin by Validated UPLC-PDA Method. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-13.	1.2	15
46	Comparative study of antioxidant activity and validated RP-HPTLC analysis of rutin in the leaves of different <i>Acacia</i> species grown in Saudi Arabia. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 715-723.	2.7	25
47	New constituents triterpene ester and sugar derivatives from <i>Panax ginseng</i> Meyer and their evaluation of antioxidant activities. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 801-812.	2.7	6
48	Solubility and thermodynamics of ferulic acid in different neat solvents: Measurement, correlation and molecular interactions. <i>Journal of Molecular Liquids</i> , 2017, 236, 144-150.	4.9	41
49	A novel monocyclic triterpenoid and a norsesquaterpenol from the aerial parts of <i>Suaeda monoica</i> Forssk. ex J.F. Gmel with cell proliferative potential. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 1005-1010.	2.7	12
50	Inter-species comparative antioxidant assay and HPTLC analysis of sakuranetin in the chloroform and ethanol extracts of aerial parts of <i>Rhus retinorrhoea</i> and <i>Rhus tripartita</i> .	2.9	10
51	Comparative anticancer and antimicrobial activity of aerial parts of <i>Acacia salicina</i> , <i>Acacia laeta</i> , <i>Acacia hamulosa</i> and <i>Acacia tortilis</i> grown in Saudi Arabia. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 1248-1252.	2.7	15
52	Solubility and molecular interactions of ferulic acid in various (isopropanol + water) mixtures. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 1485-1494.	2.4	15
53	High-performance thin-layer chromatography based concurrent estimation of biomarkers ent-phyllanthidine and rutin in the dried aerial parts of <i>Flueggea virosa</i> . <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 696-702.	2.7	6
54	Simultaneous separation of antihyperlipidemic drugs by green ultrahigh-performance liquid chromatography–diode array detector method: Improving the health of liquid chromatography. <i>Journal of Food and Drug Analysis</i> , 2017, 25, 430-437.	1.9	9

#	ARTICLE	IF	CITATIONS
55	High-performance thin layer chromatography based assay and stress study of a rare steroidal alkaloid solanopubamine in six species of Solanum grown in Saudi Arabia. Saudi Pharmaceutical Journal, 2017, 25, 184-195.	2.7	6
56	Simultaneous quantification of two phenolic biomarkers by a validated high-performance thin-layer chromatographic method in antimicrobial and antioxidant active ethyl acetate fraction of Allium cepa L. (peel). Journal of Planar Chromatography - Modern TLC, 2017, 30, 510-515.	1.2	2
57	Quantitative determination of alliin in dried garlic cloves and products by high-performance thin-layer chromatography. Tropical Journal of Pharmaceutical Research, 2016, 15, 1759.	0.3	5
58	Solubility and thermodynamic function of a bioactive compound bergenin in various pharmaceutically acceptable neat solvents at different temperatures. Journal of Chemical Thermodynamics, 2016, 101, 19-24.	2.0	52
59	Solubility and thermodynamic function of bergenin in different (DMSO + water) mixtures at different temperatures. Journal of Molecular Liquids, 2016, 220, 823-828.	4.9	13
60	Antioxidant and cytotoxic effects of vanillin via eucalyptus oil containing self-nanoemulsifying drug delivery system. Journal of Molecular Liquids, 2016, 218, 233-239.	4.9	23
61	Isolation of New Aliphatic Ester 8'-a-Hydroxy-n-decanyl n-docosanoate from the Leaves of Centaurothamnus maximus Wagentz and Dittri. Asian Journal of Chemistry, 2015, 27, 2651-2653.	0.3	4
62	Thermodynamics of the solubility of reserpine in {{2-(2-ethoxyethoxy)ethanol + water}} mixed solvent systems at different temperatures. Journal of Chemical Thermodynamics, 2015, 85, 57-60.	2.0	49
63	Correlation of Solubility of Bioactive Compound Reserpine in Eight Green Solvents at (298.15 to 338.15) K. Journal of Chemical & Engineering Data, 2015, 60, 775-780.	1.9	28
64	Simultaneous Quantification of Biomarkers Bergenin and Menisdaurin in the Methanol Extract of Aerial Parts of Flueggea virosa by Validated HPTLC Densitometric Method. Journal of Chromatographic Science, 2015, 53, 824-829.	1.4	20
65	Solubility and thermodynamic function of vanillin in ten different environmentally benign solvents. Food Chemistry, 2015, 180, 244-248.	8.2	60
66	Ameliorative effect of methanol extract of Rumex vesicarius on CCl4-induced liver damage in Wistar albino rats. Pharmaceutical Biology, 2015, 53, 1163-1167.	2.9	21
67	Solubility and thermodynamics of vanillin in Carbitol-water mixtures at different temperatures. LWT - Food Science and Technology, 2015, 64, 1278-1282.	5.2	19
68	Solubility and thermodynamic behavior of vanillin in propane-1,2-diol + water cosolvent mixtures at different temperatures. Food Chemistry, 2015, 188, 57-61.	8.2	41
69	Development of a densitometric high-performance thin-layer chromatographic method for the quantitative analysis of biomarker lupeol in the leaves of different species of genus <i>Ficus</i>. Journal of Planar Chromatography - Modern TLC, 2015, 28, 30-35.	1.2	8
70	Simultaneous quantification of two bioactive flavonoids, homoeriodictyol and persicogenin, in the methanol extract of the aerial parts of two different species of genus <i>Rhus</i> by a validated high-performance thin-layer chromatographic-densitometric method. Journal of Planar Chromatography - Modern TLC, 2015, 28, 42-47.	1.2	1
71	Development and validation of a high-performance thin-layer chromatographic method for the determination of biomarker Î²-amyrin in the leaves of different <i>Ficus</i> species. Journal of Planar Chromatography - Modern TLC, 2015, 28, 223-228.	1.2	2
72	A stability-indicating assay of biomarker bergenin in the aerial parts of <i>Flueggea virosa</i> by a validated high-performance thin-layer chromatographic-densitometric method. Journal of Planar Chromatography - Modern TLC, 2015, 28, 54-60.	1.2	10

#	ARTICLE	IF	CITATIONS
73	Effect of some plants' extracts used in Sudanese folkloric medicines on carrageenan-induced inflammation. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 159-65.	0.2	6
74	Evaluation of thermo sensitivity of curcumin and quantification of ferulic acid and vanillin as degradation products by a validated HPTLC method. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 299-305.	0.2	7
75	Quantification of glycyrrhizin in anti-stress herbal formulations by validate HPTLC method: a rational paradigm towards quality control of herbals. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 353-7.	0.2	2
76	Isolation and characterization of a new oxygenated homoditerpenoid from leaves of Centaurothamnus maximus with antimicrobial potential. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 1091-5.	0.2	3
77	Densitometric validation and analysis of biomarker β -amylin in different Acacia species (leaves) grown in Kingdom of Saudi Arabia by high performance thin-layer chromatography. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 1485-91.	0.2	1
78	Quantitative analysis of biomarker rutin in different species of genus Ficus by validated NP and RP-HPTLC methods. Pakistan Journal of Pharmaceutical Sciences, 2015, 28, 2213-20.	0.2	5
79	New Acyclic Triterpenoid Glycoside Constituent from the Fruits of Lycium chinense. Asian Journal of Chemistry, 2014, 26, 6185-6188.	0.3	1
80	Quantification of Physiologically Available Glycyrrhizin in Anti-Stress Herbal Formulations by Validated HPTLC Method. Asian Journal of Chemistry, 2014, 26, 874-878.	0.3	2
81	Antioxidant potential of Rumex vesicarius L.: in vitro approach. Asian Pacific Journal of Tropical Biomedicine, 2014, 4, 538-544.	1.2	14
82	Stability Indicating Densitometric HPTLC Method for Quantitative Analysis of Biomarker Naringin in the Leaves and Stems of Rumex Vesicarius L. Journal of Alternative and Complementary Medicine, 2014, 20, A126-A126.	2.1	2
83	Evaluation of antioxidant activity of new constituents from the fruits of Lycium chinense. Medicinal Chemistry Research, 2014, 23, 3852-3860.	2.4	4
84	Stability-indicating densitometric high-performance thin-layer chromatographic method for the quantitative analysis of biomarker naringin in the leaves and stems of <i>Rumex vesicarius</i> L.. Journal of Planar Chromatography - Modern TLC, 2014, 27, 204-209.	1.2	21
85	Physicochemical and phytochemical standardization with HPTLC fingerprinting of Nigella sativa L. seeds. Pakistan Journal of Pharmaceutical Sciences, 2014, 27, 1175-82.	0.2	11
86	New Ursane Glycoside from the Roots of Asparagus racemosus. Asian Journal of Chemistry, 2013, 25, 8557-8560.	0.3	8
87	New Aliphatic Glycoside Constituent from the Fruits of Lycium chinense Miller. Asian Journal of Chemistry, 2013, 25, 4664-4666.	0.3	0
88	Neuropharmacological Profile of Extracts of Aerial Parts of Convolvulus pluricaulis Choisy in Mice Model. The Open Neurology Journal, 2011, 8, 11-14.	0.4	14