

# Charles J Love, Facc, Faha, Fhrs, Ccds

## List of Publications by Citations

**Source:**

<https://exaly.com/author-pdf/7925782/charles-j-love-facc-faha-fhrs-ccds-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31  
papers

1,371  
citations

9  
h-index

36  
g-index

36  
ext. papers

1,730  
ext. citations

3.1  
avg, IF

3.43  
L-index

#	Paper	IF	Citations
31	2017 HRS expert consensus statement on cardiovascular implantable electronic device lead management and extraction. <i>Heart Rhythm</i> , <b>2017</b> , 14, e503-e551	6.7	454
30	Lead extraction in the contemporary setting: the LEXIcon study: an observational retrospective study of consecutive laser lead extractions. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 579-86	15.1	395
29	Pacemaker lead extraction with the laser sheath: results of the pacing lead extraction with the excimer sheath (PLEXES) trial. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 33, 1671-6	15.1	353
28	Multicenter experience with extraction of the Riata/Riata ST ICD lead. <i>Heart Rhythm</i> , <b>2014</b> , 11, 1613-8	6.7	37
27	Bridge to surgery: Best practice protocol derived from early clinical experience with the Bridge Occlusion Balloon. Federated Agreement from the Eleventh Annual Lead Management Symposium. <i>Heart Rhythm</i> , <b>2017</b> , 14, 1574-1578	6.7	29
26	Improved clinical efficacy of external cardioversion by fluoroscopic electrode positioning and comparison to internal cardioversion in patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1999</b> , 22, 233-7	1.6	17
25	Implantable defibrillators impedance measurement using pacing pulses versus shock delivery with intact and modified high voltage lead system. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1999</b> , 22, 437-41	1.6	16
24	Extraction of pacing leads: overview of current techniques. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2006</b> , 17, 1257-61	2.7	12
23	Left Ventricular Enlargement, Cardiac Resynchronization Therapy Efficacy, and Impact of MultiPoint Pacing. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008680	6.4	12
22	Worldwide pacemaker and defibrillator reuse: Systematic review and meta-analysis of contemporary trials. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2018</b> , 41, 1500-1507	1.6	8
21	Alternating current electrocution detection and termination by an implantable cardioverter defibrillator. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1997</b> , 20, 1885-6	1.6	5
20	The Symptoms and Clinical events associated with Automatic Reprogramming (SCARE) at replacement notification study. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2018</b> , 41, 1611-1618	1.6	5
19	Intermittent high impedance from the lead-device compatibility problem. <i>Heart Rhythm</i> , <b>2019</b> , 16, 1107-1111	6.7	4
18	Lead Management and Lead Extraction. <i>Cardiac Electrophysiology Clinics</i> , <b>2018</b> , 10, 127-136	1.4	4
17	QRS duration widening: reduced synchronization of endocardial activation or transeptal conduction time?. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1998</b> , 21, 1589-94	1.6	4
16	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , <b>2021</b> , 23, 1446-1455	3.9	4
15	Electrocardiographic predictors of pacemaker battery depletion: Diagnostic sensitivity, specificity, and clinical risk. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2020</b> , 43, 2-9	1.6	3

14	Safety and effectiveness of a 6-French MRI conditional pacemaker lead: The INGEVITY clinical investigation study results. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2017</b> , 40, 1121-1128	1.6	2
13	Managing cardiac implantable electronic device patients during a health care crisis: Practical guidance. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 222-226	1.5	2
12	Transseptal puncture facilitated by "reverse tenting" using a left atrial ablation catheter. <i>HeartRhythm Case Reports</i> , <b>2019</b> , 5, 159-162	1	1
11	Failure to shock: What is the mechanism?. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2018</b> , 41, 669-671	1.6	1
10	Rise in defibrillation threshold after postoperative cardiac remodeling in a patient with severe Ebstein's anomaly. <i>HeartRhythm Case Reports</i> , <b>2017</b> , 3, 302-305	1	1
9	Risk Stratification prior to lead Extraction and impact on major intraprocedural complications (RISE protocol). <i>Journal of Cardiovascular Electrophysiology</i> , <b>2019</b> , 30, 2453-2459	2.7	1
8	Unregulated online sales of cardiac implantable electronic devices in the United States: A six-month assessment. <i>Heart Rhythm O2</i> , <b>2020</b> , 1, 235-238	1.5	0
7	Outcomes of transvenous lead extraction using the TightRail™mechanical rotating dilator sheath and excimer laser sheath. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2021</b> , 32, 1969-1978	2.7	0
6	Lead extraction in patients with cardiac resynchronization therapy devices: are they worse than the others?. <i>Europace</i> , <b>2019</b> , 21, 842-843	3.9	
5	Blood use for transvenous lead extractions at a high-volume center. <i>Transfusion</i> , <b>2020</b> , 60, 1741-1746	2.9	
4	Mechanism of spontaneous initiation of ventricular fibrillation in patients with implantable defibrillators. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2415-2424	2.7	
3	Salvage of an epicardial lead in a pacemaker-dependent patient with Fontan palliation using an IS-1 extender. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2533-2538	2.7	
2	Palliation and Nonextraction Approaches. <i>Cardiac Electrophysiology Clinics</i> , <b>2018</b> , 10, 681-687	1.4	
1	Current Guidelines and Clinical Practice. <i>Cardiac Electrophysiology Clinics</i> , <b>2021</b> , 13, 459-471	1.4	