

Dmitri B Papkovsky

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7926073/publications.pdf>

Version: 2024-02-01

195
papers

8,122
citations

38660

50
h-index

64668

79
g-index

201
all docs

201
docs citations

201
times ranked

8413
citing authors

#	ARTICLE	IF	CITATIONS
1	A sensor-based system for rapid on-site testing of microbial contamination in meat samples and carcasses. <i>Journal of Applied Microbiology</i> , 2022, 132, 1210-1220.	1.4	9
2	Advanced multi-modal, multi-analyte optochemical sensing platform for cell analysis. <i>Sensors and Actuators B: Chemical</i> , 2022, 355, 131116.	4.0	5
3	Mitochondrial complex IV defects induce metabolic and signaling perturbations that expose potential vulnerabilities in HCT116 cells. <i>FEBS Open Bio</i> , 2022, 12, 959-982.	1.0	2
4	Ghrelin rapidly elevates protein synthesis in vitro by employing the rpS6K-eEF2K-eEF2 signalling axis. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	2.4	0
5	Cell Energy Budget Platform for Multiparametric Assessment of Cell and Tissue Metabolism. <i>Methods in Molecular Biology</i> , 2021, 2276, 305-324.	0.4	7
6	Facile biosensor-based system for on-site quantification of total viable counts in food and environmental swabs. <i>Biosensors and Bioelectronics</i> , 2021, 176, 112938.	5.3	12
7	A Simple Sensor System for Onsite Monitoring of O ₂ in Vacuum-Packed Meats during the Shelf Life. <i>Sensors</i> , 2021, 21, 4256.	2.1	9
8	Effects of Irinotecan on Tumor Vasculature and Oxygenation: An <i>in vivo</i> Study on Colorectal Cancer Model. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2021, 27, 1-8.	1.9	9
9	Extruded phosphorescence based oxygen sensors for large-scale packaging applications. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127357.	4.0	18
10	Application of O ₂ sensor technology to monitor performance of industrial beef samples packaged on three different vacuum packaging machines. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127338.	4.0	13
11	Estimation of the Mitochondrial Membrane Potential Using Fluorescence Lifetime Imaging Microscopy. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020, 97, 471-482.	1.1	28
12	Translation initiation downstream from annotated start codons in human mRNAs coevolves with the Kozak context. <i>Genome Research</i> , 2020, 30, 974-984.	2.4	24
13	Disruption of hypoxia-inducible fatty acid binding protein 7 induces beige fat-like differentiation and thermogenesis in breast cancer cells. <i>Cancer & Metabolism</i> , 2020, 8, 13.	2.4	11
14	Visualization of Stem Cell Niche by Fluorescence Lifetime Imaging Microscopy. <i>Methods in Molecular Biology</i> , 2020, 2171, 65-97.	0.4	8
15	Reduced Oxidative Phosphorylation and Increased Glycolysis in Human Glaucoma Lamina Cribrosa Cells. , 2020, 61, 4.		13
16	Unusually efficient CUG initiation of an overlapping reading frame in <i>POLG</i> mRNA yields novel protein POLGARF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24936-24946.	3.3	30
17	Mapping O ₂ concentration in ex-vivo tissue samples on a fast PLIM macro-imager. <i>Scientific Reports</i> , 2020, 10, 19006.	1.6	8
18	Characterization of planar phosphorescence based oxygen sensors on a TCSPC-PLIM macro-imager. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128459.	4.0	5

#	ARTICLE	IF	CITATIONS
19	The use of optical oxygen sensing and respirometry to quantify the effects of antimicrobials on common food spoilage bacteria and food samples. <i>Sensors and Actuators B: Chemical</i> , 2020, 322, 128572.	4.0	14
20	A deeper understanding of intestinal organoid metabolism revealed by combining fluorescence lifetime imaging microscopy (FLIM) and extracellular flux analyses. <i>Redox Biology</i> , 2020, 30, 101420.	3.9	71
21	New luminescence lifetime macro-imager based on a Tpx3Cam optical camera. <i>Biomedical Optics Express</i> , 2020, 11, 77.	1.5	18
22	Nanoparticle-Based Fluoroionophore for Analysis of Potassium Ion Dynamics in 3D Tissue Models and In Vivo. <i>Advanced Functional Materials</i> , 2018, 28, 1704598.	7.8	33
23	Stability and Safety Assessment of Phosphorescent Oxygen Sensors for Use in Food Packaging Applications. <i>Chemosensors</i> , 2018, 6, 38.	1.8	11
24	Cellulose-based scaffolds for fluorescence lifetime imaging-assisted tissue engineering. <i>Acta Biomaterialia</i> , 2018, 80, 85-96.	4.1	45
25	Imaging of oxygen and hypoxia in cell and tissue samples. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 2963-2980.	2.4	64
26	Assessment of Performance of the Industrial Process of Bulk Vacuum Packaging of Raw Meat with Nondestructive Optical Oxygen Sensing Systems. <i>Sensors</i> , 2018, 18, 1395.	2.1	10
27	CHAPTER 3. Evolution of Cell-penetrating Phosphorescent O ₂ Probes. <i>RSC Detection Science</i> , 2018, , 50-70.	0.0	2
28	CHAPTER 17. Applications of Phosphorescent O ₂ Sensors in Food and Beverage Packaging Systems. <i>RSC Detection Science</i> , 2018, , 335-360.	0.0	1
29	Planar implantable sensor for in vivo measurement of cellular oxygen metabolism in brain tissue. <i>Journal of Neuroscience Methods</i> , 2017, 281, 1-6.	1.3	8
30	Low energy costs of F ₁ F _o ATP synthase reversal in colon carcinoma cells deficient in mitochondrial complex IV. <i>Free Radical Biology and Medicine</i> , 2017, 106, 184-195.	1.3	10
31	Phosphorescence based oxygen sensors and probes for biomedical research. , 2017, , .		1
32	Single-cell time-lapse imaging of intracellular O ₂ in response to metabolic inhibition and mitochondrial cytochrome-c release. <i>Cell Death and Disease</i> , 2017, 8, e2853-e2853.	2.7	28
33	Phosphorescent Oxygen and Mechanosensitive Nanostructured Materials Based on Hard Elastic Polypropylene Films. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 13587-13592.	4.0	16
34	Steering surface topographies of electrospun fibers: understanding the mechanisms. <i>Scientific Reports</i> , 2017, 7, 158.	1.6	71
35	Multi-Parametric Imaging of Hypoxia and Cell Cycle in Intestinal Organoid Culture. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1035, 85-103.	0.8	16
36	Insulin-like growth factor 1 signaling is essential for mitochondrial biogenesis and mitophagy in cancer cells. <i>Journal of Biological Chemistry</i> , 2017, 292, 16983-16998.	1.6	77

#	ARTICLE	IF	CITATIONS
37	Live cell imaging of mouse intestinal organoids reveals heterogeneity in their oxygenation. <i>Biomaterials</i> , 2017, 146, 86-96.	5.7	59
38	Cellular ROS imaging with hydro-Cy3 dye is strongly influenced by mitochondrial membrane potential. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 198-204.	1.1	14
39	Quantitative analysis of mucosal oxygenation using <i>ex vivo</i> imaging of healthy and inflamed mammalian colon tissue. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 141-151.	2.4	19
40	An Assessment of the Influence of the Industry Distribution Chain on the Oxygen Levels in Commercial Modified Atmosphere Packaged Cheddar Cheese Using Non-Destructive Oxygen Sensor Technology. <i>Sensors</i> , 2016, 16, 916.	2.1	14
41	Use of Fluorescence Lifetime Imaging Microscopy (FLIM) as a Timer of Cell Cycle S Phase. <i>PLoS ONE</i> , 2016, 11, e0167385.	1.1	32
42	Defensive Mutualism Rescues NADPH Oxidase Inactivation in Gut Infection. <i>Cell Host and Microbe</i> , 2016, 19, 651-663.	5.1	83
43	Two-Acceptor Cyanine-Based Fluorescent Indicator for NAD(P)H in Tumor Cell Models. <i>ACS Sensors</i> , 2016, 1, 702-709.	4.0	46
44	Sulforhodamine Nanothermometer for Multiparametric Fluorescence Lifetime Imaging Microscopy. <i>Analytical Chemistry</i> , 2016, 88, 10566-10572.	3.2	55
45	The Ca ²⁺ /Mn ²⁺ -transporting SPCA2 pump is regulated by oxygen and cell density in colon cancer cells. <i>Biochemical Journal</i> , 2016, 473, 2507-2518.	1.7	14
46	Biocompatibility and internalization of molecularly imprinted nanoparticles. <i>Nano Research</i> , 2016, 9, 3463-3477.	5.8	61
47	Phosphorescence based O ₂ sensors – Essential tools for monitoring cell and tissue oxygenation and its impact on metabolism. <i>Free Radical Biology and Medicine</i> , 2016, 101, 202-210.	1.3	28
48	Hypothermia protects brain mitochondrial function from hypoxemia in a murine model of sepsis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 1955-1964.	2.4	23
49	Metallochelat Coupling of Phosphorescent Pt-Porphyrins to Peptides, Proteins, and Self-Assembling Protein Nanoparticles. <i>Bioconjugate Chemistry</i> , 2016, 27, 439-445.	1.8	13
50	High throughput non-destructive assessment of quality and safety of packaged food products using phosphorescent oxygen sensors. <i>Trends in Food Science and Technology</i> , 2016, 50, 85-102.	7.8	60
51	Phosphorescent oxygen sensors produced from polyolefin fibres by solvent-crazing method. <i>Sensors and Actuators B: Chemical</i> , 2016, 230, 434-441.	4.0	17
52	Application of phosphorescent oxygen sensors in in-package dielectric barrier discharge plasma environment. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 33, 234-239.	2.7	9
53	Development and validation of a colorimetric sensor array for fish spoilage monitoring. <i>Food Control</i> , 2016, 60, 346-352.	2.8	174
54	Oxygen and glucose deprivation induces widespread alterations in mRNA translation within 20 minutes. <i>Genome Biology</i> , 2015, 16, 90.	3.8	110

#	ARTICLE	IF	CITATIONS
55	Imaging of oxygenation in 3D tissue models with multi-modal phosphorescent probes. , 2015, , .		0
56	Solid-state oxygen sensors based on phosphorescent diiodo-borondipyrromethene dye. Sensors and Actuators B: Chemical, 2015, 212, 229-234.	4.0	24
57	Oxygen-sensing scaffolds for 3-dimensional cell and tissue culture. Acta Biomaterialia, 2015, 16, 126-135.	4.1	45
58	Imaging oxygen in neural cell and tissue models by means of anionic cell-permeable phosphorescent nanoparticles. Cellular and Molecular Life Sciences, 2015, 72, 367-381.	2.4	49
59	A novel effect of DMOG on cell metabolism: direct inhibition of mitochondrial function precedes HIF target gene expression. Biochimica Et Biophysica Acta - Bioenergetics, 2015, 1847, 1254-1266.	0.5	89
60	Intracellular probes for imaging oxygen concentration: how good are they?. Methods and Applications in Fluorescence, 2015, 3, 034001.	1.1	53
61	Imaging Cell and Tissue O ₂ by TCSPC-PLIM. Springer Series in Chemical Physics, 2015, , 225-247.	0.2	7
62	Multi-parametric imaging of tumor spheroids with ultra-bright and tunable nanoparticle O ₂ probes. Proceedings of SPIE, 2015, , .	0.8	7
63	Versatile Conjugated Polymer Nanoparticles for High-Resolution O ₂ Imaging in Cells and 3D Tissue Models. ACS Nano, 2015, 9, 5275-5288.	7.3	147
64	In vitro ischemia decreases histone H4K16 acetylation in neural cells. FEBS Letters, 2015, 589, 138-144.	1.3	23
65	Differential contribution of key metabolic substrates and cellular oxygen in HIF signalling. Experimental Cell Research, 2015, 330, 13-28.	1.2	24
66	Multi-parametric O ₂ Imaging in Three-Dimensional Neural Cell Models with the Phosphorescent Probes. Methods in Molecular Biology, 2015, 1254, 55-71.	0.4	13
67	Comparison of the three optical platforms for measurement of cellular respiration. Analytical Biochemistry, 2015, 468, 1-3.	1.1	2
68	Cell Energy Budget Platform for Assessment of Cell Metabolism. Methods in Molecular Biology, 2015, 1265, 333-348.	0.4	8
69	Discrete O ₂ sensors produced by a spotting method on polyolefin fabric substrates. Sensors and Actuators B: Chemical, 2014, 203, 935-940.	4.0	16
70	A compact multifunctional microfluidic platform for exploring cellular dynamics in real-time using electrochemical detection. RSC Advances, 2014, 4, 63761-63771.	1.7	19
71	Availability of the key metabolic substrates dictates the respiratory response of cancer cells to the mitochondrial uncoupling. Biochimica Et Biophysica Acta - Bioenergetics, 2014, 1837, 51-62.	0.5	45
72	pH-sensitive perylene bisimide probes for live cell fluorescence lifetime imaging. Journal of Materials Chemistry B, 2014, 2, 6792-6801.	2.9	57

#	ARTICLE	IF	CITATIONS
73	Small molecule phosphorescent probes for O ₂ imaging in 3D tissue models. <i>Biomaterials Science</i> , 2014, 2, 853-866.	2.6	93
74	Phosphorescent oxygen sensors produced by spot-crazing of polyphenylenesulfide films. <i>Journal of Materials Chemistry C</i> , 2014, 2, 8035-8041.	2.7	22
75	Phosphorescent O ₂ sensors based on polyolefin fabric materials. <i>Journal of Materials Chemistry C</i> , 2014, 2, 2169-2174.	2.7	20
76	Oxygen-Sensitive Phosphorescent Nanomaterials Produced from High-Density Polyethylene Films by Local Solvent-Crazing. <i>Analytical Chemistry</i> , 2014, 86, 1917-1923.	3.2	30
77	Modeling the dynamics of hypoxia inducible factor-1 \pm (HIF-1 \pm) within single cells and 3D cell culture systems. <i>Mathematical Biosciences</i> , 2014, 258, 33-43.	0.9	31
78	HRG-1 enhances cancer cell invasive potential and couples glucose metabolism to cytosolic/extracellular pH gradient regulation by the vacuolar-H ⁺ ATPase. <i>Oncogene</i> , 2014, 33, 4653-4663.	2.6	27
79	Kinetic Analysis of Local Oxygenation and Respiratory Responses of Mammalian Cells Using Intracellular Oxygen-Sensitive Probes and Time-Resolved Fluorometry. <i>Methods in Enzymology</i> , 2014, 542, 183-207.	0.4	6
80	Application of gas sensing technologies for non-destructive monitoring of headspace gases (O ₂ and Tj ETQq0 0 0 rgBT /Overlock 10 Tf product quality parameters. <i>Food Packaging and Shelf Life</i> , 2014, 2, 17-29.	3.3	47
81	Use of smart packaging technologies for monitoring and extending the shelf-life quality of modified atmosphere packaged (MAP) bread: application of intelligent oxygen sensors and active ethanol emitters. <i>European Food Research and Technology</i> , 2013, 237, 117-124.	1.6	53
82	Chronic hypoxia leads to a glycolytic phenotype and suppressed HIF-2 signaling in PC12 cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 3553-3569.	1.1	30
83	Imaging of neurosphere oxygenation with phosphorescent probes. <i>Biomaterials</i> , 2013, 34, 9307-9317.	5.7	105
84	Measurement of cell respiration and oxygenation in standard multichannel biochips using phosphorescent O ₂ -sensitive probes. <i>Analyst, The</i> , 2013, 138, 4915.	1.7	13
85	A CO ₂ sensor based on Pt-porphyrin dye and FRET scheme for food packaging applications. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 157-165.	4.0	62
86	Rapid detection and respirometric profiling of aerobic bacteria on panels of selective media. <i>Journal of Applied Microbiology</i> , 2013, 114, 423-432.	1.4	14
87	Genome-wide investigation of cellular targets and mode of action of the antifungal bacterial metabolite 2,4-diacetylphloroglucinol in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2013, 13, 322-334.	1.1	40
88	In vivo imaging of brain metabolism activity using a phosphorescent oxygen-sensitive probe. <i>Journal of Neuroscience Methods</i> , 2013, 216, 146-151.	1.3	40
89	Biological detection by optical oxygen sensing. <i>Chemical Society Reviews</i> , 2013, 42, 8700.	18.7	361
90	Nondestructive and Continuous Monitoring of Oxygen Levels in Modified Atmosphere Packaged Ready-to-Eat Mixed Salad Products Using Optical Oxygen Sensors, and Its Effects on Sensory and Microbiological Counts during Storage. <i>Journal of Food Science</i> , 2013, 78, S1057-62.	1.5	15

#	ARTICLE	IF	CITATIONS
91	Assessment and Use of Optical Oxygen Sensors as Tools to Assist in Optimal Product Component Selection for the Development of Packs of Ready-to-Eat Mixed Salads and for the Non-Destructive Monitoring of in-Pack Oxygen Levels Using Chilled Storage. <i>Foods</i> , 2013, 2, 213-224.	1.9	22
92	Use of Optical Oxygen Sensors in Non-Destructively Determining the Levels of Oxygen Present in Combined Vacuum and Modified Atmosphere Packaged Pre-Cooked Convenience-Style Foods and the Use of Ethanol Emitters to Extend Product Shelf-Life. <i>Foods</i> , 2013, 2, 507-520.	1.9	16
93	3D O ₂ imaging in the neuronal spheroids. <i>FASEB Journal</i> , 2013, 27, 574.1.	0.2	0
94	Insight into oxygenation levels within 3D cell models and its impact on cell metabolism. <i>FASEB Journal</i> , 2013, 27, 1b799.	0.2	0
95	O ₂ Analysis on a Fluorescence Spectrometer or Plate Reader. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2012, , 29-69.	0.3	0
96	G2019S leucine-rich repeat kinase 2 causes uncoupling protein-mediated mitochondrial depolarization. <i>Human Molecular Genetics</i> , 2012, 21, 4201-4213.	1.4	147
97	Bafilomycin A1 activates HIF-dependent signalling in human colon cancer cells via mitochondrial uncoupling. <i>Bioscience Reports</i> , 2012, 32, 587-595.	1.1	32
98	Control of oxygenation and bioenergetic assessment of respiring objects with the intracellular oxygen-sensing probes. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2012, 1817, S162.	0.5	0
99	Detection of cheese packaging containment failures using reversible optical oxygen sensors. <i>International Journal of Dairy Technology</i> , 2012, 65, 456-460.	1.3	15
100	High throughput quality and safety assessment of packaged green produce using two optical oxygen sensor based systems. <i>Food Control</i> , 2012, 28, 87-93.	2.8	22
101	Phosphorescent Oxygen-Sensitive Probes. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2012, , .	0.3	16
102	O ₂ -Sensitive Probes Based on Phosphorescent Metalloporphyrins. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2012, , 1-28.	0.3	2
103	Assessment of Cellular Oxygen Gradients with a Panel of Phosphorescent Oxygen-Sensitive Probes. <i>Analytical Chemistry</i> , 2012, 84, 2930-2938.	3.2	74
104	A Phosphorescent Nanoparticle-Based Probe for Sensing and Imaging of (Intra)Cellular Oxygen in Multiple Detection Modalities. <i>Advanced Functional Materials</i> , 2012, 22, 4931-4939.	7.8	136
105	Complexes of Ir ^{III} -Octaethylporphyrin with Peptides as Probes for Sensing Cellular O ₂ . <i>ChemBioChem</i> , 2012, 13, 1184-1190.	1.3	68
106	Optical probes and techniques for O ₂ measurement in live cells and tissue. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 2025-2039.	2.4	196
107	O ₂ Imaging in Biological Specimens. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2012, , 71-101.	0.3	2
108	Histone H4 acetylation at K16 residue and mitochondrial activity in neuronal cells. <i>FASEB Journal</i> , 2012, 26, 565.4.	0.2	1

#	ARTICLE	IF	CITATIONS
109	Intracellular O ₂ Sensing Probe Based on Cell-Penetrating Phosphorescent Nanoparticles. ACS Nano, 2011, 5, 5499-5508.	7.3	179
110	Cell-Penetrating Conjugates of Coproporphyrins with Oligoarginine Peptides: Rational Design and Application for Sensing Intracellular O ₂ . Bioconjugate Chemistry, 2011, 22, 2507-2518.	1.8	54
111	Metabolic Profiling of Hypoxic Cells Revealed a Catabolic Signature Required for Cell Survival. PLoS ONE, 2011, 6, e24411.	1.1	150
112	O ₂ /pH Multisensor Based on One Phosphorescent Dye. Analytical Chemistry, 2011, 83, 18-22.	3.2	31
113	Bafilomycin A1 activates respiration of neuronal cells via uncoupling associated with flickering depolarization of mitochondria. Cellular and Molecular Life Sciences, 2011, 68, 903-917.	2.4	47
114	Analysis of Total Aerobic Viable Counts in Raw Fish by High-Throughput Optical Oxygen Respirometry. Journal of Food Protection, 2011, 74, 776-782.	0.8	22
115	Uncoupling effect of bafilomycin A1 on HIF and cell bioenergetics. FASEB Journal, 2011, 25, 861.15.	0.2	1
116	Evaluation of the derivatives of phosphorescent Pt-coproporphyrin as intracellular oxygen-sensitive probes. Analytical and Bioanalytical Chemistry, 2010, 396, 1793-1803.	1.9	19
117	Extracellular calcium depletion transiently elevates oxygen consumption in neurosecretory PC12 cells through activation of mitochondrial Na ⁺ /Ca ²⁺ exchange. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 1627-1637.	0.5	29
118	Analysis of activity and inhibition of oxygen-dependent enzymes by optical respirometry on the LightCycler system. Analytical Biochemistry, 2010, 397, 144-151.	1.1	17
119	Intracellular oxygen-sensitive phosphorescent probes based on cell-penetrating peptides. Analytical Biochemistry, 2010, 398, 24-33.	1.1	67
120	Bactenecin ϵ 7 peptide fragment as a tool for intracellular delivery of a phosphorescent oxygen sensor. FEBS Journal, 2010, 277, 4651-4661.	2.2	31
121	Mitochondrial pyrimidine nucleotide carrier (PNC1) regulates mitochondrial biogenesis and the invasive phenotype of cancer cells. Oncogene, 2010, 29, 3964-3976.	2.6	79
122	Dysregulation of hypoxia pathways in fumarate hydratase-deficient cells is independent of defective mitochondrial metabolism. Human Molecular Genetics, 2010, 19, 3844-3851.	1.4	91
123	Imaging of Cellular Oxygen and Analysis of Metabolic Responses of Mammalian Cells. Methods in Molecular Biology, 2010, 591, 257-273.	0.4	23
124	A Simple Screening Assay for Cholinesterase Activity and Inhibition Based on Optical Oxygen Detection. Analytical Letters, 2010, 43, 1746-1755.	1.0	7
125	Mitochondrial Toxicity of Microcystin-LR on Cultured Cells: Application to the Analysis of Contaminated Water Samples. Environmental Science & Technology, 2010, 44, 2535-2541.	4.6	31
126	Phosphorescent Oxygen Sensors Based on Nanostructured Polyolefin Substrates. Analytical Chemistry, 2010, 82, 466-468.	3.2	21

#	ARTICLE	IF	CITATIONS
127	Monitoring of cell oxygenation and responses to metabolic stimulation by intracellular oxygen sensing technique. <i>Integrative Biology (United Kingdom)</i> , 2010, 2, 443-451.	0.6	56
128	Respirometric acute toxicity screening assay using <i>Daphnia magna</i> . <i>Chemistry and Ecology</i> , 2009, 25, 217-227.	0.6	10
129	PGC-1 α is coupled to HIF-1 α -dependent gene expression by increasing mitochondrial oxygen consumption in skeletal muscle cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2188-2193.	3.3	172
130	Toxicological profiling of chemical and environmental samples using panels of test organisms and optical oxygen respirometry. <i>Environmental Toxicology</i> , 2009, 24, 116-127.	2.1	28
131	Photophysical properties of the new phosphorescent platinum(II) and palladium(II) complexes of benzoporphyrins and chlorins. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 206, 87-92.	2.0	39
132	In vitro analysis of cell metabolism using a long-decay pH-sensitive lanthanide probe and extracellular acidification assay. <i>Analytical Biochemistry</i> , 2009, 390, 21-28.	1.1	58
133	Toxicological assessment of chemicals using <i>Caenorhabditis elegans</i> and optical oxygen respirometry. <i>Environmental Toxicology and Chemistry</i> , 2009, 28, 791-799.	2.2	26
134	Analysis of total aerobic viable counts in samples of raw meat using fluorescence-based probe and oxygen consumption assay. <i>Food Control</i> , 2009, 20, 129-135.	2.8	25
135	Data analysis algorithm for high throughput enzymatic oxygen consumption assays based on quenched-fluorescence detection. <i>Sensors and Actuators B: Chemical</i> , 2008, 129, 581-590.	4.0	11
136	Dynamics of Intracellular Oxygen in PC12 Cells upon Stimulation of Neurotransmission. <i>Journal of Biological Chemistry</i> , 2008, 283, 5650-5661.	1.6	38
137	Biological Toxicity Testing of Heavy Metals and Environmental Samples Using Fluorescence-Based Oxygen Sensing and Respirometry. , 2008, , 312-324.		1
138	Sensing intracellular oxygen using near-infrared phosphorescent probes and live-cell fluorescence imaging. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R1613-R1620.	0.9	56
139	Analysis of Intracellular Oxygen and Metabolic Responses of Mammalian Cells by Time-Resolved Fluorometry. <i>Analytical Chemistry</i> , 2007, 79, 9414-9419.	3.2	89
140	Homogeneous time-resolved fluorescence assays for the detection of activity and inhibition of phosphatase enzymes employing phosphorescently labeled peptide substrates. <i>Analytica Chimica Acta</i> , 2007, 583, 349-356.	2.6	4
141	Analysis of close proximity quenching of phosphorescent metalloporphyrin labels in oligonucleotide structures. <i>Analytica Chimica Acta</i> , 2007, 585, 139-146.	2.6	7
142	Non-destructive assessment of oxygen levels in industrial modified atmosphere packaged cheddar cheese. <i>Food Control</i> , 2006, 17, 286-292.	2.8	58
143	Development of a respirometric biochip for embryo assessment. <i>Lab on A Chip</i> , 2006, 6, 1438.	3.1	24
144	The use of a fluorescence-based oxygen uptake assay in the analysis of cytotoxicity. <i>Toxicology in Vitro</i> , 2006, 20, 785-792.	1.1	51

#	ARTICLE	IF	CITATIONS
145	Analysis of mitochondrial function using phosphorescent oxygen-sensitive probes. <i>Nature Protocols</i> , 2006, 1, 2563-2572.	5.5	158
146	Modelling of phase-fluorometric oxygen sensors: Consideration of temperature effects and operational requirements. <i>Sensors and Actuators B: Chemical</i> , 2006, 113, 917-929.	4.0	20
147	Application of frequency spectroscopy to fluorescence-based oxygen sensors. <i>Sensors and Actuators B: Chemical</i> , 2006, 113, 608-616.	4.0	11
148	Investigation of Drug-Induced Mitochondrial Toxicity Using Fluorescence-Based Oxygen-Sensitive Probes. <i>Toxicological Sciences</i> , 2006, 92, 186-200.	1.4	143
149	Rapid High-Throughput Assessment of Aerobic Bacteria in Complex Samples by Fluorescence-Based Oxygen Respirometry. <i>Applied and Environmental Microbiology</i> , 2006, 72, 1279-1287.	1.4	48
150	Respirometric Screening Technology for ADME-Tox studies. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2006, 2, 313-323.	1.5	31
151	Quality assessment of packaged foods by optical oxygen sensing. , 2005, , .		2
152	Homogeneous assays for cellular proteases employing the platinum(II)-coproporphyrin label and time-resolved phosphorescence. <i>Analytical Biochemistry</i> , 2005, 342, 111-119.	1.1	8
153	Study of migration of active components of phosphorescent oxygen sensors for food packaging applications. <i>Analytica Chimica Acta</i> , 2005, 530, 135-141.	2.6	51
154	Post-PCR detection of nucleic acids using metalloporphyrin labels and time-resolved fluorescence. <i>Analytica Chimica Acta</i> , 2005, 537, 111-117.	2.6	8
155	Fluorescence based oxygen uptake analysis in the study of metabolic responses to apoptosis induction. <i>Journal of Immunological Methods</i> , 2005, 306, 193-201.	0.6	20
156	Emerging Applications of Phosphorescent Metalloporphyrins. <i>Journal of Fluorescence</i> , 2005, 15, 569-584.	1.3	173
157	Optical oxygen sensing systems for drug discovery applications: Respirometric Screening Technology (RST). , 2005, , .		0
158	Phosphorescent oxygen-sensitive materials for biological applications. <i>Journal of Materials Chemistry</i> , 2005, 15, 2946.	6.7	60
159	Optical Oxygen Microrespirometry as a Platform for Environmental Toxicology and Animal Model Studies. <i>Environmental Science & Technology</i> , 2005, 39, 5010-5014.	4.6	50
160	Luminescent Probes. , 2004, , 821-829.		2
161	Assessment of oxygen levels in convenience-style muscle-based sous vide products through optical means and impact on shelf-life stability. <i>Packaging Technology and Science</i> , 2004, 17, 225-234.	1.3	35
162	A low-volume platform for cell-respirometric screening based on quenched-luminescence oxygen sensing. <i>Biosensors and Bioelectronics</i> , 2004, 19, 1529-1535.	5.3	51

#	ARTICLE	IF	CITATIONS
163	Methods in Optical Oxygen Sensing: Protocols and Critical Analyses. <i>Methods in Enzymology</i> , 2004, 381, 715-735.	0.4	80
164	Title is missing!. <i>Applied Biochemistry and Microbiology</i> , 2003, 39, 482-487.	0.3	3
165	Evaluation of the phosphorescent palladium(II) coproporphyrin labels in separation-free hybridization assays. <i>Analytical Biochemistry</i> , 2003, 320, 273-280.	1.1	17
166	Modeling of luminescence-based oxygen sensors with non-uniform distribution of excitation and quenching characteristics inside active medium. <i>Sensors and Actuators B: Chemical</i> , 2003, 88, 89-100.	4.0	23
167	Fluorescence-Based Cell Viability Screening Assays Using Water-Soluble Oxygen Probes. <i>Journal of Biomolecular Screening</i> , 2003, 8, 264-272.	2.6	96
168	Synthesis and evaluation of phosphorescent oligonucleotide probes for hybridisation assays. <i>Nucleic Acids Research</i> , 2002, 30, 114e-114.	6.5	21
169	Performance Evaluation of the Phosphorescent Porphyrin Label: A Solid-Phase Immunoassay of β -Fetoprotein. <i>Analytical Chemistry</i> , 2002, 74, 5845-5850.	3.2	45
170	Evaluation of oxygen content in commercial modified atmosphere packs (MAP) of processed cooked meats. <i>Food Research International</i> , 2002, 35, 571-575.	2.9	48
171	Use of oxygen sensors for the non-destructive measurement of the oxygen content in modified atmosphere and vacuum packs of cooked chicken patties; impact of oxygen content on lipid oxidation. <i>Food Research International</i> , 2002, 35, 577-584.	2.9	92
172	Use of oxygen sensors to non-destructively measure the oxygen content in modified atmosphere and vacuum packed beef: impact of oxygen content on lipid oxidation. <i>Meat Science</i> , 2002, 61, 285-290.	2.7	73
173	Phosphorescent metalloporphyrins as labels in time-resolved luminescence microscopy: Effect of mounting on emission intensity. <i>Microscopy Research and Technique</i> , 2002, 58, 125-131.	1.2	20
174	Time-resolved electrochemiluminescence of platinum(II) coproporphyrin. <i>Analytica Chimica Acta</i> , 2002, 453, 269-279.	2.6	22
175	Chemiluminescence of luminol induced by dissolution of oxide-covered aluminum in alkaline aqueous solution. <i>Analytica Chimica Acta</i> , 2002, 453, 253-267.	2.6	17
176	Spectral-luminescent study of the porphyrin-diketones and their complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2001, 57, 1897-1905.	2.0	15
177	Monofunctional Derivatives of Coproporphyrins for Phosphorescent Labeling of Proteins and Binding Assays. <i>Analytical Biochemistry</i> , 2001, 290, 366-375.	1.1	44
178	Approximation of calibration of phase-fluorimetric oxygen sensors on the basis of physical models. <i>Sensors and Actuators B: Chemical</i> , 2001, 81, 17-24.	4.0	21
179	A Cell Viability Assay Based on Monitoring Respiration by Optical Oxygen Sensing. <i>Analytical Biochemistry</i> , 2000, 278, 221-227.	1.1	94
180	Phosphorescent Sensor Approach for Non-Destructive Measurement of Oxygen in Packaged Foods: Optimisation of Disposable Oxygen Sensors and their Characterization Over a Wide Temperature Range. <i>Analytical Letters</i> , 2000, 33, 1755-1777.	1.0	56

#	ARTICLE	IF	CITATIONS
181	Electrochemiluminescent labels for applications in fully aqueous solutions at oxide-covered aluminium electrodes. <i>Analytica Chimica Acta</i> , 1999, 386, 1-6.	2.6	27
182	An Immunosensor Based on the Glucose Oxidase Label and Optical Oxygen Detection. <i>Analytical Chemistry</i> , 1999, 71, 1568-1573.	3.2	43
183	Enzymatic Flow-Injection Analysis of Metabolites Using New Type of Oxygen Sensor Membranes and Phosphorescence Phase Measurements. <i>Analytical Letters</i> , 1999, 32, 701-716.	1.0	13
184	Optical sensing of sulfite with a phosphorescent probe. <i>Analytica Chimica Acta</i> , 1998, 374, 1-9.	2.6	33
185	Biosensors on the basis of luminescent oxygen sensor: the use of microporous light-scattering support materials. <i>Sensors and Actuators B: Chemical</i> , 1998, 51, 137-145.	4.0	47
186	Selection of modulation frequency of excitation for luminescence lifetime-based oxygen sensors. <i>Sensors and Actuators B: Chemical</i> , 1998, 51, 377-381.	4.0	25
187	Protonation of porphyrins in liquid PVC membranes: Effects of anionic additives and application to pH-sensing. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1997, 104, 151-158.	2.0	32
188	Protonation of the porphyrin-ketones and their complexes: Verification of spectral forms and mechanisms. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 1997, 53, 613-621.	2.0	9
189	New polar plasticizers for luminescence-based sensors. <i>Analytica Chimica Acta</i> , 1997, 337, 201-205.	2.6	28
190	Studies with solid-state phosphorescent coatings on their sensitivity to nitrogen oxides. <i>Analytica Chimica Acta</i> , 1995, 310, 233-239.	2.6	16
191	New oxygen sensors and their application to biosensing. <i>Sensors and Actuators B: Chemical</i> , 1995, 29, 213-218.	4.0	164
192	Phosphorescent Complexes of Porphyrin Ketones: Optical Properties and Application to Oxygen Sensing. <i>Analytical Chemistry</i> , 1995, 67, 4112-4117.	3.2	295
193	Luminescence lifetime-based sensor for relative air humidity. <i>Sensors and Actuators B: Chemical</i> , 1994, 22, 57-61.	4.0	31
194	Flow-Cell Fibre-Optic Enzyme Sensor for Phenols. <i>Analytical Letters</i> , 1993, 26, 1505-1518.	1.0	23
195	Phosphorescent polymer films for optical oxygen sensors. <i>Biosensors and Bioelectronics</i> , 1992, 7, 199-206.	5.3	97