

Andrew J Vallely

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7927166/publications.pdf>

Version: 2024-02-01

115
papers

2,821
citations

201674
27
h-index

214800
47
g-index

119
all docs

119
docs citations

119
times ranked

3381
citing authors

#	ARTICLE	IF	CITATIONS
1	PRO2000 vaginal gel for prevention of HIV-1 infection (Microbicides Development Programme 301): a phase 3, randomised, double-blind, parallel-group trial. <i>Lancet</i> , The, 2010, 376, 1329-1337.	13.7	311
2	A large proportion of asymptomatic <i>Plasmodium</i> infections with low and sub-microscopic parasite densities in the low transmission setting of Temotu Province, Solomon Islands: challenges for malaria diagnostics in an elimination setting. <i>Malaria Journal</i> , 2010, 9, 254.	2.3	243
3	The architecture and effect of participation: a systematic review of community participation for communicable disease control and elimination. Implications for malaria elimination. <i>Malaria Journal</i> , 2011, 10, 225.	2.3	147
4	Using serological measures to monitor changes in malaria transmission in Vanuatu. <i>Malaria Journal</i> , 2010, 9, 169.	2.3	130
5	Community participation for malaria elimination in Tafea Province, Vanuatu: Part I. Maintaining motivation for prevention practices in the context of disappearing disease. <i>Malaria Journal</i> , 2010, 9, 93.	2.3	87
6	A qualitative study on the acceptability and preference of three types of long-lasting insecticide-treated bed nets in Solomon Islands: implications for malaria elimination. <i>Malaria Journal</i> , 2009, 8, 119.	2.3	71
7	The Prevalence of Sexually Transmitted Infections in Papua New Guinea: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2010, 5, e15586.	2.5	65
8	Malaria elimination: moving forward with spatial decision support systems. <i>Trends in Parasitology</i> , 2012, 28, 297-304.	3.3	62
9	Intermittent preventive treatment for malaria in pregnancy in Africa: What's new, what's needed?. <i>Malaria Journal</i> , 2007, 6, 16.	2.3	56
10	A novel point-of-care testing strategy for sexually transmitted infections among pregnant women in high-burden settings: results of a feasibility study in Papua New Guinea. <i>BMC Infectious Diseases</i> , 2016, 16, 250.	2.9	52
11	Adverse pregnancy and neonatal outcomes associated with <i>Neisseria gonorrhoeae</i> : systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2021, 97, 104-111.	1.9	50
12	A high-resolution geospatial surveillance-response system for malaria elimination in Solomon Islands and Vanuatu. <i>Malaria Journal</i> , 2013, 12, 108.	2.3	46
13	The benefits of participatory methodologies to develop effective community dialogue in the context of a microbicide trial feasibility study in Mwanza, Tanzania. <i>BMC Public Health</i> , 2007, 7, 133.	2.9	44
14	A model for community representation and participation in HIV prevention trials among women who engage in transactional sex in Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008, 20, 1039-1049.	1.2	41
15	Mapping Malaria Risk in Bangladesh Using Bayesian Geostatistical Models. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 861-867.	1.4	41
16	How informed is consent in vulnerable populations? Experience using a continuous consent process during the MDP301 vaginal microbicide trial in Mwanza, Tanzania. <i>BMC Medical Ethics</i> , 2010, 11, 10.	2.4	38
17	Water, Sanitation and Hygiene (WASH) and environmental risk factors for soil-transmitted helminth intensity of infection in Timor-Leste, using real time PCR. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005393.	3.0	38
18	Baseline spatial distribution of malaria prior to an elimination programme in Vanuatu. <i>Malaria Journal</i> , 2010, 9, 150.	2.3	37

#	ARTICLE	IF	CITATIONS
19	A cluster-randomised controlled trial integrating a community-based water, sanitation and hygiene programme, with mass distribution of albendazole to reduce intestinal parasites in Timor-Leste: the WASH for WORMS research protocol. <i>BMJ Open</i> , 2015, 5, e009293.	1.9	37
20	Intravaginal and Menstrual Practices among Women Working in Food and Recreational Facilities in Mwanza, Tanzania: Implications for Microbicide Trials. <i>AIDS and Behavior</i> , 2010, 14, 1169-1181.	2.7	36
21	Prevalence and risk factors of Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis and other sexually transmissible infections among women attending antenatal clinics in three provinces in Papua New Guinea: a cross-sectional survey. <i>Sexual Health</i> , 2016, 13, 420.	0.9	33
22	Performance of syndromic management for the detection and treatment of genital Chlamydia trachomatis, Neisseria gonorrhoeae and Trichomonas vaginalis among women attending antenatal, well woman and sexual health clinics in Papua New Guinea: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e018630.	1.9	33
23	Evaluation of Commercially Available Viral Transport Medium (VTM) for SARS-CoV-2 Inactivation and Use in Point-of-Care (POC) Testing. <i>Viruses</i> , 2020, 12, 1208.	3.3	33
24	Operational research to inform a sub-national surveillance intervention for malaria elimination in Solomon Islands. <i>Malaria Journal</i> , 2012, 11, 101.	2.3	32
25	Water, sanitation and hygiene related risk factors for soil-transmitted helminth and Giardia duodenalis infections in rural communities in Timor-Leste. <i>International Journal for Parasitology</i> , 2016, 46, 771-779.	3.1	32
26	Performance of clinical screening algorithms comprising point-of-care HPV-DNA testing using self-collected vaginal specimens, and visual inspection of the cervix with acetic acid, for the detection of underlying high-grade squamous intraepithelial lesions in Papua New Guinea. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018, 6, 70-76.	4.5	32
27	Population screening for glucose-6-phosphate dehydrogenase deficiencies in Isabel Province, Solomon Islands, using a modified enzyme assay on filter paper dried bloodspots. <i>Malaria Journal</i> , 2010, 9, 223.	2.3	31
28	Microbicides Development Program, Tanzaniaâ€”Baseline Characteristics of an Occupational Cohort and Reattendance at 3 Months. <i>Sexually Transmitted Diseases</i> , 2007, 34, 638-643.	1.7	30
29	Community participation for malaria elimination in tafea province, vanuatu: part ii. social and cultural aspects of treatment-seeking behaviour. <i>Malaria Journal</i> , 2011, 10, 204.	2.3	29
30	Adverse pregnancy and neonatal outcomes associated with <i>Neisseria gonorrhoeae</i>, Mycoplasma genitalium, M. hominis, Ureaplasma urealyticum and U. parvum:</i> a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2018, 8, e024175.	1.9	29
31	"Now we are in a different time; various bad diseases have come." understanding men's acceptability of male circumcision for HIV prevention in a moderate prevalence setting. <i>BMC Public Health</i> , 2012, 12, 67.	2.9	28
32	WASH for WORMS: A Cluster-Randomized Controlled Trial of the Impact of a Community Integrated Water, Sanitation, and Hygiene and Deworming Intervention on Soil-Transmitted Helminth Infections. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 750-761.	1.4	28
33	Sexual risk behaviour for women working in recreational venues in Mwanza, Tanzania: considerations for the acceptability and use of vaginal microbicide gels. <i>Culture, Health and Sexuality</i> , 2009, 11, 581-595.	1.8	27
34	Self-collection for HPV-based cervical screening: a qualitative evidence meta-synthesis. <i>BMC Public Health</i> , 2021, 21, 1503.	2.9	25
35	Sexually Transmitted Infections in Pregnancy: A Narrative Review of the Global Research Gaps, Challenges, and Opportunities. <i>Sexually Transmitted Diseases</i> , 2020, 47, 779-789.	1.7	24
36	Modern geographical reconnaissance of target populations in malaria elimination zones. <i>Malaria Journal</i> , 2010, 9, 289.	2.3	23

#	ARTICLE	IF	CITATIONS
37	Exploring women's perspectives of access to care during pregnancy and childbirth: A qualitative study from rural Papua New Guinea. <i>Midwifery</i> , 2013, 29, 1222-1229.	2.3	22
38	Validity of coital diaries in a feasibility study for the Microbicides Development Programme trial among women at high risk of HIV/AIDS in Mwanza, Tanzania. <i>Sexually Transmitted Infections</i> , 2007, 83, 490-497.	1.9	21
39	A cluster randomized controlled cross-over bed net acceptability and preference trial in Solomon Islands: community participation in shaping policy for malaria elimination. <i>Malaria Journal</i> , 2009, 8, 298.	2.3	21
40	More than just a cut: a qualitative study of penile practices and their relationship to masculinity, sexuality and contagion and their implications for HIV prevention in Papua New Guinea. <i>BMC International Health and Human Rights</i> , 2012, 12, 10.	2.5	20
41	Risk factors for infection with soil-transmitted helminths during an integrated community level water, sanitation, and hygiene and deworming intervention in Timor-Leste. <i>International Journal for Parasitology</i> , 2019, 49, 389-396.	3.1	20
42	Microbicides Development Programme: Engaging the community in the standard of care debate in a vaginal microbicide trial in Mwanza, Tanzania. <i>BMC Medical Ethics</i> , 2009, 10, 17.	2.4	19
43	Malaria elimination in Isabel Province, Solomon Islands: establishing a surveillance-response system to prevent introduction and reintroduction of malaria. <i>Malaria Journal</i> , 2011, 10, 235.	2.3	19
44	Suitability of Simple Human Immunodeficiency Virus Rapid Tests in Clinical Trials in Community-Based Clinic Settings. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1058-1062.	3.9	18
45	A typology of penile cutting in Papua New Guinea: results of a modified Delphi study among sexual health specialists. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 77-86.	1.2	18
46	Cancer management in the Pacific region: a report on innovation and good practice. <i>Lancet Oncology</i> , The, 2019, 20, e493-e502.	10.7	18
47	Are Women Who Work in Bars, Guesthouses and Similar Facilities a Suitable Study Population for Vaginal Microbicide Trials in Africa?. <i>PLoS ONE</i> , 2010, 5, e10661.	2.5	17
48	High prevalence and incidence of HIV, sexually transmissible infections and penile foreskin cutting among sexual health clinic attendees in Papua New Guinea. <i>Sexual Health</i> , 2014, 11, 58.	0.9	16
49	Investigations into the association between soil-transmitted helminth infections, haemoglobin and child development indices in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2017, 10, 192.	2.5	15
50	Use of quantitative PCR to assess the efficacy of albendazole against <i>Necator americanus</i> and <i>Ascaris</i> spp. in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2018, 11, 373.	2.5	15
51	One size does not fit all: HIV prevalence and correlates of risk for men who have sex with men, transgender women in multiple cities in Papua New Guinea. <i>BMC Public Health</i> , 2019, 19, 623.	2.9	15
52	Risk factors and knowledge associated with high unintended pregnancy rates and low family planning use among pregnant women in Papua New Guinea. <i>Scientific Reports</i> , 2021, 11, 1222.	3.3	15
53	Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the) Tj ETQq1 1 0.7843148gBT /Overlock 10	1.4	14
54	Male Circumcision and HIV Transmission; What Do We Know?. <i>Open AIDS Journal</i> , 2014, 8, 31-44.	0.5	15

#	ARTICLE	IF	CITATIONS
55	Adverse pregnancy and perinatal outcomes associated with <i>Mycoplasma genitalium</i> : systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2022, 98, 222-227.	1.9	15
56	Why Women Object to Male Circumcision to Prevent HIV in a Moderate-Prevalence Setting. <i>Qualitative Health Research</i> , 2013, 23, 180-193.	2.1	14
57	"I Was Attracted to Him Because of His Money": Changing Forms of Polygyny in Contemporary Papua New Guinea. <i>Asia Pacific Journal of Anthropology</i> , 2018, 19, 120-137.	0.4	14
58	Kuantim mi tu ("Count me too"): Using Multiple Methods to Estimate the Number of Female Sex Workers, Men Who Have Sex With Men, and Transgender Women in Papua New Guinea in 2016 and 2017. <i>JMIR Public Health and Surveillance</i> , 2019, 5, e11285.	2.6	14
59	Intravaginal practices and microbicide acceptability in Papua New Guinea: implications for HIV prevention in a moderate-prevalence setting. <i>BMC Research Notes</i> , 2012, 5, 613.	1.4	13
60	Sociocultural and individual determinants for motivation of sexual and reproductive health workers in Papua New Guinea and their implications for male circumcision as an HIV prevention strategy. <i>Human Resources for Health</i> , 2013, 11, 7.	3.1	13
61	Youth-centred research to help prevent and mitigate the adverse health and social impacts of pregnancy amongst young Papua New Guineans. <i>Reproductive Health Matters</i> , 2018, 26, 5-12.	1.2	13
62	Considerable distance to reach 90-90-90 targets among female sex workers, men who have sex with men and transgender women in Port Moresby, Papua New Guinea: findings from a cross-sectional respondent-driven sampling survey. <i>Sexually Transmitted Infections</i> , 2020, 96, 143-150.	1.9	13
63	<i>Mycoplasma genitalium</i> and Other Reproductive Tract Infections in Pregnant Women, Papua New Guinea, 2015–2017. <i>Emerging Infectious Diseases</i> , 2021, 27, 894-904.	4.3	13
64	Comparison of Sexual Behavior Data Collected Using a Coital Diary and a Clinic-Based Interview During a Microbicide Pilot Study in Mwanza, Tanzania. <i>Sexually Transmitted Diseases</i> , 2010, 37, 497-501.	1.7	13
65	Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the Tj ETQq1 1 0.7843148gBT / Overlock 10	1.4	10
66	Towards the elimination of cervical cancer in low-income and lower-middle-income countries: modelled evaluation of the effectiveness and cost-effectiveness of point-of-care HPV self-collected screening and treatment in Papua New Guinea. <i>BMJ Global Health</i> , 2022, 7, e007380.	4.7	13
67	Factors associated with HIV and syphilis infection among female sex workers in three cities in Papua New Guinea: findings from Kauntim mi tu, a biobehavioral survey. <i>Sexual Health</i> , 2020, 17, 311.	0.9	12
68	A systematic review of heterosexual anal intercourse and its role in the transmission of HIV and other sexually transmitted infections in Papua New Guinea. <i>BMC Public Health</i> , 2013, 13, 1108.	2.9	10
69	Sex, violence and HIV on the inside: cultures of violence, denial, gender inequality and homophobia negatively influence the health outcomes of those in closed settings. <i>Culture, Health and Sexuality</i> , 2015, 17, 990-1003.	1.8	10
70	The Association Between Cervical Human Papillomavirus Infection and Subsequent HIV Acquisition in Tanzanian and Ugandan Women: A Nested Case-Control Study. <i>Journal of Infectious Diseases</i> , 2016, 214, 87-95.	4.0	10
71	Dorsal longitudinal foreskin cut is associated with reduced risk of HIV, syphilis and genital herpes in men: a cross-sectional study in Papua New Guinea. <i>Journal of the International AIDS Society</i> , 2017, 20, 21358.	3.0	10
72	Vasectomy as a proxy: extrapolating health system lessons to male circumcision as an HIV prevention strategy in Papua New Guinea. <i>BMC Health Services Research</i> , 2012, 12, 299.	2.2	9

#	ARTICLE	IF	CITATIONS
73	Childbirth in a rural highlands community in Papua New Guinea: A descriptive study. <i>Midwifery</i> , 2015, 31, 380-387.	2.3	9
74	Cost and cost-effectiveness of point-of-care testing and treatment for sexually transmitted and genital infections in pregnancy in low-income and middle-income countries: a systematic review protocol. <i>BMJ Open</i> , 2019, 9, e029945.	1.9	9
75	High Prevalence of Chlamydia and Gonorrhea and the Need for Sexually Transmitted Infection Testing Among Men Who Have Sex With Men and Transgender Women in Papua New Guinea. <i>Sexually Transmitted Diseases</i> , 2021, 48, 109-117.	1.7	9
76	Health service delivery models for scaling use of point-of-care HPV 'test and treat' strategies in high-burden, low-income settings. <i>Journal of Virus Eradication</i> , 2019, 5, 1-3.	0.5	9
77	HIV prevalence is strongly associated with geographical variations in male circumcision and foreskin cutting in Papua New Guinea: an ecological study. <i>Sexually Transmitted Infections</i> , 2015, 91, 502-505.	1.9	8
78	Acceptability of testing for anorectal sexually transmitted infections and self-collected anal swabs in female sex workers, men who have sex with men and transgender women in Papua New Guinea. <i>BMC Public Health</i> , 2018, 18, 776.	2.9	8
79	Confidential, accessible point-of-care sexual health services to support the participation of key populations in biobehavioural surveys: Lessons for Papua New Guinea and other settings where reach of key populations is limited. <i>PLoS ONE</i> , 2020, 15, e0233026.	2.5	8
80	Perinatal death audit and classification of stillbirths in two provinces in Papua New Guinea: A retrospective analysis. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 160-168.	2.3	8
81	High prevalence of pulmonary tuberculosis among female sex workers, men who have sex with men, and transgender women in Papua New Guinea. <i>Tropical Medicine and Health</i> , 2021, 49, 4.	2.8	8
82	Loss to follow up of pregnant women with HIV and infant HIV outcomes in the prevention of maternal to child transmission of HIV programme in two high-burden provinces in Papua New Guinea: a retrospective clinical audit. <i>BMJ Open</i> , 2020, 10, e038311.	1.9	8
83	Listening to diverse community voices: the tensions of responding to community expectations in developing a male circumcision program for HIV prevention in Papua New Guinea. <i>BMC Public Health</i> , 2013, 13, 749.	2.9	7
84	Feasibility and acceptability of clean birth kits containing misoprostol for self-administration to prevent postpartum hemorrhage in rural Papua New Guinea. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 133, 301-306.	2.3	7
85	Association between visual inspection of the cervix with acetic acid examination and high-risk human papillomavirus infection, <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> and <i>Trichomonas vaginalis</i> in Papua New Guinea. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 576-581.	1.0	7
86	HPV vaccination in Papua New Guinea to prevent cervical cancer in women: Gender, sexual morality, outsiders and the de-feminization of the HPV vaccine. <i>Papillomavirus Research (Amsterdam, Tj ETQq0 0 0 rgBT /Ovedock 107f 50 217 1</i>	0.0	7
87	A socio-ecological analysis of factors influencing HIV treatment initiation and adherence among key populations in Papua New Guinea. <i>BMC Public Health</i> , 2021, 21, 2003.	2.9	6
88	Health service delivery models for scaling use of point-of-care HPV 'test and treat' strategies in high-burden, low-income settings. <i>Journal of Virus Eradication</i> , 2019, 5, 1-3.	0.5	5
89	Feasibility and acceptability of implementing early infant diagnosis of HIV in Papua New Guinea at the point of care: a qualitative exploration of health worker and key informant perspectives. <i>BMJ Open</i> , 2020, 10, e043679.	1.9	5
90	Economic evaluation of point-of-care testing and treatment for sexually transmitted and genital infections in pregnancy in low- and middle-income countries: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0253135.	2.5	5

#	ARTICLE	IF	CITATIONS
91	Impact of Male Circumcision on the HIV Epidemic in Papua New Guinea: A Country with Extensive Foreskin Cutting Practices. PLoS ONE, 2014, 9, e104531.	2.5	5
92	Health communication messaging about HPV vaccine in Papua New Guinea. Health Education Journal, 2019, 78, 946-957.	1.2	4
93	Early neonatal death review from two provinces in Papua New Guinea: A retrospective analysis. Journal of Paediatrics and Child Health, 2021, 57, 841-846.	0.8	4
94	Re-establishing safer medical-circumcision-integrated initiation ceremonies for HIV prevention in a rural setting in Papua New Guinea. A multi-method acceptability study. PLoS ONE, 2017, 12, e0187577.	2.5	3
95	Developing a culturally appropriate illustrated tool for the self-collection of anorectal specimens for the testing of sexually transmitted infections: lessons from Papua New Guinea. BMC Public Health, 2019, 19, 214.	2.9	3
96	Caregiver experience and perceived acceptability of a novel near point-of-care early infant HIV diagnostic test among caregivers enrolled in the PMTCT program, Myanmar: A qualitative study. PLoS ONE, 2020, 15, e0241245.	2.5	3
97	Achieving control of cervical cancer in Papua New Guinea: what are the research and program priorities?. Papua and New Guinea Medical Journal, 2011, 54, 83-90.	1.0	3
98	Ethics, Justice and Community Participation in the Microbicides Development Programme (MDP) Phase III Trial in Mwanza, Tanzania. American Journal of Bioethics, 2012, 12, 46-48.	0.9	2
99	Building social currency with foreskin cuts: a coping mechanism of Papua New Guinea health workers and the implications for new programmes. Health Policy and Planning, 2014, 29, 902-911.	2.7	2
100	Comparative performance of the Kalon and HerpeSelect enzyme-linked immunosorbant assays to determine the prevalence of herpes simplex virus type 2 in Papua New Guinea. Sexual Health, 2014, 11, 575.	0.9	2
101	Gaps in HIV Testing and Treatment Among Female Sex Workers in Lae and Mt. Hagen, Papua New Guinea. AIDS and Behavior, 2021, 25, 1573-1582.	2.7	2
102	Ending AIDS in the Asia-Pacific region by 2030: are we on track? Policy, epidemiological and intervention insights. Sexual Health, 2021, 18, 1.	0.9	2
103	Point-of-care testing and treatment of sexually transmitted and genital infections during pregnancy in Papua New Guinea (WANTAIM trial): protocol for an economic evaluation alongside a cluster-randomised trial. BMJ Open, 2021, 11, e046308.	1.9	2
104	Qualitative Evidence Synthesis on Self-Collection for Human Papillomavirus-Based Cervical Screening: Protocol for Systematic Review. JMIR Research Protocols, 2020, 9, e21093.	1.0	2
105	Seabather's Eruption in Papua New Guinea. Tropical Doctor, 1998, 28, 53-53.	0.5	1
106	When the presumption of innocence is not beneficial: periodic presumptive treatment for STIs and HIV in female sex workers. Sexually Transmitted Infections, 2010, 86, 161-162.	1.9	1
107	\$16.4â€¦Point-of-care testing and treatment of sexually transmitted infections to improve pregnancy outcomes in high-burden settings. Sexually Transmitted Infections, 2015, 91, A23.2-A23.	1.9	1
108	Point-of-care HPV testing for cervical screening in high-burden, low-income settings. Journal of Virus Eradication, 2017, 3, 8-9.	0.5	1

#	ARTICLE	IF	CITATIONS
109	The Prevalence of Antimicrobial Resistant Neisseria gonorrhoeae in Papua New Guinea: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 1520.	2.6	1
110	Treating malaria in pregnancy in developing countries: priorities in clinical research and drug development. Expert Review of Clinical Pharmacology, 2008, 1, 61-72.	3.1	0
111	Exploring Post-coital Intravaginal Cleansing Practices among Women Enrolled in the Microbicides Development Programme MDP 301 Clinical Trial. AIDS Research and Human Retroviruses, 2014, 30, A10-A10.	1.1	0
112	Title is missing!. , 2020, 15, e0241245.		0
113	Title is missing!. , 2020, 15, e0241245.		0
114	Title is missing!. , 2020, 15, e0241245.		0
115	Title is missing!. , 2020, 15, e0241245.		0