

Andrew J Vallely

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7927166/publications.pdf>

Version: 2024-02-01

115
papers

2,821
citations

201575

27
h-index

214721

47
g-index

119
all docs

119
docs citations

119
times ranked

3381
citing authors

#	ARTICLE	IF	CITATIONS
1	The Prevalence of Antimicrobial Resistant <i>Neisseria gonorrhoeae</i> in Papua New Guinea: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1520.	1.2	1
2	Towards the elimination of cervical cancer in low-income and lower-middle-income countries: modelled evaluation of the effectiveness and cost-effectiveness of point-of-care HPV self-collected screening and treatment in Papua New Guinea. <i>BMJ Global Health</i> , 2022, 7, e007380.	2.0	13
3	Adverse pregnancy and perinatal outcomes associated with <i>Mycoplasma genitalium</i> : systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2022, 98, 222-227.	0.8	15
4	Gaps in HIV Testing and Treatment Among Female Sex Workers in Lae and Mt. Hagen, Papua New Guinea. <i>AIDS and Behavior</i> , 2021, 25, 1573-1582.	1.4	2
5	Perinatal death audit and classification of stillbirths in two provinces in Papua New Guinea: A retrospective analysis. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 160-168.	1.0	8
6	Adverse pregnancy and neonatal outcomes associated with <i>Neisseria gonorrhoeae</i> : systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , 2021, 97, 104-111.	0.8	50
7	High prevalence of pulmonary tuberculosis among female sex workers, men who have sex with men, and transgender women in Papua New Guinea. <i>Tropical Medicine and Health</i> , 2021, 49, 4.	1.0	8
8	Ending AIDS in the Asia-Pacific region by 2030: are we on track? Policy, epidemiological and intervention insights. <i>Sexual Health</i> , 2021, 18, 1.	0.4	2
9	Risk factors and knowledge associated with high unintended pregnancy rates and low family planning use among pregnant women in Papua New Guinea. <i>Scientific Reports</i> , 2021, 11, 1222.	1.6	15
10	Early neonatal death review from two provinces in Papua New Guinea: A retrospective analysis. <i>Journal of Paediatrics and Child Health</i> , 2021, 57, 841-846.	0.4	4
11	<i>Mycoplasma genitalium</i> and Other Reproductive Tract Infections in Pregnant Women, Papua New Guinea, 2015-2017. <i>Emerging Infectious Diseases</i> , 2021, 27, 894-904.	2.0	13
12	Economic evaluation of point-of-care testing and treatment for sexually transmitted and genital infections in pregnancy in low- and middle-income countries: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0253135.	1.1	5
13	Point-of-care testing and treatment of sexually transmitted and genital infections during pregnancy in Papua New Guinea (WANTAIM trial): protocol for an economic evaluation alongside a cluster-randomised trial. <i>BMJ Open</i> , 2021, 11, e046308.	0.8	2
14	Self-collection for HPV-based cervical screening: a qualitative evidence meta-synthesis. <i>BMC Public Health</i> , 2021, 21, 1503.	1.2	25
15	High Prevalence of Chlamydia and Gonorrhea and the Need for Sexually Transmitted Infection Testing Among Men Who Have Sex With Men and Transgender Women in Papua New Guinea. <i>Sexually Transmitted Diseases</i> , 2021, 48, 109-117.	0.8	9
16	A socio-ecological analysis of factors influencing HIV treatment initiation and adherence among key populations in Papua New Guinea. <i>BMC Public Health</i> , 2021, 21, 2003.	1.2	6
17	Considerable distance to reach 90-90-90 targets among female sex workers, men who have sex with men and transgender women in Port Moresby, Papua New Guinea: findings from a cross-sectional respondent-driven sampling survey. <i>Sexually Transmitted Infections</i> , 2020, 96, 143-150.	0.8	13
18	Sexually Transmitted Infections in Pregnancy: A Narrative Review of the Global Research Gaps, Challenges, and Opportunities. <i>Sexually Transmitted Diseases</i> , 2020, 47, 779-789.	0.8	24

#	ARTICLE	IF	CITATIONS
19	Feasibility and acceptability of implementing early infant diagnosis of HIV in Papua New Guinea at the point of care: a qualitative exploration of health worker and key informant perspectives. <i>BMJ Open</i> , 2020, 10, e043679.	0.8	5
20	Evaluation of Commercially Available Viral Transport Medium (VTM) for SARS-CoV-2 Inactivation and Use in Point-of-Care (POC) Testing. <i>Viruses</i> , 2020, 12, 1208.	1.5	33
21	Factors associated with HIV and syphilis infection among female sex workers in three cities in Papua New Guinea: findings from Kauntim mi tu, a biobehavioral survey. <i>Sexual Health</i> , 2020, 17, 311.	0.4	12
22	Confidential, accessible point-of-care sexual health services to support the participation of key populations in biobehavioural surveys: Lessons for Papua New Guinea and other settings where reach of key populations is limited. <i>PLoS ONE</i> , 2020, 15, e0233026.	1.1	8
23	Loss to follow up of pregnant women with HIV and infant HIV outcomes in the prevention of maternal to child transmission of HIV programme in two high-burden provinces in Papua New Guinea: a retrospective clinical audit. <i>BMJ Open</i> , 2020, 10, e038311.	0.8	8
24	Qualitative Evidence Synthesis on Self-Collection for Human Papillomavirus-Based Cervical Screening: Protocol for Systematic Review. <i>JMIR Research Protocols</i> , 2020, 9, e21093.	0.5	2
25	Caregiver experience and perceived acceptability of a novel near point-of-care early infant HIV diagnostic test among caregivers enrolled in the PMTCT program, Myanmar: A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0241245.	1.1	3
26	Title is missing!. , 2020, 15, e0241245.		0
27	Title is missing!. , 2020, 15, e0241245.		0
28	Title is missing!. , 2020, 15, e0241245.		0
29	Title is missing!. , 2020, 15, e0241245.		0
30	Cancer management in the Pacific region: a report on innovation and good practice. <i>Lancet Oncology</i> , The, 2019, 20, e493-e502.	5.1	18
31	Health communication messaging about HPV vaccine in Papua New Guinea. <i>Health Education Journal</i> , 2019, 78, 946-957.	0.6	4
32	One size does not fit all: HIV prevalence and correlates of risk for men who have sex with men, transgender women in multiple cities in Papua New Guinea. <i>BMC Public Health</i> , 2019, 19, 623.	1.2	15
33	HPV vaccination in Papua New Guinea to prevent cervical cancer in women: Gender, sexual morality, outsiders and the de-feminization of the HPV vaccine. <i>Papillomavirus Research (Amsterdam, Tj ETQq1 1 0.7843144gBT /Overlock 10</i>		
34	Developing a culturally appropriate illustrated tool for the self-collection of anorectal specimens for the testing of sexually transmitted infections: lessons from Papua New Guinea. <i>BMC Public Health</i> , 2019, 19, 214.	1.2	3
35	Risk factors for infection with soil-transmitted helminths during an integrated community level water, sanitation, and hygiene and deworming intervention in Timor-Leste. <i>International Journal for Parasitology</i> , 2019, 49, 389-396.	1.3	20
36	Health service delivery models for scaling use of point-of-care HPV test and treat™ strategies in high-burden, low-income settings. <i>Journal of Virus Eradication</i> , 2019, 5, 1-3.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Cost and cost-effectiveness of point-of-care testing and treatment for sexually transmitted and genital infections in pregnancy in low-income and middle-income countries: a systematic review protocol. <i>BMJ Open</i> , 2019, 9, e029945.	0.8	9
38	Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 69).	0.7	10
39	Kuantim mi tu (‘Count me too’): Using Multiple Methods to Estimate the Number of Female Sex Workers, Men Who Have Sex With Men, and Transgender Women in Papua New Guinea in 2016 and 2017. <i>JMIR Public Health and Surveillance</i> , 2019, 5, e11285.	1.2	14
40	WASH for WORMS: A Cluster-Randomized Controlled Trial of the Impact of a Community Integrated Water, Sanitation, and Hygiene and Deworming Intervention on Soil-Transmitted Helminth Infections. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 750-761.	0.6	28
41	Health service delivery models for scaling use of point-of-care HPV 'test and treat' strategies in high-burden, low-income settings. <i>Journal of Virus Eradication</i> , 2019, 5, 1-3.	0.3	9
42	Association between visual inspection of the cervix with acetic acid examination and high-risk human papillomavirus infection, <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> and <i>Trichomonas vaginalis</i> in Papua New Guinea. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 576-581.	0.4	7
43	‘I Was Attracted to Him Because of His Money’: Changing Forms of Polygyny in Contemporary Papua New Guinea. <i>Asia Pacific Journal of Anthropology</i> , 2018, 19, 120-137.	0.5	14
44	Performance of clinical screening algorithms comprising point-of-care HPV-DNA testing using self-collected vaginal specimens, and visual inspection of the cervix with acetic acid, for the detection of underlying high-grade squamous intraepithelial lesions in Papua New Guinea. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018, 6, 70-76.	4.5	32
45	Adverse pregnancy and neonatal outcomes associated with <i>Neisseria gonorrhoeae</i> , <i>Mycoplasma genitalium</i> , <i>M. hominis</i> , <i>Ureaplasma urealyticum</i> and <i>U. parvum</i> : a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2018, 8, e024175.	0.8	29
46	Youth-centred research to help prevent and mitigate the adverse health and social impacts of pregnancy amongst young Papua New Guineans. <i>Reproductive Health Matters</i> , 2018, 26, 5-12.	1.3	13
47	Acceptability of testing for anorectal sexually transmitted infections and self-collected anal swabs in female sex workers, men who have sex with men and transgender women in Papua New Guinea. <i>BMC Public Health</i> , 2018, 18, 776.	1.2	8
48	Use of quantitative PCR to assess the efficacy of albendazole against <i>Necator americanus</i> and <i>Ascaris</i> spp. in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2018, 11, 373.	1.0	15
49	Investigations into the association between soil-transmitted helminth infections, haemoglobin and child development indices in Manufahi District, Timor-Leste. <i>Parasites and Vectors</i> , 2017, 10, 192.	1.0	15
50	Dorsal longitudinal foreskin cut is associated with reduced risk of HIV, syphilis and genital herpes in men: a cross-sectional study in Papua New Guinea. <i>Journal of the International AIDS Society</i> , 2017, 20, 21358.	1.2	10
51	Performance of syndromic management for the detection and treatment of genital <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> and <i>Trichomonas vaginalis</i> among women attending antenatal, well woman and sexual health clinics in Papua New Guinea: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e018630.	0.8	33
52	Point-of-care HPV testing for cervical screening in high-burden, low-income settings. <i>Journal of Virus Eradication</i> , 2017, 3, 8-9.	0.3	1
53	Re-establishing safer medical-circumcision-integrated initiation ceremonies for HIV prevention in a rural setting in Papua New Guinea. A multi-method acceptability study. <i>PLoS ONE</i> , 2017, 12, e0187577.	1.1	3
54	Water, Sanitation and Hygiene (WASH) and environmental risk factors for soil-transmitted helminth intensity of infection in Timor-Leste, using real time PCR. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005393.	1.3	38

#	ARTICLE	IF	CITATIONS
55	A novel point-of-care testing strategy for sexually transmitted infections among pregnant women in high-burden settings: results of a feasibility study in Papua New Guinea. <i>BMC Infectious Diseases</i> , 2016, 16, 250.	1.3	52
56	Prevalence and risk factors of <i>Chlamydia trachomatis</i> , <i>Neisseria gonorrhoeae</i> , <i>Trichomonas vaginalis</i> and other sexually transmissible infections among women attending antenatal clinics in three provinces in Papua New Guinea: a cross-sectional survey. <i>Sexual Health</i> , 2016, 13, 420.	0.4	33
57	Feasibility and acceptability of clean birth kits containing misoprostol for self-administration to prevent postpartum hemorrhage in rural Papua New Guinea. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 133, 301-306.	1.0	7
58	Water, sanitation and hygiene related risk factors for soil-transmitted helminth and <i>Giardia duodenalis</i> infections in rural communities in Timor-Leste. <i>International Journal for Parasitology</i> , 2016, 46, 771-779.	1.3	32
59	The Association Between Cervical Human Papillomavirus Infection and Subsequent HIV Acquisition in Tanzanian and Ugandan Women: A Nested Case-Control Study. <i>Journal of Infectious Diseases</i> , 2016, 214, 87-95.	1.9	10
60	S16.4...Point-of-care testing and treatment of sexually transmitted infections to improve pregnancy outcomes in high-burden settings. <i>Sexually Transmitted Infections</i> , 2015, 91, A23.2-A23.	0.8	1
61	Childbirth in a rural highlands community in Papua New Guinea: A descriptive study. <i>Midwifery</i> , 2015, 31, 380-387.	1.0	9
62	HIV prevalence is strongly associated with geographical variations in male circumcision and foreskin cutting in Papua New Guinea: an ecological study. <i>Sexually Transmitted Infections</i> , 2015, 91, 502-505.	0.8	8
63	A cluster-randomised controlled trial integrating a community-based water, sanitation and hygiene programme, with mass distribution of albendazole to reduce intestinal parasites in Timor-Leste: the WASH for WORMS research protocol. <i>BMJ Open</i> , 2015, 5, e009293.	0.8	37
64	Sex, violence and HIV on the inside: cultures of violence, denial, gender inequality and homophobia negatively influence the health outcomes of those in closed settings. <i>Culture, Health and Sexuality</i> , 2015, 17, 990-1003.	1.0	10
65	High prevalence and incidence of HIV, sexually transmissible infections and penile foreskin cutting among sexual health clinic attendees in Papua New Guinea. <i>Sexual Health</i> , 2014, 11, 58.	0.4	16
66	Building social currency with foreskin cuts: a coping mechanism of Papua New Guinea health workers and the implications for new programmes. <i>Health Policy and Planning</i> , 2014, 29, 902-911.	1.0	2
67	Exploring Post-coital Intravaginal Cleansing Practices among Women Enrolled in the Microbicides Development Programme MDP 301 Clinical Trial. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A10-A10.	0.5	0
68	Comparative performance of the Kalon and HerpeSelect enzyme-linked immunosorbant assays to determine the prevalence of herpes simplex virus type 2 in Papua New Guinea. <i>Sexual Health</i> , 2014, 11, 575.	0.4	2
69	Impact of Male Circumcision on the HIV Epidemic in Papua New Guinea: A Country with Extensive Foreskin Cutting Practices. <i>PLoS ONE</i> , 2014, 9, e104531.	1.1	5
70	Male Circumcision and HIV Transmission; What Do We Know?. <i>Open AIDS Journal</i> , 2014, 8, 31-44.	0.1	15
71	Sociocultural and individual determinants for motivation of sexual and reproductive health workers in Papua New Guinea and their implications for male circumcision as an HIV prevention strategy. <i>Human Resources for Health</i> , 2013, 11, 7.	1.1	13
72	A high-resolution geospatial surveillance-response system for malaria elimination in Solomon Islands and Vanuatu. <i>Malaria Journal</i> , 2013, 12, 108.	0.8	46

#	ARTICLE	IF	CITATIONS
73	Listening to diverse community voices: the tensions of responding to community expectations in developing a male circumcision program for HIV prevention in Papua New Guinea. <i>BMC Public Health</i> , 2013, 13, 749.	1.2	7
74	A systematic review of heterosexual anal intercourse and its role in the transmission of HIV and other sexually transmitted infections in Papua New Guinea. <i>BMC Public Health</i> , 2013, 13, 1108.	1.2	10
75	Exploring women's perspectives of access to care during pregnancy and childbirth: A qualitative study from rural Papua New Guinea. <i>Midwifery</i> , 2013, 29, 1222-1229.	1.0	22
76	Why Women Object to Male Circumcision to Prevent HIV in a Moderate-Prevalence Setting. <i>Qualitative Health Research</i> , 2013, 23, 180-193.	1.0	14
77	Ethics, Justice and Community Participation in the Microbicides Development Programme (MDP) Phase III Trial in Mwanza, Tanzania. <i>American Journal of Bioethics</i> , 2012, 12, 46-48.	0.5	2
78	A typology of penile cutting in Papua New Guinea: results of a modified Delphi study among sexual health specialists. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 77-86.	0.6	18
79	Vasectomy as a proxy: extrapolating health system lessons to male circumcision as an HIV prevention strategy in Papua New Guinea. <i>BMC Health Services Research</i> , 2012, 12, 299.	0.9	9
80	More than just a cut: a qualitative study of penile practices and their relationship to masculinity, sexuality and contagion and their implications for HIV prevention in Papua New Guinea. <i>BMC International Health and Human Rights</i> , 2012, 12, 10.	2.5	20
81	Operational research to inform a sub-national surveillance intervention for malaria elimination in Solomon Islands. <i>Malaria Journal</i> , 2012, 11, 101.	0.8	32
82	Intravaginal practices and microbicide acceptability in Papua New Guinea: implications for HIV prevention in a moderate-prevalence setting. <i>BMC Research Notes</i> , 2012, 5, 613.	0.6	13
83	Malaria elimination: moving forward with spatial decision support systems. <i>Trends in Parasitology</i> , 2012, 28, 297-304.	1.5	62
84	"Now we are in a different time; various bad diseases have come." understanding men's acceptability of male circumcision for HIV prevention in a moderate prevalence setting. <i>BMC Public Health</i> , 2012, 12, 67.	1.2	28
85	Community participation for malaria elimination in tafea province, vanuatu: part ii. social and cultural aspects of treatment-seeking behaviour. <i>Malaria Journal</i> , 2011, 10, 204.	0.8	29
86	The architecture and effect of participation: a systematic review of community participation for communicable disease control and elimination. Implications for malaria elimination. <i>Malaria Journal</i> , 2011, 10, 225.	0.8	147
87	Malaria elimination in Isabel Province, Solomon Islands: establishing a surveillance-response system to prevent introduction and reintroduction of malaria. <i>Malaria Journal</i> , 2011, 10, 235.	0.8	19
88	Achieving control of cervical cancer in Papua New Guinea: what are the research and program priorities?. <i>Papua and New Guinea Medical Journal</i> , 2011, 54, 83-90.	1.0	3
89	Intravaginal and Menstrual Practices among Women Working in Food and Recreational Facilities in Mwanza, Tanzania: Implications for Microbicide Trials. <i>AIDS and Behavior</i> , 2010, 14, 1169-1181.	1.4	36
90	Baseline spatial distribution of malaria prior to an elimination programme in Vanuatu. <i>Malaria Journal</i> , 2010, 9, 150.	0.8	37

#	ARTICLE	IF	CITATIONS
91	Population screening for glucose-6-phosphate dehydrogenase deficiencies in Isabel Province, Solomon Islands, using a modified enzyme assay on filter paper dried bloodspots. <i>Malaria Journal</i> , 2010, 9, 223.	0.8	31
92	How informed is consent in vulnerable populations? Experience using a continuous consent process during the MDP301 vaginal microbicide trial in Mwanza, Tanzania. <i>BMC Medical Ethics</i> , 2010, 11, 10.	1.0	38
93	Are Women Who Work in Bars, Guesthouses and Similar Facilities a Suitable Study Population for Vaginal Microbicide Trials in Africa?. <i>PLoS ONE</i> , 2010, 5, e10661.	1.1	17
94	The Prevalence of Sexually Transmitted Infections in Papua New Guinea: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2010, 5, e15586.	1.1	65
95	Mapping Malaria Risk in Bangladesh Using Bayesian Geostatistical Models. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 861-867.	0.6	41
96	When the presumption of innocence is not beneficial: periodic presumptive treatment for STIs and HIV in female sex workers. <i>Sexually Transmitted Infections</i> , 2010, 86, 161-162.	0.8	1
97	PRO2000 vaginal gel for prevention of HIV-1 infection (Microbicides Development Programme 301): a phase 3, randomised, double-blind, parallel-group trial. <i>Lancet</i> , The, 2010, 376, 1329-1337.	6.3	311
98	Modern geographical reconnaissance of target populations in malaria elimination zones. <i>Malaria Journal</i> , 2010, 9, 289.	0.8	23
99	A large proportion of asymptomatic Plasmodium infections with low and sub-microscopic parasite densities in the low transmission setting of Temotu Province, Solomon Islands: challenges for malaria diagnostics in an elimination setting. <i>Malaria Journal</i> , 2010, 9, 254.	0.8	243
100	Using serological measures to monitor changes in malaria transmission in Vanuatu. <i>Malaria Journal</i> , 2010, 9, 169.	0.8	130
101	Community participation for malaria elimination in Tafea Province, Vanuatu: Part I. Maintaining motivation for prevention practices in the context of disappearing disease. <i>Malaria Journal</i> , 2010, 9, 93.	0.8	87
102	Comparison of Sexual Behavior Data Collected Using a Coital Diary and a Clinic-Based Interview During a Microbicide Pilot Study in Mwanza, Tanzania. <i>Sexually Transmitted Diseases</i> , 2010, 37, 497-501.	0.8	13
103	Suitability of Simple Human Immunodeficiency Virus Rapid Tests in Clinical Trials in Community-Based Clinic Settings. <i>Journal of Clinical Microbiology</i> , 2009, 47, 1058-1062.	1.8	18
104	Sexual risk behaviour for women working in recreational venues in Mwanza, Tanzania: considerations for the acceptability and use of vaginal microbicide gels. <i>Culture, Health and Sexuality</i> , 2009, 11, 581-595.	1.0	27
105	Microbicides Development Programme: Engaging the community in the standard of care debate in a vaginal microbicide trial in Mwanza, Tanzania. <i>BMC Medical Ethics</i> , 2009, 10, 17.	1.0	19
106	A cluster randomized controlled cross-over bed net acceptability and preference trial in Solomon Islands: community participation in shaping policy for malaria elimination. <i>Malaria Journal</i> , 2009, 8, 298.	0.8	21
107	A qualitative study on the acceptability and preference of three types of long-lasting insecticide-treated bed nets in Solomon Islands: implications for malaria elimination. <i>Malaria Journal</i> , 2009, 8, 119.	0.8	71
108	A model for community representation and participation in HIV prevention trials among women who engage in transactional sex in Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008, 20, 1039-1049.	0.6	41

#	ARTICLE	IF	CITATIONS
109	Treating malaria in pregnancy in developing countries: priorities in clinical research and drug development. <i>Expert Review of Clinical Pharmacology</i> , 2008, 1, 61-72.	1.3	0
110	Validity of coital diaries in a feasibility study for the Microbicides Development Programme trial among women at high risk of HIV/AIDS in Mwanza, Tanzania. <i>Sexually Transmitted Infections</i> , 2007, 83, 490-497.	0.8	21
111	Microbicides Development Program, Tanzaniaâ€™ Baseline Characteristics of an Occupational Cohort and Reattendance at 3 Months. <i>Sexually Transmitted Diseases</i> , 2007, 34, 638-643.	0.8	30
112	Intermittent preventive treatment for malaria in pregnancy in Africa: What's new, what's needed?. <i>Malaria Journal</i> , 2007, 6, 16.	0.8	56
113	The benefits of participatory methodologies to develop effective community dialogue in the context of a microbicide trial feasibility study in Mwanza, Tanzania. <i>BMC Public Health</i> , 2007, 7, 133.	1.2	44
114	Seabather's Eruption in Papua New Guinea. <i>Tropical Doctor</i> , 1998, 28, 53-53.	0.2	1
115	Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the Tj ETQq1 1 0.7843149gBT /Overlock 10	1.0	10