Geraldo W Fernandes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7927710/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Floristic mosaics of the threatened Brazilian campo rupestre. Nature Conservation Research, 2022, 7, .	1.5	7
2	Subtle structures with notâ€soâ€subtle functions: A data set of arthropod constructs and their host plants. Ecology, 2022, 103, e3639.	3.2	2
3	Can our current knowledge and practice allow ecological restoration in the Cerrado?. Anais Da Academia Brasileira De Ciencias, 2022, 94, e20200665.	0.8	2
4	Antiâ€Zika Virus Activity of Plant Extracts Containing Polyphenols and Triterpenes on Vero CCLâ€81 and Human Neuroblastoma SHâ€6Y5Y Cells. Chemistry and Biodiversity, 2022, 19, .	2.1	2
5	Arthropod Constructs and Host Plants. Bulletin of the Ecological Society of America, 2022, 103, .	0.2	0
6	Mycorrhiza fungi application as a successful tool for worldwide mine land restoration: Current state of knowledge and the way forward. Ecological Engineering, 2022, 178, 106580.	3.6	6
7	The role of Baccharis (Asteraceae) shrubs in the short-term restoration of Atlantic rainforest. Nature Conservation Research, 2022, 7, .	1.5	2
8	Experimental manipulation of biotic and abiotic parameters changes the outcome of insect-plant interactions. Basic and Applied Ecology, 2022, 65, 97-108.	2.7	3
9	Free-feeding organisms and galling insects (Hymenoptera) interactions on Caryocar brasiliense (Malpighiales: Caryocaraceae) trees, a savanna plant from Brazil. Brazilian Journal of Biology, 2022, 84, e257975.	0.9	0
10	Imbalance of water potential and photosynthetic efficiency in the parasitic relationship between Struthanthus flexicaulis and Baccharis dracunculifolia. Folia Geobotanica, 2022, 57, 71-82.	0.9	1
11	Efeito da profundidade, estacionalidade e luminosidade no banco de sementes do solo de campo rupestre. Ciencia Florestal, 2022, 32, 880-901.	0.3	1
12	Cerrado conservation is key to the water crisis. Science, 2022, 377, 270-270.	12.6	5
13	Strong floristic distinctiveness across Neotropical successional forests. Science Advances, 2022, 8, .	10.3	10
14	Habitat generalists drive nestedness in a tropical mountaintop insect metacommunity. Biological Journal of the Linnean Society, 2021, 133, 577-586.	1.6	16
15	The effect of fire on seed germination of campo rupestre species in the South American Cerrado. Plant Ecology, 2021, 222, 45-55.	1.6	16
16	Climate and plant structure determine the spatiotemporal butterfly distribution on a tropical mountain. Biotropica, 2021, 53, 191-200.	1.6	14
17	Gallers as leaf rollers: ecosystem engineering in a tropical system and its effects on arthropod biodiversity. Ecological Entomology, 2021, 46, 470-481.	2.2	9
18	From Spanish Flu to Syndemic COVID-19: long-standing sanitarian vulnerability of Manaus, warnings from the Brazilian rainforest gateway. Anais Da Academia Brasileira De Ciencias, 2021, 93, e20210431.	0.8	7

#	Article	IF	CITATIONS
19	Incidence of Galls on Sympatric California Oaks: Ecological and Physiological Perspectives. Diversity, 2021, 13, 20.	1.7	2
20	Effectiveness of Endophytic Fungi from Baccharis dracunculifolia Against Sucking Insect and Fungal Pathogens. , 2021, , 337-349.		4
21	The Program for Biodiversity Research in Brazil: The role of regional networks for biodiversity knowledge, dissemination, and conservation. Anais Da Academia Brasileira De Ciencias, 2021, 93, e20201604.	0.8	9
22	Functional traits of three major invasive grasses in a threatened tropical mountain grassland. Anais Da Academia Brasileira De Ciencias, 2021, 93, e20200119.	0.8	2
23	The Homogenization of two Different Natural Ecosystems by Conversion to Pasture in the Southern Espinhaço, Brazil. Floresta E Ambiente, 2021, 28, .	0.4	0
24	Changes in Epigaeic Ant Assemblage Structure in the Amazon during Successional Processes after Bauxite Mining. Sociobiology, 2021, 68, e4973.	0.5	2
25	Role of environmental filtering and functional traits for species coexistence in a harsh tropical montane ecosystem. Biological Journal of the Linnean Society, 2021, 133, 546-560.	1.6	9
26	Endophytic fungus diversity in soybean plants submitted to conditions of elevated atmospheric CO ₂ and temperature. Canadian Journal of Microbiology, 2021, 67, 290-300.	1.7	4
27	Size matters: larger galls produced by Eutreta xanthochaeta (Diptera: Tephritidae) on Lippia myriocephala (Verbenaceae) predict lower rates of parasitic wasps. Arthropod-Plant Interactions, 2021, 15, 615.	1.1	8
28	Fertilisation with dehydrated sewage sludge affects the phytophagous Hemiptera, tending ants and Sternorrhyncha predators on <scp><i>Acacia mangium</i></scp> (Fabaceae). Annals of Applied Biology, 2021, 179, 345-353.	2.5	5
29	Vegetative Propagation of Schizachyrium tenerum (Poaceae) Under Different Substrates and Environments. Floresta E Ambiente, 2021, 28, .	0.4	2
30	Potential interactions between herbivorous arthropods and of their natural enemies on Caryocar brasiliense (Caryocaraceae) trees. Revista Brasileira De Entomologia, 2021, 65, .	0.4	0
31	Glomalin-Related Soil Protein Reflects the Heterogeneity of Substrate and Vegetation in the campo rupestre Ecosystem. Journal of Soil Science and Plant Nutrition, 2021, 21, 733-743.	3.4	9
32	Functional trait coordination in the ancient and nutrient-impoverished <i>campo rupestre</i> : soil properties drive stem, leaf and architectural traits. Biological Journal of the Linnean Society, 2021, 133, 531-545.	1.6	6
33	Elevated CO ₂ concentration improves the performance of an agricultural pest: a worrisome climate crisis scenario. Entomologia Experimentalis Et Applicata, 2021, 169, 1068-1080.	1.4	2
34	Canopy arthropod diversity associated with Quercus laurina: importance of an oak species diversity gradient on abundance, species richness and guild composition. Journal of Insect Conservation, 2021, 25, 859-874.	1.4	10
35	Disentangling the factors that shape bromeliad and ant communities in the canopies of cocoa agroforestry and preserved Atlantic Forest. Biotropica, 2021, 53, 1698-1709.	1.6	0

Arthropods: Why It Is So Crucial to Know Their Biodiversity?. , 2021, , 3-11.

8

#	Article	IF	CITATIONS
37	VIABILIDADE DO TURISMO DE BASE COMUNITÂRIA NO PARQUE NACIONAL DA SERRA DO CIPÓ/MG. É POSSÃVEL?. Geographia, 2021, 23, .	0.1	0
38	Functional recovery of secondary tropical forests. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	34
39	Topsoil depth influences the recovery of rupestrian grasslands degraded by mining. Revista Brasileira De Ciencia Do Solo, 2021, 45, .	1.3	1
40	Multidimensional tropical forest recovery. Science, 2021, 374, 1370-1376.	12.6	165
41	Endophytic Fungi of Baccharis. , 2021, , 151-169.		1
42	Early plant development depends on embryo damage location: the role of seed size in partial seed predation. Oikos, 2020, 129, 320-330.	2.7	4
43	Ecological interactions among insect herbivores, ants and the host plant <i>Baccharis dracunculifolia</i> in a Brazilian mountain ecosystem. Austral Ecology, 2020, 45, 158-167.	1.5	13
44	Diversity of Gall-Inducing Insects Associated With a Widely Distributed Tropical Tree Species: Testing the Environmental Stress Hypothesis. Environmental Entomology, 2020, 49, 838-847.	1.4	10
45	High Temporal Beta Diversity in an Ant Metacommunity, With Increasing Temporal Functional Replacement Along the Elevational Gradient. Frontiers in Ecology and Evolution, 2020, 8, .	2.2	12
46	Biodiversity and ecosystem services in the Campo Rupestre: A road map for the sustainability of the hottest Brazilian biodiversity hotspot. Perspectives in Ecology and Conservation, 2020, 18, 213-222.	1.9	34
47	The fate of endemic birds of eastern Brazilian mountaintops in the face of climate change. Perspectives in Ecology and Conservation, 2020, 18, 257-266.	1.9	8
48	The mistletoe Struthanthus flexicaulis reduces dominance and increases diversity of plants in campo rupestre. Flora: Morphology, Distribution, Functional Ecology of Plants, 2020, 271, 151690.	1.2	7
49	Positive response of seedlings from an old-growth grassland to soil quality improvement. Revista Brasileira De Botanica, 2020, 43, 1037-1045.	1.3	2
50	Litter decomposition in wet and dry ecosystems of the Brazilian Cerrado. Soil Research, 2020, 58, 371.	1.1	3
51	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. Ecology, 2020, 101, e03128.	3.2	26
52	Environmental drivers of taxonomic and functional diversity of ant communities in a tropical mountain. Insect Conservation and Diversity, 2020, 13, 393-403.	3.0	32
53	Structure and composition of the euglossine bee community along an elevational gradient of rupestrian grassland vegetation. Apidologie, 2020, 51, 675-687.	2.0	6
54	Floristic and functional identity of rupestrian grasslands as a subsidy for environmental restoration and policy. Ecological Complexity, 2020, 43, 100833.	2.9	13

#	Article	IF	CITATIONS
55	Worldwide COVID-19 spreading explained: traveling numbers as a primary driver for the pandemic. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20201139.	0.8	18
56	More is not always better: responses of the endemic plant Vellozia nanuzae to additional nutrients. Acta Botanica Brasilica, 2020, 34, 487-496.	0.8	4
57	The bigger the better? Vigour of the exotic host plant Calotropis procera (Apocynaceae) affects herbivory. Neotropical Biology and Conservation, 2020, 15, 359-366.	0.9	3
58	Severe airport sanitarian control could slow down the spreading of COVID-19 pandemics in Brazil. PeerJ, 2020, 8, e9446.	2.0	28
59	Does environmental diversity affect hymenopteran galling insects and their natural enemies on Caryocar brasiliense trees (Caryocaraceae)?. Revista Colombiana De Entomologia, 2020, 46, e8546.	0.4	Ο
60	Effect of patch size of the exotic host plant Calotropis procera (Apocynaceae) on herbivory. Revista Brasileira De Entomologia, 2020, 64, .	0.4	0
61	Altitudinal variation in butterfly community associated with climate and vegetation. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20190058.	0.8	6
62	Litterfall dynamics along a successional gradient in a Brazilian tropical dry forest. Forest Ecosystems, 2019, 6, .	3.1	41
63	Nurse shrubs to mitigate plant invasion along roads of montane Neotropics. Ecological Engineering, 2019, 136, 193-196.	3.6	10
64	Comment on $\hat{a} \in \infty$ The global tree restoration potential $\hat{a} \in \mathbf{S}$ Science, 2019, 366, .	12.6	185
65	Spatioâ€ŧemporal variation of biotic and abiotic stress agents determines seedling survival in assisted oak regeneration. Journal of Applied Ecology, 2019, 56, 2663-2674.	4.0	19
66	Why Brazil needs its Legal Reserves. Perspectives in Ecology and Conservation, 2019, 17, 91-103.	1.9	81
67	Interaction engineering: Nonâ€ŧrophic effects modify interactions in an insect galler community. Journal of Animal Ecology, 2019, 88, 1168-1177.	2.8	15
68	Riparian vegetation structure and soil variables in Pandeiros river, Brazil. Rodriguesia, 2019, 70, .	0.9	5
69	Beta diversity of aquatic invertebrates increases along an altitudinal gradient in a Neotropical mountain. Biotropica, 2019, 51, 399-411.	1.6	33
70	Community structure of gall-inducing insects associated with a tropical shrub: regional, local and individual patterns. Tropical Ecology, 2019, 60, 74-82.	1.2	17
71	Wet and dry tropical forests show opposite successional pathways in wood density but converge over time. Nature Ecology and Evolution, 2019, 3, 928-934.	7.8	120
72	Ecological restoration as a strategy for mitigating and adapting to climate change: lessons and challenges from Brazil. Mitigation and Adaptation Strategies for Global Change, 2019, 24, 1249-1270.	2.1	93

#	Article	IF	CITATIONS
73	Biodiversity recovery of Neotropical secondary forests. Science Advances, 2019, 5, eaau3114.	10.3	291
74	Induction, engineering, and hijacking of defensive strategies of the host by a gallâ€inducing weevil. Ecology, 2019, 100, e02693.	3.2	2
75	An overview of inventories of gall-inducing insects in Brazil: looking for patterns and identifying knowledge gaps. Anais Da Academia Brasileira De Ciencias, 2019, 91, e20180162.	0.8	17
76	Tropical mountains as natural laboratories to study global changes: A long-term ecological research project in a megadiverse biodiversity hotspot. Perspectives in Plant Ecology, Evolution and Systematics, 2019, 38, 64-73.	2.7	42
77	Nurse plant size and biotic stress determine quantity and quality of plant facilitation in oak savannas. Forest Ecology and Management, 2019, 437, 435-442.	3.2	28
78	Osmotic stress at membrane level and photosystem II activity in two C4 plants after growth in elevated CO ₂ and temperature. Annals of Applied Biology, 2019, 174, 113-122.	2.5	5
79	Arbuscular Mycorrhizal Fungi in the Rhizosphere of Saplings Used in the Restoration of the Rupestrian Grassland. Ecological Restoration, 2019, 37, 152-162.	0.8	6
80	A Humboldtian Approach to Mountain Conservation and Freshwater Ecosystem Services. Frontiers in Environmental Science, 2019, 7, .	3.3	39
81	Fire mediated herbivory and plant defense of a neotropical shrub. Arthropod-Plant Interactions, 2019, 13, 489-498.	1.1	5
82	Ecophysiological performance of four species of Clusiaceae with different modes of photosynthesis in a mosaic of riverine, rupestrian grasslands, and cerrado vegetation in SE-Brazil. Trees - Structure and Function, 2019, 33, 641-652.	1.9	3
83	Soil constraints for arbuscular mycorrhizal fungi spore community in degraded sites of rupestrian grassland: Implications for restoration. European Journal of Soil Biology, 2019, 90, 51-57.	3.2	16
84	Fire? They don't give a dung! The resilience of dung beetles to fire in a tropical savanna. Ecological Entomology, 2019, 44, 315-323.	2.2	14
85	Resilience and restoration of tropical and subtropical grasslands, savannas, and grassy woodlands. Biological Reviews, 2019, 94, 590-609.	10.4	205
86	Incidence of galls on fruits of Parkinsonia praecox and its consequences on structure and physiology traits in a Mexican semi-arid region. Revista Mexicana De Biodiversidad, 2019, 90, .	0.4	4
87	Improvement in light utilization and shoot growth in Hymenaea stigonocarpa under high CO 2 concentration attenuates simulated leaf herbivory effects. Acta Botanica Brasilica, 2019, 33, 558-571.	0.8	3
88	Influência do tamanho e da escarificação dos diásporos na emergência e estabelecimento de Pterodon emarginatus. Pesquisa Florestal Brasileira, 2019, 39, .	0.1	0
89	Multitrophic interactions among fungal endophytes, bees, and Baccharis dracunculifolia: resin tapering for propolis production leads to endophyte infection. Arthropod-Plant Interactions, 2018, 12, 329-337.	1.1	14
90	No recovery of <i>campo rupestre</i> grasslands after gravel extraction: implications for conservation and restoration. Restoration Ecology, 2018, 26, S151.	2.9	26

#	Article	IF	CITATIONS
91	Linking Biodiversity, the Environment and Ecosystem Functioning: Ecological Functions of Dung Beetles Along a Tropical Elevational Gradient. Ecosystems, 2018, 21, 1244-1254.	3.4	22
92	Regenerative potential of the soil seed bank along an elevation gradient of rupestrian grassland in southeastern Brazil. Botany, 2018, 96, 281-298.	1.0	10
93	Embryo size as a tolerance trait against seed predation: Contribution of embryo-damaged seeds to plant regeneration. Perspectives in Plant Ecology, Evolution and Systematics, 2018, 31, 7-16.	2.7	14
94	Patterns of herbivory and leaf morphology in two Mexican hybrid oak complexes: Importance of fluctuating asymmetry as indicator of environmental stress in hybrid plants. Ecological Indicators, 2018, 90, 164-170.	6.3	21
95	Uneven conservation efforts compromise Brazil to meet the Target 11 of Convention on Biological Diversity. Perspectives in Ecology and Conservation, 2018, 16, 43-48.	1.9	23
96	Connection between tree functional traits and environmental parameters in an archipelago of montane forests surrounded by rupestrian grasslands. Flora: Morphology, Distribution, Functional Ecology of Plants, 2018, 238, 51-59.	1.2	24
97	Changes in species composition, vegetation structure, and life forms along an altitudinal gradient of rupestrian grasslands in south-eastern Brazil. Flora: Morphology, Distribution, Functional Ecology of Plants, 2018, 238, 32-42.	1.2	69
98	Forest archipelagos: A natural model of metacommunity under the threat of fire. Flora: Morphology, Distribution, Functional Ecology of Plants, 2018, 238, 244-249.	1.2	24
99	Reproductive biology and floral visitors of Collaea cipoensis (Fabaceae), an endemic shrub of the rupestrian grasslands. Flora: Morphology, Distribution, Functional Ecology of Plants, 2018, 238, 129-137.	1.2	6
100	Longâ€ŧerm monitoring of shrub species translocation in degraded Neotropical mountain grassland. Restoration Ecology, 2018, 26, 91-96.	2.9	31
101	Reproductive phenology of two coâ€occurring Neotropical mountain grasslands. Journal of Vegetation Science, 2018, 29, 15-24.	2.2	29
102	Effects of ferric soils on arthropod abundance and herbivory on Tibouchina heteromalla (Melastomataceae): is fluctuating asymmetry a good indicator of environmental stress?. Plant Ecology, 2018, 219, 69-78.	1.6	7
103	Influence of Flood Levels on the Richness and Abundance of Galling Insects Associated with Trees from Seasonally Flooded Forests of Central Amazonia, Brazil. , 2018, , 99-117.		4
104	Effects of Brazil's Political Crisis on the Science Needed for Biodiversity Conservation. Frontiers in Ecology and Evolution, 2018, 6, .	2.2	45
105	Structural analysis of a fragmented area in Minas Gerais State, Brazil. Anais Da Academia Brasileira De Ciencias, 2018, 90, 3353-3361.	0.8	6
106	Legume abundance along successional and rainfall gradients in Neotropical forests. Nature Ecology and Evolution, 2018, 2, 1104-1111.	7.8	107
107	Global Biodiversity Threatened by Science Budget Cuts in Brazil. BioScience, 2018, 68, 11-12.	4.9	33
108	Together yet separate: variation in soil chemistry determines differences in the arboreal-shrub structure of two contiguous rupestrian environments. Acta Botanica Brasilica, 2018, 32, 578-587.	0.8	11

#	Article	IF	CITATIONS
109	Functional connectivity in urban landscapes promoted by Ramphastos toco (Toco Toucan) and its implications for policy making. Urban Ecosystems, 2018, 21, 1097-1111.	2.4	17
110	Floral antagonists counteract pollinatorâ€mediated selection on attractiveness traits in the hummingbirdâ€pollinated <i>Collaea cipoensis</i> (Fabaceae). Biotropica, 2018, 50, 797-804.	1.6	15
111	The deadly route to collapse and the uncertain fate of Brazilian rupestrian grasslands. Biodiversity and Conservation, 2018, 27, 2587-2603.	2.6	72
112	Species turnover drives β-diversity patterns across multiple spatial scales of plant-galling interactions in mountaintop grasslands. PLoS ONE, 2018, 13, e0195565.	2.5	21
113	Termite Foraging on Plants of a Brazilian Savanna: the Effects of Tree Height. Sociobiology, 2018, 65, 48.	0.5	4
114	Assessing Urban Ecosystem Services. Impact of Meat Consumption on Health and Environmental Sustainability, 2018, , 183-220.	0.4	2
115	Fluctuating asymmetry in leaves and flowers of sympatric species in a tropical montane environment. Plant Species Biology, 2017, 32, 3-12.	1.0	10
116	Differences in leaf nutrients and developmental instability in relation to induced resistance to a gall midge. Arthropod-Plant Interactions, 2017, 11, 163-170.	1.1	4
117	Experimentally reducing species abundance indirectly affects food web structure and robustness. Journal of Animal Ecology, 2017, 86, 327-336.	2.8	24
118	High butterfly beta diversity between Brazilian cerrado and cerrado–caatinga transition zones. Journal of Insect Conservation, 2017, 21, 849-860.	1.4	15
119	Dismantling Brazil's science threatens global biodiversity heritage. Perspectives in Ecology and Conservation, 2017, 15, 239-243.	1.9	60
120	Facilitative effects of tree species on natural regeneration in an endangered biodiversity hotspot. Revista Brasileira De Botanica, 2017, 40, 943-950.	1.3	3
121	A global method for calculating plant <scp>CSR</scp> ecological strategies applied across biomes worldâ€wide. Functional Ecology, 2017, 31, 444-457.	3.6	330
122	Patterns of taxonomic and functional diversity of termites along a tropical elevational gradient. Biotropica, 2017, 49, 186-194.	1.6	32
123	Galling Insects of the Brazilian Páramos: Species Richness and Composition Along High-Altitude Grasslands. Environmental Entomology, 2017, 46, 1243-1253.	1.4	11
124	Understory host plant and insect gall diversity changes across topographic habitats differing in nutrient and water stress in the Brazilian Amazon rainforest. Acta Amazonica, 2017, 47, 237-246.	0.7	6
125	Effects of sex and altitude on nutrient, and carbon and nitrogen stable isotope composition of the endangered shrub Baccharis concinna G.M. Barroso (Asteraceae). Acta Botanica Brasilica, 2017, 31, 229-240.	0.8	2
126	Impacts of mining activities on the potential geographic distribution of eastern Brazil mountaintop endemic species. Perspectives in Ecology and Conservation, 2017, 15, 172-178.	1.9	33

#	Article	IF	CITATIONS
127	Patterns of orchid bee species diversity and turnover among forested plateaus of central Amazonia. PLoS ONE, 2017, 12, e0175884.	2.5	6
128	Diversity of fruit-feeding butterflies in a mountaintop archipelago of rainforest. PLoS ONE, 2017, 12, e0180007.	2.5	20
129	Ecophysiological performance of a threatened shrub under restored and natural conditions in a harsh tropical mountaintop environment. Acta Botanica Brasilica, 2016, 30, 17-26.	0.8	10
130	Effects of a Possible Pollinator Crisis on Food Crop Production in Brazil. PLoS ONE, 2016, 11, e0167292.	2.5	38
131	Features of CAM-cycling expressed in the dry season by terrestrial and epiphytic plants of Clusia arrudae Planchon & Triana in two rupestrian savannas of southeastern Brazil in comparison to the C3-species Eremanthus glomerulatus Less Trees - Structure and Function, 2016, 30, 913-922.	1.9	3
132	Nectar robbing in Collaea cipoensis (Fabaceae), an endemic shrub of the Brazilian rupestrian grasslands. Revista Mexicana De Biodiversidad, 2016, 87, 1352-1355.	0.4	4
133	Neglect of ecosystems services by mining, and the worst environmental disaster in Brazil. Natureza A Conservacao, 2016, 14, 24-27.	2.5	56
134	Seed Germination Ecology in Rupestrian Grasslands. , 2016, , 207-225.		8
135	Phenology Patterns Across a Rupestrian Grassland Altitudinal Gradient. , 2016, , 275-289.		15
136	Challenges in the Restoration of Quartzitic and Ironstone Rupestrian Grasslands. , 2016, , 449-477.		17
137	Cerrado to Rupestrian Grasslands: Patterns of Species Distribution and the Forces Shaping Them Along an Altitudinal Gradient. , 2016, , 345-377.		30
138	Arbuscular Mycorrhiza and Endophytic Fungi in Ruspestrian Grasslands. , 2016, , 157-179.		6
139	The Megadiverse Rupestrian Grassland. , 2016, , 3-14.		42
140	Antagonistic Interactions in the Rupestrian Grasslands: New Insights and Perspectives. , 2016, , 315-343.		1
141	Rupestrian Grassland: Past, Present and Future Distribution. , 2016, , 531-544.		11
142	The Shady Future of the Rupestrian Grassland: Major Threats to Conservation and Challenges in the Anthropocene. , 2016, , 545-561.		11
143	Archipelago of Montane Forests Surrounded by Rupestrian Grasslands: New Insights and Perspectives. , 2016, , 129-156.		17
144	Integrating ecosystem functions into restoration ecology—recent advances and future directions. Restoration Ecology, 2016, 24, 722-730.	2.9	140

#	Article	IF	CITATIONS
145	Emissions from cattle farming in Brazil. Nature Climate Change, 2016, 6, 893-894.	18.8	4
146	Afforestation of savannas: an impending ecological disaster. Natureza A Conservacao, 2016, 14, 146-151.	2.5	44
147	Diversity of Hemiptera (Arthropoda: Insecta) and Their Natural Enemies on <i>Caryocar brasiliense</i> (Malpighiales: Caryocaraceae) Trees in the Brazilian Cerrado. Florida Entomologist, 2016, 99, 239-247.	0.5	15
148	Deep into the mud: ecological and socio-economic impacts of the dam breach in Mariana, Brazil. Natureza A Conservacao, 2016, 14, 35-45.	2.5	226
149	Galling Insect Species Richness and Leaf Herbivory in an Abrupt Transition Between Cerrado and Tropical Dry Forest. Annals of the Entomological Society of America, 2016, 109, 705-712.	2.5	7
150	Forces driving the regeneration component of a rupestrian grassland complex along an altitudinal gradient. Revista Brasileira De Botanica, 2016, 39, 845-860.	1.3	16
151	Ecology and evolution of plant diversity in the endangered campo rupestre: a neglected conservation priority. Plant and Soil, 2016, 403, 129-152.	3.7	467
152	Manipulation of host plant cells and tissues by gall-inducing insects and adaptive strategies used by different feeding guilds. Journal of Insect Physiology, 2016, 84, 103-113.	2.0	133
153	Ants in Burned and Unburned Areas in Campos Rupestres Ecosystem. Sociobiology, 2016, 63, 628.	0.5	7
154	Dung Beetles along a Tropical Altitudinal Gradient: Environmental Filtering on Taxonomic and Functional Diversity. PLoS ONE, 2016, 11, e0157442.	2.5	97
155	Mechanisms Driving Galling Success in a Fragmented Landscape: Synergy of Habitat and Top-Down Factors along Temperate Forest Edges. PLoS ONE, 2016, 11, e0157448.	2.5	4
156	Diversity of germination strategies and seed dormancy in herbaceous species of <i>campo rupestre</i> grasslands. Austral Ecology, 2015, 40, 537-546.	1.5	75
157	Predicting the impact of increasing carbon dioxide concentration and temperature on seed germination and seedling establishment of African grasses in Brazilian Cerrado. Austral Ecology, 2015, 40, 962-973.	1.5	4
158	Hemiparasitism effect on Baccharis dracunculifolia DC. and consequences to its major galling herbivore. Acta Botanica Brasilica, 2015, 29, 339-345.	0.8	6
159	Patterns of Leaf Biochemical and Structural Properties of Cerrado Life Forms: Implications for Remote Sensing. PLoS ONE, 2015, 10, e0117659.	2.5	44
160	A relict species restricted to a quartzitic mountain in tropical America: an example of microrefugium?. Acta Botanica Brasilica, 2015, 29, 299-309.	0.8	34
161	Growing straight versus growing decumbent: soil quality and allometry in Syagrus glaucescens Becc. (Arecaceae), an endemic and threatened palm of the Espinha§o Mountains, Brazil. Acta Botanica Brasilica, 2015, 29, 417-424.	0.8	2
162	Costs and benefits of reproducing under unfavorable conditions: an integrated view of ecological and physiological constraints in a cerrado shrub. Plant Ecology, 2015, 216, 963-974.	1.6	5

#	Article	IF	CITATIONS
163	Where Tree Planting and Forest Expansion are Bad for Biodiversity and Ecosystem Services. BioScience, 2015, 65, 1011-1018.	4.9	298
164	Genetic diversity and structure of the tree Enterolobium contortisiliquum (Fabaceae) associated with remnants of a seasonally dry tropical forest. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 210, 40-46.	1.2	12
165	Tyranny of trees in grassy biomes. Science, 2015, 347, 484-485.	12.6	140
166	Biodiversity of endophytic fungi in different leaf ages of Calotropis procera and their antimicrobial activity. Fungal Ecology, 2015, 14, 79-86.	1.6	53
167	Physiological approaches to determine the impact of climate changes on invasive African grasses in the savanna ecoregion of Brazil. Environmental Earth Sciences, 2015, 74, 3077-3088.	2.7	8
168	Variation of arbuscular mycorrhizal fungal communities along an altitudinal gradient in rupestrian grasslands in Brazil. Mycorrhiza, 2015, 25, 627-638.	2.8	68
169	Toward an oldâ€growth concept for grasslands, savannas, and woodlands. Frontiers in Ecology and the Environment, 2015, 13, 154-162.	4.0	349
170	Environmental control of seed dormancy and germination of Mimosa calodendron (Fabaceae): implications for ecological restoration of a highly threatened environment. Revista Brasileira De Botanica, 2015, 38, 395-399.	1.3	14
171	Vegetation composition and structure of some Neotropical mountain grasslands in Brazil. Journal of Mountain Science, 2015, 12, 864-877.	2.0	56
172	Growth and performance of rupestrian grasslands native species in quartzitic degraded areas. Neotropical Biology and Conservation, 2015, 10, .	0.9	7
173	Variation in the Degree of Pectin Methylesterification during the Development of Baccharis dracunculifolia Kidney-Shaped Gall. PLoS ONE, 2014, 9, e94588.	2.5	31
174	Unexpected High Diversity of Galling Insects in the Amazonian Upper Canopy: The Savanna Out There. PLoS ONE, 2014, 9, e114986.	2.5	40
175	Challenges for the conservation of vanishing megadiverse rupestrian grasslands. Natureza A Conservacao, 2014, 12, 162-165.	2.5	84
176	Carbon dioxide-enriched atmosphere enhances biomass accumulation and meristem production in the pioneer shrub Baccharis dracunculifolia (Asteraceae). Acta Botanica Brasilica, 2014, 28, 646-650.	0.8	9
177	Neotropical Insect Galls: Status of Knowledge and Perspectives. , 2014, , 1-14.		12
178	The role of native woody species in the restoration of <scp><i>Campos Rupestres</i></scp> in quarries. Applied Vegetation Science, 2014, 17, 109-120.	1.9	44
179	CSR analysis of plant functional types in highly diverse tropical grasslands of harsh environments. Plant Ecology, 2014, 215, 379-388.	1.6	103
180	Phenology of riparian tree species in a transitional region in southeastern Brazil. Revista Brasileira De Botanica, 2014, 37, 47-59.	1.3	22

#	Article	IF	CITATIONS
181	Restoration of <scp>N</scp> eotropical grasslands degraded by quarrying using hay transfer. Applied Vegetation Science, 2014, 17, 482-492.	1.9	86
182	Insect Herbivores and Leaf Damage along Successional and Vertical Gradients in a Tropical Dry Forest. Biotropica, 2014, 46, 14-24.	1.6	62
183	Relationship between physical and chemical soil attributes and plant species diversity in tropical mountain ecosystems from Brazil. Journal of Mountain Science, 2014, 11, 875-883.	2.0	26
184	Baccharis: A Neotropical Model System to Study Insect Plant Interactions. , 2014, , 193-219.		9
185	Galls in Brazilian Mountains: New Reports and Perspectives. , 2014, , 273-293.		1
186	Galling Insects in the Pantanal Wetland and Amazonian Rainforest. , 2014, , 377-403.		4
187	Bottom-Up Effects on Gall Distribution. , 2014, , 99-113.		10
188	Galling Insects as Indicators of Habitat Quality. , 2014, , 143-150.		10
189	Galls from Brazilian Atlantic Forest: Status of Knowledge and Perspectives. , 2014, , 363-376.		2
190	Galls from Brazilian Tropical Dry Forests: Status of Knowledge and Perspectives. , 2014, , 405-427.		1
191	Natural Selection on a Tropical System: Gall-Size Distribution on Waltheria indica (Malvaceae). , 2014, , 115-128.		2
192	Nematode-induced galls inMiconia albicans: effect of host plant density and correlations with performance. Plant Species Biology, 2013, 28, 63-69.	1.0	19
193	Seed and Seedling Ecophysiology of Neotropical Melastomataceae: Implications for Conservation and Restoration of Savannas and Rainforests ¹ . Annals of the Missouri Botanical Garden, 2013, 99, 82-99.	1.3	41
194	The effect of fluctuating asymmetry and leaf nutrients on gall abundance and survivorship. Basic and Applied Ecology, 2013, 14, 489-495.	2.7	28
195	Tri-trophic interactions among congeneric sympatric host plants of Chamaecrista, seed predators and parasitoids. Arthropod-Plant Interactions, 2013, 7, 403-413.	1.1	2
196	The role of pectic composition of cell walls in the determination of the new shape-functional design in galls of Baccharis reticularia (Asteraceae). Protoplasma, 2013, 250, 899-908.	2.1	31
197	Patterns of herbivory and fluctuating asymmetry in Solanum lycocarpum St. Hill (Solanaceae) along an urban gradient in Brazil. Ecological Indicators, 2013, 24, 557-561.	6.3	49
198	Fluctuating asymmetry and herbivory in two ontogenetical stages of <i>Chamaecrista semaphora</i> in restored and natural environments. Journal of Plant Interactions, 2013, 8, 179-186.	2.1	11

#	Article	IF	CITATIONS
199	Seasonal Abundance of Galling Insects (Hymenoptera) on <i>Caryocar brasiliense</i> (Malpighiales:) Tj ETQq1 1 0.	784314 rg 0.5	gBT /Overlo
200	Is the São Francisco River a geographic barrier to gene flow in trees of Handroanthus ochraceus?. Journal of Tropical Ecology, 2013, 29, 243-250.	1.1	3
201	Gall-inducing insects from Serra do Cabral, Minas Gerais, Brazil. Biota Neotropica, 2013, 13, 102-109.	1.0	27
202	Fenologia reprodutiva e vegetativa de arbustos endêmicos de campo rupestre na Serra do CipÃ3, Sudeste do Brasil. Rodriguesia, 2013, 64, 817-828.	0.9	19
203	Estádio de adaptação de Spodoptera frugiperda (J. E. Smith) (Lepidoptera: Noctuidae) em hospedeiros alternativos. Bragantia, 2013, 72, 61-70.	1.3	35
204	Gall-inducing insects from Campos de Altitude, Brazil. Biota Neotropica, 2013, 13, 139-151.	1.0	18
205	Chinese Economic Growth: Implications for Brazilian Conservation Policies. Natureza A Conservacao, 2013, 11, 88-91.	2.5	7
206	Species-specific outcomes of avian gut passage on germination of Melastomataceae seeds. Plant Ecology and Evolution, 2012, 145, 350-355.	0.7	21
207	Differential Female Attack and Larval Performance of a Galling Cecidomyiid on the Host, <i>Astronium fraxinifolium</i> (Anacardiaceae), in Contrasting Habitats. Entomological News, 2012, 122, 10-21.	0.2	9
208	The mosaic of habitats in the high-altitude Brazilian rupestrian fields is a hotspot for arbuscular mycorrhizal fungi. Applied Soil Ecology, 2012, 52, 9-19.	4.3	133
209	Galls from Calliandra brevipes BENTH (Fabaceae : Mimosoidae): evidence of apyrase activity contribution in a plant - insect interaction. Australian Journal of Botany, 2012, 60, 559.	0.6	9
210	Habitat Complexity and <i>Caryocar brasiliense</i> Herbivores (Insecta: Arachnida: Araneae). Florida Entomologist, 2012, 95, 819-830.	0.5	25
211	Seasonal Abundance of Hemipterans on <i>Caryocar brasiliense</i> (Malpighiales: Caryocaraceae) Trees in the Cerrado. Florida Entomologist, 2012, 95, 862-872.	0.5	19
212	Evolution of physiological dormancy multiple times in Melastomataceae from Neotropical montane vegetation. Seed Science Research, 2012, 22, 37-44.	1.7	53
213	Misleading herbivory in a tropical tree. Arthropod-Plant Interactions, 2012, 6, 649-654.	1.1	8
214	Economic Environmental Management Tools in the Serra Do Espinhaço Biosphere Reserve. Journal of Sustainable Development, 2012, 5, .	0.3	1
215	Relationships between endophyte diversity and leaf optical properties. Trees - Structure and Function, 2012, 26, 291-299.	1.9	81
216	Does seed germination contribute to ecological breadth and geographic range? A test with sympatric <i>Diplusodon </i> (Lythraceae) species from rupestrian fields. Plant Species Biology, 2012, 27, 170-173.	1.0	14

#	Article	IF	CITATIONS
217	Plant Phenology and Absence of Sex-Biased Gall Attack on Three Species of Baccharis. PLoS ONE, 2012, 7, e46896.	2.5	28
218	Fenologia reprodutiva, sazonalidade e germinação de Kielmeyera regalis Saddi (Clusiaceae), espécie endêmica dos campos rupestres da Cadeia do Espinhaço, Brasil. Acta Botanica Brasilica, 2012, 26, 632-641.	0.8	14
219	Gall-inducing insects from Atlantic Forest of Pernambuco, Northeastern Brazil. Biota Neotropica, 2012, 12, 196-212.	1.0	24
220	Caracterização fÃsico-quÃmica de solos quartzÃticos degradados e áreas adjacentes de campo rupestre na Serra do CipÃ3, MG, Brasil. Neotropical Biology and Conservation, 2012, 6, .	0.9	6
221	Contrasting herbivory patterns and leaf fluctuating asymmetry in <i>Heliocarpus pallidus</i> between different habitat types within a Mexican tropical dry forest. Journal of Tropical Ecology, 2011, 27, 383-391.	1.1	31
222	Protein content and electrophoretic profile of insect galls on susceptible and resistant host plants of Bauhinia brevipes Vogel (Fabaceae). Australian Journal of Botany, 2011, 59, 509.	0.6	12
223	FlorÃstica e caracterização de uma área de campo ferruginoso no Complexo Minerário Alegria, Serra de Antônio Pereira, Ouro Preto, Minas Gerais, Brasil. Revista Arvore, 2011, 35, 1265-1275.	0.5	10
224	Spatial distribution of a spherical gall (Hymenoptera, Eulophidae) on Caryocar brasiliense (Caryocaraceae). Revista Brasileira De Entomologia, 2011, 55, 396-400.	0.4	12
225	Richness of gall-inducing insects in the tropical dry forest (caatinga) of Pernambuco. Revista Brasileira De Entomologia, 2011, 55, 45-54.	0.4	52
226	Test of hypotheses about herbivory and chemical defences of Qualea parviflora (Vochysiaceae) in Brazilian Cerrado. Revista Brasileira De Botanica, 2011, 34, 223-230.	1.3	9
227	Distribution of the endophytic fungi community in leaves of Bauhinia brevipes (Fabaceae). Acta Botanica Brasilica, 2011, 25, 815-821.	0.8	26
228	Abundance of gall-inducing insect species in sclerophyllous savanna: understanding the importance of soil fertility using an experimental approach. Journal of Tropical Ecology, 2011, 27, 631-640.	1.1	20
229	Caatinga: The Scientific Negligence Experienced by a Dry Tropical Forest. Tropical Conservation Science, 2011, 4, 276-286.	1.2	199
230	Effects of generalist and specialist parasitic plants (Loranthaceae) on the fluctuating asymmetry patterns of ruprestrian host plants. Basic and Applied Ecology, 2011, 12, 449-455.	2.7	26
231	Hail impact on leaves and endophytes of the endemic threatened Coccoloba cereifera (Polygonaceae). Plant Ecology, 2011, 212, 1687-1697.	1.6	24
232	Induced responses in the neotropical shrub Bauhinia brevipes Vogel: does early season herbivory function as cue to plant resistance?. Arthropod-Plant Interactions, 2011, 5, 245-253.	1.1	3
233	Tri-trophic level interactions affect host plant development and abundance of insect herbivores. Arthropod-Plant Interactions, 2011, 5, 351-357.	1.1	16
234	Insect herbivores associated with Baccharis dracunculifolia(Asteraceae): responses of gall-forming and free-feeding insects to latitudinal variation. Revista De Biologia Tropical, 2011, .	0.4	3

#	Article	IF	CITATIONS
235	Insect herbivores associated with Baccharis dracunculifolia (Asteraceae): responses of gall-forming and free-feeding insects to latitudinal variation. Revista De Biologia Tropical, 2011, 59, 1419-32.	0.4	18
236	Interactions of gall-forming species at different plant spatial scales. Arthropod-Plant Interactions, 2010, 4, 247-255.	1.1	3
237	Distribution of non-native invasive species and soil properties in proximity to paved roads and unpaved roads in a quartzitic mountainous grassland of southeastern Brazil (rupestrian fields). Biological Invasions, 2010, 12, 3745-3755.	2.4	86
238	Spatial genetic structure of Coccoloba cereifera (Polygonaceae), a critically endangered microendemic species of Brazilian rupestrian fields. Conservation Genetics, 2010, 11, 1247-1255.	1.5	24
239	Influence of Brazilian herbal regulations on the use and conservation of native medicinal plants. Environmental Monitoring and Assessment, 2010, 164, 369-377.	2.7	19
240	Canopy Herbivory and Insect Herbivore Diversity in a Dry Forest–Savanna Transition in Brazil. Biotropica, 2010, 42, 112-118.	1.6	56
241	A new species of Bruggmanniella (Diptera, Cecidomyiidae, Asphondyliini) associated with Doliocarpus dentatus (Dilleniaceae) in Brazil. Revista Brasileira De Entomologia, 2010, 54, 225-228.	0.4	5
242	Two new species of Lopesia Rübsaamen (Diptera, Cecidomyiidae) associated with Mimosa hostilis (Mimosaceae) in Brazil. Revista Brasileira De Entomologia, 2010, 54, 578-583.	0.4	13
243	Seed germination ecophysiology of the wild pineapple, Ananas ananassoides (Baker) L.B.Sm. (Bromeliaceae). Acta Botanica Brasilica, 2010, 24, 1100-1103.	0.8	6
244	Insect Herbivores of <i>Coccoloba cereifera</i> Do Not Select Asymmetric Plants. Environmental Entomology, 2010, 39, 849-855.	1.4	23
245	Gall-Inducing Insect Species Richness as Indicators of Forest Age and Health. Environmental Entomology, 2010, 39, 1134-1140.	1.4	33
246	Mediation of herbivore attack and induced resistance by plant vigor and ontogeny. Acta Oecologica, 2010, 36, 617-625.	1.1	12
247	Pattern of attack of a galling insect reveals an unexpected preference-performance linkage on medium-sized resources. Revista Brasileira De Entomologia, 2010, 54, 96-103.	0.4	5
248	Efeito do fogo na fenologia de Syagrus glaucescens Glaz. ex Becc. (Arecaceae). Neotropical Biology and Conservation, 2010, 5, 146-153.	0.3	10
249	Successional and Seasonal Changes in a Community of Dung Beetles (Coleoptera: Scarabaeinae) in a Brazilian Tropical Dry Forest. Natureza A Conservacao, 2010, 08, 160-164.	2.5	51
250	Are gall midge species (Diptera, Cecidomyiidae) host-plant specialists?. Revista Brasileira De Entomologia, 2009, 53, 365-378.	0.4	124
251	Within tree distribution of a gall-inducing Eurytoma (Hymenoptera, Eurytomidae) on Caryocar brasiliense (Caryocaraceae). Revista Brasileira De Entomologia, 2009, 53, 643-648.	0.4	25
252	A new genus and species of gall midge (Diptera, Cecidomyiidae) associated with Myrcia retorta (Myrtaceae). Revista Brasileira De Entomologia, 2009, 53, 38-40.	0.4	5

#	Article	IF	CITATIONS
253	Anatomical and developmental aspects of leaf galls induced by Schizomyia macrocapillata Maia (Diptera: Cecidomyiidae) on Bauhinia brevipes Vogel (Fabaceae). Revista Brasileira De Botanica, 2009, 32, 319-327.	1.3	24
254	Call inducing arthropods from a seasonally dry tropical forest in Serra do Cipó, Brazil. Revista Brasileira De Entomologia, 2009, 53, 404-414.	0.4	44
255	Insetos indutores de galhas da porção sul da Cadeia do Espinhaço, Minas Gerais, Brasil. Revista Brasileira De Entomologia, 2009, 53, 570-592.	0.4	70
256	Ants on plants: a meta-analysis of the role of ants as plant biotic defenses. Oecologia, 2009, 160, 537-549.	2.0	321
257	Changes in tree and liana communities along a successional gradient in a tropical dry forest in south-eastern Brazil. Plant Ecology, 2009, 201, 291-304.	1.6	130
258	Sustainability of tropical dry forests: Two case studies in southeastern and central Brazil. Forest Ecology and Management, 2009, 258, 922-930.	3.2	50
259	Succession and management of tropical dry forests in the Americas: Review and new perspectives. Forest Ecology and Management, 2009, 258, 1014-1024.	3.2	260
260	Fragmentation and spatial genetic structure in Tabebuia ochracea (Bignoniaceae) a seasonally dry Neotropical tree. Forest Ecology and Management, 2009, 258, 2690-2695.	3.2	30
261	Seedling growth and biomass allocation of endemic and threatened shrubs of rupestrian fields. Acta Oecologica, 2009, 35, 301-310.	1.1	40
262	Tropical dry forest succession and the contribution of lianas to wood area index (WAI). Forest Ecology and Management, 2009, 258, 941-948.	3.2	38
263	Asphondylia fructicola, a new species of Cecidomyiidae (Diptera) associated with Solanum sp. (Solanaceae) from Brazil. Revista Brasileira De Entomologia, 2009, 53, 166-170.	0.4	6
264	Seedling growth of the invader Calotropis procera in ironstone rupestrian field and seasonally dry forest soils. Neotropical Biology and Conservation, 2009, 4, 69-76.	0.3	16
265	Influência dos fungos endofÃticos sobre os herbÃvoros de Baccharis dracunculifolia (Asteraceae). Neotropical Biology and Conservation, 2009, 4, 83-88.	0.3	8
266	Long term oviposition preference and larval performance of Schizomyia macrocapillata (Diptera:) Tj ETQq0 0 0 r 2008, 22, 123-137.	gBT /Overlo 1.2	ock 10 Tf 50 51
267	Plant organ abscission and the green island effect caused by gallmidges (Cecidomyiidae) on tropical trees. Arthropod-Plant Interactions, 2008, 2, 93-99.	1.1	18
268	Size does matter: variation in herbivory between and within plants and the plant vigor hypothesis. Oikos, 2008, 117, 1121-1130.	2.7	170
269	Isolation and characterization of microsatellite loci in <i>Coccoloba cereifera</i> (Polygonaceae), an endangered species endemic to the Serra do Cipó, Brazil. Molecular Ecology Resources, 2008, 8, 854-856.	4.8	8
270	Relationships between host plant architecture and gall abundance and survival. Revista Brasileira De Entomologia, 2008, 52, 78-81.	0.4	24

#	Article	IF	CITATIONS
271	Trioecy in Coccoloba cereifera Schwacke (Polygonaceae), a narrow endemic and threatened tropical species. Brazilian Archives of Biology and Technology, 2008, 51, 1003-1010.	0.5	16
272	A 15-year post evaluation of the fire effects on ant community in an area of Amazonian forest. Revista Brasileira De Entomologia, 2008, 52, 82-87.	0.4	13
273	Isolation and characterization of microsatellite loci in Coccoloba cereifera (Polygonaceae), an endangered species endemic to the Serra do Cipó, Brazil. Molecular Ecology Resources, 2008, .	4.8	0
274	The potential of natural regeneration of rocky outcrop vegetation on rupestrian field soils in "Serra do CipÃ3", Brazil. Revista Brasileira De Botanica, 2007, 30, 665-678.	1.3	44
275	Physiological ecology of photosynthesis of five sympatric species of Velloziaceae in the rupestrian fields of Serra do Cipó, Minas Gerais, Brazil. Flora: Morphology, Distribution, Functional Ecology of Plants, 2007, 202, 637-646.	1.2	37
276	Genetic variation in two Chamaecrista species (Leguminosae), one endangered and narrowly distributed and another widespread in the Serra do Espinhaço, Brazil. Canadian Journal of Botany, 2007, 85, 629-636.	1.1	18
277	Ethical abuses in the authorship of scientific papers. Revista Brasileira De Entomologia, 2007, 51, 1-5.	0.4	4
278	Plant architecture and meristem dynamics as the mechanisms determining the diversity of gall-inducing insects. Oecologia, 2007, 153, 353-364.	2.0	83
279	Myrciariamyia admirabilis, a new species of gall midge (Diptera, Cecidomyiidae) associated with Erythroxylum suberosum (Erythroxylaceae). Zootaxa, 2007, 1554, 41-48.	0.5	3
280	Impact of a gall midge Parkiamyia paraensis (Diptera, Cecidomyiidae) on the Amazonian plant Parkia pendula (Fabaceae). Revista Brasileira De Entomologia, 2007, 51, 471-475.	0.4	5
281	Efeito do AIB sobre a qualidade e fitossanidade dos alporques de influência da Caryocar brasiliense Camb (caryocaraceae). Revista Arvore, 2007, 31, 315-320.	0.5	18
282	Influence of Apion sp. (Brentidae, Apioninae) stem-galls on induced resistance and leaf area of Diospyros hispida (Ebenaceae). Revista Brasileira De Entomologia, 2006, 50, 433-435.	0.4	9
283	Distribution and frequency of galls induced by Anisodiplosis waltheriae Maia (Diptera: Cecidomyiidae) on the invasive plant Waltheria indica L. (Sterculiaceae). Neotropical Entomology, 2006, 35, 435-439.	1.2	9
284	Sex-mediated herbivory by galling insects on Baccharis concinna (Asteraceae). Revista Brasileira De Entomologia, 2006, 50, 394-398.	0.4	18
285	Processes Driving Ontogenetic Succession of Galls in a Canopy Tree1. Biotropica, 2006, 38, 514-521.	1.6	35
286	Sclerophylly in Qualea Parviflora (Vochysiaceae): Influence of Herbivory, Mineral Nutrients, and Water Status. Plant Ecology, 2006, 187, 153-162.	1.6	24
287	Ants and their effects on an insect herbivore community associated with the inflorescences of Byrsonima crassifolia (Linnaeus) H.B.K. (Malpighiaceae). Revista Brasileira De Entomologia, 2005, 49, 264-269.	0.4	20
288	Two new species of Asphondyliini (Diptera: Cecidomyiidae) Âassociated with Bauhinia brevipes (Fabaceae) in Brazil. Zootaxa, 2005, 1091, 27–40.	0.5	19

#	Article	IF	CITATIONS
289	A new genus and species of gall midge (Diptera: Cecidomyiidae) associated with Waltheria indica L. (Sterculiaceae). Zootaxa, 2005, 1060, 27–36.	0.5	7
290	Insetos galhadores associados a duas espécies de plantas invasoras de Ã;reas urbanas e peri-urbanas. Revista Brasileira De Entomologia, 2005, 49, 97-106.	0.4	28
291	Direct and indirect interactions involving ants, insect herbivores, parasitoids, and the host plant Baccharis dracunculifolia (Asteraceae). Ecological Entomology, 2005, 30, 28-35.	2.2	54
292	Influência da luz e da temperatura na germinação de sementes de Marcetia taxifolia (A. StHil.) DC. (Melastomataceae). Acta Botanica Brasilica, 2004, 18, 847-851.	0.8	24
293	Effects of Genetic Variability and Habitat of Qualea parviflora (Vochysiaceae) on Herbivory by Free-feeding and Gall-forming Insects. Annals of Botany, 2004, 94, 259-268.	2.9	21
294	Effects of Hygrothermal Stress, Plant Richness, and Architecture on Mining Insect Diversity. Biotropica, 2004, 36, 240-247.	1.6	19
295	POLLINATOR PREFERENCES FOR NICOTIANA ALATA, N. FORGETIANA, AND THEIR F1HYBRIDS. Evolution; International Journal of Organic Evolution, 2004, 58, 2634-2644.	2.3	64
296	Parasitoid attack and its consequences to the development of the galling psyllid Baccharopelma dracunculifoliae. Basic and Applied Ecology, 2004, 5, 475-484.	2.7	24
297	The distribution of genetic variability in Baccharis concinna (Asteraceae), an endemic, dioecious and threatened shrub of rupestrian fields of Brazil. Conservation Genetics, 2004, 5, 157-165.	1.5	11
298	Effects of Hygrothermal Stress, Plant Richness, and Architecture on Mining Insect Diversity1. Biotropica, 2004, 36, 240.	1.6	18
299	Foraging patterns of the leaf-cutter ant Atta laevigata (Smith) (Myrmicinae: Attini) in an area of cerrado vegetation. Neotropical Entomology, 2004, 33, 391-393.	1.2	12
300	Hypersensitivity of Fagus sylvatica L. against leaf galling insects. Trees - Structure and Function, 2003, 17, 407-411.	1.9	31
301	Local and regional spatial distribution of an eruptive and a latent herbivore insect species. Austral Ecology, 2003, 28, 99-107.	1.5	13
302	Sexual Differences in Reproductive Phenology and their Consequences for the Demography of Baccharis dracunculifolia (Asteraceae), a Dioecious Tropical Shrub. Annals of Botany, 2003, 91, 13-19.	2.9	90
303	Galling Insects (Diptera: Cecidomyiidae) Survive Inundation during Host Plant Flooding in Central Amazonia1. Biotropica, 2003, 35, 115.	1.6	3
304	Evidence for a stress hypothesis: hemiparasitism effect on the colonization of Alchornea	0.7	6
305	Germinação de sementes de Lavoisiera cordata Cogn. e Lavoisiera francavillana Cogn. (Melastomataceae), espécies simpátricas da Serra do Cipó, Brasil. Acta Botanica Brasilica, 2003, 17, 523-530.	0.8	22
306	Efeitos do sexo, do vigor e do tamanho da planta hospedeira sobre a distribuição de insetos indutores de galhas em Baccharis pseudomyriocephala Teodoro (Asteraceae). Revista Brasileira De Entomologia, 2003, 47, 483-490.	0.4	27

#	Article	IF	CITATIONS
307	Plant Resistance Against Gall-forming Insects: The Role of Hypersensitivity. , 2002, , 137-152.		15
308	Tests of hypotheses on patterns of gall distribution along an altitudinal gradient. Tropical Zoology, 2002, 15, 219-232.	0.6	64
309	Host plant effects on the development and survivorship of the galling insect Neopelma baccharidis (Homoptera: Psyllidae). Austral Ecology, 2002, 27, 249-257.	1.5	24
310	Vigour of a dioecious shrub and attack by a galling herbivore. Ecological Entomology, 2001, 26, 37-45.	2.2	61
311	Bird species distribution and conservation in Serra do Cip \tilde{A}^3 , Minas Gerais, Brazil. Bird Conservation International, 2001, 11, .	1.3	12
312	Comunidades de insetos galhadores (Insecta) em diferentes fisionomias do cerrado em Minas Gerais, Brasil. Revista Brasileira De Zoologia, 2001, 18, 289-305.	0.5	60
313	The occurrence and effectiveness of hypersensitive reaction against galling herbivores across host taxa. Ecological Entomology, 2001, 26, 46-55.	2.2	86
314	Induced defences in the neotropical tree Bauhinia brevipes (Vog.) to herbivory: effects of damage-induced changes on leaf quality and insect attack. Trees - Structure and Function, 2001, 15, 236-241.	1.9	21
315	Host plant response and phenotypic plasticity of a galling weevil (Collabismus clitellae:) Tj ETQq1 1 0.784314 rg	BT /Qverlo 1.5	ck <u>10</u> Tf 50 4
316	Defence, growth and nutrient allocation in the tropical shrub Bauhinia brevipes (Leguminosae). Austral Ecology, 2001, 26, 246-253.	1.5	41
317	Title is missing!. Biodiversity and Conservation, 2001, 10, 79-98.	2.6	138
318	Tadpole distribution within montane meadow streams at the Serra do Cipó, southeastern Brazil: ecological or phylogenetic constraints?. Journal of Tropical Ecology, 2001, 17, 683-693.	1.1	33
319	Leaf Gall Abundance on Avicennia germinans (Avicenniaceae) along an Interstitial Salinity Gradient1. Biotropica, 2001, 33, 69.	1.6	21
320	Patterns of attack by herbivores on the tropical shrub Bauhinia brevipes (Leguminosae): Vigour or chance?. European Journal of Entomology, 2001, 98, 37-40.	1.2	28
321	Patterns of abundance of a narrow endemic species in a tropical and infertile montane habitat. Plant Ecology, 2000, 147, 205-217.	1.6	73
322	Response of the galling insect Aciurina trixa Curran (Diptera: Tephritidae) to host plant quality. Neotropical Entomology, 2000, 29, 423-431.	0.2	3
323	Cynipid gall growth dynamics and enemy attack: effects of gall size, toughness and thickness. Neotropical Entomology, 1999, 28, 211-218.	0.2	4
324	Tannins in Baccharis dracunculifolia (Asteraceae): effects of seasonality, water availability and plant sex. Acta Botanica Brasilica, 1999, 13, 167-174.	0.8	15

#	Article	IF	CITATIONS
325	Ant effects on three-trophic level interactions: plant, galls, and parasitoids. Ecological Entomology, 1999, 24, 411-415.	2.2	40
326	Reproductive phenology of sympatric taxa of Chamaecrista (Leguminosae) in Serra do Cipó, Brazil. Journal of Tropical Ecology, 1999, 15, 463-479.	1.1	124
327	Relationships between four Neotropical species of galling insects and shoot vigor. Neotropical Entomology, 1999, 28, 147-155.	0.2	21
328	Title is missing!. Journal of Insect Conservation, 1998, 2, 107-118.	1.4	24
329	Photosynthesis of mistletoes in relation to their hosts at various sites in tropical Brazil. Trees - Structure and Function, 1998, 12, 167.	1.9	69
330	Global patterns in local number of insect galling species. Journal of Biogeography, 1998, 25, 581-591.	3.0	239
331	Hypersensitivity as a Phenotypic Basis of Plant Induced Resistance against a Galling Insect (Diptera:) Tj ETQq1 1 0	.784314 r 1.4	gBT /Overloo
332	Abundance of Neopelma baccharidis (Homoptera: Psyllidae) Galls on the Dioecious Shrub Baccharis dracunculifolia (Asteraceae). Environmental Entomology, 1998, 27, 870-876.	1.4	47
333	Natural History of a Gall-Inducing Weevil Collabismus clitellae (Coleoptera: Curculionidae) and Some Effects on its Host Plant Solanum lycocarpum (Solanaceae) in Southeastern Brazil. Annals of the Entomological Society of America, 1998, 91, 404-409.	2.5	25
334	Riqueza e abundância de herbÃvoros em flores de Vellozia nivea (Velloziaceae). Acta Botanica Brasilica, 1998, 12, 403-409.	0.8	9
335	The Highest Diversity of Galling Insects: Serra do Cipo, Brazil. Biodiversity Letters, 1996, 3, 111.	0.5	64
336	Distinguishing intrapopulational categories of plants by their insect faunas: galls on rabbitbrush. Oecologia, 1996, 105, 221-229.	2.0	63
337	Herbivory by Chewing and Sucking Insects on Tabebuia ochracea. Biotropica, 1994, 26, 302.	1.6	35
338	Diversity of Indonesian Gall-Forming Herbivores along Altitudinal Gradients. Biodiversity Letters, 1993, 1, 186.	0.5	32
339	Plant Family Size and Age Effects on Insular Gall-Forming Species Richness. Global Ecology and Biogeography Letters, 1992, 2, 71.	0.6	49
340	The adaptive significance of insect gall distribution: survivorship of species in xeric and mesic habitats. Oecologia, 1992, 90, 14-20.	2.0	254
341	Differential Mechanical Defense: Herbivory, Evapotranspiration, and Leaf-Hairs. Oikos, 1991, 60, 11.	2.7	110
342	Hypersensitivity: A Neglected Plant Resistance Mechanism Against Insect Herbivores. Environmental Entomology, 1990, 19, 1173-1182.	1.4	136

#	Article	IF	CITATIONS
343	Selective Fruit Abscission by Juniperus monosperma as an Induced Defense against Predators. American Midland Naturalist, 1989, 121, 389.	0.4	19
344	Biogeographical gradients in galling species richness. Oecologia, 1988, 76, 161-167.	2.0	313
345	Adaptive Nature of Insect Galls. Environmental Entomology, 1987, 16, 15-24.	1.4	479
346	CO2 Fertilizer Effect on Growth, Polyphenols, and Endophytes in Two Baccharis Species. Brazilian Archives of Biology and Technology, 0, 63, .	0.5	5
347	Local and regional spatial distribution of an eruptive and a latent herbivore insect species. Austral Ecology, 0, 28, 99-107.	1.5	0
348	Local environmental context determines the colonisation of leaf shelters by arthropods: an experimental study. Journal of Tropical Ecology, 0, , 1-9.	1.1	2
349	Deep capillary impact of a psyllid gall on its host ecophysiology, architecture and performance. Trees - Structure and Function, 0, , 1.	1.9	0
350	Interaction between increased CO2 and temperature enhance plant growth but do not affect millet grain production. Acta Scientiarum - Agronomy, 0, 44, e53515.	0.6	3
351	Heading back into the perfect storm: increasing risks for disease emergence in Brazil?. Revista Da Sociedade Brasileira De Medicina Tropical, 0, 55, .	0.9	0
352	Aftershocks of the Samarco disaster: diminished growth and increased metal content of Raphanus sativus cultivated in soil with mining tailings. Acta Scientiarum - Biological Sciences, 0, 44, e59175.	0.3	1