

# Martin Kukwa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7928350/publications.pdf>

Version: 2024-02-01

119  
papers

2,284  
citations

331259

21  
h-index

276539

41  
g-index

119  
all docs

119  
docs citations

119  
times ranked

1592  
citing authors

#	ARTICLE	IF	CITATIONS
1	Forecasting the number of species of asexually reproducing fungi (Ascomycota and Basidiomycota). <i>Fungal Diversity</i> , 2022, 114, 463-490.	4.7	12
2	Phylogeny and Ecology of <i>Trebouxia</i> Photobionts From Bolivian Lichens. <i>Frontiers in Microbiology</i> , 2022, 13, 779784.	1.5	5
3	(2795) Proposal to conserve the name <i>Ochrolechia szatalaensis</i> against <i>Pertusaria poriniza</i> (lichenized Ascomycota: Pertusariales). <i>Tj ETQq1 1 0.784314 rgBT /Overlock410 Tf 50657 Td</i>		
4	Composition and Specialization of the Lichen Functional Traits in a Primeval Forest—Does Ecosystem Organization Level Matter?. <i>Forests</i> , 2021, 12, 485.	0.9	2
5	New lineages of photobionts in Bolivian lichens expand our knowledge on habitat preferences and distribution of <i>Asterochloris</i> algae. <i>Scientific Reports</i> , 2021, 11, 8701.	1.6	15
6	Shifts in Lichen Species and Functional Diversity in a Primeval Forest Ecosystem as a Response to Environmental Changes. <i>Forests</i> , 2021, 12, 686.	0.9	8
7	How sensitive are epiphytic and epixylic cryptogams as indicators of forest naturalness? Testing bryophyte and lichen predictive power in stands under different management regimes in the BiaÅowieÅ¼a forest. <i>Ecological Indicators</i> , 2021, 125, 107532.	2.6	27
8	A molecular re-evaluation of <i>Parmelia encryptata</i> with notes on its distribution. <i>Lichenologist</i> , 2021, 53, 341-345.	0.5	1
9	Tea plantations and their importance as host plants and hot spots for epiphytic cryptogams. <i>Scientific Reports</i> , 2021, 11, 18242.	1.6	1
10	New localities of two rare <i>Ochrolechia</i> species: <i>O. azorica</i> and <i>O. dalmatica</i> . <i>Herzogia</i> , 2021, 34, .	0.1	0
11	Impact of <i>Fraxinus excelsior</i> dieback on biota of ash-associated lichen epiphytes at the landscape and community level. <i>Biodiversity and Conservation</i> , 2020, 29, 431-450.	1.2	23
12	Identifying mechanisms shaping lichen functional diversity in a primeval forest. <i>Forest Ecology and Management</i> , 2020, 475, 118434.	1.4	15
13	A molecular phylogenetic evaluation of the <i>Ramalina siliquosa</i> complex, with notes on species circumscription and relationships within <i>Ramalina</i> . <i>Lichenologist</i> , 2020, 52, 197-211.	0.5	7
14	Trentepohlialean Algae (Trentepohliales, Ulvophyceae) Show Preference to Selected Mycobiont Lineages in Lichen Symbioses. <i>Journal of Phycology</i> , 2020, 56, 979-993.	1.0	16
15	Two new <i>Micarea</i> species (Pilocarpaceae) from Western Europe. <i>Plant and Fungal Systematics</i> , 2020, 65, 189-199.	0.7	5
16	One Name – One Fungus: The Influence of Photosynthetic Partners on the Taxonomy and Systematics of Lichenized Fungi. <i>Acta Societatis Botanicorum Poloniae</i> , 2020, 89, .	0.8	3
17	Crustose lichens with lichenicolous fungi from Paleogene amber. <i>Scientific Reports</i> , 2019, 9, 10360.	1.6	7
18	Lichenicolous fungi are more specialized than their lichen hosts in primeval forest ecosystems, BiaÅowieÅ¼a Forest, northeast Poland. <i>Fungal Ecology</i> , 2019, 42, 100866.	0.7	5

#	ARTICLE	IF	CITATIONS
19	A Glimpse into Genetic Diversity and Symbiont Interaction Patterns in Lichen Communities from Areas with Different Disturbance Histories in BiaÅ,owieÅ¼a Forest, Poland. <i>Microorganisms</i> , 2019, 7, 335.	1.6	15
20	A new genus, <i>Zhurbenkoa</i> , and a novel nutritional mode revealed in the family Malmideaceae (Lecanoromycetes, Ascomycota). <i>Mycologia</i> , 2019, 111, 593-611.	0.8	11
21	New species and records of lichens from Bolivia. <i>Phytotaxa</i> , 2019, 397, 257.	0.1	14
22	Materials to the lichen biota of Western Pomerania (Northern Poland). Part 2. <i>Steciana</i> , 2019, 22, 41-49.	0.1	1
23	Phylogenetic placement of <i>Lepraria cryptovouauxii</i> sp. nov. (Lecanorales, Lecanoromycetes, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 T	0.8	11
24	Understanding the evolution of phenotypical characters in the <i>Micarea prasina</i> group (Pilocarpaceae) and descriptions of six new species within the group. <i>MycoKeys</i> , 2019, 57, 1-30.	0.8	14
25	Morphology and secondary chemistry in species recognition of <i>Parmelia omphalodes</i> group – evidence from molecular data with notes on the ecological niche modelling and genetic variability of photobionts. <i>MycoKeys</i> , 2019, 61, 39-74.	0.8	6
26	<i>Lepraria juanfernandezii</i> , a new lichen species from the Southern Hemisphere. <i>Plant and Fungal Systematics</i> , 2019, 64, 233-235.	0.7	2
27	Biodiversity assessment of ascomycetes inhabiting <i>Lobariella</i> lichens in Andean cloud forests led to one new family, three new genera and 13 new species of lichenicolous fungi. <i>Plant and Fungal Systematics</i> , 2019, 64, 283-344.	0.7	30
28	Phylogenetic approaches reveal a new sterile lichen in the genus <i>Loxospora</i> (Sarrameanales, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 T	0.1	11
29	Photobiont switching causes changes in the reproduction strategy and phenotypic dimorphism in the <i>Arthoniomycetes</i> . <i>Scientific Reports</i> , 2018, 8, 4952.	1.6	41
30	Two new species of <i>Arthoniaceae</i> from old-growth European forests, <i>Arthonia thoriana</i> and <i>Inoderma solediatum</i> , and a new genus for <i>Schismatomma niveum</i> . <i>Lichenologist</i> , 2018, 50, 161-172.	0.5	19
31	<i>Ochrolechia incarnata</i> comb. nov. (Lecanoromycetes, Ascomycota), a distinct species of the <i>O. parella</i> group from Europe and Macaronesia. <i>Phytotaxa</i> , 2018, 371, 119.	0.1	2
32	Evaluation of diagnostic chemical and morphological characters in five <i>Parmelia</i> species (Parmeliaceae, lichenized Ascomycota) with special emphasis on the thallus pruinosity. <i>Phytotaxa</i> , 2018, 383, 165.	0.1	11
33	<i>Bacidia albogranulosa</i> (Ramalinaceae, lichenized Ascomycota), a new solediate lichen from European old-growth forests. <i>MycoKeys</i> , 2018, 44, 51-62.	0.8	12
34	Changes in the epiphytic lichen biota of BiaÅ,owieÅ¼a Primeval Forest are not explained by climate warming. <i>Science of the Total Environment</i> , 2018, 643, 468-478.	3.9	22
35	Three new lichenicolous species of the genus <i>Plectocarpon</i> (Ascomycota: Lecanographaceae) discovered in the Bolivian Andes. <i>Phytotaxa</i> , 2018, 357, 275.	0.1	4
36	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175.	1.7	45

#	ARTICLE	IF	CITATIONS
37	Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594.	4.7	213
38	New Lichen Records from the Mountains Kinabalu and Tambuyukon (Kinabalu Park, Malaysian Borneo). <i>Herzogia</i> , 2017, 30, 237-252.	0.1	8
39	Molecular analyses uncover the phylogenetic placement of the lichenized hyphomycetous genus <i>Cheiromycina</i> . <i>Mycologia</i> , 2017, 109, 1-13.	0.8	5
40	Turbo-taxonomy to assemble a megadiverse lichen genus: seventy new species of <i>Cora</i> (Basidiomycota: Tj ETQq0 0 0 rgBT /Overlock 10 Diversity), 2017, 84, 139-207.	4.7	54
41	Three lichen species in <i>Buellia</i> , <i>Catillaria</i> , and <i>Cheiromycina</i> , new to Poland. <i>Mycotaxon</i> , 2017, 132, 177-182.	0.1	4
42	<i>Lecanora stanislai</i> , a new, sterile, usnic acid containing lichen species from Eurasia and North America. <i>Phytotaxa</i> , 2017, 329, 201.	0.1	18
43	Circumscription of the genus <i>Lepra</i> , a recently resurrected genus to accommodate the "Variolaria" group of <i>Pertusaria</i> sensu lato (Pertusariales, Ascomycota). <i>PLoS ONE</i> , 2017, 12, e0180284.	1.1	12
44	Additions to the mycobiota of Poland. <i>Mycotaxon</i> , 2017, 132, 183-195.	0.1	2
45	<i>Trypetheliaceae</i> of Bolivia: an updated checklist with descriptions of twenty-four new species. <i>Lichenologist</i> , 2016, 48, 661-692.	0.5	11
46	<i>Ochrolechia kerguelensis</i> sp. nov. from the Southern Hemisphere and <i>O. antarctica</i> reinstated from the synonymy of <i>O. parella</i> . <i>Phytotaxa</i> , 2016, 280, 129.	0.1	6
47	Glacial refugia and the prediction of future habitat coverage of the South American lichen species <i>Ochrolechia austroamericana</i> . <i>Scientific Reports</i> , 2016, 6, 38779.	1.6	14
48	<i>Micarea soralifera</i> sp. nov., a new sorediate species in the <i>M. prasina</i> group. <i>Lichenologist</i> , 2016, 48, 161-169.	0.5	30
49	Lichens and lichenicolous fungi of Magurski National Park (Poland, Western Carpathians). <i>Polish Botanical Journal</i> , 2016, 61, 127-160.	0.5	5
50	Contribution to the knowledge of the lichen biota of Bolivia. 8. <i>Polish Botanical Journal</i> , 2016, 61, 107-126.	0.5	5
51	New or Otherwise Interesting Records of Lichens and Lichenicolous Fungi from Belarus. II.. <i>Herzogia</i> , 2016, 29, 164-175.	0.1	5
52	The Lichen Family Parmeliaceae in Poland. <i>Xanthoparmelia</i> Species Containing Usnic Acid. <i>Herzogia</i> , 2016, 29, 108.	0.1	7
53	Ninety-One Species of Lichens and Allied Fungi New to Latvia with a List of Additional Records from Kurzeme. <i>Herzogia</i> , 2016, 29, 143-163.	0.1	23
54	Methods for obtaining more complete species lists in surveys of lichen biodiversity. <i>Nordic Journal of Botany</i> , 2016, 34, 619-626.	0.2	27

#	ARTICLE	IF	CITATIONS
55	<i>Parmelia barroanae</i> and <i>P. pinnatifida</i> , Two Lichen Species New to Poland. <i>Herzogia</i> , 2016, 29, 198-203.	0.1	7
56	(2397) Proposal to conserve the name <i>Stereocaulon pileatum</i> (lichenized Ascomycota: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.4	0
57	<i>Macroskyttea parmotremitis</i> gen. et sp. nov. (Helotiales, Leotiomyces, Ascomycota), a new lichenicolous fungus from Bolivia. <i>Phytotaxa</i> , 2015, 224, 247.	0.1	9
58	A first assessment of lichenized Arthoniales in Bolivia with descriptions of two new species. <i>Phytotaxa</i> , 2015, 217, 1.	0.1	6
59	The Lichen Family Parmeliaceae in Poland. IV. The Genus <i>Punctelia</i> . <i>Herzogia</i> , 2015, 28, 556-566.	0.1	14
60	Contribution to the knowledge of the lichen biota of Bolivia. 7. <i>Polish Botanical Journal</i> , 2015, 60, 81-98.	0.5	6
61	A Contribution to the Lichen Family Graphidaceae (Ostropales, Ascomycota) of Bolivia. 2. <i>Polish Botanical Journal</i> , 2014, 59, 85-96.	0.5	4
62	The Lichen Order Peltigerales in Bolivia – The First Assessment of the Biodiversity. <i>Herzogia</i> , 2014, 27, 321-345.	0.1	3
63	<i>Melaspilea tucumana</i> , a new gall-forming lichenicolous fungus from the tropical Andes in Bolivia. <i>Lichenologist</i> , 2014, 46, 657-662.	0.5	10
64	Typification of <i>Lecanora orosthea</i> (Lecanorales, Ascomycota). <i>Lichenologist</i> , 2014, 46, 595-598.	0.5	4
65	The lichen family Parmeliaceae in Poland. III. <i>Parmelia serrana</i> , new to Poland. <i>Acta Societatis Botanicorum Poloniae</i> , 2014, 83, 81-84.	0.8	12
66	A multigene phylogenetic synthesis for the class Lecanoromycetes (Ascomycota): 1307 fungi representing 1139 infrageneric taxa, 317 genera and 66 families. <i>Molecular Phylogenetics and Evolution</i> , 2014, 79, 132-168.	1.2	248
67	The identity of two lichens described by V. P. Savicz from Kamchatka (Russia). <i>Lichenologist</i> , 2014, 46, 129-131.	0.5	3
68	New or Otherwise Interesting Records of Lichens and Lichenicolous Fungi from Belarus. <i>Herzogia</i> , 2014, 27, 111-120.	0.1	12
69	A Revision of Sorediate Crustose Lichens Containing Usnic Acid and Chlorinated Xanthenes in Poland. <i>Herzogia</i> , 2014, 27, 13-40.	0.1	9
70	The first squamulose <i>Thelocarpon</i> species (Thelocarpaceae, Ascomycota) discovered in the biological soil crusts in the Bolivian Andes. <i>Phytotaxa</i> , 2014, 175, 281.	0.1	3
71	Contribution to the Knowledge of the Lichen Biota of Bolivia. 6. <i>Polish Botanical Journal</i> , 2014, 59, 63-83.	0.5	5
72	Chemistry and morphology of <i>Chrysothrix candelaris</i> in Poland, with notes on the taxonomy of <i>C. xanthina</i> . <i>Mycotaxon</i> , 2014, 128, 165-172.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Typification of two <i>Stereocaulon</i> names (Lecanorales, Ascomycota). <i>Phytotaxa</i> , 2014, 181, 188.	0.1	1
74	First Records of the Lichen <i>Septotrapelia Usnica</i> (Lecanorales, Ascomycota) from West Africa. <i>Polish Botanical Journal</i> , 2014, 59, 105-108.	0.5	5
75	New or Interesting Records of Lichenicolous Fungi from Poland IX. <i>Herzogia</i> , 2013, 26, 159-168.	0.1	29
76	Changes in the epiphytic lichen biota in Scots pine ( <i>Pinus sylvestris</i> ) stands affected by a colony of grey heron ( <i>Ardea cinerea</i> ): a case study from northern Poland. <i>Lichenologist</i> , 2013, 45, 815-823.	0.5	14
77	<i>Niesslia echinoides</i> ( <i>Niessliaceae</i> , Ascomycota), a new lichenicolous fungus on <i>Erioderma</i> from Bolivia. <i>Lichenologist</i> , 2013, 45, 21-24.	0.5	15
78	A Contribution to the Lichen Family Graphidaceae (ostropales, Ascomycota) of Bolivia. <i>Herzogia</i> , 2013, 26, 231-252.	0.1	13
79	Contribution to the knowledge of the lichen biota of Bolivia. 5. <i>Polish Botanical Journal</i> , 2013, 58, 697-733.	0.5	18
80	<i>Capronia paranectrioides</i> (Herpotrichiellaceae, Ascomycota), a new lichenicolous fungus from Bolivia. <i>Lichenologist</i> , 2013, 45, 623-626.	0.5	13
81	Notes on <i>Stereocaulon</i> species from Bolivia. <i>Mycotaxon</i> , 2013, 121, 447-453.	0.1	3
82	Notes on the lichen genus <i>Ochrolechia</i> in Bolivia. <i>Polish Botanical Journal</i> , 2013, 58, 691-695.	0.5	4
83	Contribution to the Lithuanian flora of lichens and allied fungi. IV.. <i>Botanica Lithuanica</i> , 2013, 19, 3-7.	0.4	17
84	<i>Lichenochora tertia</i> ( <i>Phyllachorales</i> ): the third species of the genus growing on <i>Xanthoria elegans</i> . <i>Mycotaxon</i> , 2013, 123, 9-13.	0.1	6
85	Additions to the biota of lichenized fungi of Poland. <i>Acta Mycologica</i> , 2013, 44, 249-257.	0.3	9
86	A contribution to the lichen biota of Belarus. <i>Acta Mycologica</i> , 2013, 41, 155-164.	0.3	11
87	The lichen family Parmeliaceae in Poland. II. The genus <i>Cetrelia</i> . <i>Acta Societatis Botanicorum Poloniae</i> , 2012, 81, 43-52.	0.8	11
88	Typification of <i>Lecanora expallens</i> and <i>L. expallens</i> var. <i>conizaea</i> ( <i>Lecanorales</i> , <i>Ascomycota</i> ). <i>Mycotaxon</i> , 2012, 119, 197-200.	0.1	6
89	Seven lichen species new to Poland. <i>Mycotaxon</i> , 2012, 120, 105-118.	0.1	25
90	A new species and new combinations and records of <i>Hypotrachyna</i> and <i>Remototrachyna</i> from Bolivia. <i>Mycotaxon</i> , 2012, 119, 157-166.	0.1	14

#	ARTICLE	IF	CITATIONS
91	Lichens, Lichenicolous and Allied Fungi Found in Asveja Regional Park (Lithuania). <i>Botanica Lithuanica</i> , 2012, 18, 85-100.	0.4	12
92	Revision of the Genera <i>Cetrelia</i> and <i>Punctelia</i> (Lecanorales, Ascomycota) in Lithuania, with Implications for their Conservation. <i>Herzogia</i> , 2012, 25, 5-14.	0.1	14
93	New species of lichenicolous fungi from Bolivia. <i>Lichenologist</i> , 2012, 44, 469-477.	0.5	33
94	<i>Plectocarpon stereocaulicola</i> ( <i>Roccellaceae</i> , Ascomycota), a new lichenicolous fungus from Bolivia. <i>Lichenologist</i> , 2012, 44, 479-482.	0.5	18
95	A contribution to the study of <i>Acarosporaceae</i> in South America. <i>Lichenologist</i> , 2012, 44, 253-262.	0.5	12
96	New species and records of <i>Lepraria</i> (Stereocaulaceae, lichenized Ascomycota) from South America. <i>Lichenologist</i> , 2011, 43, 57-66.	0.5	25
97	Notes on the identity of <i>Chrysothrix</i> populations ( <i>Arthoniales</i> , <i>Ascomycota</i> ) containing pinastric acid from southern and central California. <i>Mycotaxon</i> , 2011, 116, 407-411.	0.1	4
98	Phylogenetic affiliations of members of the heterogeneous lichen-forming fungi of the genus <i>Lecidea</i> sensu Zahlbruckner (Lecanoromycetes, Ascomycota). <i>Mycologia</i> , 2011, 103, 983-1003.	0.8	91
99	<i>Lepraria maderensis</i> Kukwa Flakus, a new lichen species containing gyrophoric and lecanoric acids. <i>Nova Hedwigia</i> , 2011, 92, 95-99.	0.2	4
100	Notes on the lichen genus <i>Lepraria</i> from maritime (South Shetlands) and continental (Schirmacher) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	8
101	A second species of <i>Botryolepraria</i> from the Neotropics and the phylogenetic placement of the genus within Ascomycota. <i>Mycological Progress</i> , 2010, 9, 345-351.	0.5	11
102	New or Interesting Records of Lichenicolous Fungi from Poland VIII. <i>Herzogia</i> , 2010, 23, 111-119.	0.1	17
103	Additions to the lichen biota of Iran. <i>Mycotaxon</i> , 2009, 110, 155-161.	0.1	5
104	New records of two crustose sorediate lichens from central Europe. <i>Mycotaxon</i> , 2009, 107, 375-381.	0.1	7
105	<i>Lepraria glaucosorediata</i> sp. nov. ( <i>Stereocaulaceae</i> , lichenized <i>Ascomycota</i> ) and other interesting records of <i>Lepraria</i> . <i>Mycotaxon</i> , 2009, 108, 353-364.	0.1	20
106	&lt;l&gt;Roselliniella stereocaulorum&lt;/l&gt; (&lt;l&gt;Sordariales&lt;/l&gt;,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (&lt;l&gt;Ascoc	0.1	10
107	Taxonomy of the lichen <i>Cladonia rei</i> and its status in Poland. <i>Biologia (Poland)</i> , 2008, 63, 493-497.	0.8	20
108	New and Interesting Records of <i>Cladonia</i> and their Lichenicolous Fungi from the Andean Cloud Forest in Bolivia. <i>Annales Botanici Fennici</i> , 2008, 45, 448-454.	0.0	25

#	ARTICLE	IF	CITATIONS
109	New species and records of <i>Lepraria</i> (Stereocaulaceae, lichenized Ascomycota) from South America. <i>Lichenologist</i> , 2007, 39, 463-474.	0.5	24
110	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006, 98, 1088-1103.	0.8	140
111	The lichen genus <i>Lepraria</i> in Poland. <i>Lichenologist</i> , 2006, 38, 293-305.	0.5	29
112	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006, 98, 1088-1103.	0.8	227
113	New insights into classification and evolution of the Lecanoromycetes (Pezizomycotina, Ascomycota) from phylogenetic analyses of three ribosomal RNA- and two protein-coding genes. <i>Mycologia</i> , 2006, 98, 1088-1103.	0.8	52
114	<i>Monodictys epilepraria</i> , a new species of lichenicolous hyphomycetes on <i>Lepraria</i> . <i>Lichenologist</i> , 2005, 37, 217-220.	0.5	19
115	A New Species of <i>Lepraria</i> (Lichenized Ascomycetes) from Europe. <i>Bryologist</i> , 2005, 108, 131-138.	0.1	14
116	Materiały do rozmieszczenia porostów i grzybów naporostowych Polski, 1. <i>Wiadomości Botaniczne</i> , 0, 64, .	0.0	2
117	Lichen diversity in the managed forests of the Karnieszewice Forest Division and its surroundings (N) Tj ETQq1 1 0.784314 rgBT /Over 0.1	0.1	4
118	Where the interesting species grow – remarkable records of lichens and lichenicolous fungi found during a Nordic Lichen Society meeting in Estonia. <i>Folia Cryptogamica Estonica</i> , 0, 57, 73-84.	0.5	0
119	Materiały do rozmieszczenia porostów i grzybów naporostowych Polski, 2. <i>Wiadomości Botaniczne</i> , 0, 66, .	0.0	0