

# Maud Ibc Langton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7930659/publications.pdf>

Version: 2024-02-01

90  
papers

3,498  
citations

126708

33  
h-index

149479

56  
g-index

92  
all docs

92  
docs citations

92  
times ranked

3232  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hierarchical propagation of structural features in protein nanomaterials. <i>Nanoscale</i> , 2022, 14, 2502-2510.	2.8	6
2	Faba Bean Fractions for 3D Printing of Protein-, Starch- and Fibre-Rich Foods. <i>Processes</i> , 2022, 10, 466.	1.3	13
3	The Effects of High Fiber Rye, Compared to Refined Wheat, on Gut Microbiota Composition, Plasma Short Chain Fatty Acids, and Implications for Weight Loss and Metabolic Risk Factors (the RyeWeight) <i>Tj ETQq1 1 0.784314 82BT /Ov</i>	0.7	3
4	Effect of starch and fibre on faba bean protein gel characteristics. <i>Food Hydrocolloids</i> , 2022, 131, 107741.	5.6	17
5	Protein Nanofibrils for Sustainable Food—Characterization and Comparison of Fibrils from a Broad Range of Plant Protein Isolates. <i>ACS Food Science &amp; Technology</i> , 2021, 1, 854-864.	1.3	27
6	Mixed legume systems of pea protein and unrefined lentil fraction: Textural properties and microstructure. <i>LWT - Food Science and Technology</i> , 2021, 144, 111212.	2.5	12
7	Variation in Dairy Milk Composition and Properties Has Little Impact on Cheese Ripening: Insights from a Traditional Swedish Long-Ripening Cheese. <i>Dairy</i> , 2021, 2, 336-355.	0.7	3
8	A hypocaloric diet rich in high fiber rye foods causes greater reduction in body weight and body fat than a diet rich in refined wheat: A parallel randomized controlled trial in adults with overweight and obesity (the RyeWeight study). <i>Clinical Nutrition ESPEN</i> , 2021, 45, 155-169.	0.5	11
9	Gelation of faba bean proteins - Effect of extraction method, pH and NaCl. <i>Food Hydrocolloids</i> , 2020, 103, 105622.	5.6	44
10	Potato Protein Nanofibrils Produced from a Starch Industry Sidestream. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1058-1067.	3.2	35
11	The role of key process steps on microstructural organisation of fat globules and lipid profiles in UHT milk processed in a pilot plant unit. <i>International Dairy Journal</i> , 2020, 109, 104741.	1.5	3
12	Product Quality during the Storage of Foods with Insects as an Ingredient: Impact of Particle Size, Antioxidant, Oil Content and Salt Content. <i>Foods</i> , 2020, 9, 791.	1.9	6
13	Mineral analysis reveals extreme manganese concentrations in wild harvested and commercially available edible termites. <i>Scientific Reports</i> , 2020, 10, 6146.	1.6	10
14	Mealworms as Food Ingredient—Sensory Investigation of a Model System. <i>Foods</i> , 2019, 8, 319.	1.9	15
15	The Effect of Calcium, Citrate, and Urea on the Stability of Ultra-High Temperature Treated Milk: A Full Factorial Designed Study. <i>Foods</i> , 2019, 8, 418.	1.9	11
16	Protein nanofibrils: Preparation, properties, and possible applications in industrial nanomaterials. , 2019, , 29-63.		19
17	Changes in stability and shelf-life of ultra-high temperature treated milk during long term storage at different temperatures. <i>Heliyon</i> , 2019, 5, e02431.	1.4	31
18	Increased release of carotenoids and delayed in vitro lipid digestion of high pressure homogenized tomato and pepper emulsions. <i>Food Chemistry</i> , 2019, 285, 282-289.	4.2	21

#	ARTICLE	IF	CITATIONS
19	Interactive effects of casein micelle size and calcium and citrate content on rennet-induced coagulation in bovine milk. <i>Journal of Texture Studies</i> , 2019, 50, 508-519.	1.1	17
20	Self-assembly of plant protein fibrils interacting with superparamagnetic iron oxide nanoparticles. <i>Scientific Reports</i> , 2019, 9, 8939.	1.6	20
21	Lipolysis and Oxidation in Ultra-High Temperature Milk Depend on Sampling Month, Storage Duration, and Temperature. <i>Journal of Food Science</i> , 2019, 84, 1045-1053.	1.5	11
22	Quality Aspects of Insects as Food—Nutritional, Sensory, and Related Concepts. <i>Foods</i> , 2019, 8, 95.	1.9	65
23	On the role of peptide hydrolysis for fibrillation kinetics and amyloid fibril morphology. <i>RSC Advances</i> , 2018, 8, 6915-6924.	1.7	51
24	In search for protein sources: Evaluating an alternative to the traditional fish feed for Arctic charr ( <i>Salvelinus arcticus</i> ) using <i>Artemia</i> and <i>Schizochlorella</i> . <i>Journal of Applied Aquaculture</i> , 2018, 30, 10-19.	1.7	12
25	Protein/Protein Nanocomposite Based on Whey Protein Nanofibrils in a Whey Protein Matrix. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 5462-5469.	3.2	26
26	Impact of food processing on rye product properties and their in vitro digestion. <i>European Journal of Nutrition</i> , 2018, 57, 1651-1666.	1.8	23
27	Influence of seasonal variation and ultra high temperature processing on lipid profile and fat globule structure of Swedish cow milk. <i>Food Chemistry</i> , 2018, 239, 848-857.	4.2	16
28	Larger particle size of oat bran inhibits degradation and lowers extractability of $\beta$ -glucan in sourdough bread—Potential implications for cholesterol-lowering properties in <i>Avivo</i> . <i>Food Hydrocolloids</i> , 2018, 77, 49-56.	5.6	9
29	Appetite and Subsequent Food Intake Were Unaffected by the Amount of Sourdough and Rye in Soft Bread—A Randomized Cross-Over Breakfast Study. <i>Nutrients</i> , 2018, 10, 1594.	1.7	5
30	Rye and health - Where do we stand and where do we go?. <i>Trends in Food Science and Technology</i> , 2018, 79, 78-87.	7.8	66
31	Short communication: Variation in the composition and properties of Swedish raw milk for ultra-high-temperature processing. <i>Journal of Dairy Science</i> , 2017, 100, 2582-2590.	1.4	14
32	Changes in proteins, physical stability and structure in directly heated UHT milk during storage at different temperatures. <i>International Dairy Journal</i> , 2017, 71, 60-75.	1.5	64
33	Forest biomass waste as a potential innovative source for rearing edible insects for food and feed—A review. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 41, 193-205.	2.7	45
34	Impact of sourdough fermentation on appetite and postprandial metabolic responses—a randomised cross-over trial with whole grain rye crispbread. <i>British Journal of Nutrition</i> , 2017, 118, 686-697.	1.2	18
35	Quality of bread baked from frozen dough—effects of rye, and sugar content, kneading time and proofing profile. <i>LWT - Food Science and Technology</i> , 2016, 68, 626-633.	2.5	16
36	Effects of added inulin and wheat gluten on structure of rye porridge. <i>LWT - Food Science and Technology</i> , 2016, 66, 211-216.	2.5	8

#	ARTICLE	IF	CITATIONS
37	Yellow Mealworm Protein for Food Purposes - Extraction and Functional Properties. PLoS ONE, 2016, 11, e0147791.	1.1	180
38	Effects of Unfermented and Fermented Whole Grain Rye Crisp Breads Served as Part of a Standardized Breakfast, on Appetite and Postprandial Glucose and Insulin Responses: A Randomized Cross-over Trial. PLoS ONE, 2015, 10, e0122241.	1.1	35
39	Improved material properties of solution-cast starch films: Effect of varying amylopectin structure and amylose content of starch from genetically modified potatoes. Carbohydrate Polymers, 2015, 130, 388-397.	5.1	44
40	Current potential and limitations of immunolabeling in cereal grain research. Trends in Food Science and Technology, 2015, 41, 105-117.	7.8	1
41	Bran Particle Size Influence on Pasta Microstructure, Water Distribution, and Sensory Properties. Cereal Chemistry, 2015, 92, 617-623.	1.1	24
42	Multi-scale characterization of pasta during cooking using microscopy and real-time magnetic resonance imaging. Food Research International, 2014, 66, 132-139.	2.9	22
43	Mathematical modeling of the viscosity of tomato, broccoli and carrot purees under dynamic conditions. Journal of Food Engineering, 2014, 124, 35-42.	2.7	9
44	Microstructure and water distribution of commercial pasta studied by microscopy and 3D magnetic resonance imaging. Food Research International, 2014, 62, 644-652.	2.9	18
45	Adhesion of Streptococcus mitis and Actinomyces oris in co-culture to machined and anodized titanium surfaces as affected by atmosphere and pH. BMC Oral Health, 2013, 13, 4.	0.8	11
46	Impact of long-term frozen storage on the dynamics of water and ice in wheat bread. Journal of Cereal Science, 2013, 57, 120-124.	1.8	30
47	Long-term frozen storage of wheat bread and dough " Effect of time, temperature and fibre on sensory quality, microstructure and state of water. Journal of Cereal Science, 2013, 57, 125-133.	1.8	39
48	Changes in Salt Solubility and Microstructure of Proteins from Herring (Clupea harengus) after pH-Shift Processing. Journal of Agricultural and Food Chemistry, 2012, 60, 7965-7972.	2.4	29
49	Structural design of natural plant-based foods to promote nutritional quality. Trends in Food Science and Technology, 2012, 24, 47-59.	7.8	16
50	Starch Microstructure and Starch Hydrolysis in Barley and Oat Tempe During In Vitro Digestion. Food Digestion, 2012, 3, 53-62.	0.9	8
51	Rheology and Microstructure of Carrot and Tomato Emulsions as a Result of High-Pressure Homogenization Conditions. Journal of Food Science, 2011, 76, E130-40.	1.5	75
52	Effect of mechanical and thermal treatments on the microstructure and rheological properties of carrot, broccoli and tomato dispersions. Journal of the Science of Food and Agriculture, 2011, 91, 207-217.	1.7	145
53	Processing of tomato: impact on <i>in vitro</i> bioaccessibility of lycopene and textural properties. Journal of the Science of Food and Agriculture, 2010, 90, 1665-1672.	1.7	56
54	Transparency and wettability of PVP/PDMS-IPN synthesized in different organic solvents. Journal of Applied Polymer Science, 2009, 114, 1828-1839.	1.3	15

#	ARTICLE	IF	CITATIONS
55	Mechanical and Thermal Pretreatments of Crushed Tomatoes: Effects on Consistency and In Vitro Accessibility of Lycopene. <i>Journal of Food Science</i> , 2009, 74, E386-95.	1.5	41
56	Thermal pretreatments of carrot pieces using different heating techniques: Effect on quality related aspects. <i>Innovative Food Science and Emerging Technologies</i> , 2009, 10, 522-529.	2.7	58
57	Designing structure into food. Special Publication - Royal Society of Chemistry, 2009, , 1-12.	0.0	0
58	Confocal fluorescence microscopy (CLSM) for food structure characterisation. , 2007, , 232-260.		11
59	Simultaneous analysis of the structural and mechanical changes during large deformation of whey protein isolate/gelatin gels at the macro and micro levels. <i>Food Hydrocolloids</i> , 2007, 21, 409-419.	5.6	34
60	Effect of emulsifiers on the aggregation of $\beta$ -lactoglobulin. Special Publication - Royal Society of Chemistry, 2007, , 369-375.	0.0	2
61	Aggregation behavior and size of lipopolysaccharide from <i>Escherichia coli</i> O55:B5. <i>Colloids and Surfaces B: Biointerfaces</i> , 2006, 53, 9-14.	2.5	59
62	The function of $\beta$ -crystalline emulsifiers on expanding foam surfaces. <i>Food Hydrocolloids</i> , 2004, 18, 655-663.	5.6	28
63	Effects of Ca- and Na-lignosulfonate on starch gelatinization and network formation. <i>Carbohydrate Polymers</i> , 2004, 57, 369-377.	5.1	24
64	Differences in amylose aggregation and starch gel formation with emulsifiers. <i>Carbohydrate Polymers</i> , 2004, 58, 7-13.	5.1	68
65	Effect of Microstructure on Sensory Perception of Particulate Gels. , 2004, , 18-28.		1
66	Wheat Starch Gelatinization – the Effects of Sucrose, Emulsifier and the Physical State of the Emulsifier. <i>Starch/Staerke</i> , 2003, 55, 150-161.	1.1	59
67	Determination of temperature dependent structure evolution by fast-Fourier transform at late stage spinodal decomposition in bicontinuous biopolymer mixtures. <i>Journal of Chemical Physics</i> , 2002, 116, 10536-10546.	1.2	30
68	Microstructures of $\beta$ -lactoglobulin/amylopectin gels on different length scales and their significance for rheological properties. <i>Food Hydrocolloids</i> , 2002, 16, 111-126.	5.6	42
69	Dynamic measurements of $\beta$ -lactoglobulin structures during aggregation, gel formation and gel break-up in mixed biopolymer systems. <i>Food Hydrocolloids</i> , 2002, 16, 477-488.	5.6	43
70	Microwave and convective dehydration of ethanol treated and frozen apple - physical properties and drying kinetics. <i>International Journal of Food Science and Technology</i> , 2002, 37, 603-614.	1.3	42
71	Effects of Combined Osmotic and Microwave Dehydration of Apple on Texture, Microstructure and Rehydration Characteristics. <i>LWT - Food Science and Technology</i> , 2001, 34, 95-101.	2.5	122
72	Microwave heat treatment of apple before air dehydration – effects on physical properties and microstructure. <i>Journal of Food Engineering</i> , 2000, 46, 173-182.	2.7	56

#	ARTICLE	IF	CITATIONS
73	Dynamic analyses of sensory and microstructural properties of cream cheese. Food Chemistry, 2000, 71, 363-378.	4.2	65
74	New Approaches to Characterizing Food Microstructures. MRS Bulletin, 2000, 25, 30-36.	1.7	26
75	Mechanical Properties and Microstructure of Heat-set Whey Protein Emulsion Gels: Effect of Emulsifiers. LWT - Food Science and Technology, 2000, 33, 299-307.	2.5	76
76	Microstructure and image analysis of mayonnaises. Food Hydrocolloids, 1999, 13, 113-125.	5.6	64
77	Rheology and Structure of Heat-Treated Pasta Dough: Influence of Water Content and Heating Rate. LWT - Food Science and Technology, 1999, 32, 154-161.	2.5	20
78	Influence of the microstructure on the sensory quality of whey protein gels. Food Hydrocolloids, 1997, 11, 217-230.	5.6	25
79	Texture as a reflection of microstructure. Food Quality and Preference, 1996, 7, 185-191.	2.3	24
80	43. Influence of microstructure on the sensory quality. Food Quality and Preference, 1996, 7, 319-320.	2.3	0
81	Image analysis of particulate whey protein gels. Food Hydrocolloids, 1996, 10, 179-191.	5.6	67
82	Small and large deformation studies of protein gels. Journal of Rheology, 1995, 39, 1445-1450.	1.3	28
83	Image analysis determination of particle size distribution. Food Hydrocolloids, 1993, 7, 11-22.	5.6	19
84	Microstructure and rheological behaviour of particulate $\beta$ -lactoglobulin gels. Food Hydrocolloids, 1993, 7, 195-212.	5.6	162
85	Inhomogeneous biopolymer gels. Makromolekulare Chemie Macromolecular Symposia, 1993, 76, 283-290.	0.6	3
86	Inhomogeneous fine-stranded $\beta$ -lactoglobulin gels. Food Hydrocolloids, 1992, 6, 455-470.	5.6	88
87	Fine-stranded and particulate gels of $\beta$ -lactoglobulin and whey protein at varying pH. Food Hydrocolloids, 1992, 5, 523-539.	5.6	378
88	Filamentous structures of bovine myosin in diluted suspensions and gels. Journal of the Science of Food and Agriculture, 1988, 42, 355-369.	1.7	23
89	Formation of two types of gels from bovine myosin. Journal of the Science of Food and Agriculture, 1986, 37, 69-84.	1.7	141
90	Microstructural evolution of mixed gels and their rheological behaviour. Special Publication - Royal Society of Chemistry, 0, , 26-34.	0.0	1