

Rodrigo Alcántara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7931158/publications.pdf>

Version: 2024-02-01

86
papers

1,860
citations

279487

23
h-index

288905

40
g-index

89
all docs

89
docs citations

89
times ranked

3072
citing authors

#	ARTICLE	IF	CITATIONS
1	New insights into organic–inorganic hybrid perovskite $\text{CH}_3\text{NH}_3\text{PbI}_3$ nanoparticles. An experimental and theoretical study of doping in Pb^{2+} sites with Sn^{2+} , Sr^{2+} , Cd^{2+} and Ca^{2+} . <i>Nanoscale</i> , 2015, 7, 6216-6229.	2.8	216
2	A route for the synthesis of Cu-doped TiO_2 nanoparticles with a very low band gap. <i>Chemical Physics Letters</i> , 2013, 571, 49-53.	1.2	121
3	Experimental and theoretical study of the electronic properties of Cu-doped anatase TiO_2 . <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 3835.	1.3	111
4	Introducing ‘UCA-FUKUI’ software: reactivity-index calculations. <i>Journal of Molecular Modeling</i> , 2014, 20, 2492.	0.8	96
5	Photovoltaic performance of nanostructured zinc oxide sensitised with xanthene dyes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 200, 364-370.	2.0	75
6	On the enhancement of heat transfer fluid for concentrating solar power using Cu and Ni nanofluids: An experimental and molecular dynamics study. <i>Nano Energy</i> , 2016, 27, 213-224.	8.2	66
7	Improving open-circuit voltage in DSSCs using Cu-doped TiO_2 as a semiconductor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 378-385.	0.8	54
8	Ag-based nanofluidic system to enhance heat transfer fluids for concentrating solar power: Nano-level insights. <i>Applied Energy</i> , 2017, 194, 19-29.	5.1	54
9	Investigation of enhanced thermal properties in NiO-based nanofluids for concentrating solar power applications: A molecular dynamics and experimental analysis. <i>Applied Energy</i> , 2018, 211, 677-688.	5.1	51
10	Solvent-free ZnO dye-sensitised solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2009, 93, 1846-1852.	3.0	49
11	Dramatically enhanced thermal properties for TiO_2 -based nanofluids for being used as heat transfer fluids in concentrating solar power plants. <i>Renewable Energy</i> , 2018, 119, 809-819.	4.3	44
12	Oxygen termination of homoepitaxial diamond surface by ozone and chemical methods: An experimental and theoretical perspective. <i>Applied Surface Science</i> , 2018, 433, 408-418.	3.1	40
13	ZnO-based dye solar cell with pure ionic-liquid electrolyte and organic sensitizer: the relevance of the dye–oxide interaction in an ionic-liquid medium. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 207-213.	1.3	38
14	Revealing the role of Pb^{2+} in the stability of organic–inorganic hybrid perovskite $\text{CH}_3\text{NH}_3\text{PbI}_3$: an experimental and theoretical study. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 23886-23896.	1.3	38
15	Effect of gallia doping on the acid–base and redox properties of ceria. <i>Applied Catalysis A: General</i> , 2010, 388, 202-210.	2.2	36
16	Direct Estimation of the Electron Diffusion Length in Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 1045-1050.	2.1	34
17	Preparation of Au nanoparticles in a non-polar medium: obtaining high-efficiency nanofluids for concentrating solar power. An experimental and theoretical perspective. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12483-12497.	5.2	34
18	Thermo-selective $\text{Tm}_x\text{Ti}_{1-x}\text{O}_2$ nanoparticles: from Tm-doped anatase TiO_2 to a rutile/pyrochlore $\text{Tm}_2\text{Ti}_2\text{O}_7$ mixture. An experimental and theoretical study with a photocatalytic application. <i>Nanoscale</i> , 2014, 6, 12740-12757.	2.8	32

#	ARTICLE	IF	CITATIONS
19	Electronic and Structural Properties of Highly Aluminum Ion Doped TiO ₂ Nanoparticles: A Combined Experimental and Theoretical Study. <i>ChemPhysChem</i> , 2014, 15, 2267-2280.	1.0	29
20	Highly Al-doped TiO ₂ nanoparticles produced by Ball Mill Method: structural and electronic characterization. <i>Materials Research Bulletin</i> , 2015, 70, 704-711.	2.7	28
21	The impact of Pd on the light harvesting in hybrid organic-inorganic perovskite for solar cells. <i>Nano Energy</i> , 2017, 34, 141-154.	8.2	28
22	2D MoSe ₂ -based nanofluids prepared by liquid phase exfoliation for heat transfer applications in concentrating solar power. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 109972.	3.0	28
23	MoS ₂ nanosheets <i>vs.</i> nanowires: preparation and a theoretical study of highly stable and efficient nanofluids for concentrating solar power. <i>Journal of Materials Chemistry A</i> , 2018, 6, 14919-14929.	5.2	24
24	A versatile computer-controlled high-resolution LBIC system. <i>Progress in Photovoltaics: Research and Applications</i> , 2004, 12, 283-295.	4.4	23
25	Novel WS ₂ -Based Nanofluids for Concentrating Solar Power: Performance Characterization and Molecular-Level Insights. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 5793-5804.	4.0	22
26	Visible-Light-Enhanced Photocatalytic Activity of Totally Inorganic Halide-Based Perovskite. <i>ChemistrySelect</i> , 2018, 3, 10226-10235.	0.7	21
27	Tm-doped TiO ₂ and Tm ₂ Ti ₂ O ₇ pyrochlore nanoparticles: enhancing the photocatalytic activity of rutile with a pyrochlore phase. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 605-616.	1.5	20
28	Interface-inspired formulation and molecular-level perspectives on heat conduction and energy storage of nanofluids. <i>Scientific Reports</i> , 2019, 9, 7595.	1.6	20
29	WSe ₂ Nanosheets Synthesized by a Solvothermal Process as Advanced Nanofluids for Thermal Solar Energy. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 1627-1636.	3.2	20
30	MoS ₂ -based nanofluids as heat transfer fluid in parabolic trough collector technology. <i>Renewable Energy</i> , 2022, 188, 721-730.	4.3	19
31	Experimental and theoretical analysis of NiO nanofluids in presence of surfactants. <i>Journal of Molecular Liquids</i> , 2018, 252, 211-217.	2.3	17
32	A precision method for laser focusing on laser beam induced current experiments. <i>Review of Scientific Instruments</i> , 2002, 73, 3895-3900.	0.6	16
33	Towards the improvement of the global efficiency of concentrating solar power plants by using Pt-based nanofluids: The internal molecular structure effect. <i>Applied Energy</i> , 2018, 228, 2262-2274.	5.1	16
34	A methodology for improving laser beam induced current images of dye sensitized solar cells. <i>Review of Scientific Instruments</i> , 2009, 80, 063102.	0.6	15
35	A Solvothermal Synthesis of TiO ₂ Nanoparticles in a Non-Polar Medium to Prepare Highly Stable Nanofluids with Improved Thermal Properties. <i>Nanomaterials</i> , 2018, 8, 816.	1.9	14
36	Synthesis of W-doped TiO ₂ by low-temperature hydrolysis: Effects of annealing temperature and doping content on the surface microstructure and photocatalytic activity. <i>Journal of the Chinese Chemical Society</i> , 2019, 66, 99-109.	0.8	14

#	ARTICLE	IF	CITATIONS
37	Synthesis and Raman spectroscopy study of TiO ₂ nanoparticles. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 1970-1973.	0.8	13
38	Multi-technique analysis of high quality HPHT diamond crystal. <i>Journal of Crystal Growth</i> , 2012, 353, 115-119.	0.7	13
39	H-Terminated Diamond Surface Band Bending Characterization by Angle-Resolved XPS. <i>Surfaces</i> , 2020, 3, 61-71.	1.0	13
40	Study of thulium doping effect and enhancement of photocatalytic activity of rutile TiO ₂ nanoparticles. <i>Materials Chemistry and Physics</i> , 2015, 161, 175-184.	2.0	12
41	TiO ₂ and pyrochlore Tm ₂ Ti ₂ O ₇ based semiconductor as a photoelectrode for dye-sensitized solar cells. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 145102.	1.3	12
42	Surface States of (100) O-Terminated Diamond: Towards Other 1 Å ⁻¹ 1:O Reconstruction Models. <i>Nanomaterials</i> , 2020, 10, 1193.	1.9	12
43	Evaluation of decay photocurrent measurements in dye-sensitized solar cells: Application to laser beam-induced current technique. <i>International Journal of Energy Research</i> , 2012, 36, 193-203.	2.2	11
44	The Role of the Interactions at the Tungsten Disulphide Surface in the Stability and Enhanced Thermal Properties of Nanofluids with Application in Solar Thermal Energy. <i>Nanomaterials</i> , 2020, 10, 970.	1.9	11
45	MoS ₂ /Cu/TiO ₂ nanoparticles: synthesis, characterization and effect on photocatalytic decomposition of methylene blue in water under visible light. <i>Water Science and Technology</i> , 2018, 2017, 184-193.	1.2	10
46	Insights into the stability and thermal properties of WSe ₂ -based nanofluids for concentrating solar power prepared by liquid phase exfoliation. <i>Journal of Molecular Liquids</i> , 2020, 319, 114333.	2.3	10
47	Confinement of CdS nanocrystals in a sol-gel matrix. <i>Journal of Sol-Gel Science and Technology</i> , 1997, 8, 275-283.	1.1	9
48	Hydrogen passivation of boron acceptors in as-grown boron-doped CVD diamond epilayers. <i>Diamond and Related Materials</i> , 2010, 19, 904-907.	1.8	9
49	Convergent study of Ru ^{II} ligand interactions through QTAIM, ELF, NBO molecular descriptors and TDDFT analysis of organometallic dyes. <i>Molecular Physics</i> , 2014, 112, 2063-2077.	0.8	9
50	High resolution laser beam induced current images under trichromatic laser radiation: Approximation to the solar irradiation. <i>Review of Scientific Instruments</i> , 2010, 81, 035108.	0.6	8
51	Micro-Raman Spectroscopy for the Determination of Local Temperature Increases in TiO ₂ Thin Films due to the Effect of Radiation. <i>Applied Spectroscopy</i> , 2016, 70, 1128-1136.	1.2	8
52	The Role of Surfactants in the Stability of NiO Nanofluids: An Experimental and DFT Study. <i>ChemPhysChem</i> , 2017, 18, 346-356.	1.0	8
53	Hybrid Perovskite, CH ₃ NH ₃ PbI ₃ , for Solar Applications: An Experimental and Theoretical Analysis of Substitution in A and B Sites. <i>Journal of Nanomaterials</i> , 2017, 1-10.	1.5	8
54	Cu(II)-Doped TiO ₂ Nanoparticles as Photoelectrode in Dye-Sensitized Solar Cells: Improvement of Open-Circuit Voltage and a Light Scattering Effect. <i>Science of Advanced Materials</i> , 2014, 6, 473-482.	0.1	8

#	ARTICLE	IF	CITATIONS
55	The Detection of Salting-out. A Comparative Study. <i>Crystal Research and Technology</i> , 1991, 26, 35-42.	0.6	7
56	A Photochemical Reactor for the Study of Kinetics and Adsorption Phenomena. <i>Journal of Chemical Education</i> , 2004, 81, 537.	1.1	7
57	Revealing at the molecular level the role of the surfactant in the enhancement of the thermal properties of the gold nanofluid system used for concentrating solar power. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 2421-2430.	1.3	7
58	Surface characterization of two Ce _{0.62} Zr _{0.38} O ₂ mixed oxides with different reducibility. <i>Applied Surface Science</i> , 2020, 503, 144255.	3.1	7
59	Surface thulium-doped TiO ₂ nanoparticles used as photoelectrodes in dye-sensitized solar cells: improving the open-circuit voltage. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 121, 1261-1269.	1.1	6
60	Experimental and theoretical analysis of nanofluids based on high temperature-heat transfer fluid with enhanced thermal properties. <i>EPJ Applied Physics</i> , 2017, 78, 10901.	0.3	6
61	Unraveling the role of the base fluid arrangement in metal-nanofluids used to enhance heat transfer in concentrating solar power plants. <i>Journal of Molecular Liquids</i> , 2018, 252, 271-278.	2.3	6
62	M(Al,Ni)-TiO ₂ -Based Photoanode for Photoelectrochemical Solar Cells. <i>Zeitschrift Fur Physikalische Chemie</i> , 2018, 232, 559-577.	1.4	6
63	On-line thermal dependence study of the main solar cell electrical photoconversion parameters using low thermal emission lamps. <i>Review of Scientific Instruments</i> , 2012, 83, 063105.	0.6	5
64	Incorporation of Al-(hydr)oxide species onto the surface of TiO ₂ nanoparticles: Improving the open-circuit voltage in dye-sensitized solar cells. <i>Thin Solid Films</i> , 2015, 578, 167-173.	0.8	5
65	Intrinsic stability analysis of perovskite nanopowder with double and triple cation in a site, F _x MA(1-x)PbI ₃ and F _x Cs _y MA(1-x-y)PbI ₃ . <i>Materials Research Bulletin</i> , 2019, 119, 110528.	2.7	5
66	Synthesis and Characterization of Gel-Derived, Highly Al-Doped TiO ₂ (Al) _x O ₅ Nanoparticles. <i>Advanced Materials</i> , 2014, 6, 2134-2145.	0.1	5
67	Evolution of Optical Transmittance in Precipitants Solutions. A Computer Simulation. <i>Crystal Research and Technology</i> , 1992, 27, 799-808.	0.6	4
68	High resolution laser beam induced current focusing for photoactive surface characterization. <i>Applied Surface Science</i> , 2006, 253, 2179-2188.	3.1	4
69	Experimental analysis and computer simulation of a methodology for laser focusing in the solar cell characterization by laser beam induced current. <i>Review of Scientific Instruments</i> , 2012, 83, 043102.	0.6	4
70	Stability and Thermal Properties Study of Metal Chalcogenide-Based Nanofluids for Concentrating Solar Power. <i>Energies</i> , 2019, 12, 4632.	1.6	4
71	Experimental Characterization and Theoretical Modelling of Ag and Au-Nanofluids: A Comparative Study of Their Thermal Properties. <i>Journal of Nanofluids</i> , 2018, 7, 1059-1068.	1.4	4
72	Raman intensities of cyclohexane in the gas phase. <i>Journal of Raman Spectroscopy</i> , 1989, 20, 291-296.	1.2	3

#	ARTICLE	IF	CITATIONS
73	Pore Characterization Methodology by Means of Capillary Sorption Tests. <i>Transport in Porous Media</i> , 2011, 86, 333-351.	1.2	3
74	Study on Shape Characterization of Crystalline Particles: Analysis of the Standard Deviation of the Angular Projection Function. <i>Journal of Physical Chemistry A</i> , 2002, 106, 6334-6338.	1.1	2
75	The effect of Cu-doped TiO ₂ photoanode on photovoltaic performance of dye-sensitized solar cells. , 2018, , .		2
76	Isotherm analysis for removal of organic pollutants Using Synthesized Mo/Cu/co-doped TiO ₂ Nanostructured. , 2019, , .		2
77	MoS ₂ TiO ₂ Mixture: A Modification Strategies of Tio ₂ Nanoparticles to Improve Photocatalytic Activity Under Visible Light. <i>Current Environmental Management</i> , 2020, 6, 245-255.	0.7	2
78	Comprehensive nanoscopic analysis of tungsten carbide/Oxygenated-diamond contacts for Schottky barrier diodes. <i>Applied Surface Science</i> , 2021, 537, 147874.	3.1	2
79	Experimental study of precipitating systems; computerised analysis of the optical transmittance and associated noise. <i>Computers & Chemistry</i> , 2001, 25, 447-457.	1.2	1
80	Improving photoresponse characterization of dye-sensitized solar cells: application to the laser beam-induced current technique. <i>Measurement Science and Technology</i> , 2010, 21, 075702.	1.4	1
81	Dye-Sensitized Cu-Doped TiO ₂ Solar Cells with a Double Flat Band. <i>Lecture Notes in Intelligent Transportation and Infrastructure</i> , 2019, , 940-946.	0.3	1
82	Enhanced thermophysical properties in spinel CuFe ₂ O ₄ based nanofluids for concentrated solar power. <i>International Journal of Energy Research</i> , 0, , .	2.2	1
83	Study of precipitant systems by computerised simulation. Influence of optical elements on the noise associated with the transmittance. <i>Computers & Chemistry</i> , 2001, 25, 499-508.	1.2	0
84	Theoretical study of the morphologically originated noise associated with the transmittance of a precipitation system. <i>Computers & Chemistry</i> , 2002, 26, 131-140.	1.2	0
85	Application of correction algorithms for obtaining high-resolution LBIC maps of dye-sensitized solar cells. , 2006, 6197, 178.		0
86	A Study of Overheating of Thermostatically Controlled TiO ₂ Thin Films by Using Raman Spectroscopy. <i>ChemPhysChem</i> , 2015, 16, 3949-3958.	1.0	0