

Hiroyuki Oshiumi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7931714/hiroyuki-oshiumi-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101
papers

7,172
citations

42
h-index

84
g-index

113
ext. papers

8,292
ext. citations

7
avg, IF

5.77
L-index

#	Paper	IF	Citations
101	Circulating extracellular vesicle microRNAs associated with adverse reactions, proinflammatory cytokine, and antibody production after COVID-19 vaccination.. <i>Npj Vaccines</i> , 2022 , 7, 16	9.5	1
100	Resistance to chemical carcinogenesis induction via a dampened inflammatory response in naked mole-rats.. <i>Communications Biology</i> , 2022 , 5, 287	6.7	0
99	Subtilase cytotoxin from Shiga-toxigenic impairs the inflammasome and exacerbates enteropathogenic bacterial infection.. <i>IScience</i> , 2022 , 25, 104050	6.1	0
98	miR-451a levels rather than human papillomavirus vaccine administration is associated with the severity of murine experimental autoimmune encephalomyelitis. <i>Scientific Reports</i> , 2021 , 11, 9369	4.9	0
97	The role of macrophages in anti-tumor immune responses: pathological significance and potential as therapeutic targets. <i>Human Cell</i> , 2021 , 34, 1031-1039	4.5	3
96	Circulating Extracellular Vesicles Carry Immune Regulatory miRNAs and Regulate Vaccine Efficacy and Local Inflammatory Response After Vaccination. <i>Frontiers in Immunology</i> , 2021 , 12, 685344	8.4	3
95	RIG-I-Like Receptor-Mediated Recognition of Viral Genomic RNA of Severe Acute Respiratory Syndrome Coronavirus-2 and Viral Escape From the Host Innate Immune Responses. <i>Frontiers in Immunology</i> , 2021 , 12, 700926	8.4	18
94	Export of RNA-derived modified nucleosides by equilibrative nucleoside transporters defines the magnitude of autophagy response and Zika virus replication. <i>RNA Biology</i> , 2021 , 1-18	4.8	0
93	Cooperative methylation of human tRNA ^{3Lys} at positions A58 and U54 drives the early and late steps of HIV-1 replication. <i>Nucleic Acids Research</i> , 2021 , 49, 11855-11867	20.1	1
92	Aging-Associated Extracellular Vesicles Contain Immune Regulatory microRNAs Alleviating Hyperinflammatory State and Immune Dysfunction in the Elderly. <i>IScience</i> , 2020 , 23, 101520	6.1	15
91	Recent Advances and Contradictions in the Study of the Individual Roles of Ubiquitin Ligases That Regulate RIG-I-Like Receptor-Mediated Antiviral Innate Immune Responses. <i>Frontiers in Immunology</i> , 2020 , 11, 1296	8.4	15
90	Attenuation of the Innate Immune Response against Viral Infection Due to ZNF598-Promoted Binding of FAT10 to RIG-I. <i>Cell Reports</i> , 2019 , 28, 1961-1970.e4	10.6	14
89	Immune-regulatory microRNA expression levels within circulating extracellular vesicles correspond with the appearance of local symptoms after seasonal flu vaccination. <i>PLoS ONE</i> , 2019 , 14, e0219510	3.7	8
88	Cytoplasmic dsRNA induces the expression of and mRNAs in differentiated human cells. <i>Journal of Biological Chemistry</i> , 2019 , 294, 18969-18979	5.4	1
87	TICAM-1 is dispensable in STING-mediated innate immune responses in myeloid immune cells. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 499, 985-991	3.4	1
86	Activation of TLR3 and its adaptor TICAM-1 increases miR-21 levels in extracellular vesicles released from human cells. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 500, 744-750	3.4	8
85	Aureobasidium pullulans-cultured fluid induces IL-18 production, leading to Th1-polarization during influenza A virus infection. <i>Journal of Biochemistry</i> , 2018 , 163, 31-38	3.1	4

84	DNAJB1/HSP40 Suppresses Melanoma Differentiation-Associated Gene 5-Mitochondrial Antiviral Signaling Protein Function in Conjunction with HSP70. <i>Journal of Innate Immunity</i> , 2018 , 10, 44-55	6.9	13
83	Immune-suppressive effects of interleukin-6 on T-cell-mediated anti-tumor immunity. <i>Cancer Science</i> , 2018 , 109, 523-530	6.9	67
82	MicroRNA-451a in extracellular, blood-resident vesicles attenuates macrophage and dendritic cell responses to influenza whole-virus vaccine. <i>Journal of Biological Chemistry</i> , 2018 , 293, 18585-18600	5.4	24
81	Combined Blockade of IL6 and PD-1/PD-L1 Signaling Abrogates Mutual Regulation of Their Immunosuppressive Effects in the Tumor Microenvironment. <i>Cancer Research</i> , 2018 , 78, 5011-5022	10.1	147
80	Functional interfaces between TICAM-2/TRAM and TICAM-1/TRIF in TLR4 signaling. <i>Biochemical Society Transactions</i> , 2017 , 45, 929-935	5.1	23
79	Recognition of Viral RNA by Pattern Recognition Receptors in the Induction of Innate Immunity and Excessive Inflammation During Respiratory Viral Infections. <i>Viral Immunology</i> , 2017 , 30, 408-420	1.7	34
78	Development of mouse models for analysis of human virus infections. <i>Microbiology and Immunology</i> , 2017 , 61, 107-113	2.7	12
77	cGAMP Promotes Germinal Center Formation and Production of IgA in Nasal-Associated Lymphoid Tissue. <i>Medical Sciences (Basel, Switzerland)</i> , 2017 , 5,	3.3	8
76	HTLV-1 Tax Induces Formation of the Active Macromolecular IKK Complex by Generating Lys63- and Met1-Linked Hybrid Polyubiquitin Chains. <i>PLoS Pathogens</i> , 2017 , 13, e1006162	7.6	26
75	Regulation of RIG-I Activation by K63-Linked Polyubiquitination. <i>Frontiers in Immunology</i> , 2017 , 8, 1942	8.4	44
74	Zyxin stabilizes RIG-I and MAVS interactions and promotes type I interferon response. <i>Scientific Reports</i> , 2017 , 7, 11905	4.9	10
73	Extracellular Vesicles Deliver Host and Virus RNA and Regulate Innate Immune Response. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	70
72	The dataset of proteins specifically interacted with activated TICAM-1. <i>Data in Brief</i> , 2016 , 8, 697-9	1.2	1
71	Double-stranded RNA analog and type I interferon regulate expression of Trem paired receptors in murine myeloid cells. <i>BMC Immunology</i> , 2016 , 17, 9	3.7	1
70	Biphasic function of TLR3 adjuvant on tumor and spleen dendritic cells promotes tumor T cell infiltration and regression in a vaccine therapy. <i>Oncolimmunology</i> , 2016 , 5, e1188244	7.2	30
69	Interferon-stimulated gene of 20 kDa protein (ISG20) degrades RNA of hepatitis B virus to impede the replication of HBV in vitro and in vivo. <i>Oncotarget</i> , 2016 , 7, 68179-68193	3.3	24
68	Accessory Factors of Cytoplasmic Viral RNA Sensors Required for Antiviral Innate Immune Response. <i>Frontiers in Immunology</i> , 2016 , 7, 200	8.4	37
67	Extracellular Vesicles Including Exosomes Regulate Innate Immune Responses to Hepatitis B Virus Infection. <i>Frontiers in Immunology</i> , 2016 , 7, 335	8.4	96

66	Links between recognition and degradation of cytoplasmic viral RNA in innate immune response. <i>Reviews in Medical Virology</i> , 2016 , 26, 90-101	11.7	17
65	STING in tumor and host cells cooperatively work for NK cell-mediated tumor growth retardation. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 478, 1764-71	3.4	39
64	PolyI:C-Induced, TLR3/RIP3-Dependent Necroptosis Backs Up Immune Effector-Mediated Tumor Elimination In Vivo. <i>Cancer Immunology Research</i> , 2015 , 3, 902-14	12.5	55
63	Identification of a Regulatory Acidic Motif as the Determinant of Membrane Localization of TICAM-2. <i>Journal of Immunology</i> , 2015 , 195, 4456-65	5.3	4
62	A MAVS/TICAM-1-independent interferon-inducing pathway contributes to regulation of hepatitis B virus replication in the mouse hydrodynamic injection model. <i>Journal of Innate Immunity</i> , 2015 , 7, 47-58	6.9	13
61	Evolution of the DEAD box helicase family in chicken: chickens have no DHX9 ortholog. <i>Microbiology and Immunology</i> , 2015 , 59, 633-40	2.7	10
60	Nucleic Acid Sensors Involved in the Recognition of HBV in the Liver-Specific Transfection Mouse Models-Pattern Recognition Receptors and Sensors for HBV. <i>Medical Sciences (Basel, Switzerland)</i> , 2015 , 3, 16-24	3.3	6
59	Interferon (IFN) and Cellular Immune Response Evoked in RNA-Pattern Sensing During Infection with Hepatitis C Virus (HCV). <i>Sensors</i> , 2015 , 15, 27160-73	3.8	10
58	RIOK3-mediated phosphorylation of MDA5 interferes with its assembly and attenuates the innate immune response. <i>Cell Reports</i> , 2015 , 11, 192-200	10.6	43
57	DDX60 Is Involved in RIG-I-Dependent and Independent Antiviral Responses, and Its Function Is Attenuated by Virus-Induced EGFR Activation. <i>Cell Reports</i> , 2015 , 11, 1193-207	10.6	78
56	Myeloid-derived suppressor cells confer tumor-suppressive functions on natural killer cells via polyinosinic:polycytidylic acid treatment in mouse tumor models. <i>Journal of Innate Immunity</i> , 2014 , 6, 293-305	6.9	30
55	IPS-1 is essential for type III IFN production by hepatocytes and dendritic cells in response to hepatitis C virus infection. <i>Journal of Immunology</i> , 2014 , 192, 2770-7	5.3	17
54	Dendritic cell subsets involved in type I IFN induction in mouse measles virus infection models. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 53, 329-33	5.6	13
53	MAVS-dependent IRF3/7 bypass of interferon induction restricts the response to measles infection in CD150Tg mouse bone marrow-derived dendritic cells. <i>Molecular Immunology</i> , 2014 , 57, 100-103	4.3	7
52	Correction: an embryo-specific expressing TGF- β family protein, growth-differentiation factor 3 (GDF3), augments progression of B16 melanoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 22	12.8	78
51	INAM plays a critical role in IFN- β production by NK cells interacting with polyinosinic-polycytidylic acid-stimulated accessory cells. <i>Journal of Immunology</i> , 2014 , 193, 5199-207	5.3	29
50	Multi-step regulation of interferon induction by hepatitis C virus. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2013 , 61, 127-38	4	10
49	Toll-IL-1-receptor-containing adaptor molecule-1: a signaling adaptor linking innate immunity to adaptive immunity. <i>Progress in Molecular Biology and Translational Science</i> , 2013 , 117, 487-510	4	6

48	A distinct role of Riplet-mediated K63-Linked polyubiquitination of the RIG-I repressor domain in human antiviral innate immune responses. <i>PLoS Pathogens</i> , 2013 , 9, e1003533	7.6	136
47	The MyD88 pathway in plasmacytoid and CD4+ dendritic cells primarily triggers type I IFN production against measles virus in a mouse infection model. <i>Journal of Immunology</i> , 2013 , 191, 4740-7	5.3	16
46	Cell type-specific subcellular localization of phospho-TBK1 in response to cytoplasmic viral DNA. <i>PLoS ONE</i> , 2013 , 8, e83639	3.7	28
45	Cross-priming for antitumor CTL induced by soluble Ag + polyI:C depends on the TICAM-1 pathway in mouse CD11c(+)/CD8(+) dendritic cells. <i>Oncolmmunology</i> , 2012 , 1, 581-592	7.2	54
44	The toll-like receptor 3-mediated antiviral response is important for protection against poliovirus infection in poliovirus receptor transgenic mice. <i>Journal of Virology</i> , 2012 , 86, 185-94	6.6	73
43	TLR3/TICAM-1 signaling in tumor cell RIP3-dependent necroptosis. <i>Oncolmmunology</i> , 2012 , 1, 917-923	7.2	38
42	Ubiquitin-mediated modulation of the cytoplasmic viral RNA sensor RIG-I. <i>Journal of Biochemistry</i> , 2012 , 151, 5-11	3.1	54
41	Toll-like receptor 3 signaling converts tumor-supporting myeloid cells to tumoricidal effectors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2066-71	11.5	162
40	Development of mouse hepatocyte lines permissive for hepatitis C virus (HCV). <i>PLoS ONE</i> , 2011 , 6, e21284	3.7	20
39	Strain-to-strain difference of V protein of measles virus affects MDA5-mediated IFN- β inducing potential. <i>Molecular Immunology</i> , 2011 , 48, 497-504	4.3	28
38	Antiviral responses induced by the TLR3 pathway. <i>Reviews in Medical Virology</i> , 2011 , 21, 67-77	11.7	111
37	DDX60, a DEXD/H box helicase, is a novel antiviral factor promoting RIG-I-like receptor-mediated signaling. <i>Molecular and Cellular Biology</i> , 2011 , 31, 3802-19	4.8	178
36	The TLR3/TICAM-1 pathway is mandatory for innate immune responses to poliovirus infection. <i>Journal of Immunology</i> , 2011 , 187, 5320-7	5.3	67
35	Pattern recognition receptors of innate immunity and their application to tumor immunotherapy. <i>Cancer Science</i> , 2010 , 101, 313-20	6.9	31
34	Cyclin-dependent kinase promotes formation of the synaptonemal complex in yeast meiosis. <i>Genes To Cells</i> , 2010 , 15, 1036-50	2.3	21
33	Hepatitis C virus core protein abrogates the DDX3 function that enhances IPS-1-mediated IFN-beta induction. <i>PLoS ONE</i> , 2010 , 5, e14258	3.7	58
32	Identification of a polyI:C-inducible membrane protein that participates in dendritic cell-mediated natural killer cell activation. <i>Journal of Experimental Medicine</i> , 2010 , 207, 2675-87	16.6	81
31	A molecular mechanism for Toll-IL-1 receptor domain-containing adaptor molecule-1-mediated IRF-3 activation. <i>Journal of Biological Chemistry</i> , 2010 , 285, 20128-36	5.4	33

30	Collaborative action of Brca1 and CtIP in elimination of covalent modifications from double-strand breaks to facilitate subsequent break repair. <i>PLoS Genetics</i> , 2010 , 6, e1000828	6	115
29	Direct binding of TRAF2 and TRAF6 to TICAM-1/TRIF adaptor participates in activation of the Toll-like receptor 3/4 pathway. <i>Molecular Immunology</i> , 2010 , 47, 1283-91	4.3	57
28	Phylogenetic and expression analysis of lamprey toll-like receptors. <i>Developmental and Comparative Immunology</i> , 2010 , 34, 855-65	3.2	69
27	The ubiquitin ligase Riplet is essential for RIG-I-dependent innate immune responses to RNA virus infection. <i>Cell Host and Microbe</i> , 2010 , 8, 496-509	23.4	178
26	An embryo-specific expressing TGF- β family protein, growth-differentiation factor 3 (GDF3), augments progression of B16 melanoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010 , 29, 135	12.8	15
25	DEAD/H BOX 3 (DDX3) helicase binds the RIG-I adaptor IPS-1 to up-regulate IFN-beta-inducing potential. <i>European Journal of Immunology</i> , 2010 , 40, 940-8	6.1	145
24	Mitofusin 2 inhibits mitochondrial antiviral signaling. <i>Science Signaling</i> , 2009 , 2, ra47	8.8	175
23	Riplet/RNF135, a RING finger protein, ubiquitinates RIG-I to promote interferon-beta induction during the early phase of viral infection. <i>Journal of Biological Chemistry</i> , 2009 , 284, 807-17	5.4	241
22	Oligomerized TICAM-1 (TRIF) in the cytoplasm recruits nuclear BS69 to enhance NF-kappaB activation and type I IFN induction. <i>European Journal of Immunology</i> , 2009 , 39, 3469-76	6.1	7
21	Regulator of complement activation (RCA) gene cluster in <i>Xenopus tropicalis</i> . <i>Immunogenetics</i> , 2009 , 61, 371-84	3.2	10
20	Functional evolution of the TICAM-1 pathway for extrinsic RNA sensing. <i>Immunological Reviews</i> , 2009 , 227, 44-53	11.3	57
19	Combinational recognition of bacterial lipoproteins and peptidoglycan by chicken Toll-like receptor 2 subfamily. <i>Developmental and Comparative Immunology</i> , 2008 , 32, 147-55	3.2	84
18	Pan-vertebrate toll-like receptors during evolution. <i>Current Genomics</i> , 2008 , 9, 488-93	2.6	58
17	Teleost TLR22 recognizes RNA duplex to induce IFN and protect cells from birnaviruses. <i>Journal of Immunology</i> , 2008 , 181, 3474-85	5.3	262
16	Homo-oligomerization is essential for Toll/interleukin-1 receptor domain-containing adaptor molecule-1-mediated NF-kappaB and interferon regulatory factor-3 activation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18283-91	5.4	58
15	Recombinant interleukin-12 and interleukin-18 antitumor therapy in a guinea-pig hepatoma cell implant model. <i>Cancer Science</i> , 2007 , 98, 1936-42	6.9	10
14	Spatiotemporal mobilization of Toll/IL-1 receptor domain-containing adaptor molecule-1 in response to dsRNA. <i>Journal of Immunology</i> , 2007 , 179, 6867-72	5.3	72
13	TICAM-1 and TICAM-2: toll-like receptor adapters that participate in induction of type 1 interferons. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 524-9	5.6	41

12	Regulator of complement activation (RCA) locus in chicken: identification of chicken RCA gene cluster and functional RCA proteins. <i>Journal of Immunology</i> , 2005 , 175, 1724-34	5.3	13
11	Cutting Edge: NF-kappaB-activating kinase-associated protein 1 participates in TLR3/Toll-IL-1 homology domain-containing adapter molecule-1-mediated IFN regulatory factor 3 activation. <i>Journal of Immunology</i> , 2005 , 174, 27-30	5.3	110
10	Toll-like receptor 3: a link between toll-like receptor, interferon and viruses. <i>Microbiology and Immunology</i> , 2004 , 48, 147-54	2.7	139
9	Sensing bacterial flagellin by membrane and soluble orthologs of Toll-like receptor 5 in rainbow trout (<i>Onchorhynchus mikiss</i>). <i>Journal of Biological Chemistry</i> , 2004 , 279, 48588-97	5.4	157
8	A short consensus repeat-containing complement regulatory protein of lamprey that participates in cleavage of lamprey complement 3. <i>Journal of Immunology</i> , 2004 , 173, 1118-28	5.3	26
7	The cytoplasmic Tinker region in Toll-like receptor 3 controls receptor localization and signaling. <i>International Immunology</i> , 2004 , 16, 1143-54	4.9	130
6	A protein complex containing Mei5 and Sae3 promotes the assembly of the meiosis-specific RecA homolog Dmc1. <i>Cell</i> , 2004 , 119, 927-40	56.2	98
5	TIR-containing adapter molecule (TICAM)-2, a bridging adapter recruiting to toll-like receptor 4 TICAM-1 that induces interferon-beta. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49751-62	5.4	291
4	Prediction of the prototype of the human Toll-like receptor gene family from the pufferfish, <i>Fugu rubripes</i> , genome. <i>Immunogenetics</i> , 2003 , 54, 791-800	3.2	260
3	TICAM-1, an adaptor molecule that participates in Toll-like receptor 3-mediated interferon-beta induction. <i>Nature Immunology</i> , 2003 , 4, 161-7	19.1	981
2	Subcellular localization of Toll-like receptor 3 in human dendritic cells. <i>Journal of Immunology</i> , 2003 , 171, 3154-62	5.3	583
1	Complex formation and functional versatility of Mre11 of budding yeast in recombination. <i>Cell</i> , 1998 , 95, 705-16	56.2	303