Tobias Pischon

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7932142/tobias-pischon-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16,374 65 194 125 h-index g-index citations papers 216 6.6 18,405 5.92 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
194	Interleukin 8 in postoperative delirium - Preliminary findings from two studies <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 20, 100419	5.1	O
193	Microbiota in Health and Disease-Potential Clinical Applications. <i>Nutrients</i> , 2021 , 13,	6.7	2
192	Dietary Macronutrient Composition in Relation to Circulating HDL and Non-HDL Cholesterol: A Federated Individual-Level Analysis of Cross-Sectional Data from Adolescents and Adults in 8 European Studies. <i>Journal of Nutrition</i> , 2021 , 151, 2317-2329	4.1	1
191	Resting state brain network functional connectivity is not associated with inflammatory markers and blood cell counts in older adults. <i>Clinical Neurophysiology</i> , 2021 , 132, 1677-1686	4.3	
190	Dairy intake during adolescence and risk of colorectal adenoma later in life. <i>British Journal of Cancer</i> , 2021 , 124, 1160-1168	8.7	2
189	Lifetime and current depression in the German National Cohort (NAKO). <i>World Journal of Biological Psychiatry</i> , 2021 , 1-31	3.8	3
188	Gut Microbiome Composition in Obese and Non-Obese Persons: A Systematic Review and Meta-Analysis <i>Nutrients</i> , 2021 , 14,	6.7	11
187	Plasma leptin, but not adiponectin, is associated with cognitive impairment in older adults. <i>Psychoneuroendocrinology</i> , 2020 , 120, 104783	5	5
186	Factors associated with habitual time spent in different physical activity intensities using multiday accelerometry. <i>Scientific Reports</i> , 2020 , 10, 774	4.9	2
185	Powerful rare variant association testing in a copula-based joint analysis of multiple phenotypes. <i>Genetic Epidemiology</i> , 2020 , 44, 26-40	2.6	2
184	Association of body surface scanner-based abdominal volume with parameters of the Metabolic Syndrome and comparison with manually measured waist circumference. <i>Scientific Reports</i> , 2020 , 10, 9324	4.9	1
183	School- and Leisure Time Factors Are Associated With Sitting Time of German and Irish Children and Adolescents During School: Results of a DEDIPAC Feasibility Study. <i>Frontiers in Sports and Active Living</i> , 2020 , 2, 93	2.3	
182	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020 , 10, 14541	4.9	31
181	Mendelian Randomization Study on Amino Acid Metabolism Suggests Tyrosine as Causal Trait for Type 2 Diabetes. <i>Nutrients</i> , 2020 , 12,	6.7	3
180	Association of dietary intake of milk and dairy products with blood concentrations of insulin-like growth factor 1 (IGF-1) in Bavarian adults. <i>European Journal of Nutrition</i> , 2020 , 59, 1413-1420	5.2	15
179	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
178	Health care utilisation and medication one year after myocardial infarction in Germany - a claims data analysis. <i>International Journal of Cardiology</i> , 2020 , 300, 20-26	3.2	2

177	The accumulation of deficits approach to describe frailty. PLoS ONE, 2019, 14, e0223449	3.7	10
176	Prediction of Circulating Adipokine Levels Based on Body Fat Compartments and Adipose Tissue Gene Expression. <i>Obesity Facts</i> , 2019 , 12, 590-605	5.1	9
175	Diagnosis of obesity and use of obesity biomarkers in science and clinical medicine. <i>Metabolism: Clinical and Experimental</i> , 2019 , 92, 61-70	12.7	74
174	Insulin-Like Growth Factor Binding Protein 2 (IGFBP-2) and the Risk of Developing Type 2 Diabetes. <i>Diabetes</i> , 2019 , 68, 188-197	0.9	26
173	Joint Data Analysis in Nutritional Epidemiology: Identification of Observational Studies and Minimal Requirements. <i>Journal of Nutrition</i> , 2018 , 148, 285-297	4.1	7
172	Policy determinants of physical activity across the life course: a 'DEDIPAC' umbrella systematic literature review. <i>European Journal of Public Health</i> , 2018 , 28, 105-118	2.1	17
171	Associations of dyslipidaemia and lipid-lowering treatment with risk of postoperative cognitive dysfunction: a systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 499-506	5.1	8
170	ONS: an ontology for a standardized description of interventions and observational studies in nutrition. <i>Genes and Nutrition</i> , 2018 , 13, 12	4.3	18
169	Variability and reliability study of overall physical activity and activity intensity levels using 24[h-accelerometry-assessed data. <i>BMC Public Health</i> , 2018 , 18, 530	4.1	11
168	Metabolite ratios as potential biomarkers for type 2 diabetes: a DIRECT study. <i>Diabetologia</i> , 2018 , 61, 117-129	10.3	21
167	Basal forebrain cholinergic system volume is associated with general cognitive ability in the elderly. <i>Neuropsychologia</i> , 2018 , 119, 145-156	3.2	9
166	Association of obesity, diabetes and hypertension with cognitive impairment in older age. <i>Clinical Epidemiology</i> , 2018 , 10, 853-862	5.9	14
165	Serum metabolites and risk of myocardial infarction and ischemic stroke: a targeted metabolomic approach in two German prospective cohorts. <i>European Journal of Epidemiology</i> , 2018 , 33, 55-66	12.1	42
164	Addressing the Perfect Storm: Biomarkers in Obesity and Pathophysiology of Cardiometabolic Risk. <i>Clinical Chemistry</i> , 2018 , 64, 142-153	5.5	46
163	Diabetes, but Not Hypertension and Obesity, Is Associated with Postoperative Cognitive Dysfunction. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 193-206	2.6	11
162	Behavioral determinants of physical activity across the life course: a "DEterminants of DIet and Physical ACtivity" (DEDIPAC) umbrella systematic literature review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 58	8.4	69
161	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 419-430	12.1	13
160	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017 , 185, 751-764	3.8	14

159	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1823-1835	7.8	13
158	Psychological determinants of physical activity across the life course: A "DEterminants of DIet and Physical ACtivity" (DEDIPAC) umbrella systematic literature review. <i>PLoS ONE</i> , 2017 , 12, e0182709	3.7	57
157	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017 , 15, 115	11.4	44
156	Socio-cultural determinants of physical activity across the life course: a 'Determinants of Diet and Physical Activity' (DEDIPAC) umbrella systematic literature review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 173	8.4	41
155	24 h-accelerometry in epidemiological studies: automated detection of non-wear time in comparison to diary information. <i>Scientific Reports</i> , 2017 , 7, 2227	4.9	16
154	Genetic variants including markers from the exome chip and metabolite traits of type 2 diabetes. <i>Scientific Reports</i> , 2017 , 7, 6037	4.9	10
153	Participants' decision to enroll in cohort studies with biobanks: quantitative insights from two German studies. <i>Personalized Medicine</i> , 2017 , 14, 477-485	2.2	2
152	Plasma Inflammation Markers of the Tumor Necrosis Factor Pathway but Not C-Reactive Protein Are Associated with Processed Meat and Unprocessed Red Meat Consumption in Bavarian Adults. <i>Journal of Nutrition</i> , 2017 , 147, 78-85	4.1	21
151	Comparison of single-marker and multi-marker tests in rare variant association studies of quantitative traits. <i>PLoS ONE</i> , 2017 , 12, e0178504	3.7	6
150	Validity and reliability of total body volume and relative body fat mass from a 3-dimensional photonic body surface scanner. <i>PLoS ONE</i> , 2017 , 12, e0180201	3.7	19
149	Random Survival Forest in practice: a method for modelling complex metabolomics data in time to event analysis. <i>International Journal of Epidemiology</i> , 2016 , 45, 1406-1420	7.8	42
148	Identification of Serum Metabolites Associated With Incident Hypertension in the European Prospective Investigation into Cancer and Nutrition-Potsdam Study. <i>Hypertension</i> , 2016 , 68, 471-7	8.5	43
147	Using concept mapping in the development of the EU-PAD framework (EUropean-Physical Activity Determinants across the life course): a DEDIPAC-study. <i>BMC Public Health</i> , 2016 , 16, 1145	4.1	37
146	Genetic association analysis based on a joint model of gene expression and blood pressure. <i>BMC Proceedings</i> , 2016 , 10, 289-294	2.3	4
145	Circulating Omentin as a Novel Biomarker for Colorectal Cancer Risk: Data from the EPIC-Potsdam Cohort Study. <i>Cancer Research</i> , 2016 , 76, 3862-71	10.1	32
144	Omentin-1 and risk of myocardial infarction and stroke: Results from the EPIC-Potsdam cohort study. <i>Atherosclerosis</i> , 2016 , 251, 415-421	3.1	36
143	Habitual intake of flavonoid subclasses and risk of colorectal cancer in 2 large prospective cohorts. American Journal of Clinical Nutrition, 2016 , 103, 184-91	7	62
142	Specific Metabolic Markers Are Associated with Future Waist-Gaining Phenotype in Women. <i>PLoS ONE</i> , 2016 , 11, e0157733	3.7	3

141	Obesity and Risk of Cancer: An Introductory Overview. Recent Results in Cancer Research, 2016, 208, 1-1	5 1.5	51	
140	Obesity Biomarkers, Metabolism and Risk of Cancer: An Epidemiological Perspective. <i>Recent Results in Cancer Research</i> , 2016 , 208, 199-217	1.5	32	
139	Obesity and Oesophageal Cancer. Recent Results in Cancer Research, 2016, 208, 67-80	1.5	6	
138	How to Manage the Obese Patient With Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4284-4294	2.2	35	
137	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9	
136	Association between alcohol consumption and serum paraoxonase and arylesterase activities: a cross-sectional study within the Bavarian population. <i>British Journal of Nutrition</i> , 2016 , 115, 730-6	3.6	4	
135	Obesity and post-operative cognitive dysfunction: a systematic review and meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32, 643-51	7.5	25	
134	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, 1181-92	7.5	53	
133	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50	
132	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16	
131	Pocket depth and bleeding on probing and their associations with dental, lifestyle, socioeconomic and blood variables: a cross-sectional, multicenter feasibility study of the German National Cohort. <i>BMC Oral Health</i> , 2015 , 15, 7	3.7	25	
130	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44	
129	Association between dietary factors and plasma fetuin-A concentrations in the general population. <i>British Journal of Nutrition</i> , 2015 , 114, 1278-85	3.6	8	
128	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60	
127	Reply: To PMID 24443059. <i>Hepatology</i> , 2015 , 62, 320-1	11.2		
126	Measurement of waist and hip circumference with a body surface scanner: feasibility, validity, reliability, and correlations with markers of the metabolic syndrome. <i>PLoS ONE</i> , 2015 , 10, e0119430	3.7	40	
125	Whole-Body MR Imaging in the German National Cohort: Rationale, Design, and Technical Background. <i>Radiology</i> , 2015 , 277, 206-20	20.5	92	
124	Amino acids, lipid metabolites, and ferritin as potential mediators linking red meat consumption to type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 1241-50	7	77	

123	Body fatness, related biomarkers and cancer risk: an epidemiological perspective. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2015 , 22, 39-51	1.3	30
122	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
121	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 134, 612-21	7·5	31
120	Evaluation of various biomarkers as potential mediators of the association between coffee consumption and incident type 2 diabetes in the EPIC-Potsdam Study. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 891-900	7	52
119	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
118	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
117	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
116	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
115	Serum metabolites related to cardiorespiratory fitness, physical activity energy expenditure, sedentary time and vigorous activity. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2014 , 24, 215-26	4.4	13
114	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
113	Dietary patterns during high school and risk of colorectal adenoma in a cohort of middle-aged women. <i>International Journal of Cancer</i> , 2014 , 134, 2458-67	7.5	35
112	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1949-60	7.5	38
111	Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
110	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
109	Influence of Obesity and Related Metabolic Alterations on Colorectal Cancer Risk. <i>Current Nutrition Reports</i> , 2013 , 2, 1-9	6	53
108	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013 , 49, 3526-36	7.5	47
107	The potential use of biomarkers in the prevention of Type 2 diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2013 , 8, 217-219	4.1	2
106	Consumption of red meat and whole-grain bread in relation to biomarkers of obesity, inflammation, glucose metabolism and oxidative stress. <i>European Journal of Nutrition</i> , 2013 , 52, 337-45	5.2	142

(2011-2013)

1	05	Identification of serum metabolites associated with risk of type 2 diabetes using a targeted metabolomic approach. <i>Diabetes</i> , 2013 , 62, 639-48	0.9	634
1	.04	Obesity and colorectal cancer. <i>Frontiers in Bioscience - Elite</i> , 2013 , 5, 61-77	1.6	47
1	203	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012 , 130, 622-30	7.5	30
1	02	Coffee consumption and risk of chronic disease in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Germany study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 901-8	7	70
1	01	Novel biomarkers for pre-diabetes identified by metabolomics. <i>Molecular Systems Biology</i> , 2012 , 8, 615	12.2	468
1	200	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012 , 175, 653-63	3.8	64
9	9	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012 , 33, 1211-8	4.6	65
9)8	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53
9	97	Plasma total and high molecular weight adiponectin levels and risk of coronary heart disease in women. <i>Atherosclerosis</i> , 2011 , 219, 322-9	3.1	71
9	96	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011 , 6, e16914	3.7	9
9) 5	Estimation of the contribution of biomarkers of different metabolic pathways to risk of type 2 diabetes. <i>European Journal of Epidemiology</i> , 2011 , 26, 29-38	12.1	34
9	94	Tumor necrosis factor (TNF)-[Isoluble TNF receptors and endometrial cancer risk: the EPIC study. <i>International Journal of Cancer</i> , 2011 , 129, 2032-7	7.5	48
9	93	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ, The</i> , 2011 , 342, d1584	5.9	172
9)2	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011 , 60, 1094-102	19.2	151
9)1	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 767-78	4	19
9)0	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
8	39	Antioxidant intake from diet and supplements and elevated serum C-reactive protein and plasma homocysteine concentrations in US adults: a cross-sectional study. <i>Public Health Nutrition</i> , 2011 , 14, 205	5 3: 8 4	26
8	38	Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. <i>Cancer Prevention Research</i> , 2011 , 4, 1873-83	3.2	103

87	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1686-95	9.7	167
86	Reliability of serum metabolite concentrations over a 4-month period using a targeted metabolomic approach. <i>PLoS ONE</i> , 2011 , 6, e21103	3.7	99
85	Television watching and incident diabetes: Findings from the European Prospective Investigation into Cancer and Nutrition-Potsdam Study. <i>Journal of Diabetes</i> , 2010 , 2, 23-7	3.8	59
84	Body mass index, waist circumference, and the risk of type 2 diabetes mellitus: implications for routine clinical practice. <i>Deutsches A&#x0308;rzteblatt International</i> , 2010 , 107, 470-6	2.5	66
83	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1328-40	4	62
82	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2549-61	4	52
81	Plasma gamma-glutamyltransferase, cysteinyl-glycine, and oxidized low-density lipoprotein: a pathway associated with myocardial infarction risk?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2053-8	9.4	17
80	Commentary: Use of the body mass index to assess the risk of health outcomes: time to say goodbye?. <i>International Journal of Epidemiology</i> , 2010 , 39, 528-9	7.8	22
79	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 17	6 9 -76	22
78	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 407-18	3.8	90
77	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
76	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
75	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
74	Use of Obesity Biomarkers in Cardiovascular Epidemiology. <i>Disease Markers</i> , 2009 , 26, 247-263	3.2	20
73	Vitamin D receptor and calcium sensing receptor polymorphisms and the risk of colorectal cancer in European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2485-91	4	65
72	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
71	A case-control study on fat-to-muscle ratio and risk of breast cancer. <i>Nutrition and Cancer</i> , 2009 , 61, 46	6 <i>-7</i> . §	19
70	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29

(2008-2009)

69	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
68	Association of a diabetes risk score with risk of myocardial infarction, stroke, specific types of cancer, and mortality: a prospective study in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam cohort. <i>European Journal of Epidemiology</i> , 2009 , 24, 281-8	12.1	41
67	Association of the FTO rs9939609 single nucleotide polymorphism with C-reactive protein levels. <i>Obesity</i> , 2009 , 17, 330-4	8	31
66	Use of multiple metabolic and genetic markers to improve the prediction of type 2 diabetes: the EPIC-Potsdam Study. <i>Diabetes Care</i> , 2009 , 32, 2116-9	14.6	107
65	Use of obesity biomarkers in cardiovascular epidemiology. <i>Disease Markers</i> , 2009 , 26, 247-63	3.2	7
64	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
63	Plasma fetuin-a levels and the risk of myocardial infarction and ischemic stroke. <i>Circulation</i> , 2008 , 118, 2555-62	16.7	245
62	Inflammation, the metabolic syndrome, and risk of coronary heart disease in women and men. <i>Atherosclerosis</i> , 2008 , 197, 392-9	3.1	87
61	Circulating concentrations of folate and vitamin B12 in relation to prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 279-85	4	43
60	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
59	Body size and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3252-61	4	95
58	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 438-46	3.8	134
57	Plasma resistin levels and risk of myocardial infarction and ischemic stroke. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 2647-53	5.6	100
56	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
55	Obesity and cancer. <i>Proceedings of the Nutrition Society</i> , 2008 , 67, 128-45	2.9	221
54	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1405-13	7	91
53	Adiponectin: A biomarker of obesity?. Current Cardiovascular Risk Reports, 2008, 2, 150-155	0.9	2
52	A statistical test for the equality of differently adjusted incidence rate ratios. <i>American Journal of Epidemiology</i> , 2008 , 167, 517-22	3.8	24

51	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
50	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 672-81	7	94
49	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80
48	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 368-76	7.5	144
47	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
46	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
45	Mild therapeutic hypothermia after cardiac arrest - a nationwide survey on the implementation of the ILCOR guidelines in German intensive care units. <i>Resuscitation</i> , 2007 , 72, 207-13	4	96
44	Single nucleotide polymorphisms at the adiponectin locus and risk of coronary heart disease in men and women. <i>Obesity</i> , 2007 , 15, 2051-60	8	36
43	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41	12.1	69
42	Comparison of relative and attributable risk of myocardial infarction and stroke according to C-reactive protein and low-density lipoprotein cholesterol levels. <i>European Journal of Epidemiology</i> , 2007 , 22, 429-38	12.1	15
41	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
40	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 755-67	5.7	90
39	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
38	Letter by Pischon et al regarding article, "Adiponectin and coronary heart disease: a prospective study and meta-analysis". <i>Circulation</i> , 2007 , 115, e322; author reply e323	16.7	3
37	Potentially modifiable classic risk factors and their impact on incident myocardial infarction: results from the EPIC-Potsdam study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 65-71		17
36	Pischon et al. Respond to №ariable Selection versus Shrinkage in Control of Confounders American Journal of Epidemiology, 2007 , 167, 530-531	3.8	
35	PrimEprDention maligner Tumoren durch die ErnErung: Epidemiologische Evidenz. <i>Aktuelle Ernahrungsmedizin Klinik Und Praxis</i> , 2007 , 32, 31-40	0.3	3
34	Within-subject variation of plasma resistin levels over a 1-year period. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 899-902	5.9	8

33	Adiponectin and risk of acute coronary syndromes: defining the obesity phenotype. <i>European Heart Journal</i> , 2007 , 28, 274-5	9.5	3
32	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 728-38	7.5	141
31	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 3133-9	7.5	61
30	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 920-31	9.7	415
29	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-8	5 ⁴	95
28	Adiponectin: a promising marker for cardiovascular disease. <i>Clinical Chemistry</i> , 2006 , 52, 797-9	5.5	19
27	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2398-407	4	167
26	Moderate alcohol consumption and lower levels of inflammatory markers in US men and women. <i>Atherosclerosis</i> , 2006 , 186, 113-20	3.1	102
25	Thrombospondin-4 Ala387Pro polymorphism is not associated with vascular function and risk of coronary heart disease in US men and women. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 589-90	7	7
24	Soluble intercellular adhesion molecules, soluble vascular cell adhesion molecules, and risk of coronary heart disease. <i>Obesity</i> , 2006 , 14, 2099-106	8	52
23	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
22	Genetic variation in the growth hormone synthesis pathway in relation to circulating insulin-like growth factor binding protein-3, and breast cancer risk: results from the European prospective investigation into cancer and nutrition study. <i>Cancer Epidemiology</i>	4	30
21	Association between dietary factors and plasma adiponectin concentrations in men. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 780-6	7	126
20	Association of plasma resistin levels with coronary heart disease in women. <i>Obesity</i> , 2005 , 13, 1764-71		81
19	Paradoxical effect of sibutramine on autonomic cardiovascular regulation in obese hypertensive patientssibutramine and blood pressure. <i>Clinical Autonomic Research</i> , 2005 , 15, 200-6	4.3	24
18	Peroxisome proliferator-activated receptor-gamma2 P12A polymorphism and risk of coronary heart disease in US men and women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1654-8	9.4	50
17	Drinking frequency, mediating biomarkers, and risk of myocardial infarction in women and men. <i>Circulation</i> , 2005 , 112, 1406-13	16.7	171
16	Non-high-density lipoprotein cholesterol and apolipoprotein B in the prediction of coronary heart disease in men. <i>Circulation</i> , 2005 , 112, 3375-83	16.7	397

15	Dietary intake of trans fatty acids and systemic inflammation in women. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 606-12	7	330
14	Fructose, glycemic load, and quantity and quality of carbohydrate in relation to plasma C-peptide concentrations in US women. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 1043-9	7	78
13	Plasma adiponectin levels and risk of myocardial infarction in men. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 1730-7	27.4	1335
12	Inflammatory markers and the risk of coronary heart disease in men and women. <i>New England Journal of Medicine</i> , 2004 , 351, 2599-610	59.2	899
11	Weight Loss and Cardiovascular Risk Factors 2004 , 155-173		1
10	Leisure-time physical activity and reduced plasma levels of obesity-related inflammatory markers. <i>Obesity</i> , 2003 , 11, 1055-64		162
9	Habitual dietary intake of n-3 and n-6 fatty acids in relation to inflammatory markers among US men and women. <i>Circulation</i> , 2003 , 108, 155-60	16.7	503
8	Effect of forced titration of nebivolol on response rate in obese hypertensive patients. <i>American Journal of Hypertension</i> , 2003 , 16, 98-100	2.3	2
7	Adiponectin: stability in plasma over 36 hours and within-person variation over 1 year. <i>Clinical Chemistry</i> , 2003 , 49, 650-2	5.5	127
6	Optimizing blood pressure control in the obese patient. <i>Current Hypertension Reports</i> , 2002 , 4, 358-62	4.7	4
5	Recent developments in the treatment of obesity-related hypertension. <i>Current Opinion in Nephrology and Hypertension</i> , 2002 , 11, 497-502	3.5	7
4	Choice of drug treatment for obesity-related hypertension: where is the evidence?. <i>Journal of Hypertension</i> , 2001 , 19, 667-74	1.9	63
3	New developments in mechanisms of obesity-induced hypertension: role of adipose tissue. <i>Current Hypertension Reports</i> , 2001 , 3, 152-6	4.7	48
2	Use of beta-blockers in obesity hypertension: potential role of weight gain. <i>Obesity Reviews</i> , 2001 , 2, 275-80	10.6	63
1	Hypothesis: Beta-adrenergic receptor blockers and weight gain: A systematic analysis. <i>Hypertension</i> , 2001 , 37, 250-4	8.5	229