

John P F A Heesakkers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7932830/john-p-f-a-heesakkers-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

3,846
citations

32
h-index

57
g-index

223
ext. papers

4,544
ext. citations

3.2
avg, IF

5.22
L-index

#	Paper	IF	Citations
186	What is the fate of patients with a neuromodulation implant who embarked on a clinical study? 2022 , 1, 100002		
185	Safety and Tolerability of Fesoterodine in Older Adult Patients with Overactive Bladder.. <i>Canadian Geriatrics Journal</i> , 2022 , 25, 72-78	2.8	0
184	Neurogenic voiding dysfunction induced by vitamin B6 overdose 2022 , 1, 100004		
183	Urinary Microbiome and its Correlation with Disorders of the Genitourinary System. <i>Urology Journal</i> , 2021 , 18, 259-270	0.9	1
182	Pain after midurethral sling; the underestimated role of mesh removal.. <i>Central European Journal of Urology</i> , 2021 , 74, 541-546	0.9	
181	Imaging findings of vinyl dimethyl polydimethylsiloxane used as a paraurethral injectable for female stress urinary incontinence.. <i>Therapeutic Advances in Urology</i> , 2021 , 13, 17562872211060909	3.2	
180	Patient-reported outcomes and health-related quality of life after urinary diversions. <i>Current Opinion in Urology</i> , 2021 , 31, 574-579	2.8	0
179	Lower urinary tract signs and symptoms in patients with COVID-19. <i>BMC Infectious Diseases</i> , 2021 , 21, 706	4	1
178	Age-Related Mental Health Consequences of COVID-19: A Global Perspective. <i>Société Internationale D'urologie Journal</i> , 2021 , 2, 25-31	0.1	
177	Real-life patient experiences of TTNS in the treatment of overactive bladder syndrome. <i>Therapeutic Advances in Urology</i> , 2021 , 13, 17562872211041470	3.2	0
176	Urodynamic Effects of Prostatic Urethral Lift Procedure for Male Voiding Lower Urinary Tract Symptoms. <i>Journal of Endourology</i> , 2021 , 35, 1813-1817	2.7	0
175	The functioning and the complication rate of extreme long existing urinary diversions. <i>Current Opinion in Urology</i> , 2021 , 31, 562-569	2.8	
174	Vesico-Vaginal Fistula Repair by a Vaginal Approach. <i>Urologia Internationalis</i> , 2021 , 105, 1113-1118	1.9	
173	Update van sacrale neuromodulatie voor functiestoornissen van de lage urinewegen. <i>Tijdschrift Voor Urologie</i> , 2021 , 11, 116-120	0.2	
172	Surgical treatment of female stress incontinence: impact of changed views on polypropylene. <i>Tijdschrift Voor Urologie</i> , 2021 , 11, 121-129	0.2	
171	Tibial nerve stimulation in the treatment of overactive bladder syndrome: technical features of latest applications. <i>Current Opinion in Urology</i> , 2020 , 30, 513-518	2.8	3
170	Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1049-1057	5.1	14

169	Which procedure for stress urinary incontinence? Synthetic slings. <i>Current Opinion in Urology</i> , 2020 , 30, 275-276	2.8	
168	3-Year Followup of a New Implantable Tibial Nerve Stimulator for the Treatment of Overactive Bladder Syndrome. <i>Journal of Urology</i> , 2020 , 204, 545-550	2.5	5
167	Long-term real-life adherence of percutaneous tibial nerve stimulation in over 400 patients. <i>Neurourology and Urodynamics</i> , 2020 , 39, 702-706	2.3	12
166	Improving the barrier function of damaged cultured urothelium using chondroitin sulfate. <i>Neurourology and Urodynamics</i> , 2020 , 39, 558-564	2.3	4
165	Genetic variants and expression changes in urgency urinary incontinence: A systematic review. <i>Neurourology and Urodynamics</i> , 2020 , 39, 2089-2110	2.3	3
164	Results of the York Mason Procedure with and without Concomitant Graciloplasty to Treat Iatrogenic Rectourethral Fistulas. <i>European Urology Focus</i> , 2020 , 6, 762-769	5.1	1
163	Safety and Efficacy of Mirabegron: Analysis of a Large Integrated Clinical Trial Database of Patients with Overactive Bladder Receiving Mirabegron, Antimuscarinics, or Placebo. <i>European Urology</i> , 2020 , 77, 119-128	10.2	20
162	Are Slings Still the Gold Standard for Female Stress Urinary Incontinence?. <i>European Urology Focus</i> , 2019 , 5, 312-314	5.1	
161	Re: Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women with Stress Urinary Incontinence. <i>European Urology</i> , 2019 , 76, 533-534	10.2	
160	Can we predict prostate size by scoring baldness? The relationship of androgenic alopecia and lower urinary tract symptoms. <i>Central European Journal of Urology</i> , 2019 , 72, 39-43	0.9	
159	PD31-02 LONG-TERM RESULTS OF SAFETY, EFFICACY, QUALITY OF LIFE AND SATISFACTION OF PATIENTS TREATED FOR REFRACTORY OAB USING AN IMPLANTABLE TIBIAL NEUROSTIMULATION SYSTEM: RENOVA ISTIMBYSYSTEM. <i>Journal of Urology</i> , 2019 , 201,	2.5	2
158	User perception of a new hydrophilic-coated male urinary catheter for intermittent use. <i>Nursing Open</i> , 2019 , 6, 116-125	2.1	1
157	Survival of the artificial urinary sphincter in a changing patient profile. <i>World Journal of Urology</i> , 2019 , 37, 899-906	4	2
156	Efficacy and safety of artificial urinary sphincter (AUS): Results of a large multi-institutional cohort of patients with mid-term follow-up. <i>Neurourology and Urodynamics</i> , 2019 , 38, 710-718	2.3	26
155	Multidisciplinary care for people with Parkinson's disease: the new kids on the block!. <i>Expert Review of Neurotherapeutics</i> , 2019 , 19, 145-157	4.3	32
154	Systematic Review of Combination Drug Therapy for Non-neurogenic Lower Urinary Tract Symptoms. <i>European Urology</i> , 2019 , 75, 129-168	10.2	12
153	Biomechanical Properties of the Pelvic Floor and its Relation to Pelvic Floor Disorders. <i>European Urology Supplements</i> , 2018 , 17, 80-90	0.9	9
152	Efficacy and Safety of Sacral and Percutaneous Tibial Neuromodulation in Non-neurogenic Lower Urinary Tract Dysfunction and Chronic Pelvic Pain: A Systematic Review of the Literature. <i>European Urology</i> , 2018 , 73, 406-418	10.2	42

151	De-implementation of urodynamics in The Netherlands after the VALUE/VUSIS-2 results: a nationwide survey. <i>International Urogynecology Journal</i> , 2018 , 29, 1261-1277	2	5
150	Neurogenic bowel dysfunction: Clinical management recommendations of the Neurologic Incontinence Committee of the Fifth International Consultation on Incontinence 2013. <i>Neurourology and Urodynamics</i> , 2018 , 37, 46-53	2.3	28
149	Contemporary diagnostics and treatment options for female stress urinary incontinence. <i>Asian Journal of Urology</i> , 2018 , 5, 141-148	2.7	5
148	Complications of Urethral Bulking Agents for Stress Urinary Incontinence: An Extensive Review Including Case Reports. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 392-398	1.9	21
147	A novel leadless, miniature implantable Tibial Nerve Neuromodulation System for the management of overactive bladder complaints. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1060-1067	2.3	25
146	De-implementation of urodynamics in The Netherlands after the VALUE/VUSIS-2 results: a nationwide survey. <i>International Urogynecology Journal</i> , 2018 , 29, 1279-1280	2	2
145	Reconstruction of bladder function and prevention of renal deterioration by means of end-to-side neuroorrhaphy in rats with neurogenic bladder. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1272-1280	2.3	6
144	Expert Opinion on Three Clinical Cases with a Common Urgent Problem: Urge Urinary Incontinence. <i>Case Reports in Urology</i> , 2018 , 2018, 8567436	0.5	1
143	Midurethral support is also necessary for reflex closure of the urethra. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2965-2972	2.3	8
142	Sacral Dorsal Rhizotomy and Sacral Anterior Root Stimulation in Neurogenic Patients: The Brindley Procedure 2018 , 421-433		
141	Urothelium update: how the bladder mucosa measures bladder filling. <i>Acta Physiologica</i> , 2017 , 220, 201-217	3.67	16
140	A New Implanted Posterior Tibial Nerve Stimulator for the Treatment of Overactive Bladder Syndrome: 3-Month Results of a Novel Therapy at a Single Center. <i>Journal of Urology</i> , 2017 , 198, 205-210	2.5	32
139	Consensus Statement of the European Urology Association and the European Urogynaecological Association on the Use of Implanted Materials for Treating Pelvic Organ Prolapse and Stress Urinary Incontinence. <i>European Urology</i> , 2017 , 72, 424-431	10.2	114
138	Para-Urethral Injections with Urolastic [®] for Treatment of Female Stress Urinary Incontinence: Subjective Improvement and Safety. <i>Urologia Internationalis</i> , 2017 , 99, 91-97	1.9	19
137	A novel algorithm for the non-invasive detection of bladder outlet obstruction in men with lower urinary tract symptoms. <i>Arab Journal of Urology Arab Association of Urology</i> , 2017 , 15, 153-158	1.7	4
136	Development of a core set of outcome measures for OAB treatment. <i>International Urogynecology Journal</i> , 2017 , 28, 1785-1793	2	15
135	Dealing with complex overactive bladder syndrome patient profiles with focus on fesoterodine: in or out of the EAU guidelines?. <i>Research and Reports in Urology</i> , 2017 , 9, 209-218	1.3	4
134	Clinical utility of neurostimulation devices in the treatment of overactive bladder: current perspectives. <i>Medical Devices: Evidence and Research</i> , 2017 , 10, 109-122	1.5	11

133	Obesity and pelvic organ prolapse. <i>Current Opinion in Urology</i> , 2017 , 27, 428-434	2.8	26
132	Pathophysiology and Contributing Factors in Postprostatectomy Incontinence: A Review. <i>European Urology</i> , 2017 , 71, 936-944	10.2	97
131	Decline in artificial urinary sphincter survival in modern practice-do we treat a different patient?. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1350-1355	2.3	3
130	Effectiveness of percutaneous tibial nerve stimulation in the treatment of overactive bladder syndrome. <i>Research and Reports in Urology</i> , 2017 , 9, 145-157	1.3	32
129	Circumferential urinary sphincter surface electromyography: A novel diagnostic method for intrinsic sphincter deficiency. <i>Neurourology and Urodynamics</i> , 2016 , 35, 186-91	2.3	5
128	Surgical treatment of neurogenic stress urinary incontinence: A systematic review of quality assessment and surgical outcomes. <i>Neurourology and Urodynamics</i> , 2016 , 35, 21-5	2.3	32
127	TRPV4 channels in the human urogenital tract play a role in cell junction formation and epithelial barrier. <i>Acta Physiologica</i> , 2016 , 218, 38-48	5.6	13
126	Which factors make clean intermittent (self) catheterisation successful?. <i>Journal of Clinical Nursing</i> , 2016 , 25, 1308-18	3.2	17
125	Neurogenic lower urinary tract dysfunction: Clinical management recommendations of the Neurologic Incontinence committee of the fifth International Consultation on Incontinence 2013. <i>Neurourology and Urodynamics</i> , 2016 , 35, 657-65	2.3	54
124	Overactive Bladder 2016 , 33-68		
123	Electroanatomical Mapping of the Urinary Bladder. <i>International Neurourology Journal</i> , 2016 , 20, 164-7	2.6	3
122	Female Stress Urinary Incontinence 2016 , 89-118		
121	Subject-Controlled, On-demand, Dorsal Genital Nerve Stimulation to Treat Urgency Urinary Incontinence; a Pilot. <i>Frontiers in Neuroscience</i> , 2016 , 10, 24	5.1	14
120	PatientsPexperience with intermittent catheterisation in everyday life. <i>Journal of Clinical Nursing</i> , 2016 , 25, 1253-61	3.2	17
119	TRPV4 mediates afferent pathways in the urinary bladder. A spinal c-fos study showing TRPV1 related adaptations in the TRPV4 knockout mouse. <i>Pflugers Archiv European Journal of Physiology</i> , 2016 , 468, 1741-9	4.6	7
118	The Impact of Midurethral Sling Surgery on Sexual Activity and Function in Women With Stress Urinary Incontinence. <i>Journal of Sexual Medicine</i> , 2016 , 13, 1498-507	1.1	11
117	Results of primary versus recurrent surgery to treat stress urinary incontinence in women. <i>International Urogynecology Journal</i> , 2015 , 26, 997-1005	2	7
116	Botulinum toxin for the overactive bladder 2015 , 164-188		

115 Overactive bladder **2015**, 1-6

114 Patches and gels **2015**, 91-99

113 Promising experimental drugs and drug targets **2015**, 100-117

112 The role of co-medication in the treatment of OAB **2015**, 118-128

111 Other non-surgical approaches for the treatment of overactive bladder **2015**, 129-137

110 Maximizing the treatment of overactive bladder with sacral nerve stimulation **2015**, 139-153

109 Surgical treatment for overactive bladder **2015**, 189-202

108 Overactive bladder in older people **2015**, 203-221

107 Synthesis of practical approaches to overactive bladder **2015**, 233-237

1

106 Timing for evaluation **2015**, 23-28

105 Clinical evaluation **2015**, 29-42

104 Urodynamic evaluation of the overactive bladder **2015**, 43-52

103 Other testing **2015**, 53-61

102 Changes in lifestyle **2015**, 63-75

101 Oral medication for overactive bladder **2015**, 83-90

100 Bladder outlet obstruction and the overactive bladder **2015**, 222-232

99 Posterior tibial nerve stimulation **2015**, 154-163

98 Validation of a Dutch version of the Actionable 8-item screening questionnaire for neurogenic bladder overactivity in multiple sclerosis: an observational web-based study. *Health and Quality of Life Outcomes*, **2015**, 13, 175

3

2

97	Simplified scoring of the Actionable 8-item screening questionnaire for neurogenic bladder overactivity in multiple sclerosis: a comparative analysis of test performance at different cut-off points. <i>BMC Urology</i> , 2015 , 15, 106	2.2	3
96	Risk factors of nocturia (two or more voids per night) in Chinese people older than 40 years. <i>Neurourology and Urodynamics</i> , 2015 , 34, 566-70	2.3	11
95	Botulinum Toxin A in Clinical Practice, the Technical Aspects and What Urologists Want to Know about It. <i>Urologia Internationalis</i> , 2015 , 95, 411-6	1.9	2
94	Co-administration of transient receptor potential vanilloid 4 (TRPV4) and TRPV1 antagonists potentiate the effect of each drug in a rat model of cystitis. <i>BJU International</i> , 2015 , 115, 452-60	5.6	16
93	Neuromodulation for Voiding Dysfunction: When and How Best to Use. <i>Current Bladder Dysfunction Reports</i> , 2014 , 9, 41-47	0.4	1
92	Detrusor overactivity does not predict bothersome storage symptoms after photoselective vaporization of the prostate with lithium triborate laser. <i>Urology</i> , 2014 , 84, 898-903	1.6	5
91	Utility of urodynamics before surgery for stress urinary incontinence: response to editorial by Lose and Klarskov. <i>International Urogynecology Journal</i> , 2014 , 25, 999	2	2
90	An update of the interstitial cell compartment in the normal human bladder. <i>BioMed Research International</i> , 2014 , 2014, 464217	3	4
89	Imaging assessments of lower urinary tract dysfunctions: Future steps. <i>Turk Uroloji Dergisi</i> , 2014 , 40, 78-81		2
88	Alterations of the myovesical plexus of the human overactive detrusor. <i>BioMed Research International</i> , 2014 , 2014, 754596	3	2
87	The prevalence and risk factors of OAB in middle-aged and old people in China. <i>Neurourology and Urodynamics</i> , 2014 , 33, 387-91	2.3	26
86	Technical aspects of botulinum toxin type A injection in the bladder to treat urinary incontinence: reviewing the procedure. <i>International Journal of Clinical Practice</i> , 2014 , 68, 731-42	2.9	25
85	Subpubic cartilaginous pseudocyst: orthopedic feature with urological consequences. <i>Case Reports in Urology</i> , 2014 , 2014, 176089	0.5	9
84	EAU policy on live surgery events. <i>European Urology</i> , 2014 , 66, 87-97	10.2	39
83	OnabotulinumtoxinA is effective in patients with urinary incontinence due to neurogenic detrusor overactivity [corrected] regardless of concomitant anticholinergic use or neurologic etiology. <i>Advances in Therapy</i> , 2013 , 30, 819-33	4.1	57
82	AuthorsResponse re: Do preoperative urodynamics still have a role in female stress urinary incontinence? <i>Neurourol Urodyn</i> 2013;32:1144-5. <i>Neurourology and Urodynamics</i> , 2013 , 32, 1146-7	2.3	1
81	A new, straightforward ex vivo organoid bladder mucosal model for preclinical research. <i>Journal of Urology</i> , 2013 , 190, 341-9	2.5	5
80	The distribution and function of chondroitin sulfate and other sulfated glycosaminoglycans in the human bladder and their contribution to the protective bladder barrier. <i>Journal of Urology</i> , 2013 , 189, 336-42	2.5	37

79	Noninvasive 2-dimensional monitoring of strain in the detrusor muscle in patients with lower urinary tract symptoms using ultrasound strain imaging. <i>Journal of Urology</i> , 2013 , 189, 1402-8	2.5	6
78	Near-infrared spectroscopy of the urinary bladder during voiding in men with lower urinary tract symptoms: a preliminary study. <i>BioMed Research International</i> , 2013 , 2013, 452857	3	6
77	Urgent-SQ implant in treatment of overactive bladder syndrome: 9-year follow-up study. <i>Neurourology and Urodynamics</i> , 2013 , 32, 472-5	2.3	28
76	Value of urodynamics before stress urinary incontinence surgery: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2013 , 121, 999-1008	4.9	80
75	In reply. <i>Obstetrics and Gynecology</i> , 2013 , 122, 905	4.9	
74	Long-term safety, tolerability and efficacy of fesoterodine in subjects with overactive bladder symptoms stratified by age: pooled analysis of two open-label extension studies. <i>Drugs and Aging</i> , 2012 , 29, 119-31	4.7	28
73	Dorsal genital nerve stimulation in patients with detrusor overactivity: a systematic review. <i>Current Urology Reports</i> , 2012 , 13, 385-8	2.9	19
72	Can we, and do we need to, define bladder neck hypermobility and intrinsic sphincteric deficiency? ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 309-12	2.3	4
71	Can we identify men who will have complications from benign prostatic obstruction (BPO)? ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 322-6	2.3	32
70	Can preoperative urodynamic investigation be omitted in women with stress urinary incontinence? A non-inferiority randomized controlled trial. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1118-23	2.3	60
69	The value of preoperative urodynamics according to gynecologists and urologists with special interest in stress urinary incontinence. <i>International Urogynecology Journal</i> , 2012 , 23, 423-8	2	12
68	Applicability of a disposable home urinary flow measuring device as a diagnostic tool in the management of males with lower urinary tract symptoms. <i>Urologia Internationalis</i> , 2012 , 89, 166-72	1.9	8
67	Adherence junctions and cadherin-11 in normal and overactive human detrusor smooth muscle cells. <i>Journal of Urology</i> , 2011 , 185, 1946-51	2.5	1
66	Surgical access for electrical stimulation of the pudendal and dorsal genital nerves in the overactive bladder: a review. <i>Journal of Urology</i> , 2011 , 186, 798-804	2.5	17
65	The mechanoreceptor TRPV4 is localized in adherence junctions of the human bladder urothelium: a morphological study. <i>Journal of Urology</i> , 2011 , 186, 1121-7	2.5	70
64	Overactive bladder: pathophysiology, diagnostics, and therapies. <i>Advances in Urology</i> , 2011 , 2011, 8635046		5
63	Prolapse surgery: which technique and when?. <i>Current Opinion in Urology</i> , 2011 , 21, 281-5	2.8	1
62	Minimal invasive electrode implantation for conditional stimulation of the dorsal genital nerve in neurogenic detrusor overactivity. <i>Spinal Cord</i> , 2011 , 49, 566-72	2.7	25

61	Near-infrared spectroscopy: a novel, noninvasive, diagnostic method for detrusor overactivity in patients with overactive bladder symptoms--a preliminary and experimental study. <i>European Urology</i> , 2011 , 59, 757-62	10.2	27
60	Words of wisdom. Re: An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint terminology and classification of the complications related directly to the insertion of prostheses (meshes, implants, tapes) and grafts in female pelvic floor surgery. <i>Urogynecology</i> , 2011 , 59, 1010-2	10.2	
59	Efficacy and safety of onabotulinumtoxinA in patients with urinary incontinence due to neurogenic detrusor overactivity: a randomised, double-blind, placebo-controlled trial. <i>European Urology</i> , 2011 , 60, 742-50	10.2	332
58	Re: Jürgen Pannek. Mozart, the brain, and the bladder: clinical usefulness of near-infrared spectroscopy for the detection of detrusor overactivity. <i>Eur Urol</i> 2011;59:763-4. <i>European Urology</i> , 2011 , 60, e49; author reply e50	10.2	
57	Opslag-LUTS bij mannen: focus op diagnose en behandeling. <i>Tijdschrift Voor Urologie</i> , 2011 , 1, 29-33	0.2	2
56	Neurogene detrusoroveractiviteit: minimaal invasieve implantatie van een elektrode voor conditionele stimulatie van de nervus dorsalis penis en clitoridis. <i>Tijdschrift Voor Urologie</i> , 2011 , 1, 106-113 ²		
55	Surgical management of mesh-related complications after prior pelvic floor reconstructive surgery with mesh. <i>International Urogynecology Journal</i> , 2011 , 22, 1395-404	2	86
54	Quality of life in complete spinal cord injury patients with a Brindley bladder stimulator compared to a matched control group. <i>Neurourology and Urodynamics</i> , 2011 , 30, 551-5	2.3	46
53	The correlation between clinical and urodynamic diagnosis in classifying the type of urinary incontinence in women. A systematic review of the literature. <i>Neurourology and Urodynamics</i> , 2011 , 30, 495-502	2.3	25
52	Non-invasive techniques in the diagnosis of bladder storage disorders. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1422-8	2.3	19
51	Failure of posaconazole therapy in a renal transplant patient with invasive aspergillosis due to <i>Aspergillus fumigatus</i> with attenuated susceptibility to posaconazole. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 3564-6	5.9	34
50	Solifenacin in multiple sclerosis patients with overactive bladder: a prospective study. <i>Advances in Urology</i> , 2011 , 2011, 834753	1.6	25
49	Feasibility of noninvasive near-infrared spectroscopy to diagnose detrusor overactivity. <i>Urologia Internationalis</i> , 2011 , 87, 330-5	1.9	4
48	Clinical results of a brindley procedure: sacral anterior root stimulation in combination with a rhizotomy of the dorsal roots. <i>Advances in Urology</i> , 2011 , 2011, 709708	1.6	43
47	Long-term safety, tolerability and efficacy of fesoterodine treatment in subjects with overactive bladder symptoms. <i>International Journal of Clinical Practice</i> , 2010 , 64, 584-93	2.9	28
46	1036 THE UROTHELIAL CELL-LINE RT4 EXPRESSES A GLYCOSAMINOGLYCAN (GAG) LAYER ON ITS OUTER SURFACE; AN IN VITRO MODEL FOR THE BLADDER GAG-LAYER. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
45	Limited value of bladder sensation as a trigger for conditional neurostimulation in spinal cord injury patients. <i>Neurourology and Urodynamics</i> , 2010 , 29, 395-400	2.3	8
44	No primary role of ambulatory urodynamics for the management of spinal cord injury patients compared to conventional urodynamics. <i>Neurourology and Urodynamics</i> , 2010 , 29, 1380-6	2.3	14

43	Retraction of an intrathecal baclofen infusion catheter following suprapubic cystotomy: a case report. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 90-1	3.4	5
42	ProACT for stress urinary incontinence after radical prostatectomy. <i>Urologia Internationalis</i> , 2009 , 82, 394-8	1.9	15
41	Urethral instability: current pathophysiological concept. <i>Urologia Internationalis</i> , 2009 , 83, 125-33	1.9	11
40	Protocol for the value of urodynamics prior to stress incontinence surgery (VUSIS) study: a multicenter randomized controlled trial to assess the cost effectiveness of urodynamics in women with symptoms of stress urinary incontinence in whom surgical treatment is considered. <i>BMC Women's Health</i> , 2009 , 9, 22	2.9	32
39	Bladder Wall Thickness in Overactive Bladder: Does It Have a Role?. <i>European Urology Supplements</i> , 2009 , 8, 769-771	0.9	7
38	Should we train urologists in female urology? A European view. <i>Current Opinion in Urology</i> , 2009 , 19, 353-7	2.8	2
37	Urodynamic evaluation of sacral neuromodulation for urge urinary incontinence. <i>BJU International</i> , 2008 , 101, 325-9	5.6	55
36	Causes of frequency and nocturia after renal transplantation. <i>BJU International</i> , 2008 , 101, 1029-34	5.6	11
35	Applications of neurostimulation for urinary storage and voiding dysfunction in neurological patients. <i>Urologia Internationalis</i> , 2008 , 81, 373-8	1.9	18
34	Extracorporeal magnetic innervation therapy: assessment of clinical efficacy in relation to urodynamic parameters. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 42, 433-6		7
33	Effects of tolterodine extended release on patient perception of bladder condition and overactive bladder symptoms*. <i>Current Medical Research and Opinion</i> , 2008 , 24, 3513-21	2.5	24
32	Adherence to clean intermittent self-catheterization procedures: determinants explored. <i>Journal of Clinical Nursing</i> , 2008 , 17, 394-402	3.2	48
31	Urethral instability and sacral nerve stimulation-a better parameter to predict efficacy?. <i>Journal of Urology</i> , 2007 , 178, 568-72; discussion 572	2.5	19
30	Electrical stimulation of sacral dermatomes in multiple sclerosis patients with neurogenic detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2007 , 26, 525-530	2.3	18
29	Acute urodynamic effects of posterior tibial nerve stimulation on neurogenic detrusor overactivity in patients with MS. <i>European Urology</i> , 2007 , 51, 464-70; discussion 471-2	10.2	41
28	Cadherin-11 is expressed in detrusor smooth muscle cells and myofibroblasts of normal human bladder. <i>European Urology</i> , 2007 , 52, 1213-21	10.2	36
27	Open to debate. The motion: tapes and not bulking agents/drugs are first-line treatment of SUI. <i>European Urology</i> , 2007 , 52, 914-7	10.2	
26	Results of sacral neuromodulation therapy for urinary voiding dysfunction: outcomes of a prospective, worldwide clinical study. <i>Journal of Urology</i> , 2007 , 178, 2029-34	2.5	416

25	Re: Increase in Number of Operations for Stress Urinary Incontinence [article in Dutch]. <i>European Urology</i> , 2006 , 50, 612-613	10.2	
24	Re: the use of bowel for ureteral replacement for complex ureteral reconstruction: long-term results. <i>Journal of Urology</i> , 2006 , 176, 2310; author reply 2310	2.5	
23	Current opinion on the working mechanisms of neuromodulation in the treatment of lower urinary tract dysfunction. <i>Current Opinion in Urology</i> , 2006 , 16, 261-7	2.8	64
22	Correlation between quality of life and voiding variables in patients treated with percutaneous tibial nerve stimulation. <i>BJU International</i> , 2006 , 97, 113-6	5.6	25
21	Percutaneous tibial nerve stimulation in the treatment of refractory overactive bladder syndrome: is maintenance treatment necessary?. <i>BJU International</i> , 2006 , 97, 547-50	5.6	104
20	Implant-Driven Tibial Nerve Stimulation in the Treatment of Refractory Overactive Bladder Syndrome: 12-Month Follow-up. <i>Neuromodulation</i> , 2006 , 9, 163-71	3.1	33
19	Treatment of urge urinary incontinence when drug treatment fails. <i>International Congress Series</i> , 2005 , 1279, 418-422		
18	The role of urodynamics in the treatment of lower urinary tract symptoms in women. <i>Current Opinion in Urology</i> , 2005 , 15, 215-21	2.8	12
17	A critical review of diagnostic criteria for evaluating patients with symptomatic stress urinary incontinence. <i>BJU International</i> , 2005 , 95, 327-34	5.6	17
16	New tined lead electrode in sacral neuromodulation: experience from a multicentre European study. <i>World Journal of Urology</i> , 2005 , 23, 225-9	4	79
15	Urinary incontinence: sphincter functioning from a urological perspective. <i>Digestion</i> , 2004 , 69, 93-101	3.6	18
14	Posterior tibial nerve stimulation in the treatment of voiding dysfunction: urodynamic data. <i>Neurourology and Urodynamics</i> , 2004 , 23, 246-51	2.3	50
13	Clinical and socioeconomic relevance of overactive bladder. <i>Urology</i> , 2004 , 63, 42-4	1.6	17
12	Percutaneous tibial nerve stimulation as neuromodulative treatment of chronic pelvic pain. <i>European Urology</i> , 2003 , 43, 158-63; discussion 163	10.2	67
11	Posterior tibial nerve stimulation in the treatment of urge incontinence. <i>Neurourology and Urodynamics</i> , 2003 , 22, 17-23	2.3	114
10	Bladder filling by autologous urine production during cystometry: a urodynamic pitfall!. <i>Neurourology and Urodynamics</i> , 2003 , 22, 243-5	2.3	7
9	Percutaneous tibial nerve stimulation in the treatment of overactive bladder: urodynamic data. <i>Neurourology and Urodynamics</i> , 2003 , 22, 227-32	2.3	82
8	Posterior tibial nerve stimulation in the treatment of idiopathic nonobstructive voiding dysfunction. <i>Urology</i> , 2003 , 61, 567-72	1.6	37

7	Long-term results of ileum interposition for ureteral obstruction. <i>European Urology</i> , 2002 , 42, 181-7	10.2	65
6	Gracilis muscle transposition with electrical stimulation for sphincteric incontinence: a new approach. <i>World Journal of Urology</i> , 1997 , 15, 320-8	4	7
5	Dynamic urinary graciloplasty in male goats: a study on histology and urethral pressures. <i>Neurourology and Urodynamics</i> , 1997 , 16, 117-23	2.3	0
4	Simultaneous treatment of faecal and urinary incontinence in children with spina bifida using double dynamic graciloplasty. <i>British Journal of Surgery</i> , 1997 , 84, 1002-3	5.3	
3	Dynamic urinary graciloplasty in male goats: A study on histology and urethral pressures 1997 , 16, 117		2
2	Electrical stimulated graciloplasty in the male goat: an animal model for urethral pressure measurement. <i>Neurourology and Urodynamics</i> , 1996 , 15, 545-53	2.3	4
1	Non-radical therapy for early gastric cancer. <i>British Journal of Surgery</i> , 1994 , 81, 551-3	5.3	9