

Kwok Hung Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7932861/kwok-hung-li-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,430
citations

19
h-index

34
g-index

120
ext. papers

1,804
ext. citations

5
avg, IF

5
L-index

#	Paper	IF	Citations
86	Energy-Efficient Design of Sequential Channel Sensing in Cognitive Radio Networks: Optimal Sensing Strategy, Power Allocation, and Sensing Order. <i>IEEE Journal on Selected Areas in Communications</i> , 2011 , 29, 1648-1659	14.2	194
85	How Much Time is Needed for Qideband Spectrum Sensing?. <i>IEEE Transactions on Wireless Communications</i> , 2009 , 8, 5466-5471	9.6	107
84	Secure Communication in Multiantenna Cognitive Radio Networks With Imperfect Channel State Information. <i>IEEE Transactions on Signal Processing</i> , 2011 , 59, 1683-1693	4.8	97
83	An Energy-Ratio-Based Approach for Detecting Pilot Spoofing Attack in Multiple-Antenna Systems. <i>IEEE Transactions on Information Forensics and Security</i> , 2015 , 10, 932-940	8	86
82	Energy-Efficient Joint Design of Sensing and Transmission Durations for Protection of Primary User in Cognitive Radio Systems. <i>IEEE Communications Letters</i> , 2013 , 17, 565-568	3.8	78
81	Artificial Noise Aided Physical Layer Security in Multi-Antenna Small-Cell Networks. <i>IEEE Transactions on Information Forensics and Security</i> , 2017 , 12, 1470-1482	8	52
80	Secure Transmission Against Pilot Spoofing Attack: A Two-Way Training-Based Scheme. <i>IEEE Transactions on Information Forensics and Security</i> , 2016 , 11, 1017-1026	8	48
79	Relay Selection for Secure Successive AF Relaying Networks With Untrusted Nodes. <i>IEEE Transactions on Information Forensics and Security</i> , 2016 , 11, 2466-2476	8	40
78	Generalized Relay Selection for Improved Security in Cooperative DF Relay Networks. <i>IEEE Wireless Communications Letters</i> , 2016 , 5, 28-31	5.9	34
77	Optimal Spectrum Access and Energy Supply for Cognitive Radio Systems With Opportunistic RF Energy Harvesting. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 7114-7122	6.8	34
76	Enhanced Physical Layer Security in D2D Spectrum Sharing Networks. <i>IEEE Wireless Communications Letters</i> , 2016 , 1-1	5.9	32
75	Joint design of sensing and transmission in energy-efficient cognitive radio systems over fading channels. <i>IET Communications</i> , 2013 , 7, 577-584	1.3	29
74	Channel Selection in Multichannel Cognitive Radio Systems Employing RF Energy Harvesting. <i>IEEE Transactions on Vehicular Technology</i> , 2016 , 65, 457-462	6.8	26
73	Dynamic Cooperative Sensing Access Policy for Energy-Harvesting Cognitive Radio Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2016 , 65, 10137-10141	6.8	25
72	An Efficient Successive Relaying Protocol for Multiple-Relay Cooperative Networks. <i>IEEE Transactions on Wireless Communications</i> , 2012 , 11, 1892-1899	9.6	25
71	Physical Layer Security in Heterogeneous Networks With Pilot Attack: A Stochastic Geometry Approach. <i>IEEE Transactions on Communications</i> , 2018 , 66, 6437-6449	6.9	22
70	Downlink and Uplink Intelligent Reflecting Surface Aided Networks: NOMA and OMA. <i>IEEE Transactions on Wireless Communications</i> , 2021 , 20, 3988-4000	9.6	22

69	Sensing-throughput tradeoff for cognitive radio networks: A multiple-channel scenario 2009 ,		21
68	Joint Iterative Detection/Decoding Scheme for Discrete Two-Dimensional Interference Channels. <i>IEEE Transactions on Communications</i> , 2012 , 60, 3548-3555	6.9	20
67	Secrecy Throughput Maximization for MISO Multi-Eavesdropper Wiretap Channels. <i>IEEE Transactions on Information Forensics and Security</i> , 2017 , 12, 505-515	8	19
66	A Low-Complexity Kalman Approach for Channel Estimation in Doubly-Selective OFDM Systems. <i>IEEE Signal Processing Letters</i> , 2009 , 16, 632-635	3.2	19
65	Learning Temporal-Spatial Spectrum Reuse. <i>IEEE Transactions on Communications</i> , 2016 , 64, 3092-3103	6.9	17
64	Maximum-Likelihood FFH/MFSK Receiver over Rayleigh-Fading Channels with Composite Effects of MTJ and PBNJ. <i>IEEE Transactions on Communications</i> , 2011 , 59, 675-679	6.9	17
63	Error probability analysis of FFH/MFSK receivers over frequency-selective Rician-fading channels with partial-band-noise jamming. <i>IEEE Transactions on Communications</i> , 2009 , 57, 2880-2885	6.9	17
62	On the Impact of Adaptive Eavesdroppers in Multi-Antenna Cellular Networks. <i>IEEE Transactions on Information Forensics and Security</i> , 2018 , 13, 269-279	8	15
61	Achieving Secrecy of MISO Fading Wiretap Channels via Jamming and Precoding With Imperfect Channel State Information. <i>IEEE Wireless Communications Letters</i> , 2014 , 3, 357-360	5.9	15
60	Performance Analysis of LDPC Codes with Maximum-Ratio Combining Cascaded with Selection Combining over Nakagami-m Fading. <i>IEEE Transactions on Wireless Communications</i> , 2011 , 10, 1886-1894 ^{9.6}	9.6	14
59	Transmit Antenna Selection Systems: A Performance Comparison of Different Types of Receiver Schemes. <i>IEEE Vehicular Technology Magazine</i> , 2013 , 8, 104-112	9.9	12
58	Adaptive Spatial Modulation for Uplink mmWave Communication Systems. <i>IEEE Communications Letters</i> , 2017 , 21, 2178-2181	3.8	11
57	Energy efficient cognitive radio network based on multiband sensing and spectrum sharing. <i>IET Communications</i> , 2014 , 8, 1499-1507	1.3	11
56	Distributed Boundary Estimation for Spectrum Sensing in Cognitive Radio Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2014 , 32, 1961-1973	14.2	11
55	Performance Study of Transmit Antenna Selection With Switch-and-Examine Combining Over Rayleigh Fading. <i>IEEE Transactions on Vehicular Technology</i> , 2012 , 61, 4205-4211	6.8	11
54	Joint User Pairing and Subchannel Allocation for Multisubchannel Multiuser Nonorthogonal Multiple Access Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2018 , 67, 8238-8248	6.8	11
53	Performance Analysis of Two-User Cooperative Multiple Access Systems With DF Relaying and Superposition Modulation. <i>IEEE Transactions on Vehicular Technology</i> , 2011 , 60, 3118-3126	6.8	10
52	Analysis of MIMO Diversity With LDPC Codes Based on a Gaussian Approximation Approach Over Rayleigh Fading Channels. <i>IEEE Transactions on Vehicular Technology</i> , 2011 , 60, 4650-4656	6.8	10

51	Performance analysis of LDPC codes with selection diversity combining over identical and non-identical rayleigh fading channels. <i>IEEE Communications Letters</i> , 2010 , 14, 333-335	3.8	10
50	Performance Analysis of Two-Dimensional Massive Antenna Arrays for Future Mobile Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2015 , 64, 5400-5405	6.8	9
49	Symbol-error rate of selection combining over two-wave with diffuse power fading 2011 ,		9
48	Achieving cognitive and secure transmissions using multiple antennas 2009 ,		9
47	A Semidefinite Relaxation Approach for Beamforming in Cooperative Clustered Multicell Systems With Novel Limited Feedback Scheme. <i>IEEE Transactions on Vehicular Technology</i> , 2014 , 63, 1740-1748	6.8	8
46	Blind identification of convolutional interleaver parameters 2009 ,		8
45	Performance Analysis of a Maximum-Likelihood FFH/MFSK Receiver with Partial-Band-Noise Jamming over Frequency-Selective Fading Channels. <i>IEEE Communications Letters</i> , 2008 , 12, 401-403	3.8	8
44	Non-Orthogonal Multiple Access (NOMA) with Multiple Intelligent Reflecting Surfaces. <i>IEEE Transactions on Wireless Communications</i> , 2021 , 1-1	9.6	8
43	Jamming Rejection Using FFH/MFSK ML Receiver Over Fading Channels With the Presence of Timing and Frequency Offsets. <i>IEEE Transactions on Information Forensics and Security</i> , 2013 , 8, 1195-1200	8	7
42	Analysis of Transmit Antenna Selection With Switch-and-Examine Combining With Postselection at the Receiver Over Rayleigh Fading Channels. <i>IEEE Transactions on Vehicular Technology</i> , 2013 , 62, 2859-2865	6.8	7
41	Performance Analysis of Orthogonal Space-Time Block Code With Minimum-Selection Generalized Selection Combining Receiver Over Rayleigh Fading. <i>IEEE Transactions on Vehicular Technology</i> , 2012 , 61, 1463-1467	6.8	6
40	Joint Message-Passing Decoding of LDPC Codes and 2-D ISI Channels. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 675-681	2	6
39	Performance and diversity analysis of decode-and-forward cooperative system over Nakagami-m fading channels. <i>Wireless Communications and Mobile Computing</i> , 2011 , 11, 742-749	1.9	6
38	Enhanced BIOlogically-inspired Spectrum Sharing for cognitive radio networks 2010 ,		6
37	Study of Three-Dimensional Beamforming Strategies in Cellular Networks With Clustered User Distribution. <i>IEEE Transactions on Vehicular Technology</i> , 2016 , 65, 10208-10213	6.8	6
36	Two-Step User Pairing for OFDM-Based Cooperative NOMA Systems. <i>IEEE Communications Letters</i> , 2020 , 24, 903-906	3.8	5
35	Reduced-State Bahl-Cocke-Jelinek-Raviv Detector for Patterned Media Storage. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 4108-4110	2	5
34	Multisampling decision-feedback linear prediction receivers for differential space-time modulation over Rayleigh fast-fading channels. <i>IEEE Transactions on Communications</i> , 2003 , 51, 1214-1223	6.9	5

33	Performance Evaluation for Forward-Link Cellular DS-CDMA over Frequency-Selective Nakagami Multipath Fading Channels. <i>Wireless Personal Communications</i> , 2001 , 18, 275-287	1.9	5
32	Outage Performance of Downlink IRS-Assisted NOMA Systems 2020 ,		5
31	Performance evaluation of improved double-threshold energy detector over Rayleigh-faded sensing and imperfect reporting channels. <i>Physical Communication</i> , 2015 , 17, 58-71	2.2	4
30	Performance Evaluation of Maximum-Likelihood Page Detection for 2-D Interference Channel. <i>IEEE Transactions on Magnetics</i> , 2012 , 48, 2239-2242	2	4
29	Low-complexity channel estimation and turbo equalisation for high frequency channels. <i>IET Communications</i> , 2013 , 7, 980-987	1.3	4
28	Throughput optimization of double-threshold based improved energy detection in cooperative sensing over imperfect reporting channels 2013 ,		4
27	Analysis of transmit antenna selection with output-threshold generalised selection combining over Rayleigh fading. <i>IET Communications</i> , 2013 , 7, 1587-1595	1.3	4
26	Analysis of MIMO Band-Limited DS-CDMA Systems in the Presence of Multitone Jamming Over Generalized- $\alpha\beta$ Fading Channels. <i>IEEE Transactions on Vehicular Technology</i> , 2009 , 58, 3825-3829	6.8	4
25	An Achievable Rate Region for the Cognitive Interference Channel With Causal Bidirectional Cooperation. <i>IEEE Transactions on Vehicular Technology</i> , 2010 , 59, 1721-1728	6.8	4
24	Performance Analysis of Cooperative NOMA Systems With Adaptive Mode Selection and Subchannel Allocation. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 10981-10990	6.8	3
23	Detection and countermeasure of interference in slow FH/MFSK systems over fading channels. <i>Physical Communication</i> , 2014 , 10, 11-23	2.2	3
22	Performance of two-way amplify-and-forward relay networks over asymmetric channels 2009 ,		3
21	Pseudocoherent Detection of OOK/PPM Signals as Zero-Delay Transmitted-Reference Signals With Bandpass Downsampling for UWB Communications. <i>IEEE Transactions on Vehicular Technology</i> , 2009 , 58, 4141-4148	6.8	3
20	Gallager Bounds for Noncoherent Decoders in Fading Channels. <i>IEEE Transactions on Information Theory</i> , 2007 , 53, 4605-4614	2.8	3
19	Evaluation of forward-link performance in cellular DS-CDMA with Rayleigh fading and power control. <i>International Journal of Communication Systems</i> , 2001 , 14, 243-250	1.7	3
18	Opportunistic spectrum access with temporal-spatial reuse in cognitive radio networks 2016 ,		3
17	Distributed Optimization for Resilient Transmission of Confidential Information in Interference Channels. <i>IEEE Transactions on Vehicular Technology</i> , 2016 , 1-1	6.8	2
16	Distributed opportunistic spectrum access with spatial reuse in cognitive radio networks 2014 ,		2

15	Delay coefficients based variable step size algorithm for subband affine projection adaptive filters. <i>IEICE Electronics Express</i> , 2009 , 6, 20-26	0.5	2
14	Delay Coefficients Based Variable Regularization Subband Affine Projection Algorithms in Acoustic Echo Cancellation Applications. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2009 , E92-A, 1699-1703	0.4	2
13	A 1-Persistent Based Spectrum Sensing Among the Stochastic Cooperative Users in the Presence of the State-Variable Primary User. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 5284-5295	9.6	1
12	A two-way training method for defending against pilot spoofing attack in MISO systems 2015 ,		1
11	Application of Extra Sensing by Stochastic-Modeled Secondary Users Over a Medium-Traffic Network. <i>IEEE Transactions on Wireless Communications</i> , 2016 , 15, 5708-5718	9.6	1
10	Interference detection in slow frequency-hopped quadrature phase-shift-keying systems over fading channels. <i>IET Communications</i> , 2013 , 7, 1317-1321	1.3	1
9	Distributed boundary estimation for spectrum sensing in cognitive radio networks 2013 ,		1
8	Comments on "Variable Explicit Regularization in Affine Projection Algorithm: Robustness Issues and Optimal Choice. <i>IEEE Transactions on Signal Processing</i> , 2010 , 58, 3952-3953	4.8	1
7	Detection of Unknown Multitone Interference Using the AR Method in Slow FH/BFSK Systems over Rayleigh Fading Channels 2011 ,		1
6	Iterative detection scheme with LDPC codes for two-dimensional interference channels 2012 ,		1
5	Low-Complexity Iterative Receiver for Interleaved FDMA (IFDMA) with Cyclic Delay Diversity 2006 ,		1
4	Two-Tier NOMA-Based Wireless Powered Communication Networks. <i>IEEE Systems Journal</i> , 2021 , 1-10	4.3	1
3	Analysis of Asynchronous Band-Limited DS-CDMA with MMSE Multiuser Detector over Generalized-k Fading Channels. <i>Wireless Personal Communications</i> , 2010 , 53, 581-590	1.9	
2	Effect of intercell pilot signals on cellular CDMA forward link. <i>International Journal of Communication Systems</i> , 1999 , 12, 167-173	1.7	
1	Modelling and analysis for two-tier HCNs with co-tier and cross-tier separation dependencies. <i>IET Communications</i> , 2019 , 13, 2639-2648	1.3	