Carmen Mora-Fernndez

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/7933039/carmen-mora-fernandez-publications-by-citations.pdf$

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 26 60 3,700 h-index g-index citations papers 4,377 5.2 5.43 73 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
66	Inflammatory molecules and pathways in the pathogenesis of diabetic nephropathy. <i>Nature Reviews Nephrology</i> , 2011 , 7, 327-40	14.9	644
65	The role of inflammatory cytokines in diabetic nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 433-42	12.7	623
64	Effect of pentoxifylline on renal function and urinary albumin excretion in patients with diabetic kidney disease: the PREDIAN trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 220-9	12.7	351
63	Renal pro-inflammatory cytokine gene expression in diabetic nephropathy: effect of angiotensin-converting enzyme inhibition and pentoxifylline administration. <i>American Journal of Nephrology</i> , 2006 , 26, 562-70	4.6	169
62	Inflammatory cytokines in diabetic nephropathy. <i>Journal of Diabetes Research</i> , 2015 , 2015, 948417	3.9	149
61	Pathogenic perspectives for the role of inflammation in diabetic nephropathy. <i>Clinical Science</i> , 2009 , 116, 479-92	6.5	140
60	The role of TNF-alpha in diabetic nephropathy: pathogenic and therapeutic implications. <i>Cytokine and Growth Factor Reviews</i> , 2006 , 17, 441-50	17.9	140
59	Reduced Klotho is associated with the presence and severity of coronary artery disease. <i>Heart</i> , 2014 , 100, 34-40	5.1	101
58	Urinary tumour necrosis factor-alpha excretion independently correlates with clinical markers of glomerular and tubulointerstitial injury in type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 3428-34	4.3	101
57	Clinical implications of disordered magnesium homeostasis in chronic renal failure and dialysis. <i>Seminars in Dialysis</i> , 2009 , 22, 37-44	2.5	98
56	Diabetic kidney disease: from physiology to therapeutics. <i>Journal of Physiology</i> , 2014 , 592, 3997-4012	3.9	86
55	Expression of FGF23/KLOTHO system in human vascular tissue. <i>International Journal of Cardiology</i> , 2013 , 165, 179-83	3.2	71
54	Effect of phosphate binders on serum inflammatory profile, soluble CD14, and endotoxin levels in hemodialysis patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 2272-9	6.9	69
53	Inflammation in Diabetic Kidney Disease. <i>Nephron</i> , 2019 , 143, 12-16	3.3	65
52	Mineral metabolism and inflammation in chronic kidney disease patients: a cross-sectional study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1646-54	6.9	63
51	Tumor necrosis factor-alpha as a therapeutic target for diabetic nephropathy. <i>Cytokine and Growth Factor Reviews</i> , 2009 , 20, 165-73	17.9	60
50	Amino acid losses during hemodialysis with polyacrylonitrile membranes: effect of intradialytic amino acid supplementation on plasma amino acid concentrations and nutritional variables in nondiabetic patients. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 765-73	7	54

(2014-1999)

49	Serum Magnesium Concentration is An Independent Predictor of Parathyroid Hormone Levels in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 1999 , 19, 455-461	2.8	54	
48	Influence of renal involvement on peripheral blood mononuclear cell expression behaviour of tumour necrosis factor-alpha and interleukin-6 in type 2 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 919-26	4.3	48	
47	Inflammatory Targets in Diabetic Nephropathy. Journal of Clinical Medicine, 2020, 9,	5.1	46	
46	Pentoxifylline for renoprotection in diabetic nephropathy: the PREDIAN study. Rationale and basal results. <i>Journal of Diabetes and Its Complications</i> , 2011 , 25, 314-9	3.2	38	
45	Effects of Pentoxifylline on Soluble Klotho Concentrations and Renal Tubular Cell Expression in Diabetic Kidney Disease. <i>Diabetes Care</i> , 2018 , 41, 1817-1820	14.6	36	
44	Implications of Klotho in vascular health and disease. World Journal of Cardiology, 2014 , 6, 1262-9	2.1	36	
43	Association of tumor necrosis factor-alpha with early target organ damage in newly diagnosed patients with essential hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 2168-75	1.9	34	
42	FGF23/Klotho axis: phosphorus, mineral metabolism and beyond. <i>Cytokine and Growth Factor Reviews</i> , 2012 , 23, 37-46	17.9	30	
41	Influence of Klotho gene polymorphisms on vascular gene expression and its relationship to cardiovascular disease. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 128-33	5.6	28	
40	Pentoxifylline for Renal Protection in Diabetic Kidney Disease. A Model of Old Drugs for New Horizons. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	25	
39	Soluble levels and endogenous vascular gene expression of are related to inflammation in human atherosclerotic disease. <i>Clinical Science</i> , 2017 , 131, 2601-2609	6.5	23	
38	Anti-inflammatory profile of paricalcitol in hemodialysis patients: a prospective, open-label, pilot study. <i>Journal of Clinical Pharmacology</i> , 2013 , 53, 421-6	2.9	22	
37	Serum and gene expression profile of tumor necrosis factor-alpha and interleukin-6 in hypertensive diabetic patients: effect of amlodipine administration. <i>International Journal of Immunopathology and Pharmacology</i> , 2010 , 23, 51-9	3	20	
36	Implications of Fibroblast growth factor/Klotho system in glucose metabolism and diabetes. <i>Cytokine and Growth Factor Reviews</i> , 2016 , 28, 71-7	17.9	19	
35	Relationship between inflammation and microalbuminuria in prehypertension. <i>Journal of Human Hypertension</i> , 2013 , 27, 119-25	2.6	16	
34	Effect of different membranes on amino-acid losses during haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 1998 , 13, 113-7	4.3	16	
33	Antiproteinuric effect of pentoxifylline in patients with diabetic nephropathy. <i>Diabetes Care</i> , 1999 , 22, 1006-8	14.6	16	
32	Pathophysiological implications of fibroblast growth factor-23 and Klotho and their potential role as clinical biomarkers. <i>Clinical Chemistry</i> , 2014 , 60, 933-40	5.5	15	

31	Klotho in cardiovascular disease: Current and future perspectives. <i>World Journal of Biological Chemistry</i> , 2015 , 6, 351-7	3.8	15
30	Erdheim-Chester disease as cause of end-stage renal failure: a case report and review of the literature. <i>International Urology and Nephrology</i> , 2010 , 42, 1107-12	2.3	15
29	Hypermagnesemia in Capd. Relationship with Parathyroid Hormone Levels. <i>Peritoneal Dialysis International</i> , 1998 , 18, 77-79	2.8	15
28	Effects of atorvastatin on lipid profile and non-traditional cardiovascular risk factors in diabetic patients on hemodialysis. <i>Nephron Clinical Practice</i> , 2003 , 95, c128-35		14
27	Effect of Androgens on Anemia and Malnutrition in Renal Failure: Implications for Patients on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2001 , 21, 1-15	2.8	14
26	Inflammatory pathways. <i>Contributions To Nephrology</i> , 2011 , 170, 113-123	1.6	13
25	Association between serum levels of Klotho and inflammatory cytokines in cardiovascular disease: a case-control study. <i>Aging</i> , 2020 , 12, 1952-1964	5.6	11
24	Effect of Paricalcitol on FGF-23 and Klotho in Kidney Transplant Recipients. <i>Transplantation</i> , 2016 , 100, 2432-2438	1.8	10
23	Fibroblast growth factor 23 expression in human calcified vascular tissues. <i>Aging</i> , 2019 , 11, 7899-7913	5.6	8
22	Serum urate is related to subclinical inflammation in asymptomatic hyperuricaemia. <i>Rheumatology</i> , 2021 , 60, 371-379	3.9	8
21	Inflammatory Cytokines in Diabetic Kidney Disease: Pathophysiologic and Therapeutic Implications. <i>Frontiers in Medicine</i> , 2020 , 7, 628289	4.9	8
20	Effects of angiotensin-converting enzyme inhibitors on anemia and erythropoietin requirements in peritoneal dialysis patients. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 1997 , 13, 257-9		7
19	Androgens for the treatment of anemia in peritoneal dialysis patients. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 1998 , 14, 232-5		7
18	Errors in the selection of dialysate concentrates cause severe metabolic acidosis during bicarbonate hemodialysis. <i>Artificial Organs</i> , 1997 , 21, 966-8	2.6	6
17	Beneficial effects of selective vitamin D receptor activation by paricalcitol in chronic kidney disease. <i>Current Drug Targets</i> , 2014 , 15, 703-9	3	6
16	FGF23 and Klotho Levels are Independently Associated with Diabetic Foot Syndrome in Type 2 Diabetes Mellitus. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
15	Negative effect of angiotensin-converting enzyme inhibitors on erythropoietin response in CAPD patients. <i>American Journal of Nephrology</i> , 2000 , 20, 248	4.6	5
14	Effect of angiotensin-converting enzyme inhibitors on hematological parameters and recombinant human erythropoietin doses in peritoneal dialysis patients. <i>Nephron</i> , 1998 , 80, 239	3.3	4

LIST OF PUBLICATIONS

13	Magnesium in Chronic Renal Failure 2007 , 303-315		4
12	Effect of Nandrolone Decanoate on the Lipid Profile of Male Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2001 , 21, 611-614	2.8	3
11	Relationship between serum parathyroid hormone levels and lipid profile in hemodialysis patients. Evolution of lipid parameters after parathyroidectomy. <i>Clinical Nephrology</i> , 1998 , 49, 303-7	2.1	3
10	Anti-inflammatory profile of paricalcitol in kidney transplant recipients. <i>Nefrologia</i> , 2017 , 37, 622-629	1.5	2
9	Hemodialysis urea rebound and membrane biocompatibility: accuracy of Kt/V estimations. <i>Artificial Organs</i> , 1997 , 21, 91-5	2.6	2
8	Pathophysiological Implications of Imbalances in Fibroblast Growth Factor 23 in the Development of Diabetes. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
7	Klotho as a biomarker of subclinical atherosclerosis in patients with moderate to severe chronic kidney disease. <i>Scientific Reports</i> , 2021 , 11, 15877	4.9	2
6	Anti-inflammatory profile of paricalcitol in kidney transplant recipients. <i>Nefrologia</i> , 2017 , 37, 622-629	0.4	1
5	Lanthanum Carbonate Modulates Inflammatory Profile in Hemodialysis Patients: Relationship with Fibroblast Growth Factor-23. <i>European Journal of Inflammation</i> , 2013 , 11, 75-86	0.3	1
4	Serum Amino Acids in Dialysis Patients: The Tryptophan/Serotonin Disorder Hypothesis and Implications for Uremic Anorexia. <i>Peritoneal Dialysis International</i> , 2001 , 21, 625-626	2.8	1
3	Klotho expression in peripheral blood circulating cells is associated with vascular and systemic inflammation in atherosclerotic vascular disease <i>Scientific Reports</i> , 2022 , 12, 8422	4.9	1
2	Intradialytic amino acid supplementation. <i>Nephron</i> , 2002 , 90, 509	3.3	

Acute renal failure associated with foscarnet therapy. *Nephrology Dialysis Transplantation*, **1996**, 11, 221₂231