

Naofumi Uekawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7934161/publications.pdf>

Version: 2024-02-01

71
papers

1,004
citations

516710

16
h-index

477307

29
g-index

71
all docs

71
docs citations

71
times ranked

1279
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of flower-like titania particles from lithium titanate hydrate via acid treatment and hydrothermal crystallization. <i>Journal of the Ceramic Society of Japan</i> , 2022, 130, 294-298.	1.1	2
2	Synthesis of Defect and Valence State Tuned Metal Oxide Nanoparticles with Colloid Chemical Solution Process: Control of Optical and Electrical Characteristics. <i>Chemistry Letters</i> , 2021, 50, 87-95.	1.3	4
3	Low-temperature synthesis of strontium titanate particles with high specific surface area. <i>Journal of the Ceramic Society of Japan</i> , 2021, 129, 683-690.	1.1	2
4	Synthesis of cerium oxide (IV) stable sol using the dialysis process of glycol solution of cerium nitrate hydrate. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 93, 91-99.	2.4	4
5	Preparation of spherical and porous strontium titanate particles by hot water and hydrothermal conversion of hydrous titania. <i>Ceramics International</i> , 2020, 46, 6146-6153.	4.8	7
6	Low temperature synthesis of titanium oxide sol and gel with Nb doping using dialysis process of metal chloride solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 538, 1-6.	4.7	3
7	Synthesis of gluconate modified layered titanate particles using hydrolysis reaction of Ti alkoxide and characterization of their swelling behavior and structural color. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 85, 48-58.	2.4	2
8	Titanium oxide thin film preparation with sol coatings of plate and spindle-shaped nanoparticles for control of optical transmittance. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 60-65.	1.1	0
9	Preparation of porous titania particles by partial dissolution and heat treatment of hydrous titania. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 1226-1228.	1.1	13
10	Synthesis of copper ion doped ZnS phosphor sols by peptization process of sulfide-citrate complex precipitates. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 924-928.	1.1	2
11	Synthesis of Stable Sols of Layered Titanate Nanoparticles using Dialysis and Applications for Thin Film Preparation. <i>Journal of Applied Solution Chemistry and Modeling</i> , 2015, 4, 165-172.	0.4	1
12	SPS Using SiC Die. <i>Key Engineering Materials</i> , 2014, 617, 72-77.	0.4	8
13	Synthesis of Ce ₃₊ -doped Y ₃ Al ₅ O ₁₂ phosphor particles by precipitation method with diamine molecules as precipitating agent. <i>Journal of the Ceramic Society of Japan</i> , 2014, 122, 54-57.	1.1	1
14	Control of orientation and electrical conductivity of doped ZnO films using a layered double hydroxide nanoparticle precursor and spark plasma sintering process. <i>Scripta Materialia</i> , 2013, 69, 131-134.	5.2	5
15	Synthesis of ZnO sols by low-temperature heating of ethylene glycol solution and control of their photoluminescence with addition of glucose. <i>Journal of the Ceramic Society of Japan</i> , 2013, 121, 62-67.	1.1	4
16	Fabrication of Ce-TZP/Ba hexaaluminate composites using amorphous precursor of the second phase. <i>Journal of the Ceramic Society of Japan</i> , 2012, 120, 111-115.	1.1	12
17	Preparation of oriented zinc oxide thin films by firing Zn-Al layered double hydroxide thin films. <i>Materials Letters</i> , 2012, 86, 125-128.	2.6	0
18	Characterization of oxides obtained by heating a mixture of peroxoniobic acid and peroxotitanic acid. <i>Dalton Transactions</i> , 2011, 40, 1817.	3.3	1

#	ARTICLE	IF	CITATIONS
19	Synthesis of a stable sol of Mn ²⁺ -doped ZnS nanoparticles by low-temperature heating of sulfide precipitate in ethylene glycol. Journal of the Ceramic Society of Japan, 2011, 119, 346-350.	1.1	0
20	Low temperature preparation of Ce-TZP/Ba hexaaluminate composites. Journal of the Ceramic Society of Japan, 2011, 119, 903-908.	1.1	1
21	Microstructure control of Ce-TZP/Ba ferrite composites using an amorphous precursor of the second phase. Journal of the Ceramic Society of Japan, 2010, 118, 823-826.	1.1	4
22	Thermal stability improvement of porous alumina prepared from anisotropic boehmite particles. Journal of the Ceramic Society of Japan, 2010, 118, 608-612.	1.1	5
23	Synthesis of a stable sol of ZnO nanoparticles by low-temperature heating of Zn(OH) ₂ in ethylene glycol containing Zn ²⁺ ions. Journal of the Ceramic Society of Japan, 2010, 118, 96-101.	1.1	9
24	Synthesis of stable sol of ZnS nanoparticles by heating the mixture of ZnS precipitate and ethylene glycol. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2010, 361, 132-137.	4.7	9
25	Effect of treatment conditions and titanium source on the hydrothermal synthesis of bismuth titanate particles. Journal of the European Ceramic Society, 2009, 29, 431-437.	5.7	5
26	Fabrication of dense material having homogeneous GdAlO ₃ –Al ₂ O ₃ eutectic-like microstructure with off-eutectic composition by consolidation of the amorphous. Journal of the European Ceramic Society, 2009, 29, 2419-2422.	5.7	9
27	Synthesis of nitrogen-doped ZnO particles by decomposition of zinc nitrate hexahydrate in molten ammonium salts. Journal of Materials Research, 2009, 24, 3343-3349.	2.6	8
28	Fabrication of BaTiO ₃ /Ag composites using uniform Ag-deposited BaTiO ₃ particles. Journal of the Ceramic Society of Japan, 2009, 117, 1328-1332.	1.1	11
29	Synthesis of nitrogen-doped zinc oxide particles by thermal decomposition of mixture between zinc peroxide aqueous sol and ammonium salts. Journal of the Ceramic Society of Japan, 2009, 117, 283-288.	1.1	4
30	Journal of the Japan Society of Colour Material, 2009, 82, 16		
31	Comparative examination of titania nanocrystals synthesized by peroxy titanate approach from different precursors. Journal of Colloid and Interface Science, 2008, 322, 497-504.	9.4	33
32	Fabrication of Y ₃ Al ₅ O ₁₂ -Al ₂ O ₃ eutectic materials having ultra fine microstructure. Journal of the European Ceramic Society, 2008, 28, 235-240.	5.7	17
33	Formation of Y ₃ Al ₅ O ₁₂ –Al ₂ O ₃ eutectic microstructure with off-eutectic composition. Journal of the European Ceramic Society, 2008, 28, 1973-1978.	5.7	12
34	Formation of GdAlO ₃ –Al ₂ O ₃ composite having fine pseudo-eutectic microstructure. Journal of the European Ceramic Society, 2008, 28, 2941-2946.	5.7	14
35	Formation of ultrafine eutectic-like microstructures of various rare earth oxide-Al ₂ O ₃ systems by use of amorphous phases. Journal of Materials Research, 2008, 23, 3396-3402.	2.6	12
36	Fabrication of porous alumina using anisotropic boehmite particles. Journal of the Ceramic Society of Japan, 2008, 116, 1241-1243.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Synthesis of Titania Particles by Low-Temperature Hydrolysis Reaction of Titanium Alkoxide and Their Surface Properties. Journal of the Ceramic Society of Japan, 2007, 115, 840-845.	1.1	5
38	Room-temperature Formation of Alkoxide-derived Anatase Nanoparticles by Peroxotitanic Acid Approach. Chemistry Letters, 2007, 36, 1094-1095.	1.3	5
39	Formation process of BaTiO ₃ particles by reaction between barium hydroxide aqueous solution and titania obtained by hydrolysis of titanium alkoxide. Journal of Materials Research, 2007, 22, 2631-2638.	2.6	4
40	Synthesis and evaluation of Zr _{0.5} Ti _{0.5} B ₂ solid solution. Materials Research Bulletin, 2007, 42, 1019-1027.	5.2	17
41	Formation of porous spherical aggregated structure of ZnO nanoparticles by low-temperature heating of Zn(OH) ₂ in diol solution. Materials Letters, 2007, 61, 1729-1734.	2.6	14
42	Synthesis and Characterization of Titania-Sugar Alcohol Complex Nanoparticles. Journal of the Ceramic Society of Japan, 2006, 114, 807-813.	1.3	1
43	Design of pyroelectric properties by controlling compositional distribution. Journal of the European Ceramic Society, 2006, 26, 613-617.	5.7	8
44	Low-Temperature Synthesis of ZnO Nanoparticles by Heating of Zn(OH) ₂ in a Neutral Mixed Solution of Ethanol and H ₂ O. Journal of the Ceramic Society of Japan, 2005, 113, 439-441.	1.3	9
45	Effects of Preparation Conditions on the Structural and Optical Properties of Spark Plasma-Sintered PLZT (8/65/35) Ceramics. Journal of the American Ceramic Society, 2005, 88, 3327-3331.	3.8	32
46	Characterization of CeO ₂ Fine Particles Prepared by the Homogeneous Precipitation Method with a Mixed Solution of Ethylene Glycol and Polyethylene Glycol. Journal of Materials Research, 2004, 19, 1087-1092.	2.6	19
47	Sintering Behavior of ZnO Nanoparticles and Preparation of Nanoporous ZnO Compacts. Key Engineering Materials, 2004, 269, 75-78.	0.4	0
48	Sintering of Lead Titanate Using a Spark Plasma Sintering Technique. Journal of the American Ceramic Society, 2004, 87, 541-545.	3.8	10
49	Effect of alkali metal hydroxide on formation processes of zinc oxide crystallites from aqueous solutions containing Zn(OH) ₂ ions. Physical Chemistry Chemical Physics, 2004, 6, 442.	2.8	101
50	Low-temperature synthesis of niobium oxide nanoparticles from peroxo niobic acid sol. Journal of Colloid and Interface Science, 2003, 264, 378-384.	9.4	76
51	Change in the compositional distribution in perovskite solid solutions during the sintering by SPS. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2003, 99, 11-14.	3.5	14
52	Nonstoichiometric properties of zinc oxide nanoparticles prepared by decomposition of zinc peroxide. Physical Chemistry Chemical Physics, 2003, 5, 929-934.	2.8	74
53	Sandwiched BaNd ₂ Ti ₄ O ₁₂ /Bi ₄ Ti ₃ O ₁₂ /BaNd ₂ Ti ₄ O ₁₂ ceramics prepared by spark plasma sintering. Materials Letters, 2003, 57, 4088-4092.	2.6	13
54	Synthesis of rutile and anatase TiO ₂ nanoparticles from Ti-peroxy compound aqueous solution with polyols. Journal of Materials Research, 2003, 18, 797-803.	2.6	18

#	ARTICLE	IF	CITATIONS
55	Spark Plasma Sintering of Transparent PbZrO ₃ -PbTiO ₃ -Pb(Zn _{1/3} Nb _{2/3})O ₃ Ceramics. Japanese Journal of Applied Physics, 2002, 41, L219-L221.	1.5	27
56	Synthesis of CeO ₂ Spherical Fine Particles by Homogeneous Precipitation Method with Polyethylene Glycol. Chemistry Letters, 2002, 31, 854-855.	1.3	60
57	Compositional fluctuation and dielectric properties of Pb(Zr _{0.3} Ti _{0.7})O ₃ ceramics prepared by spark plasma sintering. Materials Letters, 2002, 57, 771-775.	2.6	19
58	Low Temperature Synthesis and Characterization of Porous Anatase TiO ₂ Nanoparticles. Journal of Colloid and Interface Science, 2002, 250, 285-290.	9.4	62
59	Microstructures and Pyroelectric Properties of Multicomposition 0.9PbZrO ₃ -xPbTiO ₃ -(0.1-x)Pb(Zn _{1/3} Nb _{2/3})O ₃ Ceramics. Journal of the American Ceramic Society, 2002, 85, 1988-1992.		
60	Synthesis of Lead Nickel Niobate-Barium Titanate System by Oxidation of Polyethylene Glycol-Cation Complex. Journal of the American Ceramic Society, 2002, 85, 329-334.	3.8	20
61	Effects of surface modification of γ -FeOOH powder on the sintering process of ferrite compacts. Physical Chemistry Chemical Physics, 2001, , .	2.8	1
62	Synthesis of ZnO Nanoparticles by Decomposition of Zinc Peroxide. Chemistry Letters, 2001, 30, 606-607.	1.3	34
63	Synthesis of La-Doped Lead Magnesium Niobate by Oxidation of Polyethylen Glycol-Cation Complex.. Journal of the Ceramic Society of Japan, 2000, 108, 387-391.	1.3	4
64	Low Temperature Synthesis of Titania Gel Containing Anatase and Rutile. Chemistry Letters, 2000, 29, 382-383.	1.3	6
65	Homogeneous precipitation of Cr ³⁺ -M ²⁺ (M=Ni, Zn, Co, Cu) oxalate by oxidation of the polyethylene glycol-cation complex. Physical Chemistry Chemical Physics, 2000, 2, 5485-5490.	2.8	17
66	Iron oxide films of a spinel structure from thermal decomposition of metal ion citrate complex. Journal of Materials Research, 1999, 14, 2002-2006.	2.6	11
67	Molecular mechanism of capillary condensation of acetonitrile vapor on MCM-41 with the aid of a time-correlation function analysis of IR spectroscopy. Chemical Physics Letters, 1998, 293, 541-546.	2.6	24
68	Determination of Region Size of Inhomogeneity in Lead Titanate Zirconate. Journal of the Ceramic Society of Japan, 1998, 106, 604-608.	1.3	3
69	Transition metal oxide films. Advanced Materials, 1995, 7, 312-315.	21.0	5
70	Mixed-valence formation in highly oriented Ti-doped iron oxide film. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 2161.	1.7	42
71	Electronic and molecular dynamics of chemisorption on γ -Fe ₂ O ₃ with time-delayed injection of donor-acceptor gases. Journal of the Chemical Society, Faraday Transactions, 1992, 88, 1327-1333.	1.7	7