

# Sayeed Ahmad

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7934224/sayeed-ahmad-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184  
papers

2,621  
citations

26  
h-index

43  
g-index

216  
ext. papers

3,317  
ext. citations

2.5  
avg, IF

5.22  
L-index

#	Paper	IF	Citations
184	Nephroprotective potential of Sharbat-e-Bazoori Motadil (sugar-free) in HEK-293 cells and Wistar rats against cisplatin induced nephrotoxicity. <i>Journal of King Saud University - Science</i> , <b>2022</b> , 34, 101839	3.6	1
183	Potential nephroprotective phytochemicals: Mechanism and future prospects. <i>Journal of Ethnopharmacology</i> , <b>2022</b> , 283, 114743	5	2
182	Evaluation of cardioprotective potential of isolated swerchirin against the isoproterenol-induced cardiotoxicity in wistar albino rats. <i>Pharmacognosy Magazine</i> , <b>2022</b> , 18, 10	0.8	0
181	Metabolomic Profiling and Immunomodulatory Activity of a Polyherbal Combination in Cyclophosphamide-Induced Immunosuppressed Mice.. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 647244	5.6	1
180	Bioactive components and anti-diabetic properties of Lam. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2021</b> , 1-25	11.5	6
179	TLC-Based Metabolite Profiling and Bioactivity-Based Scientific Validation for Use of Water Extracts in AYUSH Formulations.. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2021</b> , 2021, 2847440	2.3	1
178	Pharmacological Evaluation of Safoof-e-Pathar Phori- A Polyherbal Unani Formulation for Urolithiasis. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 597990	5.6	1
177	Anticancer potential of andrographolide from <i>Andrographis paniculata</i> (Burm.f.) Nees and its mechanisms of action. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 272, 113936	5	16
176	A systematic review on nephron protective AYUSH drugs as constituents of NEERI-KFT (A traditional Indian polyherbal formulation) for the management of chronic kidney disease. <i>Saudi Journal of Biological Sciences</i> , <b>2021</b> , 28, 6441-6453	4	3
175	Development of Synergy-Based Combination for Learning and Memory Using , and TLC-MS-Bioautographic Studies. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 678611	5.6	2
174	Modulating effects of the synergistic combination of extracts of herbal drugs on cyclophosphamide-induced immunosuppressed mice. <i>Saudi Journal of Biological Sciences</i> , <b>2021</b> , 28, 6178-6190	4.190	2
173	Analysis of polyphenols in <i>Aegle marmelos</i> leaf and ameliorative efficacy against diabetic mice through restoration of antioxidant and anti-inflammatory status. <i>Journal of Food Biochemistry</i> , <b>2021</b> , e13852	3.3	1
172	Thin layer chromatography-mass spectrometry bioautographic identification of free radical scavenging compounds and metabolomic profile of <i>Carica papaya</i> linn. fruit and seeds using high-performance thin-layer chromatography, gas chromatography-mass spectrometry and	0.8	0
171	Antiurolithic efficacy of a phenolic rich ethyl acetate fraction of the aerial parts of <i>Aerva lanata</i> (Linn) Juss. ex Schult. in ethylene glycol induced urolithic rats. <i>Journal of Pharmacy and Pharmacology</i> , <b>2021</b> , 73, 560-572	4.8	2
170	Nutritional constituents of mulberry and their potential applications in food and pharmaceuticals: A review. <i>Saudi Journal of Biological Sciences</i> , <b>2021</b> , 28, 3909-3921	4	13
169	Supercritical Carbon Dioxide Extracts of : Chromatography-based Metabolite Profiling and Protective Efficacy Against Hypobaric Hypoxia. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 628924	5.6	1
168	Effect of salinity stress on growth, water content, and guggulsterone production in callus cultures of <i>Commiphora wightii</i> (Arnott.) Bhandari. <i>Pharmacognosy Magazine</i> , <b>2021</b> , 17, 225	0.8	

167	GC-MS analysis of the methanolic extracts of and and their antioxidant activity. <i>Turkish Journal of Chemistry</i> , <b>2020</b> , 44, 352-363	1	5
166	Amenability of Indigenous Genotypes of Cabbage to Scavenge and Accumulate Nitrogen: Importance of Staggered Application and Root Morphology <b>2020</b> , 63, 445-462		3
165	HPTLC and UPLC-MS/MS Methods for Quality Control Analysis of Itrifal Formulations of Unani System of Medicine. <i>Journal of AOAC INTERNATIONAL</i> , <b>2020</b> , 103, 649-658	1.7	3
164	Comparative evaluation of the liquid chromatographic methods for simultaneous analysis of quercetin and salicin in an anti-psoriasis polyherbal formulation. <i>Separation Science Plus</i> , <b>2020</b> , 3, 77-85	1.1	3
163	Effect of Cichorium intybus seeds supplementation on the markers of glycemic control, oxidative stress, inflammation, and lipid profile in type 2 diabetes mellitus: A randomized, double-blind placebo study. <i>Phytotherapy Research</i> , <b>2020</b> , 34, 1609-1618	6.7	12
162	Nanostructured lipidic carriers for dual drug delivery in the management of psoriasis: Systematic optimization, dermatokinetic and preclinical evaluation. <i>Journal of Drug Delivery Science and Technology</i> , <b>2020</b> , 57, 101775	4.5	7
161	Ashwagandha in brain disorders: A review of recent developments. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 257, 112876	5	21
160	Separation and quantification of nine bioactive compounds in traditional Unani formulations by High Performance Liquid ChromatographyPhotodiode Array Detector. <i>Acta Chromatographica</i> , <b>2020</b> , 33, 3-10	1.5	1
159	Challenges and opportunities for traditional herbal medicine today with special reference to its status in India. <i>Annals of Phytomedicine an International Journal</i> , <b>2020</b> , 9,	1.8	8
158	Analytical Quality by Design (AQbD) Approach Based HPTLC Method for Quantification of Fisetin with Superior Recovery in Formulations. <i>Current Analytical Chemistry</i> , <b>2020</b> , 16, 149-157	1.7	2
157	Embelin from Embelia ribes ameliorates oxidative stress and inflammation in high-fat diet-fed obese C57BL/6 mice. <i>Pharmacognosy Magazine</i> , <b>2020</b> , 16, 443	0.8	1
156	Menopausal Remediation and Quality of Life (QoL) Improvement: Insights and Perspectives. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , <b>2020</b> , 20, 1624-1636	2.2	2
155	Quality Control and Stability Testing of Arq Formulations of Unani Pharmacopeia of India Using HPTLC and GC-MS. <i>Journal of AOAC INTERNATIONAL</i> , <b>2020</b> , 103, 699-704	1.7	2
154	Analysis and Regulation of Traditional Indian Unani Medicines. <i>Journal of AOAC INTERNATIONAL</i> , <b>2020</b> , 103, 607-608	1.7	
153	Effect of augmented glycation in mobilization of plasma free fatty acids in type 2 diabetes mellitus. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , <b>2020</b> , 14, 1385-1389	8.9	1
152	Effect of DC. on Apoptosis, Inflammation and Oxidative Stress Induced by Doxorubicin in Wistar Rats. <i>Plants</i> , <b>2020</b> , 9,	4.5	2
151	TLC-MS Bioautography-Based Identification of Free-Radical Scavenging, $\alpha$ -Amylase, and $\beta$ -Glucosidase Inhibitor Compounds of Antidiabetic Tablet BGR-34. <i>ACS Omega</i> , <b>2020</b> , 5, 29688-29697	3.9	11
150	Diabetes-associated complications and some Indian traditional plants used for its management. <i>Studies in Natural Products Chemistry</i> , <b>2020</b> , 117-155	1.5	1

149	Indian Medicinal Plants and Formulations and Their Potential Against COVID-19-Preclinical and Clinical Research. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 578970	5.6	38
148	Chromatography Based Metabolomics and Screening of Leaf Extract for Its Antidiabetic Potential. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2019</b> , 2019, 7523159	2.3	8
147	Vitamin D fortification of foods in India: present and past scenario. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2019</b> , 193, 105417	5.1	11
146	Andrographis paniculata: From Traditional to Nano Drug for Cancer Therapy <b>2019</b> , 317-345		2
145	Phytochemical and Pharmacological Approaches of Traditional Alternate Cassia occidentalis L. <b>2019</b> , 321-341		1
144	Didymocarpus Pedicellatus R. Br.: Qualitative and Quantitative GCMS Approach for Quality Control in Traditional Poly-Herbal Formulation with In Vitro Antioxidant and Antimicrobial Activity. <i>Oriental Journal of Chemistry</i> , <b>2019</b> , 35, 648-657	0.8	4
143	Development and validation of a high-performance thin-layer chromatography based method for the quantification of trigonelline in fenugreek (Trigonella foenum-graecum) seeds. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2019</b> , 32, 95-102	0.9	2
142	Isolation and Characterization of Four Terpenoidal Compounds with Potential Antimicrobial Activity from L. (Asteraceae). <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2019</b> , 11, 373-379	1.1	2
141	Fruit: Pharmacognostical Standardization, Detection of Contaminant, and Antioxidant Activity. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2019</b> , 11, 355-363	1.1	3
140	Antithrombocytopenic potential of bioactivity guided fractions of traditionally used Psidium guajava Linn. leaves in busulfan induced-thrombocytopenic rats. <i>Pharmacognosy Magazine</i> , <b>2019</b> , 15, 440	0.8	0
139	Transcriptomic Validation of the Protective Effects of Aqueous Bark Extract of (Roxb.) on Isoproterenol-Induced Cardiac Hypertrophy in Rats. <i>Frontiers in Pharmacology</i> , <b>2019</b> , 10, 1443	5.6	9
138	Stability-Indicating High-Performance Thin-Layer Chromatographic Method for the Simultaneous Determination of Quercetin and Resveratrol in the Lipid-Based Nanoformulation. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2019</b> , 32, 393-400	0.9	4
137	SUITABLE COMBINATION OF AUXIN AND CYTOKININ FOR CALLUS BIOMASS, TOTAL PHENOLICS, FLAVONOID CONTENT AND ANTIOXIDANT ACTIVITIES OF LEAVES CALLI OF ACHYRANTHES ASPERA L.. <i>International Research Journal of Pharmacy</i> , <b>2019</b> , 10, 27-32	0.2	
136	TLC-bioautography identification and GC-MS analysis of antimicrobial and antioxidant active compounds in Musa [paradisiaca L. fruit pulp essential oil. <i>Phytochemical Analysis</i> , <b>2019</b> , 30, 332-345	3.4	19
135	Comparative analysis of the cytotoxic activity of extracts from different parts of A. absinthium L. on breast cancer cell lines and correlation with active compounds concentration. <i>Plant Biosystems</i> , <b>2019</b> , 153, 569-579	1.6	7
134	Ganoderic acid -loaded solid lipid nanoparticles ameliorate d-galactosamine induced hepatotoxicity in Wistar rats. <i>Journal of Drug Delivery Science and Technology</i> , <b>2019</b> , 50, 48-56	4.5	7
133	Suppression of the mechanisms of stone formation by a flavonoid-enriched ethyl acetate fraction of aerial and underground parts of Aerva lanata (Linn.) Juss. ex Schult. <i>Pharmacognosy Magazine</i> , <b>2018</b> , 14, 630	0.8	2
132	Antidiabetic, toxicological, and metabolomic profiling of aqueous extract of Cichorium intybus seeds. <i>Pharmacognosy Magazine</i> , <b>2018</b> , 14, 377	0.8	11

131	Establishment of adventitious root cultures of <i>Allamanda cathartica</i> L. for the production of iridoid glycosides and its identification using HPTLC MS. <i>Industrial Crops and Products</i> , <b>2018</b> , 125, 198-206	5.9	12
130	Trigonelline inhibits intestinal microbial metabolism of choline and its associated cardiovascular risk. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 159, 100-112	3.5	29
129	Toxicology of the aqueous extract from the flowers of <i>Butea monosperma</i> Lam. and its metabolomics in yeast cells. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 108, 486-497	4.7	4
128	Chromatographic profiling of <i>Pancharishta</i> at different stages of its development using HPTLC, HPLC, GCMS and UPLCMS. <i>Phytochemistry Letters</i> , <b>2017</b> , 20, 391-400	1.9	12
127	Variation in ornamental traits, physiological responses of <i>Tagetes erecta</i> L. and <i>T. patula</i> L. in relation to antioxidant and metabolic profile under deficit irrigation strategies. <i>Scientia Horticulturae</i> , <b>2017</b> , 214, 200-208	4.1	8
126	Nitrogen-regulated changes in total amino acid profile of maize genotypes having contrasting response to nitrogen deficit. <i>Protoplasma</i> , <b>2017</b> , 254, 2143-2153	3.4	13
125	In vitro and ex vivo approach for anti-urolithiatic potential of bioactive fractions of gokhru with simultaneous HPLC analysis of six major metabolites and their exploration in rat plasma. <i>Pharmaceutical Biology</i> , <b>2017</b> , 55, 701-711	3.8	8
124	Proteomic analysis of the protective effects of aqueous bark extract of <i>Terminalia arjuna</i> (Roxb.) on isoproterenol-induced cardiac hypertrophy in rats. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 198, 98-108	5	6
123	Antithrombocytopenic and immunomodulatory potential of metabolically characterized aqueous extract of <i>Carica papaya</i> leaves. <i>Pharmaceutical Biology</i> , <b>2017</b> , 55, 2043-2056	3.8	24
122	Effects of polysaccharide from <i>Physalis alkekengi</i> var. <i>francheti</i> on liver injury and intestinal microflora in type-2 diabetic mice. <i>Pharmaceutical Biology</i> , <b>2017</b> , 55, 2020-2025	3.8	11
121	Pharmacokinetics and comparative metabolic profiling of iridoid enriched fraction of <i>Picrorhiza kurroa</i> - An Ayurvedic Herb. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 197, 157-164	5	24
120	Investigation of anti-asthmatic potential of <i>Kanakasava</i> in ovalbumin-induced bronchial asthma and airway inflammation in rats. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 197, 242-249	5	12
119	A validated HPTLC method for the quantification of podophyllotoxin in <i>Podophyllum hexandrum</i> and etoposide in marketed formulation. <i>Arabian Journal of Chemistry</i> , <b>2017</b> , 10, S2539-S2546	5.9	9
118	HEPATOPROTECTIVE EFFECTS OF <i>PUNICA GRANATUM</i> FRUIT AGAINST D-GALACTOSAMINE-INDUCED HEPATOTOXICITY IN RATS: IN VITRO AND IN VIVO STUDIES. <i>International Journal of Pharmacy and Pharmaceutical Sciences</i> , <b>2017</b> , 9, 168	0.3	1
117	UPLC-ESI-MS/MS and HPTLC Method for Quantitative Estimation of Cytotoxic Glycosides and Aglycone in Bioactivity Guided Fractions of <i>L.</i> <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 434	5.6	9
116	Hypoglycemic Potential of Aqueous Extract of Leaf and GC-MS Metabolomics. <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 577	5.6	77
115	Anti-urolithiasis Activity of Bioactivity Guided Fraction of against Ethylene Glycol Induced Renal Calculi in Rat. <i>BioMed Research International</i> , <b>2017</b> , 2017, 1969525	3	12
114	Exploring the Cytotoxic Potential of Triterpenoids-enriched Fraction of by Implementing , , and Approaches. <i>Pharmacognosy Magazine</i> , <b>2017</b> , 13, S595-S606	0.8	8

113	In vitro Inhibition of Calcium Oxalate Nucleation by Extract-based Fractions of Aerial Parts and Roots of <i>Aerva lanata</i> (Linn.) Juss. ex Schult. <i>Indian Journal of Pharmaceutical Sciences</i> , <b>2017</b> , 79,	1.5	4
112	Aspects of extraction and biological evaluation of naturally occurring sugar-mimicking sulfonium-ion and their synthetic analogues as potent $\beta$ -glucosidase inhibitors from <i>Salacia</i> : a review. <i>RSC Advances</i> , <b>2017</b> , 7, 28152-28185	3.7	10
111	Antimicrobial and wound healing potential of Marham-e-Aatshak (A Herb-o-Mineral formulation). <i>Pakistan Journal of Pharmaceutical Sciences</i> , <b>2017</b> , 30, 1535-1543	0.4	
110	Variations in the cytotoxic glycoalkaloids solamargine and solasonine in different parts of the <i>Solanum incanum</i> plant during its growth and development in OmanPeer review under responsibility of Taibah University.View all notes. <i>Journal of Taibah University for Science</i> , <b>2016</b> , 10, 813-822	3	6
109	Ameliorating effects of <i>Tamarindus indica</i> fruit extract on anti-tubercular drugs induced liver toxicity in rats. <i>Natural Product Research</i> , <b>2016</b> , 30, 715-9	2.3	16
108	A quest for staunch effects of flavonoids: Utopian protection against hepatic ailments. <i>Arabian Journal of Chemistry</i> , <b>2016</b> , 9, S1813-S1823	5.9	13
107	Investigation of anti-asthmatic potential of dried fruits of <i>Vitis vinifera</i> L. in animal model of bronchial asthma. <i>Allergy, Asthma and Clinical Immunology</i> , <b>2016</b> , 12, 42	3.2	16
106	Genetic, Developmental and Temporal Variability in Nitrate Accumulation and Nitrate Reductase Activity in Medicinal Herb <i>Andrographis paniculata</i> . <i>Pedosphere</i> , <b>2016</b> , 26, 839-847	5	8
105	Pharmacological evidences for cytotoxic and antitumor properties of Boswellic acids from <i>Boswellia serrata</i> . <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 191, 315-323	5	36
104	A novel monolithic controlled delivery system of resveratrol for enhanced hepatoprotection: nanoformulation development, pharmacokinetics and pharmacodynamics. <i>Drug Development and Industrial Pharmacy</i> , <b>2016</b> , 42, 1524-36	3.6	13
103	Antimicrobial activity of sugar-based semisolid polyherbal ayurvedic formulation: Chyawanprash. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 31		2
102	Comparative gas chromatography-mass spectroscopy, Fourier transform infrared spectroscopy, and high-performance liquid chromatography analysis of essential oils extracted using 4 methods from the leaves of <i>Eucalyptus globulus</i> L.. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 81		1
101	Characterization of <i>Arachis hypogaea</i> L. oil obtained from different extraction techniques and in vitro antioxidant potential of supercritical fluid extraction extract. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 87		1
100	Significance of molecular markers in pharmacognosy: A modern tool for authentication of herbal drugs. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 96		3
99	Quality control analysis of Khamira Abresham Hakim Arshad Wala and Khamira Marwareed. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 47		
98	Quality control of an antipsoriatic ayurvedic herbal Formulation: Lajjalu Keram. <i>Drug Development and Therapeutics</i> , <b>2016</b> , 7, 43		
97	Simultaneous quantification of piperlongumine and piperine in traditional polyherbal formulation using validated HPLC method. <i>Acta Chromatographica</i> , <b>2016</b> , 28, 489-500	1.5	2
96	Green extraction methods and environmental applications of carotenoids-a review. <i>RSC Advances</i> , <b>2015</b> , 5, 62358-62393	3.7	56

95	Efficacy of <i>Caesulia axillaris</i> , <i>Cymbopogon khasans</i> and <i>Cymbopogon martinii</i> essential oils as plant based preservatives against degradation of raw materials of <i>Andrographis paniculata</i> by fungal spoilage. <i>International Biodeterioration and Biodegradation</i> , <b>2015</b> , 104, 244-250	4.8	9
94	Marker Based In-vitro Antioxidant Potential, Microscopy and Validated High Performance Thin Layer Chromatographic Method for Saffron. <i>Proceedings of the National Academy of Sciences India Section B - Biological Sciences</i> , <b>2015</b> , 85, 607-614	1.4	1
93	High-Performance Thin-Layer Chromatographic Analysis of Eugenol in Developed Nanoemulsion Gel and Nanoparticles: Validation of a Stability-Indicating Method. <i>Acta Chromatographica</i> , <b>2015</b> , 27, 571-582	1.5	4
92	Stability-indicating RP-HPLC method for the determination of 6-gingerol in polyherbal formulations. <i>Journal of Analytical Science and Technology</i> , <b>2015</b> , 6,	3.4	2
91	HPTLC Analysis of Bioactivity Guided Anticancer Enriched Fraction of Hydroalcoholic Extract of <i>Picrorhiza kurroa</i> . <i>BioMed Research International</i> , <b>2015</b> , 2015, 513875	3	17
90	Quantitative Analysis of Bacoside A from <i>Bacopa monnieri</i> , Collected from Different Geographic Regions of India, by High-Performance Thin-Layer Chromatography-Densitometry. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2015</b> , 28, 287-293	0.9	3
89	Gastroprotective mechanism of <i>Paederia foetida</i> Linn. (Rubiaceae)--a popular edible plant used by the tribal community of North-East India. <i>BMC Complementary and Alternative Medicine</i> , <b>2015</b> , 15, 304	4.7	8
88	Metabolite Profiling of Low-P Tolerant and Low-P Sensitive Maize Genotypes under Phosphorus Starvation and Restoration Conditions. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129520	3.7	49
87	Matrix Solid-Phase Dispersion Extraction and Quantification of Alpinetin in <i>Amomum</i> Seed using Validated HPLC and HPTLC Methods. <i>Indian Journal of Pharmaceutical Sciences</i> , <b>2015</b> , 77, 49-54	1.5	4
86	Hepatoprotective activity of a new polyherbal formulation against paracetamol and D-galactosamine induced hepatic toxicity. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 246-9	1.1	4
85	Development of standard operating procedure and standardization of Habb-e-Banafsha Qawi-A Unani polyherbal formulation. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 250-3	1.1	2
84	Quality control aspects of herbs and botanicals in developing countries: <i>Coleus forskohlii</i> Briq a case study. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 254-9	1.1	7
83	A high performance thin layer chromatographic method for the estimation of colchicine in different formulations. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 260-3	1.1	6
82	Determination of nucleosides in <i>Cordyceps sinensis</i> and <i>Ganoderma lucidum</i> by high performance liquid chromatography method. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 264-6	1.1	6
81	Chromatographic analysis of wheatgrass extracts. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 267-71	1.1	7
80	Standardization and in vitro antioxidant activity of jatamansi rhizome. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 275-9	1.1	3
79	Quality control and in vitro antioxidant potential of <i>Coriandrum sativum</i> Linn. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 280-3	1.1	6
78	Characterization of <i>Linum usitatissimum</i> L. oil obtained from different extraction technique and in vitro antioxidant potential of supercritical fluid extract. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 284-8	1.1	3

77	Hepatoprotective potential of kumaryasava and its concentrate against CCl <sub>4</sub> -induced hepatic toxicity in Wistar rats. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 297-9	1.1	3
76	Development and validation of high-performance liquid chromatography and high-performance thin-layer chromatography methods for the quantification of khellin in Ammi visnaga seed. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 308-13	1.1	3
75	Effect of detoxification (tadbeer) in content of toxic metabolites of Strychnos nux-vomica: A Unani approach for its use in human. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 314-6	1.1	4
74	Challenges and guidelines for clinical trial of herbal drugs. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 329-33	1.1	72
73	Effect of piperine on pharmacokinetics of sodium valproate in plasma samples of rats using gas chromatography-mass spectrometry method. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 317-20 <sup>1.1</sup>		6
72	Stability studies of silymarin nanoemulsion containing Tween 80 as a surfactant. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 321-4	1.1	27
71	Evaluation of anticancer potential of Bacopa monnieri L. against MCF-7 and MDA-MB 231 cell line. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 325-8	1.1	16
70	National Seminar on "Regulatory and Quality Aspects of Herbal Drugs and Botanicals". <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 245	1.1	
69	Bergenin determination in different extracts by high-performance thin-layer chromatographic densitometry. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2015</b> , 7, 272-4	1.1	1
68	HPLC and HPTLC methods by design for quantitative characterization and in vitro anti-oxidant activity of polyherbal formulation containing Rheum emodi. <i>Journal of Chromatographic Science</i> , <b>2014</b> , 52, 911-8	1.4	16
67	Genetic diversity analysis of Zingiber Officinale Roscoe by RAPD collected from subcontinent of India. <i>Saudi Journal of Biological Sciences</i> , <b>2014</b> , 21, 159-65	4	16
66	Determination of Gingerols in Ginger by Ultra-High Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Analytical Letters</i> , <b>2014</b> , 47, 2120-2128	2.2	11
65	Andrographis paniculata: a critical appraisal of extraction, isolation and quantification of andrographolide and other active constituents. <i>Natural Product Research</i> , <b>2014</b> , 28, 2081-101	2.3	39
64	Effect of Nutrient Medium, Phytohormones and Elicitation Treatment on in-vitro Callus Culture of Bacopa monniera and Expression of Secondary Metabolites. <i>Natural Products Journal</i> , <b>2014</b> , 4, 13-17	0.6	
63	Boswellia serrata extract attenuates inflammatory mediators and oxidative stress in collagen induced arthritis. <i>Phytomedicine</i> , <b>2014</b> , 21, 847-56	6.5	76
62	Eugenia jambolana pretreatment prevents isoproterenol-induced myocardial damage in rats: evidence from biochemical, molecular, and histopathological studies. <i>Journal of Medicinal Food</i> , <b>2014</b> , 17, 244-53	2.8	10
61	Simultaneous estimation of anti-cancer terpenoids in pharmaceutical nanoformulation by RP-HPLC and HPTLC. <i>Acta Chromatographica</i> , <b>2014</b> , 26, 391-400	1.5	7
60	Rapid, sensitive, and validated UPLC/Q-TOF-MS method for quantitative determination of vasicine in Adhatoda vasica and its in vitro culture. <i>Pharmacognosy Magazine</i> , <b>2014</b> , 10, S198-205	0.8	10



59	Caspase mediated synergistic effect of <i>Boswellia serrata</i> extract in combination with doxorubicin against human hepatocellular carcinoma. <i>BioMed Research International</i> , <b>2014</b> , 2014, 294143	3	17
58	Solid lipid nanoparticles of anticancer drug andrographolide: formulation, in vitro and in vivo studies. <i>Drug Development and Industrial Pharmacy</i> , <b>2014</b> , 40, 1206-12	3.6	50
57	Development and Validation of a Stability-Indicating High-Performance Thin-Layer Chromatographic Method for the Simultaneous Quantification of Sparfloxacin and Flurbiprofen in Nanoparticulate Formulation. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2014</b> , 27, 124-131	0.9	4
56	Scientific validation of cardioprotective attribute by standardized extract of <i>Bombyx mori</i> against doxorubicin-induced cardiotoxicity in murine model. <i>EXCLI Journal</i> , <b>2014</b> , 13, 1043-54	2.4	5
55	Alternative approach for mitigation of doxorubicin-induced cardiotoxicity using herbal agents. <i>Current Clinical Pharmacology</i> , <b>2014</b> , 9, 288-97	2.5	11
54	Polypharmacy (herbal and synthetic drug combination): a novel approach in the treatment of type-2 diabetes and its complications in rats. <i>Journal of Natural Medicines</i> , <b>2013</b> , 67, 662-71	3.3	17
53	<i>Centella asiatica</i> attenuates the neurobehavioral, neurochemical and histological changes in transient focal middle cerebral artery occlusion rats. <i>Neurological Sciences</i> , <b>2013</b> , 34, 925-33	3.5	56
52	Hesperidin inhibits collagen-induced arthritis possibly through suppression of free radical load and reduction in neutrophil activation and infiltration. <i>Rheumatology International</i> , <b>2013</b> , 33, 657-63	3.6	51
51	Development of a novel synergistic thermosensitive gel for vaginal candidiasis: an in vitro, in vivo evaluation. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2013</b> , 103, 275-82	6	47
50	Piperine ameliorates oxidative stress, inflammation and histological outcome in collagen induced arthritis. <i>Cellular Immunology</i> , <b>2013</b> , 284, 51-9	4.4	71
49	Genetic and metabolic diversity in <i>Stevia rebaudiana</i> using RAPD and HPTLC analysis. <i>Pharmaceutical Biology</i> , <b>2013</b> , 51, 771-7	3.8	14
48	Design expert-supported development and validation of HPTLC method: An application in simultaneous estimation of quercetin and rutin in <i>Punica granatum</i> , <i>Tamarindus indica</i> and <i>Prunus domestica</i> . <i>Pharmaceutical Methods</i> , <b>2013</b> , 4, 62-67	1	5
47	Quantification of Eugenol in Hydro-Distilled Clove Oil ( <i>Eugenia caryophyllus</i> ) and Its Marketed Products by Validated GC-MS Method. <i>Journal of Herbs, Spices and Medicinal Plants</i> , <b>2013</b> , 19, 365-376	0.9	1
46	<i>Azadirachta indica</i> mitigates behavioral impairments, oxidative damage, histological alterations and apoptosis in focal cerebral ischemia-reperfusion model of rats. <i>Neurological Sciences</i> , <b>2013</b> , 34, 1321-30	3.5	18
45	Glabridin, a stable flavonoid of <i>Glycyrrhiza glabra</i> : HPTLC analysis of the traditional formulation. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2013</b> , 26, 267-273	0.9	2
44	Metabolic diversity in <i>Coleus forskohlii</i> Briq. of Indian subcontinent. <i>Natural Product Research</i> , <b>2013</b> , 27, 1737-42	2.3	4
43	In vitro production of alkaloids: Factors, approaches, challenges and prospects. <i>Pharmacognosy Reviews</i> , <b>2013</b> , 7, 27-33	2.4	34
42	Development and validation of RP-HPLC-PDA method for the quantification of eugenol in developed nanoemulsion gel and nanoparticles. <i>Journal of Analytical Science and Technology</i> , <b>2013</b> , 4, 16	3.4	5

41	Pluchea lanceolata protects against Benzo(a) pyrene induced renal toxicity and loss of DNA integrity. <i>Interdisciplinary Toxicology</i> , <b>2013</b> , 6, 47-54	2.3	4
40	Determination of aflatoxins in medicinal plants by high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , <b>2013</b> , 16, 321-30	3.4	11
39	Rapid RP-HPLC method for the quantification of glabridin in crude drug and in polyherbal formulation. <i>Journal of Chromatographic Science</i> , <b>2012</b> , 50, 779-84	1.4	6
38	Protective effect of rutin in attenuation of collagen-induced arthritis in Wistar rat by inhibiting inflammation and oxidative stress. <i>Indian Journal of Rheumatology</i> , <b>2012</b> , 7, 191-198	0.5	16
37	SIMULTANEOUS ESTIMATION OF GALLIC ACID, ELLAGIC ACID, AND ASCORBIC ACID IN EMBLICA OFFICINALIS AND IN UNANI POLYHERBAL FORMULATIONS BY VALIDATED HPLC METHOD. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2012</b> , 35, 2493-2502	1.3	8
36	Development and validation of HPLC method for simultaneous estimation of piperine and guggulsterones in compound Unani formulation (tablets) and a nanoreservoir system. <i>Biomedical Chromatography</i> , <b>2012</b> , 26, 1183-90	1.7	14
35	Modulation of the oxidative stress and inflammatory cytokine response by thymoquinone in the collagen induced arthritis in Wistar rats. <i>Chemico-Biological Interactions</i> , <b>2012</b> , 197, 40-6	5	140
34	In vitro antimicrobial status of methanolic extract of Citrus sinensis Linn. fruit peel. <i>Chronicles of Young Scientists</i> , <b>2012</b> , 3, 204		9
33	Development and validation of a stability-indicating method for determination of free sterols in the Asian medicinal leech Hirudo manillensis. <i>Journal of Chromatographic Science</i> , <b>2012</b> , 50, 673-9	1.4	
32	Simultaneous quantification of stevioside and rebaudioside A in different stevia samples collected from the Indian subcontinent. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2012</b> , 4, 276-81	1.1	22
31	Simultaneous HPTLC determination of strychnine and brucine in strychnos nux-vomica seed. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2012</b> , 4, 134-9	1.1	8
30	Development and validation of HPTLC method for the estimation of diosgenin in In Vitro culture and rhizome of Dioscorea deltoidea. <i>Acta Chromatographica</i> , <b>2012</b> , 24, 111-121	1.5	9
29	VALIDATED UPLC/Q-TOF-MS METHOD FOR SIMULTANEOUS DETERMINATION OF ACECLOFENAC, PARACETAMOL, AND THEIR DEGRADATION PRODUCTS IN TABLETS. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2012</b> , 35, 109-128	1.3	6
28	A recent update in research on the antihepatotoxic potential of medicinal plants. <i>Zhong Xi Yi Jie He Xue Bao</i> , <b>2012</b> , 10, 117-27		32
27	A validated HPTLC method for determination of terbutaline sulfate in biological samples: Application to pharmacokinetic study. <i>Saudi Pharmaceutical Journal</i> , <b>2011</b> , 19, 185-91	4.4	28
26	Effects of silymarin nanoemulsion against carbon tetrachloride-induced hepatic damage. <i>Archives of Pharmacal Research</i> , <b>2011</b> , 34, 767-74	6.1	44
25	Quantitative analysis of berberine in Berberis aristata fruits and in a traditional anti-inflammatory unani formulation by use of a validated HPLC method. <i>Acta Chromatographica</i> , <b>2011</b> , 23, 157-168	1.5	16
24	Development and validation of a stability-indicating HPTLC method for analysis of arjunolic acid in a herbal formulation. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2011</b> , 24, 172-175	0.9	9

23	Quantitative estimation of mimosine in anti-psoriatic ayurvedic formulation containing whole plant extract of <i>Mimosa pudica</i> Linn. by validated isocratic RP-HPLC method. <i>Acta Chromatographica</i> , <b>2011</b> , 23, 531-538	1.5	1
22	FAST ANALYSIS AND VALIDATION OF RUTIN IN ANTI-PSORIATIC AYURVEDIC FORMULATION BY HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , <b>2011</b> , 34, 446-455	1.3	9
21	Oil based nanocarrier for improved oral delivery of silymarin: In vitro and in vivo studies. <i>International Journal of Pharmaceutics</i> , <b>2011</b> , 413, 245-53	6.5	103
20	High-performance thin layer chromatographic quantification of bioactive psoralen and daidzein in leaves of <i>Ficus carica</i> L. <i>Natural Product Research</i> , <b>2011</b> , 25, 1666-70	2.3	8
19	Metal analysis in citrus sinensis fruit peel and psidium guajava leaf. <i>Toxicology International</i> , <b>2011</b> , 18, 163-7		9
18	In vitro antimicrobial activity of methanolic leaf extract of <i>Psidium guajava</i> L. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2011</b> , 3, 226-9	1.1	32
17	Stability-Indicating High-Performance Thin-Layer Chromatographic Method for Quantitative Determination of Omeprazole in Capsule Dosage Form. <i>Journal of AOAC INTERNATIONAL</i> , <b>2010</b> , 93, 787-791	1.7	16
16	Hepatoprotective and behavioral effects of jigrine in galactosamine-induced hepatopathy in rats. <i>Pharmaceutical Biology</i> , <b>2010</b> , 48, 764-9	3.8	4
15	HPTLC Fingerprinting of different leaf extracts of <i>Tylophora indica</i> (Burm f.) Merrill.. <i>Pharmacognosy Journal</i> , <b>2010</b> , 2, 381-385	1.6	3
14	Protective effects of <i>Punica granatum</i> in experimentally-induced gastric ulcers. <i>Toxicology Mechanisms and Methods</i> , <b>2010</b> , 20, 572-8	3.6	15
13	Stability-indicating HPTLC method for quantitative estimation of silybin in bulk drug and pharmaceutical dosage form. <i>Biomedical Chromatography</i> , <b>2010</b> , 24, 639-47	1.7	22
12	Chromatographic analysis of trans and cis-Citral in lemongrass oil and in a topical phytonanocosmeceutical formulation, and validation of the method. <i>Journal of Planar Chromatography - Modern TLC</i> , <b>2010</b> , 23, 233-236	0.9	10
11	Stability indicating HPTLC method for determination of terbutaline sulfate in bulk and from submicronized dry powder inhalers. <i>Analytical Sciences</i> , <b>2010</b> , 26, 467-72	1.7	18
10	Khamiras, a natural cardiac tonic: An overview. <i>Journal of Pharmacy and Bioallied Sciences</i> , <b>2010</b> , 2, 93-9	1.1	12
9	Stability-indicating high-performance thin-layer chromatographic method for quantitative determination of omeprazole in capsule dosage form. <i>Journal of AOAC INTERNATIONAL</i> , <b>2010</b> , 93, 787-91	1.7	3
8	A validated HPLC method for estimation of cordifolioside A in <i>Tinospora cordifolia</i> , Miers and marketed formulations. <i>Journal of Chromatographic Science</i> , <b>2009</b> , 47, 910-3	1.4	17
7	Stability-indicating high-performance thin-layer chromatographic method for analysis of terbinafine in pharmaceutical formulations. <i>Acta Chromatographica</i> , <b>2009</b> , 21, 631-639	1.5	5
6	Nano Approaches to Enhance Pharmacokinetic and Pharmacodynamic Activity of Plant Origin Drugs. <i>Current Nanoscience</i> , <b>2009</b> , 5, 344-352	1.4	18

5	Thin-layer chromatographic analysis of psoralen in babchi ( <i>Psoralea corylifolia</i> ) oil. <i>Acta Chromatographica</i> , <b>2008</b> , 20, 277-282	1.5	11
4	Salinity stress enhances production of solasodine in <i>Solanum nigrum</i> L. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2008</b> , 56, 17-21	1.9	38
3	A Validated Stability-Indicating TLC Method for Determination of Forskolin in Crude Drug and Pharmaceutical Dosage Form. <i>Chromatographia</i> , <b>2008</b> , 67, 441-447	2.1	33
2	Silymarin: A review of pharmacological aspects and bioavailability enhancement approaches. <i>Indian Journal of Pharmacology</i> , <b>2007</b> , 39, 172	2.5	107
1	Stability-indicating HPTLC determination of curcumin in bulk drug and pharmaceutical formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2005</b> , 39, 132-8	3.5	124