Motoyuki Iijima

List of Publications by Citations

Source: https://exaly.com/author-pdf/7935711/motoyuki-iijima-publications-by-citations.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 citations 1,017 d. h-index g-index

71 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
69	Surface Modification for Improving the Stability of Nanoparticles in Liquid Media. <i>KONA Powder</i> and Particle Journal, 2009 , 27, 119-129	3.4	92
68	Effect of particle size on surface modification of silica nanoparticles by using silane coupling agents and their dispersion stability in methylethylketone. <i>Journal of Colloid and Interface Science</i> , 2007 , 307, 418-24	9.3	82
67	Surface modification of BaTiO3 particles by silane coupling agents in different solvents and their effect on dielectric properties of BaTiO3/epoxy composites. <i>Colloids and Surfaces A:</i> Physicochemical and Engineering Aspects, 2009 , 352, 88-93	5.1	76
66	Surface modification and characterization for dispersion stability of inorganic nanometer-scaled particles in liquid media. <i>Science and Technology of Advanced Materials</i> , 2010 , 11, 044304	7.1	66
65	Anionic surfactant with hydrophobic and hydrophilic chains for nanoparticle dispersion and shape memory polymer nanocomposites. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16342-3	16.4	61
64	Surface Modification of Silicon Carbide Nanoparticles by Azo Radical Initiators. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11786-11790	3.8	60
63	Tuning the stability of TiO2 nanoparticles in various solvents by mixed silane alkoxides. <i>Journal of Colloid and Interface Science</i> , 2009 , 337, 61-5	9.3	50
62	Layer-by-layer surface modification of functional nanoparticles for dispersion in organic solvents. <i>Langmuir</i> , 2010 , 26, 17943-8	4	40
61	Effect of surface interaction of silica nanoparticles modified by silane coupling agents on viscosity of methylethylketone suspension. <i>Journal of Colloid and Interface Science</i> , 2007 , 305, 315-23	9.3	40
60	Direct measurement of interactions between stimulation-responsive drug delivery vehicles and artificial mucin layers by colloid probe atomic force microscopy. <i>Langmuir</i> , 2008 , 24, 3987-92	4	36
59	Effect of structure of cationic dispersants on stability of carbon black nanoparticles and further processability through layer-by-layer surface modification. <i>Chemical Engineering Science</i> , 2013 , 85, 30-3	74.4	25
58	Electrophoretic packing structure from aqueous nanoparticle suspension in pulse DC charging. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 360, 13-19	5.1	21
57	Polyethyleneimine©leic Acid Complex as a Polymeric Dispersant for Si3N4 and Si3N4-Based Multicomponent Nonaqueous Slurries. <i>Industrial & Dispersant for Si3N4 and Si3N4-Based Multicomponent Nonaqueous Slurries</i> . <i>Industrial & Dispersant for Si3N4 and Si3N4-Based Multicomponent Nonaqueous Slurries</i> . <i>Industrial & Dispersant for Si3N4 and Si3N4-Based Multicomponent Nonaqueous Slurries</i> .	7 ^{.3} 1285	4 ²⁰
56	Microstructure control of iron hydroxide nanoparticles using surfactants with different molecular structures. <i>Journal of Colloid and Interface Science</i> , 2006 , 298, 202-8	9.3	20
55	Preparation of agglomeration-free hematite particles coated with silica and their reduction behavior in hydrogen. <i>Journal of Colloid and Interface Science</i> , 2005 , 287, 526-33	9.3	17
54	Spark plasma sintering of silicon nitride using nanocomposite particles. <i>Advanced Powder Technology</i> , 2017 , 28, 37-42	4.6	16
53	Effect of fatty acids complexed with polyethyleneimine on the flow curves of TiO2 nanoparticle/toluene suspensionsPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society. View all notes. <i>Journal of Asian Ceramic Societies</i> , 2016 , 4, 277-281	2.4	16

(2020-2013)

52	Analysis of dispersion and aggregation behavior of carbon black particles in aqueous suspension by colloid probe AFM method. <i>Advanced Powder Technology</i> , 2013 , 24, 844-851	4.6	15
51	Effect of additive ratio of mixed silane alkoxides on reactivity with TiO2 nanoparticle surface and their stability in organic solvents. <i>Advanced Powder Technology</i> , 2011 , 22, 663-668	4.6	14
50	Rapid three-dimensional structuring of transparent SiO2 glass using interparticle photo-cross-linkable suspensions. <i>Communications Materials</i> , 2020 , 1,	6	13
49	Free-standing, roll-able, and transparent silicone polymer film prepared by using nanoparticles as cross-linking agents. <i>Advanced Powder Technology</i> , 2013 , 24, 625-631	4.6	11
48	Iron nanoparticles dispersible in both ethanol and water for direct silica coating. <i>Powder Technology</i> , 2009 , 196, 80-84	5.2	11
47	Electrical-driven disaggregation of the two-dimensional assembly of colloidal polymer particles under pulse DC charging. <i>Advanced Powder Technology</i> , 2010 , 21, 534-541	4.6	11
46	SiO2 nanoparticles surface modified with polyethyleneimine-oleic acid complex as stabilizers of Ni fine particles in dense nonaqueous suspensions. <i>Advanced Powder Technology</i> , 2017 , 28, 30-36	4.6	10
45	Rapid magnetic catch-and-release purification by hydrophobic interactions. <i>Langmuir</i> , 2009 , 25, 11043-	74	10
44	Multi-scale laser direct writing of conductive metal microstructures using a 405-nm blue laser. <i>Optics Express</i> , 2020 , 28, 8363-8370	3.3	10
43	Fabrication of Si3N4 ceramics by post-reaction sintering using Si\(\text{Si} \text{2O3Al2O3} \) nanocomposite particles prepared by mechanical treatment. <i>Ceramics International</i> , 2016 , 42, 11554-11561	5.1	10
42	Hydrophobic Group Functionalization of Polyethyleneimine for Controlling Dispersion Behavior of Silicon Carbide Nanoparticles in Aqueous Suspension. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 3448-3454	3.8	9
41	Electrostatic Deposition of Aerosol Particles Generated from an Aqueous Nanopowder Suspension on a Chemically Treated Substrate. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 06GH17	1.4	9
40	Prediction of strength based on defect analysis in Al2O3 ceramics via non-destructive and three-dimensional observation using optical coherence tomography. <i>Journal of the Ceramic Society of Japan</i> , 2019 , 127, 462-468	1	9
39	Measurement of mechanical properties of BaTiO3 layer in multi-layered ceramic capacitor using a microcantilever beam specimen. <i>Journal of the Ceramic Society of Japan</i> , 2019 , 127, 335-338	1	8
38	Dispersion Behavior of Barium Titanate Nanoparticles Prepared by Using Various Polycarboxylic Dispersants. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 2741-2746	3.8	8
37	Low-temperature synthesis of redispersible iron oxide nanoparticles under atmospheric pressure and ultradense reagent concentration. <i>Powder Technology</i> , 2008 , 181, 45-50	5.2	8
36	3D structuring of dense alumina ceramics using fiber-based stereolithography with interparticle photo-cross-linkable slurry. <i>Advanced Powder Technology</i> , 2021 , 32, 72-79	4.6	8
35	Dislocation-controlled microscopic mechanical phenomena in single crystal silicon under bending stress at room temperature. <i>Journal of Materials Science</i> , 2020 , 55, 7359-7372	4.3	7

34	Non-aqueous colloidal processing route for fabrication of highly dispersed aramid nanofibers attached with Ag nanoparticles and their stability in epoxy matrixes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 482, 195-202	5.1	7
33	Microstructure of iron particles reduced from silica-coated hematite in hydrogen. <i>Advanced Powder Technology</i> , 2005 , 16, 621-637	4.6	7
32	Fabrication of c-axis oriented Si3N4 ceramics using multilayered-graphene-coated Ei3N4 seeds and their orientation in an innovative low magnetic field. <i>Advanced Powder Technology</i> , 2016 , 27, 2005-	2 0 11	7
31	Fabrication of composite particles by attaching surface-modified nanoparticles to core particles by wet processing in organic solvents. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 452, 51-58	5.1	6
30	Redispersion Property of TiO2 Nanoparticles Modified with Oleyl-group. <i>Journal of the Society of Powder Technology, Japan</i> , 2012 , 49, 108-115	0.3	6
29	Effect of polyethyleneimine-fatty acid complex type dispersant structure on the overall processing chain of Si3N4 ceramics using multicomponent non-aqueous slurries. <i>Advanced Powder Technology</i> , 2018 , 29, 3440-3447	4.6	6
28	Simultaneous epoxy grafting on SiO2 nanoparticles during bead milling and their effects on the mechanical properties of epoxy-based composites. <i>Advanced Powder Technology</i> , 2019 , 30, 1782-1788	4.6	5
27	Surface Modification and Dispersion of Gas Phase Synthesized Oxide Composite Nanoparticles in Organic Solvent by Agitation Milling Process with Small Beads. <i>Journal of the Society of Powder Technology, Japan</i> , 2010 , 47, 310-316	0.3	5
26	Polymer Ligand Design and Surface Modification of Ag Nanowires toward Color-Tone-Tunable Transparent Conductive Films. <i>ACS Applied Materials & Design Action Science</i> , 2021 , 13, 13705-13713	9.5	5
25	Microstructural control of green bodies prepared from Si-based multi-component non-aqueous slurries and their effects on fabrication of Si3N4 ceramics through post-reaction sintering. Advanced Powder Technology, 2018, 29, 3199-3209	4.6	5
24	Complex of polyethyleneimine and anionic surfactant with functional chain: a versatile surface modifier applicable to various particles, solvents, and surface modification processes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 545, 110-116	5.1	4
23	Carbon Nanotube/Nanofibers and Graphite Hybrids for Li-Ion Battery Application. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-7	3.2	4
22	Liquid penetration as a simple detection method for structural differences in particulate films prepared from slurries. <i>Powder Technology</i> , 2016 , 303, 59-67	5.2	4
21	Degradation evaluation of Si 3 N 4 ceramic surface layer in contact with molten Al using microcantilever beam specimens. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4351-4356	6	3
20	Nonaqueous gel casting using multicomponent concentrated slurries through Michael additive reaction for fabricating silicon nitride dense ceramics. <i>Advanced Powder Technology</i> , 2021 , 32, 472-479	4.6	3
19	Observation of Internal Structure of Ceramics and Slurry by Optical Coherence Tomography. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2018 , 65, 659-663) ^{O.2}	3
18	Design of nanoscale structured composite particles through mechanical process for fabricating a powder layer with rapid drying properties. <i>Chemical Engineering Science</i> , 2019 , 203, 113-121	4.4	2
17	Dispersion of inorganic electrolytes in low-polarity solvents assisted by surface modified magnetic nanoparticles and their base catalytic properties. <i>Chemical Engineering Science</i> , 2013 , 91, 65-69	4.4	2

LIST OF PUBLICATIONS

16	Surface modification techniques toward controlling the dispersion stability and particle-assembled structures of slurries. <i>Journal of the Ceramic Society of Japan</i> , 2017 , 125, 603-607	1	2	
15	Effect of Nanoparticle Concentration on the Property of Silicone Polymer Sheet Cross-linked by Nanoparticles. <i>Journal of the Society of Powder Technology, Japan</i> , 2012 , 49, 876-882	0.3	2	
14	Hetero-assembly of colloidal particles in concentrated non-aqueous suspensions by polymer dispersant design. <i>Advanced Powder Technology</i> , 2020 , 31, 746-754	4.6	2	
13	In situ observation of evolution of internal structure of alumina during sintering by swept-source OCT. International Journal of Applied Ceramic Technology,	2	2	
12	Composites of SnO2/layered SnOx compounds and their electrical properties. <i>RSC Advances</i> , 2013 , 3, 22931	3.7	1	
11	Functionalization of Ag nanoparticles using local hydrophilic pool segment designed on their particle surface 2014 ,		1	
10	Toward continuous LC-MS analysis: surface modification of magnetic microparticles with TiO2 for phosphate adsorption. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014 , 78, 748-54	2.1	1	
9	TiO2 Supported on Porous Aluminosilicate Prepared in Cationic Surfactant Solution for Acetaldehyde Decomposition with a Protection of Organic Base Materials. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2048	3.8	1	
8	Control of Dispersion and Particle Assembling Structures in Non-aqueous, Dense, and Multicomponent Slurries. <i>Journal of the Society of Powder Technology, Japan</i> , 2020 , 57, 19-24	0.3	1	
7	Characterization of Cross-linking Vehicle Effect on Surface Interactions between pH-sensitive Drug Delivery Vehicle and Mucin Layers by Colloid Probe Atomic Force Microscopy. <i>Journal of the Society of Powder Technology, Japan</i> , 2017 , 54, 305-310	0.3	О	
6	Relationship between bending strength of bulk porous silicon carbide ceramics and grain boundary strength measured using microcantilever beam specimens. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 2634-2641	6	О	
5	Transparent Y-siAlON:Ce3+ Ceramics Fabricated by Low-Temperature Liquid Phase Sintering Technique. ECS Journal of Solid State Science and Technology, 2021, 10, 086008	2	О	
4	Operando observation of concentrated SiO suspensions by optical coherent tomography during flow curve measurements: The relationship between polymer dispersant structures and surface interactions. <i>Journal of Colloid and Interface Science</i> , 2022 , 607, 290-297	9.3	О	
3	Oxidation-resistant Silica-coating on Highly Dispersed Spindle-type Fe-Co Nanoparticles. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2009 , 56, 232-23	5 ^{O.2}		
2	Preparation of Nitride Phosphor Particle Dispersed h-BN/Glass Composites. <i>Journal of the Society of Powder Technology, Japan</i> , 2020 , 57, 137-143	0.3		
1	Pulverization of Y2O3 nanoparticles by using nanocomposite particles prepared by mechanical treatmentPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society. View all notes. <i>Journal of Asian Ceramic Societies.</i> 2016 . 4, 351-356	2.4		