## Gaetano Guerra

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7936092/publications.pdf

Version: 2024-02-01

346 papers 14,359 citations

67 h-index 97 g-index

350 all docs

350 docs citations

350 times ranked

4238 citing authors

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 1  | Polymorphism in melt crystallized syndiotactic polystyrene samples. Macromolecules, 1990, 23, 1539-1544.   | 2.2  | 507       |
| 2  | Crystal Structure of the Emptied Clathrate Form (Î'e Form) of Syndiotactic Polystyrene. Macromolecules, 1997, 30, 4147-4152.   | 2.2  | 332       |
| 3  | On the crystal structure of the orthorhombic form of syndiotactic polystyrene. Polymer, 1992, 33, 1423-1428.   | 1.8  | 252       |
| 4  | Do New Century Catalysts Unravel the Mechanism of Stereocontrol of Old Zieglerâ^Natta Catalysts?. Accounts of Chemical Research, 2004, 37, 231-241.  | 7.6  | 232       |
| 5  | Crystal structure of the clathrate $\hat{\Gamma}$ form of syndiotactic polystyrene containing 1,2-dichloroethane. Polymer, 1999, 40, 2103-2110.  | 1.8  | 192       |
| 6  | Aerogels with a Microporous Crystalline Host Phase. Advanced Materials, 2005, 17, 1515-1518.   | 11.1 | 182       |
| 7  | Shape and Volume of Cavities in Thermoplastic Molecular Sieves Based on Syndiotactic Polystyrene.<br>Chemistry of Materials, 2001, 13, 1506-1511.  | 3.2  | 174       |
| 8  | Crystal Structure of the α-Form of Syndiotactic Polystyrene. Polymer Journal, 1991, 23, 1435-1442.   | 1.3  | 170       |
| 9  | A possible model for the stereospecificity in the syndiospecific polymerization of propene with group 4a metallocenes. Macromolecules, 1991, 24, 1784-1790.  | 2.2  | 154       |
| 10 | Nanoporous Polymer Crystals with Cavities and Channels. Chemistry of Materials, 2008, 20, 3663-3668.   | 3.2  | 153       |
| 11 | On the structure of the quenched mesomorphic phase of isotactic polypropylene. Macromolecules, 1986, 19, 2699-2703.  | 2.2  | 150       |
| 12 | Structural changes induced by thermal treatments on emptied and filled clathrates of syndiotactic polystyrene. Macromolecular Chemistry and Physics, 1995, 196, 2795-2808.                               | 1.1  | 132       |
| 13 | Analysis of models for the Ziegler-Natta stereospecific polymerization on the basis of non-bonded interactions at the catalytic site—I. The Cossee model. European Polymer Journal, 1979, 15, 1133-1141. | 2.6  | 127       |
| 14 | Geometry and Stability of Titanium Chloride Species Adsorbed on the (100) and (110) Cuts of the MgCl2Support of the Heterogeneous Zieglerâ^Natta Catalysts. Macromolecules, 2000, 33, 8953-8962.         | 2.2  | 127       |
| 15 | Vapor sorption in emptied clathrate samples of syndiotactic polystyrene. Journal of Polymer Science, Part B: Polymer Physics, 1997, 35, 133-140.   | 2.4  | 125       |
| 16 | Crystalline Orientation in Syndiotactic Polystyrene Cast Films. Macromolecules, 2002, 35, 5854-5860.   | 2.2  | 122       |
| 17 | An Intercalate Molecular Complex of Syndiotactic Polystyrene. Macromolecules, 2005, 38, 6965-6971.   | 2.2  | 121       |
| 18 | Fourier transform infrared spectroscopy of some miscible polybenzimidazole/polyimide blends. Macromolecules, 1988, 21, 231-234.  | 2.2  | 120       |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Thermoplastic Molecular Sieves. Chemistry of Materials, 2000, 12, 363-368.  | 3.2 | 116       |
| 20 | Guest Conformation and Diffusion into Amorphous and Emptied Clathrate Phases of Syndiotactic Polystyrene. Macromolecules, 1998, 31, 1329-1334.  | 2.2 | 114       |
| 21 | Crystalline structures of intercalate molecular complexes of syndiotactic polystyrene with two fluorescent guests: 1,3,5-Trimethyl-benzene and 1,4-dimethyl-naphthalene. Polymer, 2006, 47, 2402-2410.                          | 1.8 | 112       |
| 22 | Mechanisms of Propagation and Termination Reactions in Classical Heterogeneous Zieglerâ^'Natta Catalytic Systems:Â A Nonlocal Density Functional Study. Journal of the American Chemical Society, 1998, 120, 2428-2436.         | 6.6 | 109       |
| 23 | Advanced materials based on polymer cocrystalline forms. Journal of Polymer Science, Part B: Polymer Physics, 2012, 50, 305-322.  | 2.4 | 108       |
| 24 | Enantioselectivity in the Regioirregular Placements and Regiospecificity in the Isospecific Polymerization of Propene with Homogeneous Ziegler-Natta Catalysts. Journal of the American Chemical Society, 1994, 116, 2988-2995. | 6.6 | 103       |
| 25 | Polymeric sensing films absorbing organic guests into a nanoporous host crystalline phase. Sensors and Actuators B: Chemical, 2003, 92, 255-261.  | 4.0 | 103       |
| 26 | Mesomorphic form of syndiotactic polystyrene as composed of small imperfect crystals of the hexagonal (.alpha.) crystalline form. Macromolecules, 1993, 26, 3772-3777.  | 2.2 | 102       |
| 27 | Relationship between Regiospecificity and Type of Stereospecificity in Propene Polymerization with Zirconocene-Based Catalysts1. Journal of the American Chemical Society, 1997, 119, 4394-4403.                                | 6.6 | 102       |
| 28 | New Host Polymeric Framework and Related Polar Guest Cocrystals. Chemistry of Materials, 2007, 19, 3864-3866.   | 3.2 | 102       |
| 29 | Regeneration of nanoporous crystalline syndiotactic polystyrene by supercritical CO2. Journal of Applied Polymer Science, 1999, 74, 2077-2082.  | 1.3 | 101       |
| 30 | Detection and Memory of Nonracemic Molecules by a Racemic Host Polymer Film. Journal of the American Chemical Society, 2007, 129, 10992-10993.  | 6.6 | 101       |
| 31 | High-sensitivity optical chemosensor based on coated long-period gratings for sub-ppm chemical detection in water. Applied Physics Letters, 2005, 87, 234105.   | 1.5 | 97        |
| 32 | Site Chirality as a Messenger in Chain-End Stereocontrolled Propene Polymerization. Journal of the American Chemical Society, 2002, 124, 13368-13369.   | 6.6 | 96        |
| 33 | Syndiotactic Polystyrene Aerogels: Adsorption in Amorphous Pores and Absorption in Crystalline Nanocavities. Chemistry of Materials, 2008, 20, 577-582.   | 3.2 | 96        |
| 34 | Syndiotatic Polystyrene Aerogels with $\hat{l}^2$ , $\hat{l}^3$ , and $\hat{l}\mu$ Crystalline Phases. Chemistry of Materials, 2009, 21, 1028-1034.   | 3.2 | 94        |
| 35 | Label-Free Vapor Selectivity in Poly( <i>p</i> -Phenylene Oxide) Photonic Crystal Sensors. ACS Applied Materials & Samp; Interfaces, 2016, 8, 31941-31950.  | 4.0 | 93        |
| 36 | Polymorphism in polymers., 1992,, 183-217.  |     | 91        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Back-Skip of the Growing Chain at Model Complexes for the Metallocene Polymerization Catalysis. Macromolecules, 1996, 29, 4834-4845.   | 2.2  | 91        |
| 38 | Coated long-period fiber gratings as high-sensitivity optochemical sensors. Journal of Lightwave Technology, 2006, 24, 1776-1786.  | 2.7  | 91        |
| 39 | Fourier transform infrared spectroscopy of the polymorphic forms of syndiotactic polystyrene. Die Makromolekulare Chemie, 1990, 191, 2111-2119.  | 1.1  | 89        |
| 40 | Nâ€doped <scp>TiO<sub>2</sub></scp> /sâ€ <scp>PS</scp> aerogels for photocatalytic degradation of organic dyes in wastewater under visible light irradiation. Journal of Chemical Technology and Biotechnology, 2014, 89, 1175-1181.                         | 1.6  | 89        |
| 41 | Evaluation by Fourier Transform Infrared Spectroscopy of the different crystalline forms in syndiotactic polystyrene samples. Journal of Polymer Science, Part B: Polymer Physics, 1997, 35, 1055-1066.  | 2.4  | 88        |
| 42 | Probing by Time-Resolved FTIR Spectroscopy Mass Transport, Molecular Interactions, and Conformational Ordering in the System Chloroformâ°Syndiotactic Polystyrene. Macromolecules, 2002, 35, 2296-2304.  | 2.2  | 88        |
| 43 | Optical Recording Materials Based on Photoisomerization of Guest Molecules of a Polymeric Crystalline Host Phase. Advanced Materials, 2005, 17, 1166-1168.   | 11.1 | 84        |
| 44 | Influence of 1,3-Diethers on the Stereospecificity of Propene Polymerization by Supported Zieglerâ^'Natta Catalysts. A Theoretical Investigation on Their Adsorption on (110) and (100) Lateral Cuts of MgCl2Platelets. Macromolecules, 2000, 33, 1134-1140. | 2.2  | 82        |
| 45 | Model catalytic sites for olefin polymerization and diastereoselectivity in the cyclopolymerization of 1,5-hexadiene. Macromolecules, 1993, 26, 260-267.   | 2.2  | 81        |
| 46 | Nanoporous Crystalline Phases of Poly(2,6-Dimethyl-1,4-phenylene)oxide. Chemistry of Materials, 2011, 23, 3195-3200.   | 3.2  | 81        |
| 47 | Effects of blending on the polymorphic behavior of melt-crystallized syndiotactic polystyrene.<br>Journal of Polymer Science, Part B: Polymer Physics, 1991, 29, 265-271.  | 2.4  | 80        |
| 48 | Gas sorption and transport in syndiotactic polystyrene with nanoporous crystalline phase. Polymer, 2004, 45, 429-436.  | 1.8  | 80        |
| 49 | Channel Clathrate of Syndiotactic Polystyrene with <i>p</i> -nitroaniline. Macromolecules, 2010, 43, 1455-1466.  | 2.2  | 80        |
| 50 | Steric control in Ziegler-Natta catalysts: An analysis of nonbonded interactions at model catalytic sites. Journal of Catalysis, 1982, 77, 32-42.  | 3.1  | 79        |
| 51 | A Density Functional and Molecular Mechanics Study Of β-Hydrogen Transfer in Homogeneous Zieglerâ°'Natta Catalysis. Macromolecules, 1996, 29, 2729-2737.   | 2.2  | 78        |
| 52 | Fluorescence of Syndiotactic Polystyrene/Trimethylbenzene Clathrate and Intercalate Co-Crystals. Chemistry of Materials, 2007, 19, 6041-6046.  | 3.2  | 78        |
| 53 | Normal Vibrational Analysis of the Syndiotactic Polystyrene s(2/1)2 Helix. Journal of Physical Chemistry B, 2009, 113, 5059-5071.  | 1.2  | 78        |
| 54 | Monoclinic and Triclinic δ-Clathrates of Syndiotactic Polystyrene. Macromolecules, 2010, 43, 8549-8558.  | 2.2  | 78        |

| #  | Article   | IF   | Citations  |
|----|---|------|------------|
| 55 | On the structure of the mesomorphic form of syndiotactic polystyrene. Die Makromolekulare Chemie, 1993, 194, 1335-1345.   | 1.1  | 77         |
| 56 | FTIR spectra of pure helical crystalline phases of syndiotactic polystyrene. Polymer, 2006, 47, 234-242.  | 1.8  | 77         |
| 57 | Clathrate Phase in Syndiotactic Polystyrene Gels. Macromolecules, 2002, 35, 2243-2251.  | 2.2  | 76         |
| 58 | Thermal Transitions of ε Crystalline Phases of Syndiotactic Polystyrene. Macromolecules, 2007, 40, 9470-9474.   | 2.2  | 76         |
| 59 | Models for the stereospecificity in homogeneous and heterogeneous Ziegler-Natta polymerizations. Progress in Polymer Science, 1991, 16, 239-257.  | 11.8 | 75         |
| 60 | Anisotropic Diffusion of Small Penetrants in the δ Crystalline Phase of Syndiotactic Polystyrene: A Molecular Dynamics Simulation Study. Chemistry of Materials, 2002, 14, 2977-2982.   | 3.2  | 75         |
| 61 | Molecular Sensing by Nanoporous Crystalline Polymers. Sensors, 2009, 9, 9816-9857.  | 2.1  | <b>7</b> 5 |
| 62 | Analysis of models for the ziegler-natta stereospecific polymerization on the basis of non-bonded interactions at the catalytic site—II. European Polymer Journal, 1980, 16, 835-842.   | 2.6  | 73         |
| 63 | On blends of poly(vinylidene fluoride) and poly(vinyl fluoride). Macromolecules, 1986, 19, 1935-1938.   | 2.2  | 73         |
| 64 | Polymeric Films with Three Different Uniplanar Crystalline Phase Orientations. Macromolecules, 2005, 38, 10089-10094.   | 2.2  | 73         |
| 65 | Understanding at molecular level of nanoporous and co-crystalline materials based on syndiotactic polystyrene. Progress in Materials Science, 2009, 54, 68-88.  | 16.0 | 72         |
| 66 | Chemically Reduced Graphite Oxide with Improved Shape Anisotropy. Journal of Physical Chemistry C, 2012, 116, 24809-24813.  | 1.5  | 71         |
| 67 | Optimization of graphene-based materials outperforming host epoxy matrices. RSC Advances, 2015, 5, 36969-36978.   | 1.7  | 71         |
| 68 | Ordering Magnetic Molecules within Nanoporous Crystalline Polymers. Chemistry of Materials, 2009, 21, 4750-4752.  | 3.2  | 69         |
| 69 | Syndiotactic polystyrene thin film as sensitive layer for an optoelectronic chemical sensing device.<br>Sensors and Actuators B: Chemical, 2005, 109, 177-184.  | 4.0  | 68         |
| 70 | Chlorinated Guest Orientation and Mobility in Clathrate Structures Formed with Syndiotactic Polystyrene. Macromolecules, 2003, 36, 8695-8703.   | 2.2  | 67         |
| 71 | Orientation and Microenvironment of Naphthalene Guest in the Host Nanoporous Phase of Syndiotactic Polystyrene. Macromolecules, 2005, 38, 3696-3702.  | 2.2  | 66         |
| 72 | Anisotropic Guest Diffusion in the δCrystalline Host Phase of Syndiotactic Polystyrene: Transport Kinetics in Films with Three Different Uniplanar Orientations of the Host Phase. Chemistry of Materials, 2006, 18, 2205-2210. | 3.2  | 66         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Gas Sorption and Diffusion in Amorphous and Semicrystalline Nanoporous Poly(2,6-dimethyl-1,4-phenylene)oxide. Macromolecules, 2012, 45, 3604-3615.   | 2.2 | 66        |
| 74 | Polymorphism of syndiotactic polystyrene: $\hat{l}^3$ phase crystallization induced by bulky non-guest solvents. Polymer, 2005, 46, 9549-9554.   | 1.8 | 65        |
| 75 | Syndiotactic Polystyrene Clathrates with Polar Guest Molecules. Chemistry of Materials, 2007, 19, 3302-3308.   | 3.2 | 65        |
| 76 | Conditions for the $\hat{l}\pm 1-\hat{l}\pm 2$ transition in isotactic polypropylene samples. European Polymer Journal, 1984, 20, 937-941.   | 2.6 | 62        |
| 77 | Guest Orientation in Uniplanar-Axial Polymer Host Films and in Co-Crystal Unit-Cell, Determined by Angular Distributions of Polarized Guest Fluorescence. Macromolecules, 2008, 41, 9156-9164. | 2.2 | 62        |
| 78 | Extrapolation to the equilibrium melting temperature for isotactic polypropylene. Macromolecules, 1985, 18, 813-814.   | 2.2 | 61        |
| 79 | Isothermal Guest Desorption from Crystalline and Amorphous Phases of Syndiotactic Polystyrene.<br>Macromolecules, 1999, 32, 2770-2776.   | 2.2 | 61        |
| 80 | Monolithic Nanoporous Crystalline Aerogels. Macromolecular Rapid Communications, 2013, 34, 1194-1207.  | 2.0 | 61        |
| 81 | A Theoretical Study of Syndiospecific Styrene Polymerization with Cp-Based and Cp-Free Titanium Catalysts. 2. Mechanism of Chain-End Stereocontrol. Macromolecules, 2001, 34, 5379-5385.       | 2.2 | 60        |
| 82 | Possible model for chain end control of stereoregularity in the isospecific homogeneous Ziegler-Natta polymerization. Polymer, 1990, 31, 530-537.  | 1.8 | 59        |
| 83 | Photoisomerization patterns based on molecular complex phases of syndiotactic polystyrene. Journal of Materials Chemistry, 2007, 17, 531-535.  | 6.7 | 59        |
| 84 | Effects of p-Methylstyrene Comonomeric Units on the Polymorphic Behavior of Syndiotactic Polystyrene. Macromolecules, 1995, 28, 6508-6515.   | 2.2 | 58        |
| 85 | Molecular Organization in the Pseudo-hexagonal Crystalline Phase of Ethyleneâ^Propylene Copolymers. Macromolecules, 1996, 29, 7141-7148.   | 2.2 | 58        |
| 86 | Perpendicular Orientation of Host Polymer Chains in Clathrate Thick Films. Macromolecules, 2004, 37, 3071-3076.  | 2.2 | 58        |
| 87 | Graphene oxide as a catalyst for ring opening reactions in amine crosslinking of epoxy resins. RSC Advances, 2016, 6, 23858-23865.   | 1.7 | 58        |
| 88 | Polymeric Films with Three Different Orientations of Crystalline-Phase Empty Channels. Chemistry of Materials, 2009, 21, 3370-3375.  | 3.2 | 57        |
| 89 | Stereoselective Cyclopropanation by Cyclocopolymerization of Butadiene. Journal of the American Chemical Society, 2002, 124, 3502-3503.  | 6.6 | 56        |
| 90 | Clay Delamination in Hydrocarbon Rubbers. Chemistry of Materials, 2007, 19, 2495-2499.   | 3.2 | 56        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Catalytic activity of graphite-based nanofillers on cure reaction of epoxy resins. Polymer, 2014, 55, 5612-5615.   | 1.8 | 56        |
| 92  | On the mesomorphic form of poly(ethylene terephthalate). Macromolecules, 1992, 25, 2490-2497.  | 2.2 | 54        |
| 93  | On the effects of methyl substituents on chelating ligands in models for homogeneous isospecific Ziegler-Natta catalysis. Polymer, 1991, 32, 1329-1335.  | 1.8 | 53        |
| 94  | Influence of π-Ligand Substitutions on the Regiospecificity and Stereospecificity in Isospecific Zirconocenes for Propene Polymerization. A Molecular Mechanics Analysis. Macromolecules, 1998, 31, 3431-3438.                   | 2.2 | 53        |
| 95  | Perpendicular Chain Axis Orientation in s-PS Films:Â Achievement by Guest-Induced Clathrate Formation and Maintenance after Transitions toward Helical and Trans-Planar Polymorphic Forms.  Macromolecules, 2004, 37, 8043-8049. | 2.2 | 53        |
| 96  | Optical chemo-sensor based on long period gratings coated with /spl delta/ form syndiotactic polystyrene. IEEE Photonics Technology Letters, 2005, 17, 1713-1715.  | 1.3 | 53        |
| 97  | A Clear-Cut Experimental Method to Discriminate between In-Plane and Out-of-Plane Molecular Transition Moments. Journal of the American Chemical Society, 2005, 127, 13114-13115.  | 6.6 | 52        |
| 98  | Inverting the Diastereoselectivity of the Mukaiyama–Michael Addition with Graphite-Based Catalysts. ACS Catalysis, 2014, 4, 492-496.   | 5.5 | 51        |
| 99  | Different solvent stability of the crystalline polymorphic forms of syndiotactic polystyrene. Journal of Materials Science Letters, 1991, 10, 1084-1087.   | 0.5 | 50        |
| 100 | Theoretical Study of Syndiospecific Styrene Polymerization with Cp-Based and Cp-Free Titanium Catalysts. 1. Mechanism of Chain Propagation. Macromolecules, 2001, 34, 2459-2468.   | 2.2 | 50        |
| 101 | Thermal Stability of Nanoporous Crystalline and Amorphous Phases of Poly(2,6-dimethyl-1,4-phenylene)<br>Oxide. Macromolecules, 2013, 46, 449-454.  | 2.2 | 50        |
| 102 | Two Nanoporous Crystalline Forms of Poly(2,6-dimethyl-1,4-phenylene)oxide and Related Co-Crystalline Forms. Macromolecules, 2019, 52, 9646-9656.   | 2.2 | 50        |
| 103 | Steric control in the first step of the isospecific Ziegler-Natta polymerization of propene.<br>Macromolecules, 1982, 15, 1242-1245.   | 2.2 | 49        |
| 104 | Spectroscopic Investigation of Hostâ-'Guest Interactions into Clathrate Phases of Syndiotactic Polystyrene Containing Chlorinated Compounds. Macromolecules, 2000, 33, 143-149.  | 2.2 | 49        |
| 105 | Aerogels and Polymorphism of Isotactic Poly(4-methyl-pentene-1). ACS Applied Materials & Description of Interfaces, 2011, 3, 969-977.  | 4.0 | 49        |
| 106 | Conformational and packing energy of the crystalline $\hat{l}_{\pm}$ modification of syndiotactic polystyrene. European Polymer Journal, 1994, 30, 1173-1177.  | 2.6 | 48        |
| 107 | Thermal and Structural Characterization of Poly(methylene-1,3-cyclopentane) Samples of Different Microstructures. Macromolecules, 1995, 28, 2383-2388.   | 2.2 | 48        |
| 108 | Conformational Disorder in the Pseudohexagonal Form of Atactic Polyacrylonitrile.<br>Macromolecules, 1996, 29, 8852-8861.  | 2.2 | 48        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Polymer/Gas Clathrates for Gas Storage and Controlled Release. Macromolecules, 2006, 39, 9166-9170.   | 2.2 | 48        |
| 110 | Ethylene removal by sorption from polymeric crystalline frameworks. Journal of Materials Chemistry, 2008, 18, 1046.   | 6.7 | 48        |
| 111 | Normal Vibrational Analysis of a trans-Planar Syndiotactic Polystyrene Chain. Journal of Physical Chemistry B, 2007, 111, 6327-6335.  | 1.2 | 47        |
| 112 | Layers of Close-Packed Alternated Enantiomorphous Helices and the Three Different Uniplanar Orientations of Syndiotactic Polystyrene. Macromolecules, 2008, 41, 8632-8642.  | 2.2 | 47        |
| 113 | Polyethylene Unit Cell and Crystallinity Variations as a Consequence of Different Cross-Linking Processes. Macromolecules, 2001, 34, 5175-5179.   | 2.2 | 46        |
| 114 | Solid-state high-resolution 13C NMR spectra of syndiotactic polystyrene. Die Makromolekulare Chemie Rapid Communications, 1989, 10, 687-690.  | 1.1 | 45        |
| 115 | Stereoselectivity and Chemoselectivity in Zieglerâ Natta Polymerizations of Conjugated Dienes. 1. Monomers with Low-Energy s-Cisl·4Coordination§. Macromolecules, 2001, 34, 7952-7960.                            | 2.2 | 44        |
| 116 | Title is missing!. Die Makromolekulare Chemie Rapid Communications, 1982, 3, 753-756.   | 1.1 | 43        |
| 117 | Polymorphism and chain conformations in the crystalline forms of syndiotactic poly(1-butene). Macromolecules, 1991, 24, 5645-5650.  | 2.2 | 43        |
| 118 | Molecular Mechanics and Stereospecificity in Zieglerâ <sup>^</sup> Natta 1,2 and Cis-1,4 Polymerizations of Conjugated Dienes. Macromolecules, 1997, 30, 677-684.   | 2.2 | 43        |
| 119 | Regio―and Enantioselective Friedel–Crafts Reactions of Indoles to Epoxides Catalyzed by Graphene<br>Oxide: A Green Approach. ChemSusChem, 2014, 7, 3279-3283.   | 3.6 | 43        |
| 120 | Title is missing!. Die Makromolekulare Chemie Rapid Communications, 1984, 5, 631-634.   | 1.1 | 42        |
| 121 | Hydrogen Adsorption by l̃ and l̂μ Crystalline Phases of Syndiotactic Polystyrene Aerogels.<br>Macromolecules, 2010, 43, 8594-8601.  | 2.2 | 42        |
| 122 | E Stereoregular 1,1 and 1,3 Constitutional Units from 1,3-Butadiene in Copolymerizations Catalyzed by a Highly Hindered C2 Symmetric Metallocene. Journal of the American Chemical Society, 2003, 125, 4799-4803. | 6.6 | 41        |
| 123 | Butadiene Insertion and Constitutional Units in Ethene Copolymerizations byC2-Symmetric Metallocenes. Macromolecules, 2003, 36, 9067-9074.  | 2.2 | 41        |
| 124 | Processing, thermal stability and morphology of chiral sensing syndiotactic polystyrene films. Journal of Materials Chemistry, 2008, 18, 567-572.   | 6.7 | 41        |
| 125 | Graphite oxide intercalation compounds with rotator hexagonal order in the intercalated layers.<br>Carbon, 2013, 61, 395-403.   | 5.4 | 41        |
| 126 | Structural analogies between homogeneous and heterogeneous catalysts for the stereospecific polymerization of 1-alkenes. Journal of Molecular Catalysis, 1992, 74, 433-442.                                       | 1,2 | 40        |

| #   | Article   | lF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | A chiral co-crystalline form of poly(2,6-dimethyl-1,4-phenylene)oxide (PPO). Journal of Materials Chemistry, 2012, 22, 11672.   | 6.7 | 40        |
| 128 | Monolithic nanoporous–crystalline aerogels based on PPO. RSC Advances, 2012, 2, 12011.  | 1.7 | 40        |
| 129 | Miscible polybenzimidazole blends with a benzophenone-based polyimide. Journal of Polymer Science, Part B: Polymer Physics, 1988, 26, 301-313.  | 2.4 | 39        |
| 130 | Polymorphism of syndiotactic poly(p-methylstyrene): oriented samples. Polymer, 1996, 37, 5247-5253.   | 1.8 | 39        |
| 131 | Dipolar guest orientation in polymer co-crystals and macroscopic films. CrystEngComm, 2009, 11, 2381.   | 1.3 | 39        |
| 132 | Ferroelectric co-crystalline polymers. Journal of Materials Chemistry, 2011, 21, 19074.   | 6.7 | 39        |
| 133 | Solubility and diffusivity of low molecular weight compounds in semi-crystalline poly-(2,6-dimethyl-1,4-phenylene)oxide: The role of the crystalline phase. Journal of Membrane Science, 2013, 443, 100-106.                          | 4.1 | 39        |
| 134 | X-ray photoelectron spectroscopy of reduced graphene oxide prepared by a novel green method. Vacuum, 2015, 119, 159-162.  | 1.6 | 39        |
| 135 | Nanoporous triclinic $\hat{l}$ modification of syndiotactic polystyrene. Polymer, 2015, 63, 230-236.  | 1.8 | 39        |
| 136 | Syndiotactic Polystyrene Physical Gels:Â Guest Influence on Structural Order in Molecular Complex Domains and Gel Transparency. Macromolecules, 2006, 39, 7578-7582.  | 2.2 | 38        |
| 137 | Syndiotactic Polystyrene Films with Sulfonated Amorphous Phase and Nanoporous Crystalline Phase. Chemistry of Materials, 2009, 21, 3191-3196.   | 3.2 | 38        |
| 138 | New model of the origin of the stereospecificity in the synthesis of syndiotactic polypropylene. Macromolecules, 1985, 18, 2030-2034.   | 2.2 | 37        |
| 139 | Physical Gelation of Syndiotactic Polystyrene in the Presence of Large Molar Volume Solvents Induced by Volatile Guests of Clathrate Phases. Macromolecules, 2003, 36, 1713-1716.   | 2.2 | 37        |
| 140 | Title is missing!. Die Makromolekulare Chemie, 1989, 190, 827-835.  | 1.1 | 36        |
| 141 | Monoalkene Polymerization: Stereospecificity. , 1989, , 29-50.  |     | 36        |
| 142 | Selective Molecularâ-'Complex Phase Formation of Syndiotactic Polystyrene with a Styrene Dimer. Macromolecules, 2006, 39, 9171-9176.  | 2.2 | 36        |
| 143 | Nanoporous-crystalline poly(2,6-dimethyl-1,4-phenylene)oxide (PPO) aerogels. Polymer, 2016, 105, 96-103.  | 1.8 | 36        |
| 144 | Hostâ^'Guest Interactions and Crystalline Structure Evolution in Clathrate Phases Formed by Syndiotactic Polystyrene and 1,2-Dichloroethane:Â A Two-Dimensional FTIR Spectroscopy Investigation. Macromolecules, 2005, 38, 6079-6089. | 2.2 | 35        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Intercalation and Exfoliation Compounds of Graphite Oxide with Quaternary Phosphonium Ions. Chemistry of Materials, 2015, 27, 1590-1596.   | 3.2 | 35        |
| 146 | Nanoporous-crystalline films of PPO with parallel and perpendicular polymer chain orientations. Polymer, 2019, 167, 193-201.   | 1.8 | 35        |
| 147 | Chiral Optical Films Based on Achiral Chromophore Guests. Journal of the American Chemical Society, 2011, 133, 9872-9877.  | 6.6 | 34        |
| 148 | Polymorphism and mechanical properties of syndiotactic polystyrene films. Polymer, 2005, 46, 11435-11441.  | 1.8 | 33        |
| 149 | Uniplanar Orientations as a Tool To Assign Vibrational Modes of Polymer Chain. Macromolecules, 2007, 40, 3895-3897.  | 2.2 | 33        |
| 150 | Three different co-crystalline phases of syndiotactic polystyrene with a nitroxide radical. CrystEngComm, 2010, 12, 3942.  | 1.3 | 33        |
| 151 | Azobenzene isomerization in polymer co-crystalline phases. Polymer, 2012, 53, 2727-2735.   | 1.8 | 33        |
| 152 | Blends of two poly(aryl ether ketones). Polymer, 1988, 29, 1016-1020.  | 1.8 | 32        |
| 153 | Mechanism of monomer insertion for heterogeneous isospecific Ziegler-Natta catalytic models.<br>European Polymer Journal, 1991, 27, 45-54.   | 2.6 | 32        |
| 154 | Control of Crystal Size and Orientation in Polymer Films by Hostâ^'Guest Interactions. Macromolecules, 2006, 39, 4820-4823.  | 2.2 | 32        |
| 155 | Recrystallization kinetics of isotactic polypropylene (α-form). Polymer, 1984, 25, 1462-1464.  | 1.8 | 31        |
| 156 | A Possible Interpretation of the Nonlinear Propagation Rate Laws for Insertion Polymerizations:Â A Kinetic Model Based on a Single-Center, Two-State Catalyst. Macromolecules, 1999, 32, 2104-2109.            | 2.2 | 31        |
| 157 | Chloroform sorption in nanoporous crystalline and amorphous phases of syndiotactic polystyrene. Journal of Polymer Science, Part B: Polymer Physics, 2008, 46, 8-15.   | 2.4 | 31        |
| 158 | Formation of clay intercalates with organic bilayers in hydrocarbon polymers. Polymers for Advanced Technologies, 2009, 20, 135-142.   | 1.6 | 31        |
| 159 | Geometry of Complex Molecular Motions of Guest Molecules in Polymers from Solid State 2H NMR. Macromolecules, 2009, 42, 4929-4931.   | 2.2 | 31        |
| 160 | Crystal structure of the form I of syndiotactic poly(1-butene). Die Makromolekulare Chemie, 1992, 193, 1351-1358.  | 1.1 | 30        |
| 161 | Storage of hydrogen as a guest of a nanoporous polymeric crystalline phase. Physical Chemistry Chemical Physics, 2010, 12, 5369.   | 1.3 | 30        |
| 162 | Crystallinity and crystalline phase orientation of poly(1,4- <i>cis</i> is-isoprene) from <i>Hevea brasiliensis</i> and <i>Taraxacum kok-saghyz</i> . Polymers for Advanced Technologies, 2016, 27, 1082-1090. | 1.6 | 30        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 163 | Crystalline orientation and molecular transport properties in nanoporous syndiotactic polystyrene films. Macromolecular Symposia, 2002, 185, 65-75.   | 0.4 | 29        |
| 164 | (E)-(Z) Selectivity in 2-Butene Copolymerization by Group 4 Metallocenes. A Combined Density Functional Theory and Molecular Mechanics Study. Journal of the American Chemical Society, 1999, 121, 8651-8652.                       | 6.6 | 28        |
| 165 | Mechanism of Unlike Stereoselectivity in 1-Alkene Primary Insertions: Â Syndiospecific Propene Polymerization by Brookhart-Type Nickel (II) Catalysts. Organometallics, 2000, 19, 1343-1349.  | 1.1 | 28        |
| 166 | Evaluation of the Amount and Composition of the Polymer-Rich and Polymer-Poor Phases of Syndiotactic Polystyrene Gels with Binary Solvent Mixtures. Macromolecules, 2003, 36, 5742-5750.  | 2.2 | 28        |
| 167 | Monolithic Polymeric Aerogels with VOCs Sorbent Nanoporous Crystalline and Water Sorbent Amorphous Phases. ACS Applied Materials & Samp; Interfaces, 2015, 7, 1318-1326.  | 4.0 | 28        |
| 168 | Conformational analysis of polypropylene chains bound to model catalytic sites. European Polymer Journal, 1984, 20, 1177-1182.  | 2.6 | 27        |
| 169 | 2H NMR Study of Aromatic Guest Dynamics in Clathrate Phases of Syndiotactic Polystyrene.<br>Macromolecular Chemistry and Physics, 2005, 206, 715-724.   | 1.1 | 27        |
| 170 | Influence of constitutional defects on polymorphic behaviour and properties of alternating ethylene-tetrafluoroethylene copolymer. Polymer, 1995, 36, 967-973.  | 1.8 | 26        |
| 171 | Crystal Structure of Form III of Syndiotactic Poly(p-methylstyrene). Macromolecules, 1995, 28, 5507-5511.   | 2.2 | 26        |
| 172 | Sub-Tg annealing of the clathrate $\hat{l}$ form of syndiotactic polystyrene. Macromolecular Chemistry and Physics, 1998, 199, 2671-2675.   | 1.1 | 26        |
| 173 | Induced vibrational circular dichroism and polymorphism of syndiotactic polystyrene. Chirality, 2010, 22, E67-73.   | 1.3 | 26        |
| 174 | Poly( <scp>l</scp> -lactic acid): Uniplanar Orientation in Cocrystalline Films and Structure of the Cocrystalline Form with Cyclopentanone. Macromolecules, 2015, 48, 7513-7520.  | 2.2 | 26        |
| 175 | Thermal Transitions of Polyacrylonitrile Fibers. Macromolecules, 1996, 29, 1830-1832.   | 2.2 | 25        |
| 176 | Polymorphic Behavior of Syndiotactic Poly(p-chlorostyrene) and Styrene/p-Chlorostyrene Cosyndiotactic Random Copolymers. Macromolecules, 2003, 36, 7577-7584.   | 2.2 | 25        |
| 177 | Guest-Induced Syndiotactic Polystyrene Cocrystal Formation from $\hat{I}^3$ and $\hat{I}^\pm$ Phases. Macromolecules, 2008, 41, 2683-2688.  | 2.2 | 25        |
| 178 | Chemical Stabilization of Hexanal Molecules by Inclusion as Guests of Nanoporous-Crystalline Syndiotactic Polystyrene Crystals. Macromolecules, 2019, 52, 2255-2264.  | 2.2 | 25        |
| 179 | Stereoselectivity and chemoselectivity in Ziegler–Natta polymerization of conjugated dienes. 2. Mechanism for 1,2 syndiotactic polymerization of diene monomers with high energy s-cis η4 coordination. Polymer, 2004, 45, 467-485. | 1.8 | 24        |
| 180 | Syndiotactic polystyrene films with a cocrystalline phase including carvacrol guest molecules. Journal of Polymer Science, Part B: Polymer Physics, 2014, 52, 657-665.  | 2.4 | 24        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 181 | Etched Fibers of Syndiotactic Polystyrene with Nanoporous-Crystalline Phases. Macromolecules, 2018, 51, 6138-6148.  | 2.2 | 24        |
| 182 | Stereoselectivity of the model catalytic site proposed for the isospecific Ziegler-Natta polymerization of the .alphaolefins. Macromolecules, 1985, 18, 1401-1406.  | 2.2 | 23        |
| 183 | Influence of Regio- and Stereoregularity of Propene Insertion on Crystallization Behavior and Elasticity of Etheneâ^'Propene Copolymers. Journal of the American Chemical Society, 2002, 124, 1566-1567.  | 6.6 | 23        |
| 184 | Chiro-optical Materials Based on a Racemic Polymer. Macromolecules, 2010, 43, 1882-1887.  | 2.2 | 23        |
| 185 | Control of guest transport in polymer films by structure and orientation of nanoporous-crystalline phases. Polymer, 2013, 54, 1671-1678.  | 1.8 | 23        |
| 186 | Uniplanar Orientations and Guest Exchange in PPO Cocrystalline Films. Macromolecules, 2013, 46, 3995-4001.  | 2.2 | 23        |
| 187 | Delaminated and intercalated organically modified montmorillonite in poly(1,4-cis-isoprene) matrix. Indications of counterintuitive dynamic-mechanical behavior. Applied Clay Science, 2014, 97-98, 8-16. | 2.6 | 23        |
| 188 | $\hat{l}\mu$ Form Gels and Aerogels of Syndiotactic Polystyrene. Macromolecules, 2015, 48, 1187-1193.   | 2.2 | 23        |
| 189 | Circularly polarized luminescence of syndiotactic polystyrene. Optical Materials, 2017, 73, 595-601.  | 1.7 | 23        |
| 190 | Single-phase block copolymers by cross-metathesis of 1,4-cis-polybutadiene and 1,4-cis-polyisoprene. Polymer, 2017, 130, 143-149.   | 1.8 | 23        |
| 191 | PLA Melt Stabilization by High-Surface-Area Graphite and Carbon Black. Polymers, 2018, 10, 139.   | 2.0 | 23        |
| 192 | Reactivity of Zand Elsomers, Growing Chain Isomerization, and Chain Transfer Reactions in Ethene/2-Butene Copolymerization by Metallocene-Based Catalysts. Macromolecules, 2000, 33, 4647-4659.           | 2.2 | 22        |
| 193 | Clathrate Phases of Styrene/p-Methylstyrene co-Syndiotactic Copolymers. Macromolecular Chemistry and Physics, 2003, 204, 859-867.   | 1.1 | 22        |
| 194 | Rayleigh scattering by graphene-oxide in syndiotactic polystyrene aerogels. Carbon, 2014, 77, 896-905.  | 5.4 | 22        |
| 195 | Microporous-crystalline microfibers by eco-friendly guests: An efficient tool for sorption of volatile organic pollutants. Microporous and Mesoporous Materials, 2016, 232, 205-210.                      | 2.2 | 22        |
| 196 | Temperature dependence of intramolecular disorder in the high-temperature phase of poly(tetrafluoroethylene) (phase I). Macromolecules, 1988, 21, 1174-1176.  | 2.2 | 21        |
| 197 | Allyltrimethylsilane polymers from metallocene catalysts: tacticity and structural characterization. Polymer, 1994, 35, 4648-4655.  | 1.8 | 21        |
| 198 | Low temperature melting behavior of CO2 crystallized modified PETs. Polymer Engineering and Science, 1995, 35, 506-512.   | 1.5 | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Crystal structure of syndiotactic poly (4-methyl-1-pentene). Polymer, 1995, 36, 3619-3624.   | 1.8 | 21        |
| 200 | Pseudohexagonal crystallinity and thermal and tensile properties of ethene-propene copolymers. Journal of Polymer Science, Part B: Polymer Physics, 1999, 37, 1095-1103.                               | 2.4 | 21        |
| 201 | Control of organoclay structure in hydrocarbon polymers. Polymers for Advanced Technologies, 2010, 21, 679-684.  | 1.6 | 21        |
| 202 | Efficient Modulation of Polyethylene Microstructure by Proper Activation of (α-Diimine)Ni(II) Catalysts: Synthesis of Well-Performing Polyethylene Elastomers. Macromolecules, 2017, 50, 6586-6594.    | 2.2 | 21        |
| 203 | Possible Models for the Steric Control in the Heterogeneous High-Yield and Homogeneous Ziegler-Natta Polymerizations of 1-alkenes., 1988,, 337-348.  |     | 21        |
| 204 | Crystalline order and melting behaviour of isotactic polypropylene ( $\hat{l}_{\pm}$ -form). Journal of Theoretical Biology, 1985, 30, 1331-1335.  | 0.8 | 20        |
| 205 | X-ray analysis on unoriented and oriented samples of the quenched form of isotactic polypropylene.<br>Die Makromolekulare Chemie Rapid Communications, 1985, 6, 573-575.                               | 1.1 | 20        |
| 206 | A model for the homogeneous isospecific Ziegler-Natta polymerization of olefins: Enantioselectivity in the deuteration and deuteriooligomerization of 1-alkenes. Chirality, 1991, 3, 299-306.          | 1.3 | 20        |
| 207 | Chain conformation and unit cell in the crystalline phase of syndiotactic poly(4-methyl-1-pentene). Macromolecules, 1992, 25, 6938-6942.   | 2.2 | 20        |
| 208 | Chemoselective mechanism of (Z)-1,3-pentadiene polymerization in the presence of cyclopentadienyltitanium trichloride and methylaluminoxane. Macromolecular Chemistry and Physics, 1998, 199, 149-154. | 1.1 | 20        |
| 209 | Organoclays with hexagonal rotator order for the paraffinic chains of the compensating cation. Implications on the structure of clay polymer nanocomposites. Applied Clay Science, 2014, 87, 179-188.  | 2.6 | 20        |
| 210 | Edge-Oxidation of Graphites by Hydrogen Peroxide. Langmuir, 2019, 35, 2244-2250.   | 1.6 | 20        |
| 211 | Effect of moisture on the crystallization behavior of PET from the quenched amorphous phase. Journal of Applied Polymer Science, 1991, 43, 1087-1089.  | 1.3 | 19        |
| 212 | Doubly Bridgedansa-Zirconocenes Based on the Norbornadiene Skeleton: A Quantum Mechanical and Molecular Mechanics Study. Organometallics, 1996, 15, 2254-2263.   | 1.1 | 19        |
| 213 | Disordered Nanoporous Crystalline Modifications of Syndiotactic Polystyrene. Journal of Solution Chemistry, 2014, 43, 158-171.   | 0.6 | 19        |
| 214 | Mechanical properties of glass-bead filled polystyrene composites. Composites, 1981, 12, 33-37.  | 0.9 | 18        |
| 215 | Fourier transform analysis of models for the disordered phases (IV and I) of poly(tetrafluoroethylene). Macromolecules, 1987, 20, 3043-3046.   | 2.2 | 18        |
| 216 | Catalytic activity of benzimidazole in the imidization of polyamic acids. Journal of Applied Polymer Science, 1988, 36, 243-248.   | 1.3 | 18        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 217 | Fourier-transform analysis of models for the orthorhombic crystal phase of the alternating ethylene-tetrafluoroethylene copolymer. Polymer, 1992, 33, 22-26.                               | 1.8 | 18        |
| 218 | Conformational Analysis of Poly(methylene-1,3-cyclopentylene) and Chain Conformation in the Crystalline Phase. Macromolecules, 1995, 28, 7355-7362.  | 2.2 | 18        |
| 219 | Graphite oxide as catalyst for diastereoselective Mukaiyama aldol reaction of 2-(trimethylsilyloxy)furan in solvent free conditions. Journal of Molecular Catalysis A, 2015, 408, 237-241. | 4.8 | 18        |
| 220 | Intercalation compounds of oxidized carbon black. RSC Advances, 2016, 6, 105565-105572.  | 1.7 | 18        |
| 221 | High diffusivity dense films of a nanoporous-crystalline polymer. Polymer, 2021, 229, 124005.  | 1.8 | 18        |
| 222 | Geometrical and energetical feasibility of a highly extended chain conformation for isotactic polystyrene. European Polymer Journal, 1980, 16, 1089-1092.                                  | 2.6 | 17        |
| 223 | Structural variations in random copolymers of tetrafluoroethylene with kind and content of comonomer units. Polymer, 1998, 39, 3205-3209.  | 1.8 | 17        |
| 224 | Crystalline phase orientation in biaxially stretched isotactic polypropylene films. Macromolecular Symposia, 2002, 185, 53-63.   | 0.4 | 17        |
| 225 | Green Regio―and Enantioselective Aminolysis Catalyzed by Graphite and Graphene Oxide under Solventâ€Free Conditions. ChemCatChem, 2016, 8, 1915-1920.                                      | 1.8 | 17        |
| 226 | Polymorphism of Poly(2,6-dimethyl-1,4-phenylene)oxide in Axially Stretched Films. Macromolecules, 2020, 53, 2287-2294.   | 2.2 | 17        |
| 227 | Crystallization of poly(ethylene terephthalate) (PET) from the oriented mesomorphic form. Journal of Applied Polymer Science, 1994, 52, 875-885.   | 1.3 | 16        |
| 228 | (E)â^'(Z) Selectivity in the Polymerization of 2-Butene Promoted by Ni(II) Brookhart-Type Catalysts. Macromolecules, 2005, 38, 2072-2075.  | 2.2 | 16        |
| 229 | Two Different Uniplanar–Axial Orientations of Syndiotactic Polystyrene Films. Macromolecules, 2011, 44, 5671-5681.   | 2.2 | 16        |
| 230 | Polyethylene waxes by metallocenes. Polymers for Advanced Technologies, 2011, 22, 458-462.   | 1.6 | 16        |
| 231 | Clay exfoliation and polymer/clay aerogels by supercritical carbon dioxide. Frontiers in Chemistry, 2013, 1, 28.   | 1.8 | 16        |
| 232 | Axially Oriented Nanoporous Crystalline Phases of Poly(2,6-dimethyl-1,4-phenylene)oxide. ACS Applied Polymer Materials, 2020, 2, 3518-3524.  | 2.0 | 16        |
| 233 | High-Resolution Solid State 13C Nuclear Magnetic Resonance Spectrum of Form I of Syndiotactic Poly(1-butene). Macromolecules, 1996, 29, 471-472.   | 2.2 | 15        |
| 234 | Models for the Explanation of the Stereospecific Behaviour of Ziegler â€" Natta Catalysts. , 1995, , 237-249.  |     | 15        |

| #   | Article   | IF                | CITATIONS   |
|-----|---|-------------------|-------------|
| 235 | High Selectivity in Polymerization of (Z)-1,3-Pentadiene, with the CpTiCl3â^'MAO Catalytic System, Generated by Backbiting Coordinations of the Growing Polydienyl Chain. Macromolecules, 2004, 37, 2016-2020.                                      | 2.2               | 14          |
| 236 | Molecular Modeling of Stereo- and Regioselectivity of Group 4 Heterocenes in the Polymerization of Propene. Macromolecules, 2005, 38, 3973-3976.  | 2.2               | 14          |
| 237 | Fast uptake of organic pollutants from dilute aqueous solutions by nanoporous-crystalline PPO films with c-perpendicular orientation. European Polymer Journal, 2021, 161, 110864.  | 2.6               | 14          |
| 238 | Structural characterization of vinylidene fluoride/vinyl fluoride copolymers. Die Makromolekulare Chemie, 1989, 190, 2203-2210.   | 1.1               | 13          |
| 239 | Title is missing!. Die Makromolekulare Chemie, 1992, 193, 2413-2420.  | 1.1               | 13          |
| 240 | Activity and Microstructure Variations with Temperature in Conjugated Diene Polymerizations Catalyzed by CpTiCl3â°MAO. Macromolecules, 2005, 38, 6327-6335.   | 2.2               | 13          |
| 241 | Monolithic Aerogels Based on Poly(2,6-diphenyl-1,4-phenylene oxide) and Syndiotactic Polystyrene. ACS Applied Materials & Diterfaces, 2013, 5, 5493-5499.   | 4.0               | 13          |
| 242 | Enantiomeric guests with the same signs of chiral optical responses. Chemical Communications, 2014, 50, 8185-8188.  | 2.2               | 13          |
| 243 | Delamination of organically modified montmorillonite for reducing the filler networking with carbon black in poly(1,4-cis-isoprene) based nanocomposites. Applied Clay Science, 2015, 104, 8-17.  | 2.6               | 13          |
| 244 | Oxidized Carbon Black as an Activator of Transesterification Reactions under Solvent-Free Conditions. ACS Omega, 2017, 2, 7862-7867.  | 1.6               | 13          |
| 245 | Planar Orientation and Transparency of Nanoporous-Crystalline Polymer Films. Macromolecules, 2021, 54, 6605-6611.   | 2.2               | 13          |
| 246 | Melting and solid phase transitions of isothermally crystallized copolymers of tetrafluoroethylene and hexafluoropropylene. European Polymer Journal, 1988, 24, 445-448.  | 2.6               | 12          |
| 247 | X-ray diffraction, conformational analysis and stereoregularity of a crystalline poly(3-methyl-1,) Tj ETQq1 1 0.784.  | 314 rgBT /<br>1.8 | Overlock 10 |
| 248 | Evaluation of the amount of defects in the comonomer alternation included in the crystal phase for ethylene–tetrafluoroethylene and ethylene–chlorotrifluoroethylene alternating copolymers. Journal of Applied Polymer Science, 1995, 56, 271-278. | 1.3               | 12          |
| 249 | Polymorphism of syndiotactic poly(p-fluoro-styrene). Polymer, 2009, 50, 1901-1907.  | 1.8               | 12          |
| 250 | Packaging technology for improving shelfâ€life of fruits based on a nanoporous–crystalline polymer.<br>Journal of Applied Polymer Science, 2018, 135, 46256.  | 1.3               | 12          |
| 251 | High Surface Area Nanoporous-Crystalline Polymer Films. Macromolecules, 2022, 55, 2983-2990.  | 2.2               | 12          |
| 252 | Title is missing!. Die Makromolekulare Chemie, 1984, 185, 2599-2608.  | 1.1               | 11          |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 253 | Conformational analysis of highly extended poly(ethylene terephthalate) chains by Monte Carlo calculations. Macromolecular Theory and Simulations, 1995, 4, 165-176.                       | 0.6 | 11        |
| 254 | A chloroform transducer based on sPS-Î-coated quartz-crystal microbalance for gaseous environment. IEEE Transactions on Instrumentation and Measurement, 2005, 54, 31-37.                  | 2.4 | 11        |
| 255 | Negatively Birefringent Polymer Films. Macromolecular Chemistry and Physics, 2009, 210, 2148-2152.   | 1.1 | 11        |
| 256 | Semicrystalline proton-conductive membranes with sulfonated amorphous phases. International Journal of Hydrogen Energy, 2011, 36, 8038-8044.   | 3.8 | 11        |
| 257 | Spectroscopic Investigation of Guest–Guest Interactions in the Nanoporous-Crystalline δ and Îμ Forms of Syndiotactic Polystyrene. Journal of Physical Chemistry C, 2014, 118, 11774-11783. | 1.5 | 11        |
| 258 | Catalytic Activity of Oxidized Carbon Black and Graphene Oxide for the Crosslinking of Epoxy Resins. Polymers, 2017, 9, 133.   | 2.0 | 11        |
| 259 | Mechanisms determining different planar orientations in PPO films crystallized by guest sorption. Polymer, 2021, 235, 124242.  | 1.8 | 11        |
| 260 | Dependence on Film Thickness of Guest-Induced c Perpendicular Orientation in PPO Films. Polymers, 2021, 13, 4384.  | 2.0 | 11        |
| 261 | Fenomeni di ordine-disordine nelle forme polimorfe cristalline $\hat{l}_{\pm}$ e $\hat{l}^{2}$ del polistirene sindiotattico. Rendiconti Lincei, 1991, 2, 227-237.                         | 1.0 | 10        |
| 262 | Molecular mechanics and the polymerization mechanism of homogeneous and heterogeneous Zieglerâ€Natta catalysts. Makromolekulare Chemie Macromolecular Symposia, 1993, 69, 237-246.         | 0.6 | 10        |
| 263 | Molecular mechanics and mechanisms of regulation of the stereospecificity in Zieglerâ€Natta catalysis.<br>Macromolecular Symposia, 1995, 89, 307-319.                                      | 0.4 | 10        |
| 264 | rac-[CH2(3-tert-butyl-1-indenyl)2]ZrCl2/MAO in the Copolymerization of Olefins and Dienes. Macromolecular Symposia, 2006, 234, 128-138.  | 0.4 | 10        |
| 265 | Crystallization from the amorphous form of the nanoporous É form of syndiotactic polystyrene. Polymer, 2010, 51, 4599-4605.  | 1.8 | 10        |
| 266 | Intercalate Co-Crystals of Syndiotactic Polystyrene with Benzyl methacrylate and Radiation-Induced Guest Polymerization. Macromolecules, 2010, 43, 10560-10567.                            | 2.2 | 10        |
| 267 | Guest induced transition from $\hat{l}^2$ to $\hat{l}_\pm$ nanoporous crystalline forms of PPO. Polymer, 2020, 187, 122083.  | 1.8 | 10        |
| 268 | Benzene-Induced Crystallization of PPO: A Combined Thermodynamic and Vibrational Spectroscopy Study. Industrial & Engineering Chemistry Research, 2020, 59, 5402-5411.                     | 1.8 | 10        |
| 269 | Monomeric and Dimeric Carboxylic Acid in Crystalline Cavities and Channels of Delta and Epsilon Forms of Syndiotactic Polystyrene. Polymers, 2021, 13, 3330.                               | 2.0 | 10        |
| 270 | Influence of the antimony catalyst remnants on the melt crystallization of PET. Journal of Applied Polymer Science, 1993, 48, 1997-2001.   | 1.3 | 9         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 271 | Chemical separations by nanoporous crystalline samples of syndiotactic polystyrene.  Macromolecular Symposia, 1999, 138, 131-137.   | 0.4 | 9         |
| 272 | Melt-Extruded Films of a Commercial Polymer with Intense Chiral Optical Response of Achiral Guests. Macromolecules, 2014, 47, 2616-2624.  | 2.2 | 9         |
| 273 | Thermally stable, solvent resistant and flexible graphene oxide paper. RSC Advances, 2016, 6, 44522-44530.  | 1.7 | 9         |
| 274 | Oxidized Carbon Black as Catalyst for the Enamine Formation in Solventâ€Free Conditions: A Green Strategy to Build the Benzodiazepine Scaffold. ChemistrySelect, 2017, 2, 10559-10564.  | 0.7 | 9         |
| 275 | Grapheneâ€Based Carbocatalysts for Thermoset Polymers and for Diastereoselective and Enantioselective Organic Synthesis. ChemCatChem, 2018, 10, 2350-2359.  | 1.8 | 9         |
| 276 | Graphene Oxide and Oxidized Carbon Black as Catalyst for Crosslinking of Phenolic Resins. Polymers, 2019, 11, 1330.   | 2.0 | 9         |
| 277 | Catalytic Activity of Oxidized Carbon Waste Ashes for the Crosslinking of Epoxy Resins. Polymers, 2019, 11, 1011.   | 2.0 | 9         |
| 278 | Axial Orientation of Co-Crystalline Phases of Poly(2,6-Dimethyl-1,4-Phenylene)Oxide Films. Polymers, 2020, 12, 2394.  | 2.0 | 9         |
| 279 | Melting of nanoporous-crystalline and co-crystalline solution cast films of poly(2,6-dimethyl-1,4-phenylene) oxide. Polymer, 2021, 228, 123935.   | 1.8 | 9         |
| 280 | Axially oriented guest induced crystallization in syndiotactic polystyrene unstretched fibers. Polymer, 2021, 228, 123908.  | 1.8 | 9         |
| 281 | Synthesis of Reduced Graphite Oxide by a Novel Green Process Based on UV Light Irradiation. Science of Advanced Materials, 2015, 7, 2445-2451.  | 0.1 | 9         |
| 282 | The viscoelastic and equilibrium rheooptical behaviour of crosslinked ethylene-propylene copolymers. Colloid and Polymer Science, 1981, 259, 1190-1197.   | 1.0 | 8         |
| 283 | Title is missing!. Die Makromolekulare Chemie, 1992, 193, 549-558.  | 1.1 | 8         |
| 284 | A Preliminary Study of Host-Guest Interactions in Polymeric Clathrates – An Ab Initio Study of the Model Complexes Benzene/X2 (X = F, Cl, Br, I). European Journal of Inorganic Chemistry, 1998, 1998, 1513-1517.                         | 1.0 | 8         |
| 285 | A possible unified mechanism of like and unlike chain-end stereocontrol for primary propene-coordinated polymerizations. Macromolecular Chemistry and Physics, 2002, 203, 1564-1572.  | 1.1 | 8         |
| 286 | On the crystallization behavior of syndiotactic-b-atactic polystyrene stereodiblock copolymers, atactic/syndiotactic polystyrene blends, and aPS/sPS blends modified with sPS-b-aPS. Materials Chemistry and Physics, 2013, 141, 891-902. | 2.0 | 8         |
| 287 | Control of Guest Thermal Release by Crystalline Host Orientation. ACS Applied Polymer Materials, 2021, 3, 949-955.  | 2.0 | 8         |
| 288 | Isolated and aggregated carvacrol guest molecules in cocrystalline poly(2,6-dimethyl-1,4-phenylene)oxide films. Polymer Journal, 0, , .   | 1.3 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Polymer co-crystalline films for photonics. Journal of the European Optical Society-Rapid Publications, $0,4,.$  | 0.9 | 8         |
| 290 | Pseudo-Hexagonal Crystallinity in Ethene-Styrene Random Copolymers. Macromolecular Chemistry and Physics, 2001, 202, 382-387.  | 1.1 | 7         |
| 291 | Thermal crosslinking of ethene copolymers containing 1,2-cyclopropane units. Polymer, 2005, 46, 2847-2853.   | 1.8 | 7         |
| 292 | Infrared linear dichroism as a tool to evaluate volatile guest partition between amorphous and nanoporousâ€crystalline polymer phases. Journal of Polymer Science, Part B: Polymer Physics, 2012, 50, 1474-1479.   | 2.4 | 7         |
| 293 | Racemic synthetic polymers and chirality. Rendiconti Lincei, 2013, 24, 217-226.  | 1.0 | 7         |
| 294 | Green and Facile Esterification Procedure Leading to Crystalline-Functionalized Graphite Oxide. Langmuir, 2017, 33, 6819-6825.   | 1.6 | 7         |
| 295 | Molecular Features Behind Formation of $\hat{l}_{\pm}$ or $\hat{l}_{\pm}^2$ Co-Crystalline and Nanoporous-Crystalline Phases of PPO. Frontiers in Chemistry, 2021, 9, 809850.  | 1.8 | 7         |
| 296 | Ab Initio and Molecular Mechanics Study of Conformational Selectivity of Chlorinated Compounds Adsorbed in the Clathrate Phase of Syndiotactic Polystyrene. The Role of Electrostatic Host-Guest Interactions. Macromolecular Theory and Simulations, 2001, 10, 349-354. | 0.6 | 6         |
| 297 | Thermal Behavior of Syndiotactic Polystyrene/1,2â€Dichloroethane Gels and Stoichiometry of Polymerâ€Solvent Compounds. Soft Materials, 2004, 2, 47-56.   | 0.8 | 6         |
| 298 | Nanoporous Crystalline and Cross-Linked Polymeric Materials. Macromolecules, 2009, 42, 5566-5571.  | 2.2 | 6         |
| 299 | Syndiotactic Polystyrene Films with Different Uniplanar Orientations: Additional Information on Crystal Phase Transitions. Macromolecular Chemistry and Physics, 2013, 214, 41-45.   | 1.1 | 6         |
| 300 | Nanoporous Crystalline Polymer Materials for Environmental Applications. Macromolecular Symposia, 2016, 369, 19-25.  | 0.4 | 6         |
| 301 | Intercalation compounds of a smectite clay with an ammonium salt biocide and their possible use for conservation of cultural heritage. Heliyon, 2019, 5, e02991.   | 1.4 | 6         |
| 302 | Effects of postcuring and water sorption on the mechanical properties of composite dental restorative materials. Biomaterials, 1983, 4, 228-229.   | 5.7 | 5         |
| 303 | Additives in transparent glassy polymers: Concentration profiles obtained by solvent diffusion technique. Journal of Applied Polymer Science, 1984, 29, 2271-2279.   | 1.3 | 5         |
| 304 | Evaluation of the orientation coefficient for the c axis in poly(ethylene terephthalate) fibers. Journal of Polymer Science, Part B: Polymer Physics, 1995, 33, 1917-1924.   | 2.4 | 5         |
| 305 | Oriented Nanoporous Hostl´ Phases of Syndiotactic Polystyrene as a Tool for Spectroscopic Investigation of Guest Molecules. Macromolecular Symposia, 2006, 234, 102-110.   | 0.4 | 5         |
| 306 | Sulfonated syndiotactic polystyrene: sorption of ionic liquid in the amorphous phase and of organic guests in the crystalline phase. Polymers for Advanced Technologies, 2013, 24, 56-61.  | 1.6 | 5         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 307 | Layered double hydroxides with low Al content and new intercalate structures. Applied Clay Science, 2013, 71, 27-31.   | 2.6 | 5         |
| 308 | c-Perpendicular Orientation of Poly(ÊŸ-lactide) Films. Polymers, 2021, 13, 1572.   | 2.0 | 5         |
| 309 | A Density Functional Theory Study of the Syndiotactic-Specific Polymerization of Styrene. , 2001, , 299-306.   |     | 5         |
| 310 | Use of polymeric materials in the assembly of solar cells. Solar Energy, 1983, 30, 421-424.  | 2.9 | 4         |
| 311 | Thermal shrinkage and heat capacity of monolithic polymeric physical aerogels. Polymer, 2020, 210, 123073.   | 1.8 | 4         |
| 312 | Antimicrobial release from cleaning poultices for the conservation and disinfection of stone surfaces. Applied Clay Science, 2020, 193, 105667.  | 2.6 | 4         |
| 313 | Unusual recrystallization and melting behaviour in DSC scans of isotactic polypropylene samples.<br>Journal of Theoretical Biology, 1985, 30, 1337-1342.   | 0.8 | 3         |
| 314 | Effects of distortional components in biaxial stretching of poly (ethylene terephthalate) sheets on dimensional stability and structure. Journal of Materials Science, 1994, 29, 3151-3160.  | 1.7 | 3         |
| 315 | Clathrates with tetrahydrofuran of styrene-p-methyl styrene co-syndiotactic copolymers.<br>Macromolecular Symposia, 2001, 166, 165-172.  | 0.4 | 3         |
| 316 | Infrared spectra and thermal reactivity of ethene copolymers containing 1,2-cyclopropane units. Polymer, 2006, 47, 2274-2279.  | 1.8 | 3         |
| 317 | Structure and Sorption Properties of Syndiotactic Polystyrene Aerogels. ACS Symposium Series, 2010, , 131-147.   | 0.5 | 3         |
| 318 | Intense Chiral Optical Phenomena in Racemic Polymers by Cocrystallization With Chiral Guest Molecules: A Brief Overview. Chirality, 2016, 28, 29-38.   | 1.3 | 3         |
| 319 | Hexagonal rotator order of bound ionic surfactants and temperature triggered dispersion of carbon nanotubes. Carbon, 2018, 127, 228-235.   | 5.4 | 3         |
| 320 | Graphite functionalization by ball milling with sulfur. SN Applied Sciences, 2019, 1, 1.   | 1.5 | 3         |
| 321 | Processing and strain induced crystallization and reinforcement under strain of poly(1,4-cis-isoprene) from Ziegler–Natta catalysis, hevea brasiliensis, taraxacum kok-saghyz and partenium argentatum. Advanced Industrial and Engineering Polymer Research, 2019, 2, 1-12. | 2.7 | 3         |
| 322 | Nanoporous Crystalline Composite Aerogels with Reduced Graphene Oxide. Molecules, 2020, 25, 5241.  | 1.7 | 3         |
| 323 | Fast uptake of organic pollutants from dilute aqueous solutions by nanoporous-crystalline PPO films with c-perpendicular orientation. European Polymer Journal, 2022, 164, 110976.   | 2.6 | 3         |
| 324 | <i>c</i> à€perpendicular orientation in thin <scp>nanoporousâ€crystalline</scp> poly(2,6â€dimethylâ€1,4â€phenylene)oxide films. Polymers for Advanced Technologies, 2022, 33, 2344-2351.   | 1.6 | 3         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 325 | Influence of Tacticity of Propylene Placement on Structure and Properties of Ethylene/Propylene Copolymers., 2007,, 313-341.  |     | 2         |
| 326 | Influence of Supercritical Carbon Dioxide Extraction Temperature on the Crystalline Structure and the Morphology of Syndiotactic Polystyrene Aerogels. Macromolecular Symposia, 2008, 273, 135-138. | 0.4 | 2         |
| 327 | Reinforcement of diene elastomers by organically modified layered silicates. E-Polymers, 2009, 9, .   | 1.3 | 2         |
| 328 | Cure reaction of epoxy resins catalyzed by graphite-based nanofiller. AIP Conference Proceedings, 2015, , .   | 0.3 | 2         |
| 329 | Vibrational Spectra of Poly(ethylene terephthalate) Chains in the Mesomorphic Form.<br>Macromolecular Chemistry and Physics, 2018, 219, 1700362.  | 1.1 | 2         |
| 330 | Release of Cationic Drugs from Charcoal. Materials, 2019, 12, 683.  | 1.3 | 2         |
| 331 | Development and characterization of innovative carbon-based waste ashes/epoxy composites.<br>Materials Today: Proceedings, 2021, 34, 133-139.   | 0.9 | 2         |
| 332 | Manufacturing of polypropylene laminates and related structural reorganization in the crystalline phase. Journal of Applied Polymer Science, 1986, 32, 5811-5816.                                   | 1.3 | 1         |
| 333 | Special Issue of Macromolecular Chemistry and Physics Dedicated to Prof. Adolfo Zambelli, on the Occasion of his 70th Birthday. Macromolecular Chemistry and Physics, 2004, 205, 283-283.           | 1.1 | 1         |
| 334 | Special Issue on Co-Crystalline and Nanoporous-Crystalline Polymers. Soft Materials, 2011, 9, 105-106.  | 0.8 | 1         |
| 335 | Pseudo-Hexagonal Crystallinity in Ethene-Styrene Random Copolymers. Macromolecular Chemistry and Physics, 2001, 202, 382-387.   | 1.1 | 1         |
| 336 | High surface area polymer films by co-crystallization with low-molecular-mass guest molecules. European Polymer Journal, 2022, , 111305.  | 2.6 | 1         |
| 337 | Surface Addition of Flame Retardants in Acrylic Cast Sheets. Journal of Fire Sciences, 1984, 2, 60-69.  | 0.9 | 0         |
| 338 | 1,2-dichloroethane conformation and molecular organization in syndiotactic polystyrene gels. Macromolecular Symposia, 2001, 166, 109-116.   | 0.4 | 0         |
| 339 | Do New Century Catalysts Unravel the Mechanism of Stereocontrol of Old Ziegler—Natta Catalysts?.<br>ChemInform, 2004, 35, no.   | 0.1 | 0         |
| 340 | Thermoplastic Molecular Sieves: New Polymeric Materials for Molecular Packaging. ACS Symposium Series, 2005, , 171-186.   | 0.5 | 0         |
| 341 | Crystalline Organization in Syndiotactic Polystyrene Gels and Aerogels. Macromolecular Symposia, 2005, 222, 247-252.  | 0.4 | 0         |
| 342 | Characterization of Semicrystalline Polymeric Materials by Atomistic Models. , 2010, , .  |     | O         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Polymer Nanoporous and Co-crystalline Phases. Materials Research Society Symposia Proceedings, 2011, 1366, 1.                            | 0.1 | O         |
| 344 | Gas sorption in poly-(2,6-dimethyl-1,4-phenylene) oxide containing nanoporous crystalline phases. , 2012, , .                            |     | 0         |
| 345 | Monolithic aerogels with nanoporous crystalline phases. AIP Conference Proceedings, 2015, , .  | 0.3 | O         |
| 346 | Monolithic Polymeric Aerogels with Organically Modified Clays and Graphite Oxide Nanofillers. Macromolecular Symposia, 2016, 359, 32-43. | 0.4 | O         |