

Gerhard Gebauer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7936470/publications.pdf>

Version: 2024-02-01

123
papers

7,362
citations

44042

48
h-index

58549

82
g-index

125
all docs

125
docs citations

125
times ranked

5446
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of forest decline on uptake and leaching of deposited nitrate determined from ^{15}N and ^{18}O measurements. <i>Nature</i> , 1994, 372, 765-767.	13.7	386
2	Changing partners in the dark: isotopic and molecular evidence of ectomycorrhizal liaisons between forest orchids and trees. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 1799-1806.	1.2	356
3	Carbon and nitrogen isotope ratios in different compartments of a healthy and a declining <i>Picea abies</i> forest in the Fichtelgebirge, NE Bavaria. <i>Oecologia</i> , 1991, 87, 198-207.	0.9	315
4	^{15}N and ^{13}C natural abundance of autotrophic and mycoheterotrophic orchids provides insight into nitrogen and carbon gain from fungal association. <i>New Phytologist</i> , 2003, 160, 209-223.	3.5	283
5	Disentangling a rainforest food web using stable isotopes: dietary diversity in a species-rich ant community. <i>Oecologia</i> , 2003, 137, 426-435.	0.9	268
6	Mixotrophy in orchids: insights from a comparative study of green individuals and nonphotosynthetic individuals of <i>Cephalanthera damasonium</i> . <i>New Phytologist</i> , 2005, 166, 639-653.	3.5	250
7	Nitrogen nutrition and isotope differences among life forms at the northern treeline of Alaska. <i>Oecologia</i> , 1994, 100, 406-412.	0.9	235
8	Estimates of nitrogen fixation by trees on an aridity gradient in Namibia. <i>Oecologia</i> , 1991, 88, 451-455.	0.9	184
9	The Effects of Above- and Belowground Mutualisms on Orchid Speciation and Coexistence. <i>American Naturalist</i> , 2011, 177, E54-E68.	1.0	182
10	Loss of functional diversity of ant assemblages in secondary tropical forests. <i>Ecology</i> , 2010, 91, 782-792.	1.5	169
11	Wide geographical and ecological distribution of nitrogen and carbon gains from fungi in pyrolroids and monotropoids (<i>Ericaceae</i>) and in orchids. <i>New Phytologist</i> , 2007, 175, 166-175.	3.5	143
12	<i>Cephalanthera longifolia</i> (Neottieae, Orchidaceae) is mixotrophic: a comparative study between green and nonphotosynthetic individuals. <i>Canadian Journal of Botany</i> , 2006, 84, 1462-1477.	1.2	133
13	Evidence for novel and specialized mycorrhizal parasitism: the orchid <i>Gastrodia confusa</i> gains carbon from saprotrophic <i>Mycena</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 761-767.	1.2	133
14	Isotope ratios and concentrations of sulfur and nitrogen in needles and soils of <i>Picea abies</i> stands as influenced by atmospheric deposition of sulfur and nitrogen compounds. <i>Plant and Soil</i> , 1994, 164, 267-281.	1.8	127
15	^{15}N natural abundance in fruit bodies of different functional groups of fungi in relation to substrate utilization. <i>New Phytologist</i> , 1999, 142, 93-101.	3.5	125
16	Drought turns a Central European Norway spruce forest soil from an N_2O source to a transient N_2O sink. <i>Global Change Biology</i> , 2009, 15, 850-860.	4.2	123
17	Photosynthetic Mediterranean meadow orchids feature partial mycoheterotrophy and specific mycorrhizal associations. <i>American Journal of Botany</i> , 2011, 98, 1148-1163.	0.8	113
18	Nitrate, nitrate reduction and organic nitrogen in plants from different ecological and taxonomic groups of Central Europe. <i>Oecologia</i> , 1988, 75, 371-385.	0.9	109

#	ARTICLE	IF	CITATIONS
19	Below-ground interactions in dryland agroforestry. <i>Forest Ecology and Management</i> , 1998, 111, 157-169.	1.4	106
20	Plastic mulching in agricultureâ€”Friend or foe of N ₂ O emissions?. <i>Agriculture, Ecosystems and Environment</i> , 2013, 167, 43-51.	2.5	105
21	Partial mycoheterotrophy is more widespread among orchids than previously assumed. <i>New Phytologist</i> , 2016, 211, 11-15.	3.5	104
22	Partitioning of ¹⁵ N-labeled ammonium and nitrate among soil, litter, below- and above-ground biomass of trees and understory in a 15-year-old <i>Picea abies</i> plantation. <i>Biogeochemistry</i> , 1996, 33, 1.	1.7	103
23	The Physiological Ecology of Mycoheterotrophy. , 2013, , 297-342.		100
24	Nitrogen Isotope Ratios in Different Compartments of a Mixed Stand of Spruce, Larch and Beech Trees and of Understorey Vegetation Including Fungi. <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 35-44.	0.3	96
25	Repeated dryingâ€”rewetting cycles and their effects on the emission of CO ₂ , N ₂ O, NO, and CH ₄ in a forest soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2008, 171, 719-728.	1.1	89
26	Impact of altering the water table height of an acidic fen on N ₂ O and NO fluxes and soil concentrations. <i>Global Change Biology</i> , 2010, 16, 220-233.	4.2	87
27	Distinguishing sources of N ₂ O in European grasslands by stable isotope analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 1201-1207.	0.7	86
28	Irradiance governs exploitation of fungi: fine-tuning of carbon gain by two partially myco-heterotrophic orchids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 1333-1336.	1.2	86
29	The ectomycorrhizal specialist orchid <i>Corallorhiza trifida</i> is a partial mycoâ€”heterotroph. <i>New Phytologist</i> , 2008, 178, 395-400.	3.5	83
30	¹⁵ N-ammonium and ¹⁵ N-nitrate uptake of a 15-year-old <i>Picea abies</i> plantation. <i>Oecologia</i> , 1995, 102, 361-370.	0.9	82
31	C and N stable isotope signatures reveal constraints to nutritional modes in orchids from the Mediterranean and Macaronesia. <i>American Journal of Botany</i> , 2010, 97, 903-912.	0.8	75
32	Emission of gaseous nitrogen oxides from an extensively managed grassland in NE Bavaria, Germany. <i>Biogeochemistry</i> , 2003, 63, 249-267.	1.7	74
33	Carbon and nitrogen gain during the growth of orchid seedlings in nature. <i>New Phytologist</i> , 2014, 202, 606-615.	3.5	74
34	Isotopic evidence of full and partial mycoâ€”heterotrophy in the plant tribe Pyroleae (Ericaceae). <i>New Phytologist</i> , 2009, 182, 719-726.	3.5	73
35	N ₂ O emission in a Norway spruce forest due to soil frost: concentration and isotope profiles shed a new light on an old story. <i>Biogeochemistry</i> , 2010, 97, 21-30.	1.7	69
36	Nitrate content and nitrate reductase activity in <i>Rumex obtusifolius</i> L.. <i>Oecologia</i> , 1984, 63, 136-142.	0.9	68

#	ARTICLE	IF	CITATIONS
37	Increased emissions of nitric oxide and nitrous oxide following tillage of a perennial pasture. Nutrient Cycling in Agroecosystems, 2004, 70, 13-22.	1.1	68
38	A methodological approach to improve estimates of nutrient gains by partially myco-heterotrophic plantsâ€. Isotopes in Environmental and Health Studies, 2008, 44, 393-401.	0.5	68
39	Carbon and nitrogen isotope ratios of mistletoes growing on nitrogen and non-nitrogen fixing hosts and on CAM plants in the Namib desert confirm partial heterotrophy. Oecologia, 1991, 88, 457-462.	0.9	66
40	Title is missing!. Plant and Soil, 2002, 239, 253-265.	1.8	65
41	The chlorophyllâ€containing orchid <i>Corallorhiza trifida</i> derives little carbon through photosynthesis. New Phytologist, 2009, 183, 358-364.	3.5	64
42	The utilization of nitrogen from insect capture by different growth forms of Drosera from Southwest Australia. Oecologia, 1991, 87, 240-246.	0.9	61
43	Storm pulses and varying sources of hydrologic carbon export from a mountainous watershed. Journal of Hydrology, 2012, 440-441, 90-101.	2.3	59
44	¹⁵ N and ¹³ C natural abundance of two mycoheterotrophic and a putative partially mycoheterotrophic species associated with arbuscular mycorrhizal fungi. New Phytologist, 2010, 188, 590-596.	3.5	58
45	The importance of associations with saprotrophic non- <i>Rhizoctonia</i> fungi among fully mycoheterotrophic orchids is currently under-estimated: novel evidence from sub-tropical Asia. Annals of Botany, 2015, 116, 423-435.	1.4	57
46	Uptake of nitrogen and carbon from doubleâ€labelled (¹⁵ N and ¹³ C) glycine by mycorrhizal pine seedlings. New Phytologist, 2004, 164, 383-388.	3.5	56
47	Stable N-isotope signatures of central European ants â€ assessing positions in a trophic gradient. Insectes Sociaux, 2007, 54, 393-402.	0.7	55
48	Exploiting mycorrhizas in broad daylight: Partial mycoheterotrophy is a common nutritional strategy in meadow orchids. Journal of Ecology, 2018, 106, 168-178.	1.9	55
49	Fluxes of climateâ€relevant trace gases between a Norway spruce forest soil and atmosphere during repeated freezeâ€thaw cycles in mesocosms. Journal of Plant Nutrition and Soil Science, 2008, 171, 729-739.	1.1	54
50	Emission of gaseous nitrogen oxides from an extensively managed grassland in NE Bavaria, Germany.. Biogeochemistry, 2003, 63, 229-247.	1.7	51
51	Mucoromycotina Fine Root Endophyte Fungi Form Nutritional Mutualisms with Vascular Plants. Plant Physiology, 2019, 181, 565-577.	2.3	51
52	Anthropogenic impacts on natural nitrogen isotope variations in Pinus sylvestris stands in an industrially polluted area. Environmental Pollution, 1997, 97, 175-181.	3.7	50
53	N ₂ O concentration and isotope signature along profiles provide deeper insight into the fate of N ₂ O in soilsâ€. Isotopes in Environmental and Health Studies, 2008, 44, 377-391.	0.5	49
54	A record of N ₂ O and CH ₄ emissions and underlying soil processes of Korean rice paddies as affected by different water management practices. Biogeochemistry, 2013, 115, 317-332.	1.7	47

#	ARTICLE	IF	CITATIONS
55	Temporal Stability of Spatial Patterns of Nitrous Oxide Fluxes from Sloping Grassland. <i>Journal of Environmental Quality</i> , 2000, 29, 1397-1407.	1.0	45
56	Plant family identity distinguishes patterns of carbon and nitrogen stable isotope abundance and nitrogen concentration in mycoheterotrophic plants associated with ectomycorrhizal fungi. <i>Annals of Botany</i> , 2016, 118, 467-479.	1.4	45
57	You are what you get from your fungi: nitrogen stable isotope patterns in <i>Epipactis</i> species. <i>Annals of Botany</i> , 2017, 119, 1085-1095.	1.4	44
58	Temporal variation in mycorrhizal diversity and carbon and nitrogen stable isotope abundance in the wintergreen meadow orchid <i>Anacamptis morio</i> . <i>New Phytologist</i> , 2015, 205, 1308-1319.	3.5	41
59	N ₂ O and NO fluxes between a Norway spruce forest soil and atmosphere as affected by prolonged summer drought. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1986-1995.	4.2	40
60	The degree of mycoheterotrophic carbon gain in green, variegated and vegetative albino individuals of <i>Cephalanthera damasonium</i> is related to leaf chlorophyll concentrations. <i>New Phytologist</i> , 2011, 189, 790-796.	3.5	39
61	Stable isotope signatures of underground seedlings reveal the organic matter gained by adult orchids from mycorrhizal fungi. <i>Functional Ecology</i> , 2018, 32, 870-881.	1.7	36
62	Nitrate reduction and nitrate content in ash trees (<i>Fraxinus excelsior</i> L.): distribution between compartments, site comparison and seasonal variation. <i>Trees - Structure and Function</i> , 1992, 6, 236.	0.9	34
63	Are carbon and nitrogen exchange between fungi and the orchid <i>Goodyera repens</i> affected by irradiance?. <i>Annals of Botany</i> , 2015, 115, 251-261.	1.4	33
64	Biomass production and nitrate metabolism of <i>Atriplex hortensis</i> L. (C ₃ plant) and <i>Amaranthus retroflexus</i> L. (C ₄ plant) in cultures at different levels of nitrogen supply. <i>Oecologia</i> , 1987, 72, 303-314.	0.9	32
65	Limited carbon and mineral nutrient gain from mycorrhizal fungi by adult Australian orchids. <i>American Journal of Botany</i> , 2012, 99, 1133-1145.	0.8	32
66	Nitrate content and nitrate reductase activity in <i>Rumex obtusifolius</i> L.. <i>Oecologia</i> , 1984, 63, 380-385.	0.9	30
67	Is it better to give than to receive? A stable isotope perspective on orchid "fungal carbon transport in the green orchid species <i>Goodyera repens</i> and <i>Goodyera oblongifolia</i> . <i>New Phytologist</i> , 2009, 182, 8-11.	3.5	30
68	Fungal host specificity is not a bottleneck for the germination of <i>Pyrenopeziza</i> species (<i>Ericaceae</i>) in a <i>Bavarian</i> forest. <i>Molecular Ecology</i> , 2013, 22, 1473-1481.	2.0	28
69	Abundance of Methanogens, Methanotrophic Bacteria, and Denitrifiers in Rice Paddy Soils. <i>Wetlands</i> , 2014, 34, 213-223.	0.7	28
70	The giant mycoheterotrophic orchid <i>Erythrorchis altissima</i> is associated mainly with a divergent set of wood-decaying fungi. <i>Molecular Ecology</i> , 2018, 27, 1324-1337.	2.0	26
71	Discreet heterotrophs: green plants that receive fungal carbon through <i>Paris</i> type arbuscular mycorrhiza. <i>New Phytologist</i> , 2020, 226, 960-966.	3.5	26
72	Controlling nitrous oxide emissions from grassland livestock production systems. <i>Nutrient Cycling in Agroecosystems</i> , 1998, 52, 141-149.	1.1	24

#	ARTICLE	IF	CITATIONS
73	Biomass production and nitrogen content of C3- and C4- grasses in pure and mixed culture with different nitrogen supply. <i>Oecologia</i> , 1987, 71, 613-617.	0.9	23
74	The Influence of Ammonium on Nitrate Uptake and Assimilation in 2-Year-Old Ash and Oak Trees - A Tracer-Study with ¹⁵ N. <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 85-92.	0.3	21
75	Title is missing!. <i>Plant and Soil</i> , 1998, 199, 59-70.	1.8	21
76	Title is missing!. <i>Plant and Soil</i> , 1999, 210, 249-262.	1.8	20
77	Tree species of the central amazon and soil moisture alter stable isotope composition of nitrogen and oxygen in nitrous oxide evolved from soil. <i>Isotopes in Environmental and Health Studies</i> , 2003, 39, 41-52.	0.5	20
78	Nitrogen uptake of sorghum (<i>Sorghum bicolor</i> L.) from tree mulch and mineral fertilizer under high leaching conditions estimated by nitrogen-15 enrichment. <i>Biology and Fertility of Soils</i> , 1999, 30, 90-95.	2.3	19
79	Partial mycoheterotrophy is common among chlorophyllous plants with <i>Paris</i> -type arbuscular mycorrhiza. <i>Annals of Botany</i> , 2021, 127, 645-653.	1.4	19
80	Origin and fate of nitrate runoff in an agricultural catchment: Haean, South Korea – Comparison of two extremely different monsoon seasons. <i>Science of the Total Environment</i> , 2019, 648, 66-79.	3.9	18
81	Unveiling community patterns and trophic niches of tropical and temperate ants using an integrative framework of field data, stable isotopes and fatty acids. <i>PeerJ</i> , 2018, 6, e5467.	0.9	18
82	Nitrogen use in mixed tree crop plantations with a legume cover crop. <i>Plant and Soil</i> , 2000, 225, 63-72.	1.8	17
83	Stable isotope signatures confirm carbon and nitrogen gain through ectomycorrhizas in the ghost orchid <i>Epipogium aphyllum</i> Swartz*. <i>Plant Biology</i> , 2011, 13, 270-275.	1.8	16
84	Complementary use of 1H NMR and multi-element IRMS in association with chemometrics enables effective origin analysis of cocoa beans (<i>Theobroma cacao</i> L.). <i>Food Chemistry</i> , 2019, 299, 125105.	4.2	16
85	Uptake of ¹⁵ NH ₃ by <i>Picea abies</i> in Closed Chamber Experiments. <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 71-76.	0.3	15
86	Inferring the mycorrhizal status of introduced plants of <i>Cypripedium calceolus</i> (Orchidaceae) in northern England using stable isotope analysis. <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 587-590.	0.8	15
87	Dark septate endophytes and arbuscular mycorrhizal fungi (<i>Paris</i> -morphotype) affect the stable isotope composition of –classically– non–mycorrhizal plants. <i>Functional Ecology</i> , 2020, 34, 2453-2466.	1.7	15
88	Mycoheterotrophic plants living on arbuscular mycorrhizal fungi are generally enriched in ¹³ C, ¹⁵ N and ² H isotopes. <i>Journal of Ecology</i> , 2020, 108, 1250-1261.	1.9	15
89	Light limitation and partial mycoheterotrophy in rhizoctonia-associated orchids. <i>Oecologia</i> , 2019, 189, 375-383.	0.9	14
90	Nitrogen uptake from 15N-enriched fertilizer by four tree crops in an Amazonian agroforest. <i>Agroforestry Systems</i> , 2003, 57, 213-224.	0.9	13

#	ARTICLE	IF	CITATIONS
91	Drying-Rewetting and Flooding Impact Denitrifier Activity Rather than Community Structure in a Moderately Acidic Fen. <i>Frontiers in Microbiology</i> , 2016, 7, 727.	1.5	13
92	Denitrification at two nitrogen-polluted, ombrotrophic Sphagnum bogs in Central Europe: Insights from porewater N ₂ O-isotope profiles. <i>Soil Biology and Biochemistry</i> , 2015, 81, 48-57.	4.2	12
93	Biomass production and nitrogen contents of the CAM plants <i>Kalanchoe daigremontiana</i> and <i>K. tubiflora</i> in cultures with different nitrogen and water supply. <i>Oecologia</i> , 1990, 82, 478-483.	0.9	11
94	On-Line Analysis of Stable Isotopes of Nitrogen in NH ₃ , NO, and NO ₂ at Natural Abundance Levels. <i>Analytical Chemistry</i> , 1998, 70, 2750-2756.	3.2	11
95	Nitrogen cycling assessment in a hedgerow intercropping system using ¹⁵ N enrichment. <i>Nutrient Cycling in Agroecosystems</i> , 2002, 62, 1-9.	1.1	11
96	Trophic ecology of parabiocotic ants: Do the partners have similar food niches?. <i>Austral Ecology</i> , 2012, 37, 537-546.	0.7	11
97	Monsoon rains, drought periods and soil texture as drivers of soil N ₂ O fluxes – Soil drought turns East Asian temperate deciduous forest soils into temporary and unexpectedly persistent N ₂ O sinks. <i>Soil Biology and Biochemistry</i> , 2013, 57, 273-281.	4.2	11
98	Peatlands in a eutrophic world – Assessing the state of a poor fen-bog transition in southern Ontario, Canada, after long term nutrient input and altered hydrological conditions. <i>Soil Biology and Biochemistry</i> , 2017, 114, 131-144.	4.2	11
99	Influence of Nitrogen Supply and Temperature on Stable Carbon Isotope Ratios in Plants of Different Photosynthetic Pathways (C ₃ , C ₄ , CAM). <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 9-13.	0.3	10
100	Picky carnivorous plants? Investigating preferences for preys – trophic levels – a stable isotope natural abundance approach with two terrestrial and two aquatic Lentibulariaceae tested in Central Europe. <i>Annals of Botany</i> , 2019, 123, 1167-1177.	1.4	10
101	Ecosystem Processes Show Uniform Sensitivity to Winter Soil Temperature Change Across a Gradient from Central to Cold Marginal Stands of a Major Temperate Forest Tree. <i>Ecosystems</i> , 2021, 24, 1545-1560.	1.6	10
102	Fluctuations in nitrate reductase activity, and nitrate and organic nitrogen concentrations of succulent plants under different nitrogen and water regimes. <i>Oecologia</i> , 1993, 94, 146-152.	0.9	8
103	The Fate of [¹⁵ N]Ammonium and [¹⁵ N]Nitrate in the Soil of a 140-Year-Old Spruce Stand (<i>Picea Abies</i>) in the Fichtelgebirge (NE-Bavaria). <i>Isotopes in Environmental and Health Studies</i> , 1996, 32, 149-158.	0.5	8
104	Sucrose unloading in the hypocotyl of the <i>Ricinus communis</i> L. seedling measured by ¹³ C-nuclear magnetic resonance spectroscopy in vivo. <i>Planta</i> , 1999, 208, 358-364.	1.6	7
105	Relationship between nitrogen isotope ratios of NO ₃ ⁻ and N ₂ O in vertical porewater profiles through a polluted rain-fed peat bog. <i>Soil Biology and Biochemistry</i> , 2018, 123, 7-9.	4.2	7
106	An ecological perspective on – plant carnivory beyond bogs –: nutritional benefits of prey capture for the Mediterranean carnivorous plant <i>Drosophyllum lusitanicum</i> . <i>Annals of Botany</i> , 2019, 124, 65-76.	1.4	6
107	Distinguishing carbon gains from photosynthesis and heterotrophy in C ₃ -hemiparasite – C ₃ -host pairs. <i>Annals of Botany</i> , 2022, 129, 647-656.	1.4	6
108	Stealing sugar from the honey fungus. <i>Plant, Cell and Environment</i> , 2021, 44, 17-19.	2.8	5

#	ARTICLE	IF	CITATIONS
109	Impacts on food web properties of island invertebrate communities vary between different human land uses. <i>Science of the Total Environment</i> , 2022, 831, 154838.	3.9	5
110	¹⁵ N-Labelled Ammonium and Nitrate Uptake by the Grass <i>Calamagrostis villosa</i> . <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 77-84.	0.3	4
111	Impact of Global Climate Change on the European Barley Market Requires Novel Multi-Method Approaches to Preserve Crop Quality and Authenticity. <i>Foods</i> , 2021, 10, 1592.	1.9	4
112	The use of stable isotopes in ecosystem research. First results of a field study with ¹⁵ N. <i>Isotopes in Environmental and Health Studies</i> , 1992, 28, 51-59.	0.3	3
113	Uptake of [¹⁵ N] Ammonium and [¹⁵ N] Nitrate in a 140-Year-Old Spruce Stand (<i>Picea abies</i>) in the Fichtelgebirge (NE Bavaria). <i>Isotopes in Environmental and Health Studies</i> , 1996, 32, 141-148.	0.5	3
114	The fate of monsoonal atmospheric nitrate deposition in two forest catchments in Soyang lake watershed, South Korea: a mass balance and stable isotope approach. <i>Biogeochemistry</i> , 2019, 142, 95-116.	1.7	3
115	¹⁵ N tracer enrichment in response to winter soil temperature manipulation differs between canopy trees and juveniles. <i>Trees - Structure and Function</i> , 2021, 35, 325-331.	0.9	3
116	Fungal association and root morphology shift stepwise during ontogenesis of orchid <i>Cremastra appendiculata</i> towards autotrophic nutrition. <i>AoB PLANTS</i> , 2022, 14, .	1.2	3
117	Investigations on the Nitrogen Metabolism of Forest Trees by Mathematical Modelling of Natural Isotope Ratios. <i>Isotopes in Environmental and Health Studies</i> , 1993, 29, 199-214.	0.3	2
118	On-Line Analysis of Nitrogen Stable Isotopes in NO from Ambient Air Samples. <i>Analytical Chemistry</i> , 2001, 73, 1126-1133.	3.2	2
119	Dinner with the roommates: trophic niche differentiation and competition in a mutualistic ant-plant association. <i>Ecological Entomology</i> , 2021, 46, 562-572.	1.1	2
120	Specific response of sugar beet cultivars to different nitrogen forms. <i>Zeitschrift Fur Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science</i> , 1986, 149, 561-571.	0.4	1
121	Allochthonous resources are less important for faunal communities on highly productive, small tropical islands. <i>Ecology and Evolution</i> , 2021, 11, 13128-13138.	0.8	1
122	Drought turns a Central European Norway spruce forest soil from an N ₂ O source to a transient N ₂ O sink. <i>Global Change Biology</i> , 2008, , .	4.2	0
123	Inferring the mycorrhizal status of introduced plants of <i>Cypripedium calceolus</i> (Orchidaceae) in northern England using stable isotope analysis. <i>Botanical Journal of the Linnean Society</i> , 0, , .	0.8	0