

# Emmanuel Itti

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7936763/emmanuel-itti-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

4,236  
citations

34  
h-index

63  
g-index

127  
ext. papers

5,142  
ext. citations

5  
avg, IF

4.9  
L-index

#	Paper	IF	Citations
118	Prolonged Remissions After Nivolumab Plus Gemcitabine/Oxaliplatin in Relapsed/Refractory T-cell Lymphoma.. <i>HemaSphere</i> , <b>2022</b> , 6, e672	0.3	
117	F-sodium fluoride PET/MRI myocardial imaging in patients with suspected cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 1586-1595	2.1	16
116	A Molecular Classifier Increased the Accuracy of Lymphoma Diagnosis By Expert Pathologists in the Diffuse Large B-Cell Lymphoma Gained Trial from the Lysa. <i>Blood</i> , <b>2021</b> , 138, 3495-3495	2.2	
115	Breast Implant Associated-Anaplastic Large-Cell Lymphoma (BIA-ALCL): Data Based on the Lymphoma Study Association (LYSA) Registry. Promising Results of Brentuximab Vedotin Combined with Cyclophosphamide, Doxorubicin and Prednisone (BV-CHP) As First Line Treatment for Patient Requiring Chemotherapy. <i>Blood</i> , <b>2021</b> , 138, 1387-1387	2.2	
114	Assessing Cardiac Amyloidosis Subtypes by Unsupervised Phenotype Clustering Analysis. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 78, 2177-2192	15.1	2
113	Integrative Study of a High-Grade B-Cell Lymphoma Cohort of 45 Patients: A Single Institution Real Life Study. <i>Blood</i> , <b>2021</b> , 138, 4576-4576	2.2	
112	Optimization of whole-body 2-[F]FDG-PET/MRI imaging protocol for the initial staging of patients with myeloma. <i>European Radiology</i> , <b>2021</b> , 1	8	1
111	History of extracardiac/cardiac events in cardiac amyloidosis: prevalence and time from initial onset to diagnosis. <i>ESC Heart Failure</i> , <b>2021</b> ,	3.7	2
110	Rituximab plus gemcitabine and oxaliplatin (R-GemOx) in refractory/relapsed diffuse large B-cell lymphoma: a real-life study in patients ineligible for autologous stem-cell transplantation. <i>Leukemia and Lymphoma</i> , <b>2021</b> , 62, 2161-2168	1.9	2
109	Cost-Utility Analysis of Transarterial Radioembolization With Yttrium-90 Resin Microspheres Compared With Sorafenib in Locally Advanced and Inoperable Hepatocellular Carcinoma. <i>Clinical Therapeutics</i> , <b>2021</b> , 43, 1201-1212	3.5	0
108	Personalised versus standard dosimetry approach of selective internal radiation therapy in patients with locally advanced hepatocellular carcinoma (DOSISPHERE-01): a randomised, multicentre, open-label phase 2 trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 17-29	18.8	82
107	Natural history and impact of treatment with tafamidis on major cardiovascular outcome-free survival time in a cohort of patients with transthyretin amyloidosis. <i>European Journal of Heart Failure</i> , <b>2021</b> , 23, 264-274	12.3	10
106	Obinutuzumab vs rituximab for advanced DLBCL: a PET-guided and randomized phase 3 study by LYSA. <i>Blood</i> , <b>2021</b> , 137, 2307-2320	2.2	16
105	Effectiveness and Safety of Subcutaneous Rituximab for Patients With Gastric MALT Lymphoma: A Case-Control Comparison With Intravenous Rituximab. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , <b>2021</b> , 21, e32-e38	2	1
104	Fully automatic segmentation of diffuse large B cell lymphoma lesions on 3D FDG-PET/CT for total metabolic tumour volume prediction using a convolutional neural network. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 48, 1362-1370	8.8	23
103	Health-related quality of life in locally advanced hepatocellular carcinoma treated by either radioembolisation or sorafenib (SARAH trial). <i>European Journal of Cancer</i> , <b>2021</b> , 154, 46-56	7.5	2
102	Impact of the F-FDG-PET/MRI on Metastatic Staging in Patients with Hepatocellular Carcinoma: Initial Results from 104 Patients. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1

101	Hepatobiliary MR contrast agent uptake as a predictive biomarker of aggressive features on pathology and reduced recurrence-free survival in resectable hepatocellular carcinoma: comparison with dual-tracer 18F-FDG and 18F-FCH PET/CT. <i>European Radiology</i> , <b>2020</b> , 30, 5348-5357	8	5
100	Extracardiac soft tissue uptake, evidenced on early Tc-HMDP SPECT/CT, helps typing cardiac amyloidosis and demonstrates high prognostic value. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2396-2406	8.8	6
99	Prognostic value of anthropometric measures extracted from whole-body CT using deep learning in patients with non-small-cell lung cancer. <i>European Radiology</i> , <b>2020</b> , 30, 3528-3537	8	12
98	FDG PET/CT of Cervical Gout With Spinal Cord Compression. <i>Clinical Nuclear Medicine</i> , <b>2020</b> , 45, e29-e31	1.7	1
97	Good clinical practice recommendations for the use of PET/CT in oncology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 28-50	8.8	37
96	Clinical impact of dual-tracer FDOPA and FDG PET/CT for the evaluation of patients with parkinsonian syndromes. <i>Medicine (United States)</i> , <b>2020</b> , 99, e23060	1.8	4
95	Whole-Body Functional MRI and PET/MRI in Multiple Myeloma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	7
94	Recommandations et référentiels. <i>Medecine Nucleaire</i> , <b>2019</b> , 43, 1-4	0.1	
93	18F-FDG PET/CT predicts microvascular invasion and early recurrence after liver resection for hepatocellular carcinoma: A prospective observational study. <i>Hpb</i> , <b>2019</b> , 21, 739-747	3.8	23
92	Renal Infarction and Its Consequences for Renal Function in Patients With Cardiac Amyloidosis. <i>Mayo Clinic Proceedings</i> , <b>2019</b> , 94, 961-975	6.4	3
91	Amylose AL rvlè par un syndrome de la tte tombante avec myopathie proximale. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 529-531	0.1	
90	Breast Implant Associated-Anaplastic Large Cell Lymphoma (BIA-ALCL): The Lymphoma Study Association (LYSA) Registry Data. <i>Blood</i> , <b>2019</b> , 134, 4021-4021	2.2	
89	Rituximab Plus Gemcitabine and Oxaliplatin (R-GemOx) in Refractory/Relapsed (R/R) DLBCL. a Real Life Study in Patients Ineligible for Autologous Transplantation. <i>Blood</i> , <b>2019</b> , 134, 4115-4115	2.2	
88	Meningeal Metastasis Relapse With Focal Involvement of Cranial Bone Flap: A Case Resolved by 18F-DOPA PET/MRI. <i>Clinical Nuclear Medicine</i> , <b>2019</b> , 44, e315-e317	1.7	
87	18F-FDG Whole-body PET/MRI of a 30-Week Pregnant Woman With Breast Cancer Revealed Interesting Fetal Findings. <i>Clinical Nuclear Medicine</i> , <b>2019</b> , 44, 818-820	1.7	0
86	Characterization of 18-Fluorodeoxyglucose Uptake Pattern in Infective Endocarditis After Transcatheter Aortic Valve Implantation. <i>JACC: Cardiovascular Imaging</i> , <b>2019</b> , 12, 930-932	8.4	4
85	Positron emission tomography/computed tomography with 18F-fluorocholine improve tumor staging and treatment allocation in patients with hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 336-344	13.4	28
84	Dropped head syndrome with proximal myopathy revealing AL amyloidosis. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 779-781	2.9	2

83	Early-phase myocardial uptake intensity of Tc-HMDP vs Tc-DPD in patients with hereditary transthyretin-related cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 217-222	2.1	19
82	Apical sparing pattern of left ventricular myocardial Tc-HMDP uptake in patients with transthyretin cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 2072-2079	2.1	16
81	Cognitive dysfunction associated with aluminum hydroxide-induced macrophagic myofasciitis: A reappraisal of neuropsychological profile. <i>Journal of Inorganic Biochemistry</i> , <b>2018</b> , 181, 132-138	4.2	10
80	Whole-Body Diffusion-weighted MR Imaging of Iron Deposits in Hodgkin, Follicular, and Diffuse Large B-Cell Lymphoma. <i>Radiology</i> , <b>2018</b> , 286, 560-567	20.5	2
79	Breast Implant Associated-Anaplastic Large Cell Lymphoma (BIA-ALCL): The French Lymphoma Study Association (LYSA) Registry Data. <i>Blood</i> , <b>2018</b> , 132, 1641-1641	2.2	
78	Macrophagic myofasciitis-associated dysfunctioning: An update of neuropsychological and neuroimaging features. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2018</b> , 32, 640-650	5.3	6
77	Total metabolic tumor volume, circulating tumor cells, cell-free DNA: distinct prognostic value in follicular lymphoma. <i>Blood Advances</i> , <b>2018</b> , 2, 807-816	7.8	56
76	A rare presentation of skull-base osteomyelitis with neurovascular sheath extension following external otitis resolved by PET/MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 45, 2025	8.8	3
75	Automatic lesion detection and segmentation of 18F-FET PET in gliomas: A full 3D U-Net convolutional neural network study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0195798	3.7	73
74	Brain F-FDG PET Metabolic Abnormalities in Patients with Long-Lasting Macrophagic Myofasciitis. <i>Journal of Nuclear Medicine</i> , <b>2017</b> , 58, 492-498	8.9	12
73	Brain F-FDG PET Metabolic Abnormalities in Macrophagic Myofasciitis: Are They Stable?. <i>Journal of Nuclear Medicine</i> , <b>2017</b> , 58, 1532-1533	8.9	5
72	Efficacy and safety of selective internal radiotherapy with yttrium-90 resin microspheres compared with sorafenib in locally advanced and inoperable hepatocellular carcinoma (SARAH): an open-label randomised controlled phase 3 trial. <i>Lancet Oncology</i> , <b>2017</b> , 18, 1624-1636	21.7	400
71	Predictive value of brain 18F-FDG PET/CT in macrophagic myofasciitis?: A case report. <i>Medicine (United States)</i> , <b>2017</b> , 96, e8134	1.8	4
70	Baseline Total Metabolic Tumor Volume Measured with Fixed or Different Adaptive Thresholding Methods Equally Predicts Outcome in Peripheral T Cell Lymphoma. <i>Journal of Nuclear Medicine</i> , <b>2017</b> , 58, 276-281	8.9	41
69	Early Phase Tc-HMDP Scintigraphy for the Diagnosis and Typing of Cardiac Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , <b>2017</b> , 10, 601-603	8.4	18
68	Cerebral 18F-FDG PET in macrophagic myofasciitis: An individual SVM-based approach. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181152	3.7	6
67	An 18F-FDG-PET maximum standardized uptake value > 10 represents a novel valid marker for discerning Richter's Syndrome. <i>Leukemia and Lymphoma</i> , <b>2016</b> , 57, 1474-7	1.9	32
66	Brain (18)F-FDG, (18)F-Florbetaben PET/CT, (123)I-FP-CIT SPECT and Cardiac (123)I-MIBG Imaging for Diagnosis of a "Cerebral Type" of Lewy Body Disease. <i>Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 50, 258-60	1.9	2

65	Functional imaging of hepatocellular carcinoma using diffusion-weighted MRI and (18)F-FDG PET/CT in patients on waiting-list for liver transplantation. <i>Cancer Imaging</i> , <b>2016</b> , 16, 4	5.6	19
64	FDG-PET/CT Brain Findings in a Patient With Macrophagic Myofasciitis. <i>Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 50, 80-4	1.9	6
63	[18F]-NaF PET/CT imaging in cardiac amyloidosis. <i>Journal of Nuclear Cardiology</i> , <b>2016</b> , 23, 846-9	2.1	46
62	Low Suvmax Measured on Baseline FDG-PET/CT and Elevated $\kappa$ Microglobulin Are Negative Predictors of Outcome in High Tumor Burden Follicular Lymphoma Treated By Immunochemotherapy: A Pooled Analysis of Three Prospective Studies. <i>Blood</i> , <b>2016</b> , 128, 1101-1101	2.2	4
61	Prognostic Value of Baseline Quantitative PET Metrics for Patients with Unfavourable Early Stage Hodgkin Lymphoma Enrolled in the Standard Arm of the EORTC/Lysa/FIL H10 Trial. <i>Blood</i> , <b>2016</b> , 128, 184-184	2.2	1
60	Metabolic Tumour Burden Measured by 18F-FDG PET/CT Predicts Malignant Transformation in Patients with Neurofibromatosis Type-1. <i>PLoS ONE</i> , <b>2016</b> , 11, e0151809	3.7	19
59	(99m)Tc-HMDP scintigraphy rectifies wrong diagnosis of AL amyloidosis. <i>Journal of Nuclear Cardiology</i> , <b>2015</b> , 22, 853-7	2.1	4
58	Use of Model-Based Iterative Reconstruction (MBIR) in reduced-dose CT for routine follow-up of patients with malignant lymphoma: dose savings, image quality and phantom study. <i>European Radiology</i> , <b>2015</b> , 25, 2362-70	8	32
57	Whole-Body Diffusion-weighted Imaging in Hodgkin Lymphoma and Diffuse Large B-Cell Lymphoma. <i>Radiographics</i> , <b>2015</b> , 35, 747-64	5.4	42
56	Usefulness of (99m)Tc-HMDP scintigraphy for the etiologic diagnosis and prognosis of cardiac amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2015</b> , 22, 210-20	2.7	63
55	Neuropsychological Correlates of Brain Perfusion SPECT in Patients with Macrophagic Myofasciitis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128353	3.7	18
54	Clinical routine use of dopamine transporter imaging in 516 consecutive patients. <i>Journal of Neurology</i> , <b>2015</b> , 262, 909-15	5.5	8
53	FDG PET/CT imaging as a biomarker in lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2015</b> , 42, 623-33	8.8	59
52	Number of Circulating t(14;18) Tumor Cells at Diagnosis Is Related to, but Add to the Prognostic Value of Metabolic Tumor Burden in Follicular Lymphoma. <i>Blood</i> , <b>2015</b> , 126, 3872-3872	2.2	
51	Metabolic tumour volumes measured at staging in lymphoma: methodological evaluation on phantom experiments and patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 1113-22	8.8	114
50	Pretherapy metabolic tumour volume is an independent predictor of outcome in patients with diffuse large B-cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 2017-22	8.8	135
49	Breast radiotherapy (RT) using tangential fields (TgF): a prospective evaluation of the dose distribution in the sentinel lymph node (SLN) area as determined intraoperatively by clip placement. <i>Annals of Surgical Oncology</i> , <b>2014</b> , 21, 3758-65	3.1	12
48	Clinical impact of contrast-enhanced computed tomography combined with low-dose (18)F-fluorodeoxyglucose positron emission tomography/computed tomography on routine lymphoma patient management. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 2887-92	1.9	25

47 Functional Imaging in Lymphoma **2014**, 1311-1334

46	The predictive value of treatment response using FDG PET performed on day 21 of chemoradiotherapy in patients with oesophageal squamous cell carcinoma. A prospective, multicentre study (RTEP3). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 1345-55	8.8	34
45	An international confirmatory study of the prognostic value of early PET/CT in diffuse large B-cell lymphoma: comparison between Deauville criteria and SUVmax. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 1312-20	8.8	195
44	Phase II study of sirolimus in treatment-naïve patients with advanced hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , <b>2012</b> , 44, 610-6	3.3	49
43	Early interim PET scans in diffuse large B-cell lymphoma: can there be consensus about standardized reporting, and can PET scans guide therapy choices?. <i>Current Hematologic Malignancy Reports</i> , <b>2012</b> , 7, 193-9	4.4	22
42	Interim [18F]fluorodeoxyglucose positron emission tomography scan in diffuse large B-cell lymphoma treated with anthracycline-based chemotherapy plus rituximab. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 184-90	2.2	130
41	Whole-body diffusion magnetic resonance imaging in the assessment of lymphoma. <i>Cancer Imaging</i> , <b>2012</b> , 12, 403-8	5.6	31
40	Baseline Metabolic Tumor Volume Is Predictive of Patient Outcome in Diffuse Large B Cell Lymphoma. <i>Blood</i> , <b>2012</b> , 120, 1598-1598	2.2	4
39	Whole-body diffusion-weighted imaging with apparent diffusion coefficient mapping for treatment response assessment in patients with diffuse large B-cell lymphoma: pilot study. <i>Investigative Radiology</i> , <b>2011</b> , 46, 341-9	10.1	64
38	Long-term follow-up of cognitive dysfunction in patients with aluminum hydroxide-induced macrophagic myofasciitis (MMF). <i>Journal of Inorganic Biochemistry</i> , <b>2011</b> , 105, 1457-63	4.2	42
37	Metastatic renal cell carcinoma: relationship between initial metastasis hypoxia, change after 1 month's sunitinib, and therapeutic response: an 18F-fluoromisonidazole PET/CT study. <i>Journal of Nuclear Medicine</i> , <b>2011</b> , 52, 1048-55	8.9	76
36	Can the interim fluorodeoxyglucose-positron emission tomography standardized uptake value be used to determine the need for residual mass biopsy after dose-dense immunochemotherapy for advanced diffuse large B-cell lymphoma?. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, e719-20; author reply 721-2	2.2	8
35	Improvement of early 18F-FDG PET interpretation in diffuse large B-cell lymphoma: importance of the reference background. <i>Journal of Nuclear Medicine</i> , <b>2010</b> , 51, 1857-62	8.9	71
34	Whole-body diffusion-weighted magnetic resonance imaging with apparent diffusion coefficient mapping for staging patients with diffuse large B-cell lymphoma. <i>European Radiology</i> , <b>2010</b> , 20, 2027-38 <sup>8</sup>		134
33	Development and application of a real-time on-line blinded independent central review of interim PET scans to determine treatment allocation in lymphoma trials. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 2739-41	2.2	48
32	Prognostic value of interim 18F-FDG PET in patients with diffuse large B-Cell lymphoma: SUV-based assessment at 4 cycles of chemotherapy. <i>Journal of Nuclear Medicine</i> , <b>2009</b> , 50, 527-33	8.9	192
31	Patients with plasma cell disorders examined at whole-body dynamic contrast-enhanced MR imaging: initial experience. <i>Radiology</i> , <b>2009</b> , 250, 905-15	20.5	15
30	Subacute dopa-responsive Parkinsonism after successful surgical treatment of aqueductal stenosis. <i>Movement Disorders</i> , <b>2009</b> , 24, 2438-40	7	6

29	Bone marrow involvement in diffuse large B-cell lymphoma: correlation between FDG-PET uptake and type of cellular infiltrate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2009</b> , 36, 745-50	8.8	59
28	Interim 18F-fluorodeoxyglucose positron emission tomography in diffuse large B-cell lymphoma: qualitative or quantitative interpretation—where do we stand?. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 1753-6 <sup>9</sup>	1.9	39
27	Dopamine transporter imaging under high-dose transdermal nicotine therapy in Parkinson's disease: an observational study. <i>Nuclear Medicine Communications</i> , <b>2009</b> , 30, 513-8	1.6	19
26	Early 18fluorodeoxyglucose PET Scan as a Prognostic Tool in Diffuse Large B-Cell Lymphoma Patients Treated with An Anthracycline-Based Chemotherapy Plus Rituximab.. <i>Blood</i> , <b>2009</b> , 114, 98-98	2.2	6
25	Prognostic Value of Early 18fluorodeoxyglucose PET Scan in Patients with Diffuse Large B Cell Lymphoma Treated with Rituximab Plus CHOP or High-Dose CHOP.. <i>Blood</i> , <b>2008</b> , 112, 2006-2006	2.2	
24	Respective prognostic values of germinal center phenotype and early (18)fluorodeoxyglucose-positron emission tomography scanning in previously untreated patients with diffuse large B-cell lymphoma. <i>Haematologica</i> , <b>2007</b> , 92, 778-83	6.6	19
23	Whole body MRI and PET/CT in haematological malignancies. <i>Cancer Imaging</i> , <b>2007</b> , 7 Spec No A, S88-93	5.6	17
22	[F-18]-Fluoro-2-deoxy-D- -glucose positron emission tomography as a tool for early detection of immunotherapy response in a murine B cell lymphoma model. <i>Cancer Immunology, Immunotherapy</i> , <b>2007</b> , 56, 1163-71	7.4	13
21	Validation of a standardized normalization template for statistical parametric mapping analysis of 123I-FP-CIT images. <i>Journal of Nuclear Medicine</i> , <b>2007</b> , 48, 1459-67	8.9	53
20	Early 18F-FDG PET for prediction of prognosis in patients with diffuse large B-cell lymphoma: SUV-based assessment versus visual analysis. <i>Journal of Nuclear Medicine</i> , <b>2007</b> , 48, 1626-32	8.9	307
19	Lymph node imaging: basic principles. <i>European Journal of Radiology</i> , <b>2006</b> , 58, 338-44	4.7	64
18	Response Assessment after an Inductive CHOP or CHOP-Like Regimen with or without Rituximab in 103 Patients with Diffuse Large B-Cell Lymphoma (DLBCL): Integrating 18Fluorodeoxyglucose Positron Emission Tomography (PET) to the International Workshop Criteria (IWC).. <i>Blood</i> , <b>2006</b> , 108, 2725-2725	2.2	
17	[18F]fluoro-2-deoxy-D-glucose positron emission tomography (FDG-PET) in aggressive lymphoma: an early prognostic tool for predicting patient outcome. <i>Blood</i> , <b>2005</b> , 106, 1376-81	2.2	418
16	Sentinel node localization should be interpreted with caution in midline vulvar cancer. <i>Gynecologic Oncology</i> , <b>2005</b> , 97, 151-4	4.9	59
15	Quantitative CT analysis for assessing response in lymphoma (Cheson's criteria). <i>Cancer Imaging</i> , <b>2005</b> , 5 Spec No A, S102-6	5.6	11
14	MRI and PET in monitoring response in lymphoma. <i>Cancer Imaging</i> , <b>2005</b> , 5 Spec No A, S106-12	5.6	22
13	Early Response Evaluation with 18FDG-PET Scanning, but Not Phenotypic Profile, Are Predictive of Outcome in Diffuse Large B-Cell Lymphoma.. <i>Blood</i> , <b>2005</b> , 106, 1914-1914	2.2	2
12	THE UNVEILED HEART teaching program in cardiovascular nuclear medicine. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2004</b> , 527, 130-133	1.2	

11	Diagnostic value of <sup>99m</sup> Tc-HMDP bone scan in atypical osseous tuberculosis mimicking multiple secondary metastases. <i>Spine</i> , <b>2004</b> , 29, E85-7	3.3	7
10	Quantitative lung perfusion scan as a predictor of aerosol distribution heterogeneity and disease severity in children with cystic fibrosis. <i>Nuclear Medicine Communications</i> , <b>2004</b> , 25, 563-9	1.6	11
9	Assessment of myocardial reperfusion after myocardial infarction using automatic 3-dimensional quantification and template matching. <i>Journal of Nuclear Medicine</i> , <b>2004</b> , 45, 1981-8	8.9	10
8	[ <sup>18</sup> F]fluorodeoxyglucose triple-head coincidence imaging as an adjunct to <sup>131</sup> I scanning for follow-up of papillary thyroid carcinoma. <i>Endocrine Practice</i> , <b>2003</b> , 9, 273-9	3.2	1
7	Scintimammography for the Diagnosis of Breast Cancer. <i>Journal of Women's Imaging</i> , <b>2002</b> , 4, 66-72		2
6	Postinfectious encephalitis: a coregistered SPECT and magnetic resonance imaging study. <i>Clinical Nuclear Medicine</i> , <b>2002</b> , 27, 129-30	1.7	3
5	Distribution of ventilation/perfusion ratios in pulmonary embolism: an adjunct to the interpretation of ventilation/perfusion lung scans. <i>Journal of Nuclear Medicine</i> , <b>2002</b> , 43, 1596-602	8.9	24
4	Assessment of ejection fraction with Tl-201 gated SPECT in myocardial infarction: Precision in a rest-redistribution study and accuracy versus planar angiography. <i>Journal of Nuclear Cardiology</i> , <b>2001</b> , 8, 31-9	2.1	19
3	Changes in cerebral metabolism are detected prior to perfusion changes in early HIV-CMC: A coregistered ( <sup>1</sup> H) MRS and SPECT study. <i>Journal of Magnetic Resonance Imaging</i> , <b>2000</b> , 12, 859-65	5.6	40
2	Optimization of aerosol deposition by pressure support in children with cystic fibrosis: an experimental and clinical study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2000</b> , 162, 2265-71	10.2	69
1	Shunt imaging in a complex congenital cardiomyopathy. <i>Clinical Nuclear Medicine</i> , <b>2000</b> , 25, 827-8	1.7	