

Marco Dal Molin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7938195/marco-dal-molin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22

papers

2,952

citations

16

h-index

23

g-index

23

ext. papers

3,693

ext. citations

11.6

avg, IF

4.06

L-index

#	Paper	IF	Citations
22	Bispecific antibodies targeting mutant neoantigens. <i>Science Immunology</i> , 2021 , 6,	28	42
21	Multiregion whole-exome sequencing of intraductal papillary mucinous neoplasms reveals frequent somatic mutations predominantly in low-grade regions. <i>Gut</i> , 2021 , 70, 928-939	19.2	14
20	Detection of Circulating Tumor DNA in Patients with Pancreatic Cancer Using Digital Next-Generation Sequencing. <i>Journal of Molecular Diagnostics</i> , 2020 , 22, 748-756	5.1	4
19	Intraductal Papillary Mucinous Neoplasms Arise From Multiple Independent Clones, Each With Distinct Mutations. <i>Gastroenterology</i> , 2019 , 157, 1123-1137.e22	13.3	40
18	A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	71
17	Detection and localization of surgically resectable cancers with a multi-analyte blood test. <i>Science</i> , 2018 , 359, 926-930	33.3	1204
16	Simple Detection of Telomere Fusions in Pancreatic Cancer, Intraductal Papillary Mucinous Neoplasm, and Pancreatic Cyst Fluid. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 46-55	5.1	8
15	A novel approach for selecting combination clinical markers of pathology applied to a large retrospective cohort of surgically resected pancreatic cysts. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2017 , 24, 145-152	8.6	24
14	Predicting the Grade of Dysplasia of Pancreatic Cystic Neoplasms Using Cyst Fluid DNA Methylation Markers. <i>Clinical Cancer Research</i> , 2017 , 23, 3935-3944	12.9	40
13	Synthetic vulnerabilities of mesenchymal subpopulations in pancreatic cancer. <i>Nature</i> , 2017 , 542, 362-366	50.4	70
12	Duodenal Involvement is an Independent Prognostic Factor for Patients with Surgically Resected Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2379-2386	3.1	8
11	Obstructive Sleep Apnea and Pathological Characteristics of Resected Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2016 , 11, e0164195	3.7	11
10	Glucagon-Like Peptide-1 Receptor Expression in Normal and Neoplastic Human Pancreatic Tissues. <i>Pancreas</i> , 2016 , 45, 613-9	2.6	1
9	Cyst Fluid Telomerase Activity Predicts the Histologic Grade of Cystic Neoplasms of the Pancreas. <i>Clinical Cancer Research</i> , 2016 , 22, 5141-5151	12.9	36
8	A combination of molecular markers and clinical features improve the classification of pancreatic cysts. <i>Gastroenterology</i> , 2015 , 149, 1501-10	13.3	286
7	Time to progression of pancreatic ductal adenocarcinoma from low-to-high tumour stages. <i>Gut</i> , 2015 , 64, 1783-9	19.2	113
6	Very Long-term Survival Following Resection for Pancreatic Cancer Is Not Explained by Commonly Mutated Genes: Results of Whole-Exome Sequencing Analysis. <i>Clinical Cancer Research</i> , 2015 , 21, 1944-50	12.9	62

5	Cyst fluid biomarkers for intraductal papillary mucinous neoplasms of the pancreas: a critical review from the international expert meeting on pancreatic branch-duct-intraductal papillary mucinous neoplasms. <i>Journal of the American College of Surgeons</i> , 2015 , 220, 243-53	4.4	50
4	A systematic review of solid-pseudopapillary neoplasms: are these rare lesions?. <i>Pancreas</i> , 2014 , 43, 331-7	6	206
3	Clinicopathological correlates of activating GNAS mutations in intraductal papillary mucinous neoplasm (IPMN) of the pancreas. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3802-8	3.1	127
2	Loss of expression of the SWI/SNF chromatin remodeling subunit BRG1/SMARCA4 is frequently observed in intraductal papillary mucinous neoplasms of the pancreas. <i>Human Pathology</i> , 2012 , 43, 585-9	7	48
1	Whole-exome sequencing of neoplastic cysts of the pancreas reveals recurrent mutations in components of ubiquitin-dependent pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 21188-93	11.5	484