

Eric Sh Lau

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7938292/eric-sh-lau-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

416
citations

11
h-index

20
g-index

37
ext. papers

607
ext. citations

7.9
avg, IF

3.13
L-index

#	Paper	IF	Citations
33	Premature mortality and comorbidities in young-onset diabetes: a 7-year prospective analysis. <i>American Journal of Medicine</i> , 2014 , 127, 616-24	2.4	80
32	Prospective study on the incidences of cardiovascular-renal complications in Chinese patients with young-onset type 1 and type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 149-57	14.6	70
31	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018 , 41, 1312-1320	14.6	41
30	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes: A Population-Based Cohort Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 145-154	8	31
29	A new tool to detect kidney disease in Chinese type 2 diabetes patients: comparison of EZSCAN with standard screening methods. <i>Diabetes Technology and Therapeutics</i> , 2011 , 13, 937-43	8.1	25
28	High risk for cardiovascular disease in Chinese type 2 diabetic patients with major depression--a 7-year prospective analysis of the Hong Kong Diabetes Registry. <i>Journal of Affective Disorders</i> , 2013 , 149, 129-35	6.6	24
27	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2019 , 42, 1042-1050	14.6	16
26	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2923	7.5	13
25	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020 , 43, 2257-2265	14.6	13
24	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016 , 89, 411-20	9.9	12
23	Familial young-onset diabetes, pre-diabetes and cardiovascular disease are associated with genetic variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014 , 9, e84770	3.7	12
22	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes: Prospective analysis of the Joint Asia Diabetes Evaluation Registry. <i>Medicine (United States)</i> , 2016 , 95, e5183	1.8	11
21	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018 , 10, 1561-1571	5.9	11
20	Development and validation of algorithms to classify type 1 and 2 diabetes according to age at diagnosis using electronic health records. <i>BMC Medical Research Methodology</i> , 2020 , 20, 35	4.7	8
19	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020 , 43, 2967-2974	14.6	8
18	Circulating branched-chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3253	7.5	6
17	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascular-renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3081	7.5	6

16	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study. <i>PLoS Medicine</i> , 2020 , 17, e1003316	11.6	5
15	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes- analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021 , 173, 108649	7.4	5
14	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021 , 64, 1760-1765	10.3	4
13	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021 , 64, 1990-2000	10.3	3
12	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 11, 100165	5	3
11	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 1312-1322	3.9	2
10	Risk associations of long-term HbA1c variability and obesity on cancer events and cancer-specific death in 15,286 patients with diabetes - A prospective cohort study.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 18, 100315	5	2
9	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 ,	4.5	2
8	Relative leucocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2021 , 65, 375	10.3	2
7	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis.. <i>Diabetes Care</i> , 2022 ,	14.6	1
6	Time-varying risk associations of renin angiotensin system inhibitors with pneumonia and related deaths in a cohort of 252,616 patients with diabetes (2002-2019).. <i>Diabetes Research and Clinical Practice</i> , 2022 , 185, 109233	7.4	0
5	Skin autofluorescence is associated with higher risk of cardiovascular events in Chinese adults with type 2 diabetes: A prospective cohort study from the Hong Kong Diabetes Biobank. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 108015	3.2	0
4	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study 2020 , 17, e1003316		
3	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study 2020 , 17, e1003316		
2	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study 2020 , 17, e1003316		
1	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study 2020 , 17, e1003316		