Michael J Lenardo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7939663/michael-j-lenardo-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24,462 64 142 147 h-index g-index citations papers 16.7 27,547 7.04 147 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
142	Congenital iRHOM2 deficiency causes ADAM17 dysfunction and environmentally directed immunodysregulatory disease <i>Nature Immunology</i> , 2022 , 23, 75-85	19.1	O
141	A Double-Blind, Placebo-Controlled, Crossover Study of Magnesium Supplementation in Patients with XMEN Disease. <i>Journal of Clinical Immunology</i> , 2021 , 1	5.7	5
140	Exome sequencing study in a clinical research setting finds general acceptance of study returning secondary genomic findings with little decisional conflict. <i>Journal of Genetic Counseling</i> , 2021 , 30, 766-7	73 ⁵	1
139	Homozygous mutation associated with infantile inflammatory bowel disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	6
138	CRISPR-targeted MAGT1 insertion restores XMEN patient hematopoietic stem cells and lymphocytes. <i>Blood</i> , 2021 ,	2.2	1
137	MAGT1 messenger RNA-corrected autologous T and natural killer cells for potential cell therapy in X-linked immunodeficiency with magnesium defect, Epstein-Barr virus infection and neoplasia disease. <i>Cytotherapy</i> , 2021 , 23, 203-210	4.8	3
136	Two patients with chronic mucocutaneous candidiasis caused by TRAF3IP2 deficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 148, 256-261.e2	11.5	3
135	NF-B Rel subunit exchange on a physiological timescale. <i>Protein Science</i> , 2021 , 30, 1818-1832	6.3	1
134	Broadly effective metabolic and immune recovery with C5 inhibition in CHAPLE disease. <i>Nature Immunology</i> , 2021 , 22, 128-139	19.1	8
133	A guide to cancer immunotherapy: from T cell basic science to clinical practice. <i>Nature Reviews Immunology</i> , 2020 , 20, 651-668	36.5	746
132	An Update on XMEN Disease. <i>Journal of Clinical Immunology</i> , 2020 , 40, 671-681	5.7	32
131	Extended clinical and immunological phenotype and transplant outcome in CD27 and CD70 deficiency. <i>Blood</i> , 2020 , 136, 2638-2655	2.2	32
130	HEM1 deficiency disrupts mTORC2 and F-actin control in inherited immunodysregulatory disease. <i>Science</i> , 2020 , 369, 202-207	33.3	36
129	Combined immune deficiencies (CIDs) 2020 , 207-268		1
128	Defective glycosylation and multisystem abnormalities characterize the primary immunodeficiency XMEN disease. <i>Journal of Clinical Investigation</i> , 2020 , 130, 507-522	15.9	42
127	Mg regulation of kinase signaling and immune function. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1828-1842	16.6	16
126	Development of immune checkpoint therapy for cancer. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1244-1254	16.6	81

125	Human interleukin-2 receptor Imutations associated with defects in immunity and peripheral tolerance. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1311-1327	16.6	41
124	F-BAR domain only protein 1 (FCHO1) deficiency is a novel cause of combined immune deficiency in human subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 2317-2321.e12	11.5	17
123	Magnesium transporter 1 (MAGT1) deficiency causes selective defects in linked glycosylation and expression of immune-response genes. <i>Journal of Biological Chemistry</i> , 2019 , 294, 13638-13656	5.4	30
122	Gene Editing and mRNA-Based Therapy: Two Complementary Therapeutic Approaches for the Treatment of Patients with Xmen Disease. <i>Blood</i> , 2019 , 134, 4637-4637	2.2	
121	Introduction: Continuing insights into the healthy and diseased immune system through human genetic investigation. <i>Immunological Reviews</i> , 2019 , 287, 5-8	11.3	0
120	Plasma magnesium is inversely associated with Epstein-Barr virus load in peripheral blood and Burkitt lymphoma in Uganda. <i>Cancer Epidemiology</i> , 2018 , 52, 70-74	2.8	10
119	RELA haploinsufficiency in CD4 lymphoproliferative disease with autoimmune cytopenias. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 1507-1510.e8	11.5	16
118	Clinical, Immunological, and Molecular Findings in Four Cases of B Cell Expansion With NF- B and T Cell Anergy Disease for the First Time From India. <i>Frontiers in Immunology</i> , 2018 , 9, 1049	8.4	15
117	Molecular Classification of Primary Immunodeficiencies of T Lymphocytes. <i>Advances in Immunology</i> , 2018 , 138, 99-193	5.6	5
116	STAT5B: A Differential Regulator of the Life and Death of CD4 Effector Memory T Cells. <i>Journal of Immunology</i> , 2018 , 200, 110-118	5.3	21
115	30 Years of NF-B: A Blossoming of Relevance to Human Pathobiology. Cell, 2017, 168, 37-57	56.2	952
114	Metabolically inactive insulin analogue does not prevent autoimmune diabetes in NOD mice. <i>Diabetologia</i> , 2017 , 60, 1475-1482	10.3	6
113	Restimulation-induced cell death: new medical and research perspectives. <i>Immunological Reviews</i> , 2017 , 277, 44-60	11.3	17
112	Combined immunodeficiency and Epstein-Barr virus-induced B cell malignancy in humans with inherited CD70 deficiency. <i>Journal of Experimental Medicine</i> , 2017 , 214, 91-106	16.6	111
111	Effective "activated PI3KI syndrome"-targeted therapy with the PI3KI nhibitor leniolisib. <i>Blood</i> , 2017 , 130, 2307-2316	2.2	153
110	CD55 Deficiency and Protein-Losing Enteropathy. New England Journal of Medicine, 2017 , 377, 1499-15	6 09 9.2	9
109	CD55 Deficiency, Early-Onset Protein-Losing Enteropathy, and Thrombosis. <i>New England Journal of Medicine</i> , 2017 , 377, 52-61	59.2	86
108	Large Deletion of MAGT1 Gene in a Patient with Classic Kaposi Sarcoma, CD4 Lymphopenia, and EBV Infection. <i>Journal of Clinical Immunology</i> , 2017 , 37, 32-35	5.7	26

107	Clinical and immunologic phenotype associated with activated phosphoinositide 3-kinase [] syndrome 2: Altohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 210-218.e9	11.5	163
106	Genomics of Immune Diseases and New Therapies. <i>Annual Review of Immunology</i> , 2016 , 34, 121-49	34.7	32
105	Mitochondrial Protein PGAM5 Regulates Mitophagic Protection against Cell Necroptosis. <i>PLoS ONE</i> , 2016 , 11, e0147792	3.7	78
104	Characterization of a genetically engineered mouse model of hemophilia A with complete deletion of the F8 gene. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 346-55	15.4	7
103	Clinical Genomics - Molecular Pathogenesis Revealed. New England Journal of Medicine, 2016, 375, 211	7- 3 9.19	_
102	Clinical utility gene card for: X-linked immunodeficiency with magnesium defect, Epstein-Barr virus infection, and neoplasia (XMEN). <i>European Journal of Human Genetics</i> , 2015 , 23,	5.3	4
101	AUTOIMMUNE DISEASE. Patients with LRBA deficiency show CTLA4 loss and immune dysregulation responsive to abatacept therapy. <i>Science</i> , 2015 , 349, 436-40	33.3	413
100	Identifying genetic determinants of autoimmunity and immune dysregulation. <i>Current Opinion in Immunology</i> , 2015 , 37, 28-33	7.8	8
99	Bill Paul: The heart of immunology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 14117-8	11.5	
98	Genomics is rapidly advancing precision medicine for immunological disorders. <i>Nature Immunology</i> , 2015 , 16, 1001-4	19.1	25
97	Novel diagnostic and therapeutic approaches for autoimmune diabetesa prime time to treat insulitis as a disease. <i>Clinical Immunology</i> , 2015 , 156, 109-18	9	5
96	JMML and RALD (Ras-associated autoimmune leukoproliferative disorder): common genetic etiology yet clinically distinct entities. <i>Blood</i> , 2015 , 125, 2753-8	2.2	65
95	Natural history of autoimmune lymphoproliferative syndrome associated with FAS gene mutations. <i>Blood</i> , 2014 , 123, 1989-99	2.2	161
94	Dominant-activating germline mutations in the gene encoding the PI(3)K catalytic subunit p110 result in T cell senescence and human immunodeficiency. <i>Nature Immunology</i> , 2014 , 15, 88-97	19.1	453
93	Monogenic Autoimmune Lymphoproliferative Syndromes 2014 , 695-709		
92	Genetic deficiency of the mitochondrial protein PGAM5 causes a ParkinsonS-like movement disorder. <i>Nature Communications</i> , 2014 , 5, 4930	17.4	87
91	Immune dysregulation in human subjects with heterozygous germline mutations in CTLA4. <i>Science</i> , 2014 , 345, 1623-1627	33.3	563
90	Divalent cation signaling in immune cells. <i>Trends in Immunology</i> , 2014 , 35, 332-44	14.4	37

(2010-2014)

89	Heterozygous splice mutation in PIK3R1 causes human immunodeficiency with lymphoproliferation due to dominant activation of PI3K. <i>Journal of Experimental Medicine</i> , 2014 , 211, 2537-47	16.6	170
88	Combined Immune Deficiencies 2014 , 143-169		1
87	Dual proteolytic pathways govern glycolysis and immune competence. <i>Cell</i> , 2014 , 159, 1578-90	56.2	42
86	XMEN disease: a new primary immunodeficiency affecting Mg2+ regulation of immunity against Epstein-Barr virus. <i>Blood</i> , 2014 , 123, 2148-52	2.2	119
85	X-linked immunodeficiency with magnesium defect, Epstein-Barr virus infection, and neoplasia disease: a combined immune deficiency with magnesium defect. <i>Current Opinion in Pediatrics</i> , 2014 , 26, 713-9	3.2	40
84	Molecular Basis of Cell Death Programs in Mature T Cell Homeostasis 2014 , 41-59		
83	Mg2+ regulates cytotoxic functions of NK and CD8 T cells in chronic EBV infection through NKG2D. <i>Science</i> , 2013 , 341, 186-91	33.3	202
82	A rapid ex vivo clinical diagnostic assay for fas receptor-induced T lymphocyte apoptosis. <i>Journal of Clinical Immunology</i> , 2013 , 33, 479-88	5.7	12
81	Programmed cell death in lymphocytes and associated disorders 2013 , 172-180		
80	Congenital B cell lymphocytosis explained by novel germline CARD11 mutations. <i>Journal of Experimental Medicine</i> , 2012 , 209, 2247-61	16.6	131
79	Second messenger role for Mg2+ revealed by human T-cell immunodeficiency. <i>Nature</i> , 2011 , 475, 471-6	50.4	368
78	The molecular mechanisms of regulatory T cell immunosuppression. <i>Frontiers in Immunology</i> , 2011 , 2, 60	8.4	32
77	Exposed hydrophobic residues in human immunodeficiency virus type 1 Vpr helix-1 are important for cell cycle arrest and cell death. <i>PLoS ONE</i> , 2011 , 6, e24924	3.7	8
76	Antibodies against insulin measured by electrochemiluminescence predicts insulitis severity and disease onset in non-obese diabetic mice and can distinguish human type 1 diabetes status. <i>Journal of Translational Medicine</i> , 2011 , 9, 203	8.5	17
75	CD4(+)CD25(+)Foxp3(+) regulatory T cells promote Th17 cells in vitro and enhance host resistance in mouse Candida albicans Th17 cell infection model. <i>Immunity</i> , 2011 , 34, 422-34	32.3	205
74	Loss of MAGT1 abrogates the Mg2+ flux required for T cell signaling and leads to a novel human primary immunodeficiency. <i>Magnesium Research</i> , 2011 , 24, S109-14	1.7	43
73	The power and the promise of restimulation-induced cell death in human immune diseases. <i>Immunological Reviews</i> , 2010 , 236, 68-82	11.3	79
72	Protein kinase A phosphorylation activates Vpr-induced cell cycle arrest during human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2010 , 84, 6410-24	6.6	26

71	Revised diagnostic criteria and classification for the autoimmune lymphoproliferative syndrome (ALPS): report from the 2009 NIH International Workshop. <i>Blood</i> , 2010 , 116, e35-40	2.2	329
70	Human genetic approaches to diseases of lymphocyte activation. <i>Immunologic Research</i> , 2009 , 43, 8-14	4.3	1
69	Casein kinase 1alpha governs antigen-receptor-induced NF-kappaB activation and human lymphoma cell survival. <i>Nature</i> , 2009 , 458, 92-6	50.4	109
68	Restimulation-induced apoptosis of T cells is impaired in patients with X-linked lymphoproliferative disease caused by SAP deficiency. <i>Journal of Clinical Investigation</i> , 2009 , 119, 2976-89	15.9	109
67	14-3-3 theta binding to cell cycle regulatory factors is enhanced by HIV-1 Vpr. <i>Biology Direct</i> , 2008 , 3, 17	7.2	18
66	Critical role for BIM in T cell receptor restimulation-induced death. <i>Biology Direct</i> , 2008 , 3, 34	7.2	34
65	The control of CD4+CD25+Foxp3+ regulatory T cell survival. <i>Biology Direct</i> , 2008 , 3, 6	7.2	65
64	Genetic defects of apoptosis and primary immunodeficiency. <i>Immunology and Allergy Clinics of North America</i> , 2008 , 28, 329-51, ix	3.3	26
63	Programmed cell death in lymphocytes 2008 , 225-234		
62	Essential role for caspase-8 in Toll-like receptors and NFkappaB signaling. <i>Journal of Biological Chemistry</i> , 2007 , 282, 7416-23	5.4	122
61	Dominant inhibition of Fas ligand-mediated apoptosis due to a heterozygous mutation associated with autoimmune lymphoproliferative syndrome (ALPS) Type Ib. <i>BMC Medical Genetics</i> , 2007 , 8, 41	2.1	59
60	CD4+CD25+Foxp3+ regulatory T cells induce cytokine deprivation-mediated apoptosis of effector CD4+ T cells. <i>Nature Immunology</i> , 2007 , 8, 1353-62	19.1	867
59	NRAS mutation causes a human autoimmune lymphoproliferative syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8953-8	11.5	186
58	Vpr cytopathicity independent of G2/M cell cycle arrest in human immunodeficiency virus type 1-infected CD4+ T cells. <i>Journal of Virology</i> , 2007 , 81, 8878-90	6.6	44
57	Ribosomal protein S3: a KH domain subunit in NF-kappaB complexes that mediates selective gene regulation. <i>Cell</i> , 2007 , 131, 927-39	56.2	254
56	Competitive control of independent programs of tumor necrosis factor receptor-induced cell death by TRADD and RIP1. <i>Molecular and Cellular Biology</i> , 2006 , 26, 3505-13	4.8	115
55	The Vif and Vpr accessory proteins independently cause HIV-1-induced T cell cytopathicity and cell cycle arrest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3369-74	11.5	92
54	Genetic disorders of programmed cell death in the immune system. <i>Annual Review of Immunology</i> , 2006 , 24, 321-52	34.7	158

(2002-2006)

53	Autophagic programmed cell death by selective catalase degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 4952-7	11.5	562
52	T helper 2 cellsSpreferred way to die. <i>Immunity</i> , 2006 , 25, 187-8	32.3	4
51	Requirement for caspase-8 in NF-kappaB activation by antigen receptor. <i>Science</i> , 2005 , 307, 1465-8	33.3	368
50	Lessons from autoimmune lymphoproliferative syndrome. <i>Drug Discovery Today Disease Mechanisms</i> , 2005 , 2, 495-502		2
49	Amelioration of inflammatory arthritis by targeting the pre-ligand assembly domain of tumor necrosis factor receptors. <i>Nature Medicine</i> , 2005 , 11, 1066-72	50.5	113
48	Analysis of human immunodeficiency virus cytopathicity by using a new method for quantitating viral dynamics in cell culture. <i>Journal of Virology</i> , 2005 , 79, 4025-32	6.6	16
47	Nonapoptotic HIV-Induced T Cell Death 2005 , 279-291		1
46	SPOTS: signaling protein oligomeric transduction structures are early mediators of death receptor-induced apoptosis at the plasma membrane. <i>Journal of Cell Biology</i> , 2004 , 167, 735-44	7.3	125
45	Ectopic T cell receptor expression causes B cell immunodeficiency in transgenic mice. <i>European Journal of Immunology</i> , 2004 , 34, 890-898	6.1	3
44	Regulation of an ATG7-beclin 1 program of autophagic cell death by caspase-8. <i>Science</i> , 2004 , 304, 1500)- 3 3.3	1105
	Molecular regulation of T lymphocyte homeostasis in the healthy and diseased immune system.		22
43	Immunologic Research, 2003 , 27, 387-98	4.3	33
43		4·3 5·4	353
	Immunologic Research, 2003, 27, 387-98 A role for tumor necrosis factor receptor-2 and receptor-interacting protein in programmed	5.4	
42	A role for tumor necrosis factor receptor-2 and receptor-interacting protein in programmed necrosis and antiviral responses. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51613-21	5.4	353
42 41	Immunologic Research, 2003, 27, 387-98 A role for tumor necrosis factor receptor-2 and receptor-interacting protein in programmed necrosis and antiviral responses. Journal of Biological Chemistry, 2003, 278, 51613-21 Cytopathic killing of peripheral blood CD4(+) T lymphocytes by human immunodeficiency virus type 1 appears necrotic rather than apoptotic and does not require env. Journal of Virology, 2002, 76, 5082-9 T cell receptor transgenic mice recognizing the immunodominant epitope of the Torpedo	5·4 9 <mark>6</mark> .6	353 75
42 41 40	A role for tumor necrosis factor receptor-2 and receptor-interacting protein in programmed necrosis and antiviral responses. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51613-21 Cytopathic killing of peripheral blood CD4(+) T lymphocytes by human immunodeficiency virus type 1 appears necrotic rather than apoptotic and does not require env. <i>Journal of Virology</i> , 2002 , 76, 5082-9 T cell receptor transgenic mice recognizing the immunodominant epitope of the Torpedo californica acetylcholine receptor. <i>European Journal of Immunology</i> , 2002 , 32, 2055-67 Pleiotropic defects in lymphocyte activation caused by caspase-8 mutations lead to human	5.4 3 .6 6.1	353 75 4
42 41 40 39	A role for tumor necrosis factor receptor-2 and receptor-interacting protein in programmed necrosis and antiviral responses. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51613-21 Cytopathic killing of peripheral blood CD4(+) T lymphocytes by human immunodeficiency virus type 1 appears necrotic rather than apoptotic and does not require env. <i>Journal of Virology</i> , 2002 , 76, 5082-9 T cell receptor transgenic mice recognizing the immunodominant epitope of the Torpedo californica acetylcholine receptor. <i>European Journal of Immunology</i> , 2002 , 32, 2055-67 Pleiotropic defects in lymphocyte activation caused by caspase-8 mutations lead to human immunodeficiency. <i>Nature</i> , 2002 , 419, 395-9 Death of CD4(+) T-cell lines caused by human immunodeficiency virus type 1 does not depend on	5.4 3 .6 6.1	353754568

35	Immunophenotypic profiles in families with autoimmune lymphoproliferative syndrome. <i>Blood</i> , 2001 , 98, 2466-73	2.2	111
34	Effective antigen-specific immunotherapy in the marmoset model of multiple sclerosis. <i>Journal of Immunology</i> , 2001 , 166, 2116-21	5.3	20
33	TcR-alpha/beta(+) CD4(-)CD8(-) T cells in humans with the autoimmune lymphoproliferative syndrome express a novel CD45 isoform that is analogous to murine B220 and represents a marker of altered O-glycan biosynthesis. <i>Clinical Immunology</i> , 2001 , 100, 314-24	9	78
32	The TNF and TNF receptor superfamilies: integrating mammalian biology. <i>Cell</i> , 2001 , 104, 487-501	56.2	2894
31	Inhibition of Fas-mediated apoptosis by the B cell antigen receptor through c-FLIP. <i>European Journal of Immunology</i> , 2000 , 30, 155-63	6.1	118
30	The multifaceted role of Fas signaling in immune cell homeostasis and autoimmunity. <i>Nature Immunology</i> , 2000 , 1, 469-74	19.1	350
29	TNF-alpha-induced secretion of C-C chemokines modulates C-C chemokine receptor 5 expression on peripheral blood lymphocytes. <i>Journal of Immunology</i> , 2000 , 164, 6180-7	5.3	53
28	Signaling by the TNF receptor superfamily and T cell homeostasis. <i>Immunity</i> , 2000 , 13, 419-22	32.3	168
27	A domain in TNF receptors that mediates ligand-independent receptor assembly and signaling. <i>Science</i> , 2000 , 288, 2351-4	33.3	695
26	Fas preassociation required for apoptosis signaling and dominant inhibition by pathogenic mutations. <i>Science</i> , 2000 , 288, 2354-7	33.3	553
25	Inhibition of Fas-mediated apoptosis by the B cell antigen receptor through c-FLIP 2000 , 30, 155		2
24	NF-kappaB regulates Fas/APO-1/CD95- and TCR- mediated apoptosis of T lymphocytes. <i>European Journal of Immunology</i> , 1999 , 29, 878-86	6.1	77
23	Mature T lymphocyte apoptosisimmune regulation in a dynamic and unpredictable antigenic environment. <i>Annual Review of Immunology</i> , 1999 , 17, 221-53	34.7	824
22	Autoimmune lymphoproliferative syndrome with defective Fas: genotype influences penetrance. <i>American Journal of Human Genetics</i> , 1999 , 64, 1002-14	11	168
21	Inherited human Caspase 10 mutations underlie defective lymphocyte and dendritic cell apoptosis in autoimmune lymphoproliferative syndrome type II. <i>Cell</i> , 1999 , 98, 47-58	56.2	535
20	NMR structure and mutagenesis of the FADD (Mort1) death-effector domain. <i>Nature</i> , 1998 , 392, 941-5	50.4	205
19	Cell death attenuation by \$Usurpin\$ a mammalian DED-caspase homologue that precludes caspase-8 recruitment and activation by the CD-95 (Fas, APO-1) receptor complex. <i>Cell Death and Differentiation</i> , 1998 , 5, 271-88	12.7	279
18	Selective induction of apoptosis in mature T lymphocytes by variant T cell receptor ligands. <i>Journal of Experimental Medicine</i> , 1998 , 187, 349-55	16.6	59

LIST OF PUBLICATIONS

17	Membrane oligomerization and cleavage activates the caspase-8 (FLICE/MACHalpha1) death signal. Journal of Biological Chemistry, 1998 , 273, 4345-9	5.4	294
16	HIV-1 directly kills CD4+ T cells by a Fas-independent mechanism. <i>Journal of Experimental Medicine</i> , 1998 , 187, 1113-22	16.6	166
15	Essential lymphocyte function associated 1 (LFA-1): intercellular adhesion molecule interactions for T cell-mediated B cell apoptosis by Fas/APO-1/CD95. <i>Journal of Experimental Medicine</i> , 1997 , 186, 1171-	- 6 ^{6.6}	45
14	The molecular regulation of lymphocyte apoptosis. Seminars in Immunology, 1997, 9, 1-5	10.7	67
13	Clinical, Immunologic, and Genetic Features of an Autoimmune Lymphoproliferative Syndrome Associated With Abnormal Lymphocyte Apoptosis. <i>Blood</i> , 1997 , 89, 1341-1348	2.2	317
12	Regulation of thymocyte development from immature progenitors. <i>Current Opinion in Immunology</i> , 1996 , 8, 215-24	7.8	145
11	Mature T lymphocyte apoptosis in the healthy and diseased immune system. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 406, 229-39	3.6	5
10	Induction of apoptosis in mature T cells by tumour necrosis factor. <i>Nature</i> , 1995 , 377, 348-51	50.4	1020
9	Antigen-induced programmed T cell death as a new approach to immune therapy. <i>Clinical Immunology and Immunopathology</i> , 1995 , 75, 13-9		37
8	Parameters controlling the programmed death of mature mouse T lymphocytes in high-dose suppression. <i>Cellular Immunology</i> , 1995 , 160, 71-8	4.4	30
7	Dominant interfering Fas gene mutations impair apoptosis in a human autoimmune lymphoproliferative syndrome. <i>Cell</i> , 1995 , 81, 935-46	56.2	1294
6	Autocrine feedback death and the regulation of mature T lymphocyte antigen responses. <i>International Reviews of Immunology</i> , 1995 , 13, 115-34	4.6	61
5	Amelioration of autoimmune reactions by antigen-induced apoptosis of T cells. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 383, 157-66	3.6	16
4	Propriocidal apoptosis of mature T lymphocytes occurs at S phase of the cell cycle. <i>European Journal of Immunology</i> , 1993 , 23, 1552-60	6.1	220
3	Interleukin-2 programs mouse alpha beta T lymphocytes for apoptosis. <i>Nature</i> , 1991 , 353, 858-61	50.4	923
2	The involvement of NF-kappa B in beta-interferon gene regulation reveals its role as widely inducible mediator of signal transduction. <i>Cell</i> , 1989 , 57, 287-94	56.2	484
1	Human immunodeficiency reveals GIMAP5 as lymphocyte-specific regulator of senescence		1