

Po-Hsun Huang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7939764/po-hsun-huang-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

2,379
citations

28
h-index

43
g-index

175
ext. papers

2,903
ext. citations

4.5
avg, IF

4.81
L-index

#	Paper	IF	Citations
162	Diabetes mellitus and the risk of Alzheimer disease: a nationwide population-based study. <i>PLoS ONE</i> , 2014 , 9, e87095	3.7	138
161	Matrix metalloproteinase-9 is essential for ischemia-induced neovascularization by modulating bone marrow-derived endothelial progenitor cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 1179-84	9.4	134
160	Intake of red wine increases the number and functional capacity of circulating endothelial progenitor cells by enhancing nitric oxide bioavailability. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 869-77	9.4	117
159	Matrix metalloproteinase-9 deficiency attenuates diabetic nephropathy by modulation of podocyte functions and dedifferentiation. <i>Kidney International</i> , 2014 , 86, 358-69	9.9	82
158	Increased circulating CD31+/annexin V+ apoptotic microparticles and decreased circulating endothelial progenitor cell levels in hypertensive patients with microalbuminuria. <i>Journal of Hypertension</i> , 2010 , 28, 1655-65	1.9	74
157	Nrf-2 mediated heme oxygenase-1 expression, an antioxidant-independent mechanism, contributes to anti-atherogenesis and vascular protective effects of Ginkgo biloba extract. <i>Atherosclerosis</i> , 2011 , 214, 301-9	3.1	72
156	High Incidence of Secondary Hyperparathyroidism in Bariatric Patients: Comparing Different Procedures. <i>Obesity Surgery</i> , 2018 , 28, 798-804	3.7	61
155	Endothelial progenitor cell dysfunction in cardiovascular diseases: role of reactive oxygen species and inflammation. <i>BioMed Research International</i> , 2013 , 2013, 845037	3	61
154	Indoxyl sulfate suppresses endothelial progenitor cell-mediated neovascularization. <i>Kidney International</i> , 2016 , 89, 574-85	9.9	57
153	Risks of Death and Stroke in Patients Undergoing Hemodialysis With New-Onset Atrial Fibrillation: A Competing-Risk Analysis of a Nationwide Cohort. <i>Circulation</i> , 2016 , 133, 265-72	16.7	56
152	Usefulness of attenuated heart rate recovery immediately after exercise to predict endothelial dysfunction in patients with suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2004 , 93, 10-3	3	55
151	Vascular endothelial function and circulating endothelial progenitor cells in patients with cardiac syndrome X. <i>Heart</i> , 2007 , 93, 1064-70	5.1	51
150	Inhibition of hypoxia inducible factor-1 α attenuates abdominal aortic aneurysm progression through the down-regulation of matrix metalloproteinases. <i>Scientific Reports</i> , 2016 , 6, 28612	4.9	49
149	Dysregulated miR-361-5p/VEGF axis in the plasma and endothelial progenitor cells of patients with coronary artery disease. <i>PLoS ONE</i> , 2014 , 9, e98070	3.7	48
148	Globular adiponectin improves high glucose-suppressed endothelial progenitor cell function through endothelial nitric oxide synthase dependent mechanisms. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 109-19	5.8	45
147	Enhanced coronary calcification determined by electron beam CT is strongly related to endothelial dysfunction in patients with suspected coronary artery disease. <i>Chest</i> , 2005 , 128, 810-5	5.3	44
146	Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: a nested case-control analysis. <i>Cardiovascular Diabetology</i> , 2016 , 15, 125	8.7	44

145	Statin Therapy Reduces Future Risk of Lower-Limb Amputation in Patients With Diabetes and Peripheral Artery Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2373-2381	5.6	43
144	Trimethylamine N-Oxide, Circulating Endothelial Progenitor Cells, and Endothelial Function in Patients with Stable Angina. <i>Scientific Reports</i> , 2019 , 9, 4249	4.9	40
143	Usefulness of the CHADS2 score for prognostic stratification of patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2014 , 114, 1309-14	3	40
142	Far infra-red therapy promotes ischemia-induced angiogenesis in diabetic mice and restores high glucose-suppressed endothelial progenitor cell functions. <i>Cardiovascular Diabetology</i> , 2012 , 11, 99	8.7	36
141	Simvastatin Attenuates Oxidative Stress, NF- κ B Activation, and Artery Calcification in LDLR ^{-/-} Mice Fed with High Fat Diet via Down-regulation of Tumor Necrosis Factor- α and TNF Receptor 1. <i>PLoS ONE</i> , 2015 , 10, e0143686	3.7	33
140	Moderate intake of red wine improves ischemia-induced neovascularization in diabetic mice--roles of endothelial progenitor cells and nitric oxide. <i>Atherosclerosis</i> , 2010 , 212, 426-35	3.1	31
139	The association of asthma and atrial fibrillation--a nationwide population-based nested case-control study. <i>International Journal of Cardiology</i> , 2014 , 176, 464-9	3.2	30
138	Coenzyme Q10 Attenuates High Glucose-Induced Endothelial Progenitor Cell Dysfunction through AMP-Activated Protein Kinase Pathways. <i>Journal of Diabetes Research</i> , 2016 , 2016, 6384759	3.9	30
137	Rivaroxaban, a factor Xa inhibitor, improves neovascularization in the ischemic hindlimb of streptozotocin-induced diabetic mice. <i>Cardiovascular Diabetology</i> , 2015 , 14, 81	8.7	29
136	Niacin improves ischemia-induced neovascularization in diabetic mice by enhancement of endothelial progenitor cell functions independent of changes in plasma lipids. <i>Angiogenesis</i> , 2012 , 15, 377-89	10.6	29
135	Circulating Fibroblast Growth Factor 21 is Associated with Diastolic Dysfunction in Heart Failure Patients with Preserved Ejection Fraction. <i>Scientific Reports</i> , 2016 , 6, 33953	4.9	28
134	Aspirin attenuates vinorelbine-induced endothelial inflammation via modulating SIRT1/AMPK axis. <i>Biochemical Pharmacology</i> , 2014 , 88, 189-200	6	28
133	Four-and-a-Half LIM Domains Protein 2 Is a Coactivator of Wnt Signaling in Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 3072-84	12.7	27
132	Combined use of endothelial function assessed by brachial ultrasound and high-sensitive C-reactive protein in predicting cardiovascular events. <i>Clinical Cardiology</i> , 2007 , 30, 135-40	3.3	26
131	High Uric Acid Ameliorates Indoxyl Sulfate-Induced Endothelial Dysfunction and Is Associated with Lower Mortality among Hemodialysis Patients. <i>Toxins</i> , 2017 , 9,	4.9	23
130	Heart rate recovery after exercise and endothelial function--two important factors to predict cardiovascular events. <i>Preventive Cardiology</i> , 2005 , 8, 167-70; quiz 171		23
129	Deletion of FHL2 gene impaired ischemia-induced blood flow recovery by modulating circulating proangiogenic cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 709-17	9.4	22
128	Association of variability in uric acid and future clinical outcomes of patient with coronary artery disease undergoing percutaneous coronary intervention. <i>Atherosclerosis</i> , 2020 , 297, 40-46	3.1	20

127	Dipeptidyl Peptidase-4 Inhibitors, Peripheral Arterial Disease, and Lower Extremity Amputation Risk in Diabetic Patients. <i>American Journal of Medicine</i> , 2017 , 130, 348-355	2.4	17
126	The impact of endothelial progenitor cells on restenosis after percutaneous angioplasty of hemodialysis vascular access. <i>PLoS ONE</i> , 2014 , 9, e101058	3.7	17
125	Association between Preoperative Nutritional Status and Clinical Outcomes of Patients with Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Nutrients</i> , 2020 , 12,	6.7	16
124	microRNA-483 ameliorates hypercholesterolemia by inhibiting PCSK9 production. <i>JCI Insight</i> , 2020 , 5,	9.9	16
123	Ginkgo biloba extract inhibits oxidized low-density lipoprotein (oxLDL)-induced matrix metalloproteinase activation by the modulation of the lectin-like oxLDL receptor 1-regulated signaling pathway in human umbilical vein endothelial cells. <i>Journal of Vascular Surgery</i> , 2016 , 63, 204-15.e1	3.5	15
122	Serum bilirubin levels predict future development of metabolic syndrome in healthy middle-aged nonsmoking men. <i>American Journal of Medicine</i> , 2015 , 128, 1138.e35-41	2.4	14
121	Decreased heparin cofactor II activity is associated with impaired endothelial function determined by brachial ultrasonography and predicts cardiovascular events. <i>International Journal of Cardiology</i> , 2007 , 114, 152-8	3.2	14
120	Pleiotropic Effects of Myocardial MMP-9 Inhibition to Prevent Ventricular Arrhythmia. <i>Scientific Reports</i> , 2016 , 6, 38894	4.9	14
119	Metabolic surgery ameliorates cardiovascular risk in obese diabetic patients: Influence of different surgical procedures. <i>Surgery for Obesity and Related Diseases</i> , 2018 , 14, 1832-1840	3	14
118	Systemic Inflammatory Response Syndrome is an Independent Predictor of One-Year Mortality in Patients with Acute Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 477-485	1.1	13
117	Lipid paradox in patients with acute myocardial infarction: Potential impact of malnutrition. <i>Clinical Nutrition</i> , 2019 , 38, 2311-2318	5.9	13
116	Magnolol Reduces Renal Ischemia and Reperfusion Injury via Inhibition of Apoptosis. <i>The American Journal of Chinese Medicine</i> , 2017 , 45, 1421-1439	6	12
115	CHADS2 score predicts risk of contrast-induced nephropathy in stable coronary artery disease patients undergoing percutaneous coronary interventions. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 501-9	3.2	12
114	Association between frailty and carotid intima media thickness and inflammatory marker in an elderly population. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 2449-2454	2.9	12
113	Usefulness of Circulating Decoy Receptor 3 in Predicting Coronary Artery Disease Severity and Future Major Adverse Cardiovascular Events in Patients With Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2015 , 116, 1028-33	3	12
112	Development of flexible electrochemical impedance spectroscopy-based biosensing platform for rapid screening of SARS-CoV-2 inhibitors. <i>Biosensors and Bioelectronics</i> , 2021 , 183, 113213	11.8	12
111	Obstructive sleep apnea and the risk of ischemic stroke in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2015 , 181, 144-6	3.2	11
110	Inhibition of Serine Protease Activity Protects Against High Fat Diet-Induced Inflammation and Insulin Resistance. <i>Scientific Reports</i> , 2020 , 10, 1725	4.9	11

109	Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. <i>Scientific Reports</i> , 2016 , 6, 26541	4.9	11
108	Prediction of vascular dementia and Alzheimer's disease in patients with atrial fibrillation or atrial flutter using CHADS2 score. <i>Journal of the Chinese Medical Association</i> , 2016 , 79, 470-6	2.8	11
107	Increased Circulating Visfatin Is Associated With Progression of Kidney Disease in Non-Diabetic Hypertensive Patients. <i>American Journal of Hypertension</i> , 2016 , 29, 528-36	2.3	10
106	Roles of the hypoximimic microRNA-424/322 in acute hypoxia and hypoxia-induced pulmonary vascular leakage. <i>FASEB Journal</i> , 2019 , 33, 12565-12575	0.9	10
105	Short-Term High-Salt Diet Increases Corin Level to Regulate the Salt-Water Balance in Humans and Rodents. <i>American Journal of Hypertension</i> , 2018 , 31, 253-260	2.3	10
104	Reduction of circulating endothelial progenitor cell level is associated with contrast-induced nephropathy in patients undergoing percutaneous coronary and peripheral interventions. <i>PLoS ONE</i> , 2014 , 9, e89942	3.7	10
103	Direct Renin Inhibition with Aliskiren Improves Ischemia-Induced Neovascularization in Diabetic Animals via the SDF-1 Related Mechanism. <i>PLoS ONE</i> , 2015 , 10, e0136627	3.7	10
102	Usefulness of the CHADS Score for Prognostic Stratification in Patients With Coronary Artery Disease Having Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2017 , 119, 839-844	3	9
101	The association between urinary calculi and increased risk of future cardiovascular events: A nationwide population-based study. <i>Journal of Cardiology</i> , 2016 , 67, 463-70	3	9
100	Circulating Fibroblast Growth Factor 21 is Associated with Subsequent Renal Injury Events in Patients Undergoing Coronary Angiography. <i>Scientific Reports</i> , 2018 , 8, 12425	4.9	9
99	Association of central pulse pressure with contrast-induced nephropathy and clinical outcomes in patients undergoing coronary intervention. <i>Journal of Hypertension</i> , 2013 , 31, 2187-94	1.9	9
98	GroEL1, a heat shock protein 60 of <i>Chlamydia pneumoniae</i> , impairs neovascularization by decreasing endothelial progenitor cell function. <i>PLoS ONE</i> , 2013 , 8, e84731	3.7	9
97	Usefulness of combined high-sensitive C-reactive protein and N-terminal-probrain natriuretic peptide for predicting cardiovascular events in patients with suspected coronary artery disease. <i>Coronary Artery Disease</i> , 2008 , 19, 187-93	1.4	9
96	Extensive pulmonary infiltration by leukemic blasts successfully treated with hydroxyurea--a case report. <i>Haematologia</i> , 2002 , 32, 87-91		9
95	Improvement in the sensitivity of newborn screening for Fabry disease among females through the use of a high-throughput and cost-effective method, DNA mass spectrometry. <i>Journal of Human Genetics</i> , 2018 , 63, 1-8	4.3	9
94	Fucoidan attenuates angiotensin II-induced abdominal aortic aneurysms through the inhibition of c-Jun N-terminal kinase and nuclear factor B activation. <i>Journal of Vascular Surgery</i> , 2018 , 68, 72S-81S.e13-5		8
93	The impact of chronic hepatitis B infection on major adverse cardiovascular events and all-cause mortality in patients with diabetes: a nationwide population-based study from Taiwan. <i>BMJ Open</i> , 2017 , 7, e016179	3	8
92	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and therapeutic target of an age-related hypertension endotype. <i>PLoS Biology</i> , 2020 , 18, e3000885	9.7	8

91	Effects of Cardiovascular Risk Factors on Endothelial Progenitor Cell. <i>Acta Cardiologica Sinica</i> , 2014 , 30, 375-81	1.1	8
90	Aliskiren directly improves endothelial progenitor cell function from Type II diabetic patients. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 544-54	4.6	8
89	Simvastatin pretreatment enhances ischemia-induced neovascularization and blood flow recovery in streptozotocin-treated mice. <i>Journal of Vascular Surgery</i> , 2016 , 64, 1112-1120.e1	3.5	8
88	Circulating TNFSF14 (Tumor Necrosis Factor Superfamily 14) Predicts Clinical Outcome in Patients With Stable Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 1240-1252	9.4	7
87	Gal-1 (Galectin-1) Upregulation Contributes to Abdominal Aortic Aneurysm Progression by Enhancing Vascular Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 331-345	9.4	7
86	The Association Between Serum Activin A Levels and Hypertension in the Elderly: A Cross-Sectional Analysis From I-Lan Longitudinal Aging Study. <i>American Journal of Hypertension</i> , 2018 , 31, 369-374	2.3	7
85	Fenofibrate Reverses Dysfunction of EPCs Caused by Chronic Heart Failure. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 158-170	3.3	7
84	Increased activin A levels in prediabetes and association with carotid intima-media thickness: a cross-sectional analysis from I-Lan Longitudinal Aging Study. <i>Scientific Reports</i> , 2018 , 8, 9957	4.9	7
83	Association between echocardiographic epicardial fat thickness and circulating endothelial progenitor cell level in patients with stable angina pectoris. <i>Clinical Cardiology</i> , 2017 , 40, 697-703	3.3	6
82	Novel Imaging Revealing Inner Dynamics for Cardiovascular Waveform Analysis via Unsupervised Manifold Learning. <i>Anesthesia and Analgesia</i> , 2020 , 130, 1244-1254	3.9	6
81	Higher post-acute myocardial infarction plasma haptoglobin level is associated with poor long-term overall survival. <i>International Journal of Cardiology</i> , 2017 , 229, 102-107	3.2	6
80	Chronic hyperuricemia impairs blood flow recovery in the ischemic hindlimb through suppression of endothelial progenitor cells. <i>Oncotarget</i> , 2018 , 9, 9285-9298	3.3	6
79	Gender difference in the association between TyG index and subclinical atherosclerosis: results from the I-Lan Longitudinal Aging Study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 206	8.7	6
78	Deletion of the FHL2 gene attenuates intima-media thickening in a partially ligated carotid artery ligated mouse model. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 160-173	5.6	6
77	Deficiency of circulating progenitor cells associated with vascular thrombosis of hemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 556-564	4.3	5
76	Increased circulating galectin-1 levels are associated with the progression of kidney function decline in patients undergoing coronary angiography. <i>Scientific Reports</i> , 2020 , 10, 1435	4.9	5
75	Indoxyl sulfate impairs valsartan-induced neovascularization. <i>Redox Biology</i> , 2020 , 30, 101433	11.3	5
74	Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> , 2016 , 39, e54-5	14.6	5

73	Identification of lysosomal and extralysosomal globotriaosylceramide (Gb3) accumulations before the occurrence of typical pathological changes in the endomyocardial biopsies of Fabry disease patients. <i>Genetics in Medicine</i> , 2019 , 21, 224-232	8.1	5
72	Clinical Application of Endothelial Progenitor Cell: Are We Ready?. <i>Acta Cardiologica Sinica</i> , 2013 , 29, 479-87	1.1	5
71	Sleep apnea and risk of aortic dissection: A nonrandomized, pair-matched cohort study. <i>Journal of the Chinese Medical Association</i> , 2016 , 79, 422-7	2.8	5
70	Usefulness of the CHADS2 Score for Determining Risk of Seizure in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2016 , 118, 1340-1344	3	5
69	Fenofibrate attenuates doxorubicin-induced cardiac dysfunction in mice via activating the eNOS/EPC pathway. <i>Scientific Reports</i> , 2021 , 11, 1159	4.9	5
68	Point of Care eGFR and the Prediction of Outcomes in Pneumonia. <i>Scientific Reports</i> , 2019 , 9, 8478	4.9	4
67	FHL2 mediates podocyte Rac1 activation and foot process effacement in hypertensive nephropathy. <i>Scientific Reports</i> , 2019 , 9, 6693	4.9	4
66	The level of circulating endothelial progenitor cell is associated with cerebral vasoreactivity: a pilot study. <i>BioMed Research International</i> , 2015 , 2015, 258279	3	4
65	Association of Serum Bilirubin with SYNTAX Score and Future Cardiovascular Events in Patients Undergoing Coronary Intervention. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 412-9	1.1	4
64	Intra-arterial injection of human adipose-derived stem cells improves viability of the random component of axial skin flaps in nude mice. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020 , 73, 598-607	1.7	4
63	Serum creatinine to cystatin C ratio is associated with major adverse cardiovascular events in patients with obstructive coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1509-1515	4.5	4
62	A potential diagnostic pitfall in acute chest pain: Massive pulmonary embolism mimicking acute STEMI. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 461-463	2.9	4
61	Serum Corin Level Is Associated With Subsequent Decline in Renal Function in Patients With Suspected Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	3
60	Genetic predictors of thiazide-induced serum potassium changes in nondiabetic hypertensive patients. <i>Hypertension Research</i> , 2014 , 37, 759-64	4.7	3
59	The influence of atrial fibrillation on the mortality of incident ESRD patients undergoing maintenance hemodialysis. <i>PLoS ONE</i> , 2020 , 15, e0228405	3.7	3
58	Paradox of trimethylamine-N-oxide, the impact of malnutrition on microbiota-derived metabolites and septic patients. <i>Journal of Intensive Care</i> , 2021 , 9, 65	7	3
57	Hemoglobin A1C Levels are Independently Associated with the Risk of Coronary Atherosclerotic Plaques in Patients without Diabetes: A Cross-Sectional Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 789-800	4	3
56	The relationship between circulating vitamin D3 and subclinical atherosclerosis in an elderly Asian population. <i>Scientific Reports</i> , 2020 , 10, 18704	4.9	3

55	MMP-9 Deletion Attenuates Arteriovenous Fistula Neointima through Reduced Perioperative Vascular Inflammation. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
54	The paradox of the glycemic gap: Does relative hypoglycemia exist in critically ill patients?. <i>Clinical Nutrition</i> , 2021 , 40, 4654-4661	5.9	3
53	Activation of heme oxygenase-1 by Ginkgo biloba extract differentially modulates endothelial and smooth muscle-like progenitor cells for vascular repair. <i>Scientific Reports</i> , 2019 , 9, 17316	4.9	3
52	Phorbol ester-induced angiogenesis of endothelial progenitor cells: The role of NADPH oxidase-mediated, redox-related matrix metalloproteinase pathways. <i>PLoS ONE</i> , 2019 , 14, e0209426	3.7	3
51	RAMP2-AS1 Regulates Endothelial Homeostasis and Aging. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 635307	5.7	3
50	Chlordiazepoxide-induced Stevens-Johnson syndrome. <i>Journal of the Chinese Medical Association</i> , 2005 , 68, 276-8	2.8	2
49	Rapid Resolution of Severe Myocardial Dysfunction in a Patient with Rheumatoid Arthritis by Intravenous Immunoglobulin and Steroid Treatment. <i>Acta Cardiologica Sinica</i> , 2014 , 30, 570-3	1.1	2
48	Galectin-1 is associated with the severity of coronary artery disease and adverse cardiovascular events in patients undergoing coronary angiography. <i>Scientific Reports</i> , 2020 , 10, 20683	4.9	2
47	Effects of cardiovascular medications on primary patency of hemodialysis arteriovenous fistula. <i>Scientific Reports</i> , 2020 , 10, 12135	4.9	2
46	Significance of serum FGF-23 for risk assessment of contrast-associated acute kidney injury and clinical outcomes in patients undergoing coronary angiography. <i>PLoS ONE</i> , 2021 , 16, e0254835	3.7	2
45	Hypertension subtypes modify metabolic response to thiazide diuretics. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 80-91	4.6	2
44	Study protocol for a prospective observational study to investigate the role of luminal pressure on arteriovenous fistula maturation. <i>Medicine (United States)</i> , 2019 , 98, e17238	1.8	2
43	Serum PCSK6 and corin levels are not associated with cardiovascular outcomes in patients undergoing coronary angiography. <i>PLoS ONE</i> , 2019 , 14, e0226129	3.7	2
42	Renal protective effect of sacubitril/valsartan in patients with heart failure. <i>Scientific Reports</i> , 2021 , 11, 4593	4.9	2
41	The ratio of AGE to sRAGE independently associated with albuminuria in hypertensive patients. <i>BMC Endocrine Disorders</i> , 2018 , 18, 84	3.3	2
40	Fibroblast growth factor 21 reverses high-fat diet-induced impairment of vascular function via the anti-oxidative pathway in ApoE knockout mice.. <i>Journal of Cellular and Molecular Medicine</i> , 2022 ,	5.6	2
39	Circulating Activin A Is a Surrogate for the Incidence of Diastolic Dysfunction and Heart Failure in Patients With Preserved Ejection Fraction. <i>Circulation Journal</i> , 2019 , 83, 1514-1519	2.9	1
38	Microbial etiology of pneumonia in patients with decreased renal function. <i>PLoS ONE</i> , 2019 , 14, e0216367	3.7	1

37	Oral Charcoal Adsorbents Attenuate Neointima Formation of Arteriovenous Fistulas. <i>Toxins</i> , 2020 , 12,	4.9	1
36	Sleeve Gastrectomy in Mice using Surgical Clips. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	1
35	Baseline Serum Aldosterone-to-Renin Ratio is Associated with the Add-on Effect of Thiazide Diuretics in Non-Diabetic Essential Hypertensives. <i>Acta Cardiologica Sinica</i> , 2013 , 29, 37-48	1.1	1
34	Deficiency of Endothelial Progenitor Cells Associates with Graft Thrombosis in Patients Undergoing Endovascular Therapy of Dysfunctional Dialysis Grafts. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 81-91	1.1	1
33	Prediction of Masked Hypertension and Masked Uncontrolled Hypertension Using Machine Learning. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 778306	5.4	1
32	Association between phosphate and long-term outcome in CAD patients underwent coronary intervention. <i>Scientific Reports</i> , 2021 , 11, 20080	4.9	1
31	Sex difference in sympathetic nervous system activity and blood pressure in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 137-146	2.3	1
30	Parathyroid Hormone Induces Transition of Myofibroblasts in Arteriovenous Fistula and Increases Maturation Failure. <i>Endocrinology</i> , 2021 , 162,	4.8	1
29	Optimal blood pressure for patients with end-stage renal disease following coronary interventions. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1622-1630	2.3	1
28	Associations between increased circulating endothelial progenitor cell levels and anxiety/depressive severity, cognitive deficit and function disability among patients with major depressive disorder. <i>Scientific Reports</i> , 2021 , 11, 18221	4.9	1
27	Targeting mechanosensitive endothelial TXNDC5 to stabilize eNOS and reduce atherosclerosis in vivo.. <i>Science Advances</i> , 2022 , 8, eabl8096	14.3	0
26	Inhibition of Eatenin signaling attenuates arteriovenous fistula thickening in mice by suppressing myofibroblasts.. <i>Molecular Medicine</i> , 2022 , 28, 7	6.2	0
25	Appropriate Use of Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Inhibitors for Atherosclerotic Cardiovascular Disease: Comparison of Recommendations from Different Guidelines or Consensus Around the World. <i>Acta Cardiologica Sinica</i> , 2020 , 36, 403-408	1.1	0
24	Premorbid β-selective (but not non-selective) β-blocker exposure reduces intensive care unit mortality among septic patients. <i>Journal of Intensive Care</i> , 2021 , 9, 40	7	0
23	An oral absorbent, AST-120, restores vascular growth and blood flow in ischemic muscles in diabetic mice via modulation of macrophage transition. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 155, 99-110	5.8	0
22	Agreement Between Invasive Wire-Based and Angiography-Based Vessel Fractional Flow Reserve Assessment on Intermediate Coronary Stenoses. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 707454	5.4	0
21	Sitagliptin attenuates arterial calcification by downregulating oxidative stress-induced receptor for advanced glycation end products in LDLR knockout mice. <i>Scientific Reports</i> , 2021 , 11, 17851	4.9	0
20	Elevated serum galectin-1 concentrations are associated with increased risks of mortality and acute kidney injury in critically ill patients. <i>PLoS ONE</i> , 2021 , 16, e0257558	3.7	0

19	Levels of circulating endothelial progenitor cells inversely correlate with manic and positive symptom severity in patients with bipolar disorder.. <i>Brain and Behavior</i> , 2022 , e2570	3.4	o
18	Serum Activin A Levels and Renal Outcomes After Coronary Angiography. <i>Scientific Reports</i> , 2020 , 10, 3365	4.9	
17	A Narrative Review and Expert Panel Recommendations on Dyslipidaemia Management After Acute Coronary Syndrome in Countries Outside Western Europe and North America. <i>Advances in Therapy</i> , 2020 , 37, 1754-1777	4.1	
16	Response to Comment on Yang et al. Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> 2016;39:e54-e55. <i>Diabetes Care</i> , 2016 , 39, e161-2	14.6	
15	The association between serum activin A levels and albuminuria among community-dwelling middle-aged and older adults in Taiwan. <i>Scientific Reports</i> , 2021 , 11, 20032	4.9	
14	Associations of antithrombotic agent use with clinical outcomes in critically ill patients with Troponin I elevation in the absence of acute coronary syndrome. <i>PLoS ONE</i> , 2020 , 15, e0233178	3.7	
13	Risk of ischemic stroke in patients with end-stage renal disease receiving peritoneal dialysis with new-onset atrial fibrillation. <i>Journal of the Chinese Medical Association</i> , 2020 , 83, 1066-1070	2.8	
12	Reply letter to the editor metabolic surgery ameliorates cardiovascular risk in obese diabetic patients: influence of different surgical procedures. <i>Surgery for Obesity and Related Diseases</i> , 2019 , 15, 353-354	3	
11	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
10	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
9	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
8	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
7	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
6	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
5	NOX5-induced uncoupling of endothelial NO synthase is a causal mechanism and theragnostic target of an age-related hypertension endotype 2020 , 18, e3000885		
4	Associations of antithrombotic agent use with clinical outcomes in critically ill patients with troponin I elevation in the absence of acute coronary syndrome 2020 , 15, e0233178		
3	Associations of antithrombotic agent use with clinical outcomes in critically ill patients with troponin I elevation in the absence of acute coronary syndrome 2020 , 15, e0233178		
2	Associations of antithrombotic agent use with clinical outcomes in critically ill patients with troponin I elevation in the absence of acute coronary syndrome 2020 , 15, e0233178		

- 1 Associations of antithrombotic agent use with clinical outcomes in critically ill patients with troponin I elevation in the absence of acute coronary syndrome **2020**, 15, e0233178