

Anders Grntved

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7939768/anders-grontved-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,760
citations

26
h-index

51
g-index

83
ext. papers

3,349
ext. citations

6
avg, IF

5.27
L-index

#	Paper	IF	Citations
77	Validity of Estimating the Maximal Oxygen Consumption by Consumer Wearables: A Systematic Review with Meta-analysis and Expert Statement of the INTERLIVE Network.. <i>Sports Medicine</i> , 2022 , 1	10.6	2
76	Recommendations for Determining the Validity of Consumer Wearables and Smartphones for the Estimation of Energy Expenditure: Expert Statement and Checklist of the INTERLIVE Network.. <i>Sports Medicine</i> , 2022 , 1	10.6	3
75	Maintenance of physical activity after cardiac rehabilitation (FAIR): study protocol for a feasibility trial.. <i>BMJ Open</i> , 2022 , 12, e060157	3	
74	Recommendations for determining the validity of consumer wearable and smartphone step count: expert statement and checklist of the INTERLIVE network. <i>British Journal of Sports Medicine</i> , 2021 , 55, 780-793	10.3	15
73	Feasibility of home-based sampling of salivary cortisol and cortisone in healthy adults. <i>BMC Research Notes</i> , 2021 , 14, 406	2.3	0
72	Feasibility of two screen media reduction interventions: Results from the SCREENS pilot trial. <i>PLoS ONE</i> , 2021 , 16, e0259657	3.7	0
71	Cross-sectional and prospective associations of sleep duration and bedtimes with adiposity and obesity risk in 15 810 youth from 11 international cohorts. <i>Pediatric Obesity</i> , 2021 , e12873	4.6	0
70	Recreational screen media use in Danish school-aged children and the role of parental education, family structures, and household screen media rules.. <i>Preventive Medicine</i> , 2021 , 155, 106908	4.3	1
69	Fitness, Fatness, and Mortality in Men and Women From the UK Biobank: Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e019605	6	5
68	Resemblance in Physical Activity in Families with Children in Time Segments during the Week: The Lolland-Falster Health Study. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 2283-2289	1.2	
67	Screen-based media use and blood pressure in preschool-aged children: A prospective study in the Odense Child Cohort. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 495-502	3	1
66	Recommendations for determining the validity of consumer wearable heart rate devices: expert statement and checklist of the INTERLIVE Network. <i>British Journal of Sports Medicine</i> , 2021 , 55, 767-779	10.3	18
65	Prenatal Exposure to Butyl Paraben Is Associated With Fat Percentage in 7-Year-Old Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2633-e2638	5.6	0
64	Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes: The European Prospective Investigation Into Cancer and Nutrition (EPIC) Study. <i>JAMA Internal Medicine</i> , 2021 , 181, 1196-1205	11.5	3
63	Exposure to perfluoroalkylated substances (PFAS) in relation to fitness, physical activity, and adipokine levels in childhood: The european youth heart study. <i>Environmental Research</i> , 2020 , 191, 110110	7.0	7
62	Association between parent and child physical activity: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 67	8.4	21
61	The development of a questionnaire to assess leisure time screen-based media use and its proximal correlates in children (SCREENS-Q). <i>BMC Public Health</i> , 2020 , 20, 664	4.1	8

60	Variations in accelerometry measured physical activity and sedentary time across Europe - harmonized analyses of 47,497 children and adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 38	8.4	71
59	Short-term efficacy of reducing screen media use on physical activity, sleep, and physiological stress in families with children aged 4-14: study protocol for the SCREENS randomized controlled trial. <i>BMC Public Health</i> , 2020 , 20, 380	4.1	9
58	Higher circulating plasma polychlorinated biphenyls (PCBs) in fit and lean children: The European youth heart study. <i>Environment International</i> , 2020 , 136, 105481	12.9	11
57	Response to correspondence ENVINT_2020_552 "Can habitual exercise really increase serum concentrations of persistent organic pollutants?". <i>Environment International</i> , 2020 , 140, 105616	12.9	
56	Three times as much physical education reduced the risk of children being overweight or obese after 5 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 595-601	3.1	6
55	Simple Method for the Objective Activity Type Assessment with Preschoolers, Children and Adolescents. <i>Children</i> , 2020 , 7,	2.8	6
54	Resemblance in accelerometer-assessed physical activity in families with children: the Lolland-Falster Health Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 161	8.4	5
53	Association of high amounts of physical activity with mortality risk: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1195-1201	10.3	21
52	Cardiorespiratory fitness, muscular strength and risk of type 2 diabetes: a systematic review and meta-analysis. <i>Diabetologia</i> , 2019 , 62, 1129-1142	10.3	58
51	Bicycling for Transportation and Recreation in Cardiovascular Disease Prevention. <i>Current Cardiovascular Risk Reports</i> , 2019 , 13, 1	0.9	
50	Plasma proatrial natriuretic peptide associates with lipid oxidation during exercise and cardiorespiratory fitness in healthy young adults. <i>Peptides</i> , 2019 , 122, 170156	3.8	2
49	Association of copeptin, a surrogate marker for arginine vasopressin secretion, with insulin resistance: Influence of adolescence and psychological stress. <i>Peptides</i> , 2019 , 115, 8-14	3.8	5
48	Muscle Fitness Changes During Childhood Associates With Improvements in Cardiometabolic Risk Factors: A Prospective Study. <i>Journal of Physical Activity and Health</i> , 2019 , 16, 108-115	2.5	4
47	Insulin sensitivity is reduced in children with high body-fat regardless of BMI. <i>International Journal of Obesity</i> , 2018 , 42, 985-994	5.5	1
46	Changes in Cycling and Incidence of Overweight and Obesity among Danish Men and Women. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1413-1421	1.2	5
45	Physical activity intensity, bout-duration, and cardiometabolic risk markers in children and adolescents. <i>International Journal of Obesity</i> , 2018 , 42, 1639-1650	5.5	58
44	Protocol for evaluating the impact of a national school policy on physical activity levels in Danish children and adolescents: the PHASAR study - a natural experiment. <i>BMC Public Health</i> , 2018 , 18, 1245	4.1	8
43	Classroom-based physical activity improves children's math achievement - A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0208787	3.7	19

42	Prevalence of overweight and obesity and anthropometric reference centiles for Albanian children and adolescents living in four Balkan nation-states. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2018 , 31, 1199-1206	1.6	5
41	Associations Between Changes in Cycling and All-Cause Mortality Risk. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 615-623	6.1	8
40	Symptoms of depression in young adulthood is associated with unfavorable clinical- and behavioral cardiovascular disease risk factors. <i>Preventive Medicine Reports</i> , 2018 , 11, 209-215	2.6	15
39	Associations of Proatrial Natriuretic Peptide with Components of the Metabolic Syndrome in Adolescents and Young Adults from the General Population. <i>American Journal of Hypertension</i> , 2017 , 30, 561-568	2.3	10
38	Associations of Vigorous-Intensity Physical Activity with Biomarkers in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 1366-1374	1.2	16
37	Physical Activity and Sedentary Time Associations with Metabolic Health Across Weight Statuses in Children and Adolescents. <i>Obesity</i> , 2017 , 25, 1762-1769	8	26
36	The Prospective Association of Organized Sports Participation With Cardiovascular Disease Risk in Children (the CHAMPS Study-DK). <i>Mayo Clinic Proceedings</i> , 2017 , 92, 57-65	6.4	25
35	Prospective Study of Bicycling and Risk of Coronary Heart Disease in Danish Men and Women. <i>Circulation</i> , 2016 , 134, 1409-1411	16.7	20
34	Associations between Recreational and Commuter Cycling, Changes in Cycling, and Type 2 Diabetes Risk: A Cohort Study of Danish Men and Women. <i>PLoS Medicine</i> , 2016 , 13, e1002076	11.6	36
33	A Comparison between BMI, Waist Circumference, and Waist-To-Height Ratio for Identifying Cardio-Metabolic Risk in Children and Adolescents. <i>PLoS ONE</i> , 2016 , 11, e0149351	3.7	101
32	Bicycling to Work and Primordial Prevention of Cardiovascular Risk: A Cohort Study Among Swedish Men and Women. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	31
31	Rationale and design of a randomized controlled trial examining the effect of classroom-based physical activity on math achievement. <i>BMC Public Health</i> , 2016 , 16, 304	4.1	16
30	Age-related patterns of vigorous-intensity physical activity in youth: The International Children's Accelerometry Database. <i>Preventive Medicine Reports</i> , 2016 , 4, 17-22	2.6	62
29	Physical activity, sedentary behavior, and long-term cardiovascular risk in young people: A review and discussion of methodology in prospective studies. <i>Journal of Sport and Health Science</i> , 2016 , 5, 145-150	8.2	20
28	Longitudinal Associations of Exposure to Perfluoroalkylated Substances in Childhood and Adolescence and Indicators of Adiposity and Glucose Metabolism 6 and 12 Years Later: The European Youth Heart Study. <i>Diabetes Care</i> , 2016 , 39, 1745-51	14.6	63
27	Moderate-and-vigorous physical activity from adolescence to adulthood and subclinical atherosclerosis in adulthood: prospective observations from the European Youth Heart Study. <i>British Journal of Sports Medicine</i> , 2015 , 49, 107-12	10.3	30
26	Contribution of common non-synonymous variants in PCSK1 to body mass index variation and risk of obesity: a systematic review and meta-analysis with evidence from up to 331 175 individuals. <i>Human Molecular Genetics</i> , 2015 , 24, 3582-94	5.6	34
25	A prospective study of screen time in adolescence and depression symptoms in young adulthood. <i>Preventive Medicine</i> , 2015 , 81, 108-13	4.3	34

24	Substituting sugar-sweetened beverages with water or milk is inversely associated with body fatness development from childhood to adolescence. <i>Nutrition</i> , 2015 , 31, 38-44	4.8	48
23	Muscle strength in youth and cardiovascular risk in young adulthood (the European Youth Heart Study). <i>British Journal of Sports Medicine</i> , 2015 , 49, 90-4	10.3	77
22	A new approach to define and diagnose cardiometabolic disorder in children. <i>Journal of Diabetes Research</i> , 2015 , 2015, 539835	3.9	69
21	Mid-regional pro-atrial natriuretic peptide and blood pressure in adolescents: effect of gender and pubertal stage. <i>Blood Pressure</i> , 2015 , 24, 347-52	1.7	7
20	Associations between Exposure to Persistent Organic Pollutants in Childhood and Overweight up to 12 Years Later in a Low Exposed Danish Population. <i>Obesity Facts</i> , 2015 , 8, 282-92	5.1	14
19	Adiposity and glycemic control in children exposed to perfluorinated compounds. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E608-14	5.6	47
18	Polychlorinated biphenyl exposure and glucose metabolism in 9-year-old Danish children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2643-51	5.6	23
17	Muscle-strengthening and conditioning activities and risk of type 2 diabetes: a prospective study in two cohorts of US women. <i>PLoS Medicine</i> , 2014 , 11, e1001587	11.6	94
16	Associations between objectively measured physical activity intensity in childhood and measures of subclinical cardiovascular disease in adolescence: prospective observations from the European Youth Heart Study. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1502-7	10.3	31
15	Youth screen-time behaviour is associated with cardiovascular risk in young adulthood: the European Youth Heart Study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 49-56	3.9	60
14	Maternal mortality among migrants in Western Europe: a meta-analysis. <i>Maternal and Child Health Journal</i> , 2014 , 18, 1628-38	2.4	18
13	Between-school variation in physical activity, aerobic fitness, and organized sports participation: a multi-level analysis. <i>Journal of Sports Sciences</i> , 2013 , 31, 188-95	3.6	10
12	Independent and combined association of muscle strength and cardiorespiratory fitness in youth with insulin resistance and β cell function in young adulthood: the European Youth Heart Study. <i>Diabetes Care</i> , 2013 , 36, 2575-81	14.6	57
11	Screen time viewing behaviors and isometric trunk muscle strength in youth. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1975-80	1.2	6
10	Achievement of public health recommendations for physical activity and prevention of gains in adiposity in adults. <i>Obesity</i> , 2013 , 21, 2421	8	
9	Cycling to school is associated with lower BMI and lower odds of being overweight or obese in a large population-based study of Danish adolescents. <i>Journal of Physical Activity and Health</i> , 2012 , 9, 617-25	2.5	43
8	A prospective study of weight training and risk of type 2 diabetes mellitus in men. <i>Archives of Internal Medicine</i> , 2012 , 172, 1306-12		117
7	Association between plasma leptin and blood pressure in two population-based samples of children and adolescents. <i>Journal of Hypertension</i> , 2011 , 29, 1093-100	1.9	25

6	Television viewing and risk of type 2 diabetes, cardiovascular disease, and all-cause mortality: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 2448-55	27.4	598
5	Obesity-susceptibility loci have a limited influence on birth weight: a meta-analysis of up to 28,219 individuals. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 851-60	7	50
4	NOS3 variants, physical activity, and blood pressure in the European Youth Heart Study. <i>American Journal of Hypertension</i> , 2011 , 24, 444-50	2.3	9
3	Physical activity attenuates the influence of FTO variants on obesity risk: a meta-analysis of 218,166 adults and 19,268 children. <i>PLoS Medicine</i> , 2011 , 8, e1001116	11.6	379
2	Cardiovascular disease risk factors and blood pressure response during exercise in healthy children and adolescents: the European Youth Heart Study. <i>Journal of Applied Physiology</i> , 2010 , 109, 1125-32	3.7	19
1	Personal characteristics and demographic factors associated with objectively measured physical activity in children attending preschool. <i>Pediatric Exercise Science</i> , 2009 , 21, 209-19	2	29