

# Takuma Yasuda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7940604/publications.pdf>

Version: 2024-02-01

142  
papers

11,424  
citations

24978

57  
h-index

30010

103  
g-index

143  
all docs

143  
docs citations

143  
times ranked

7654  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ester-functionalized thermally activated delayed fluorescence materials. <i>Journal of Materials Chemistry C</i> , 2022, 10, 4574-4578.	2.7	1
2	Achieving Ultimate Narrowband and Ultrapure Blue Organic Light-Emitting Diodes Based on Polycyclohexatriene Resonance Delayed Fluorescence Emitters. <i>Advanced Materials</i> , 2022, 34, e2107951.	11.1	133
3	Axially chiral 1,1-bicarbazolyls with near-ultraviolet circularly polarized luminescence. <i>Chemical Communications</i> , 2022, 58, 4849-4852.	2.2	3
4	Blue Thermally Activated Delayed Fluorescence with Sub-Microsecond Short Exciton Lifetimes: Acceleration of Triplet-Singlet Spin Interconversion via Quadrupolar Charge-Transfer States. <i>Advanced Optical Materials</i> , 2022, 10, .	3.6	11
5	Ultrafast Triplet-Singlet Exciton Interconversion in Narrowband Blue Organoboron Emitters Doped with Heavy Chalcogens. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	16
6	Ultrafast Triplet-Singlet Exciton Interconversion in Narrowband Blue Organoboron Emitters Doped with Heavy Chalcogens. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	80
7	Regiocontrolled synthesis of ester-functionalized polythiophenes via direct arylation polycondensation. <i>Polymer Journal</i> , 2021, 53, 403-408.	1.3	2
8	Phenyl-triggered photophysical switching between normal fluorescence and delayed fluorescence in phthalonitrile-based luminophores. <i>Aggregate</i> , 2021, 2, 145-150.	5.2	16
9	<i>cis</i> -Quinacridone-Based Delayed Fluorescence Emitters: Seemingly Old but Renewed Functional Luminogens. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7643-7648.	7.2	74
10	Thermal equilibration between singlet and triplet excited states in organic fluorophore for submicrosecond delayed fluorescence. <i>Science Advances</i> , 2021, 7, .	4.7	79
11	<i>cis</i> -Quinacridone-Based Delayed Fluorescence Emitters: Seemingly Old but Renewed Functional Luminogens. <i>Angewandte Chemie</i> , 2021, 133, 7721-7726.	1.6	16
12	Alternating Donor-Acceptor Conjugated Macrocycle Exhibiting Efficient Thermally Activated Delayed Fluorescence and Spontaneous Horizontal Molecular Orientation. <i>Advanced Photonics Research</i> , 2021, 2, 2100021.	1.7	14
13	Regulation of Multicolor Fluorescence Changes Found in Donor-Acceptor Type Mechanochromic Fluorescent Dyes. <i>Chemistry - an Asian Journal</i> , 2021, 16, 2136-2145.	1.7	12
14	Fused Noncyclic Multi-Resonance Delayed Fluorescence Emitter Based on Ladder-Phthalazine Exhibiting Narrowband Sky-Blue Emission with Accelerated Reverse Intersystem Crossing. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20280-20285.	7.2	144
15	Fused Noncyclic Multi-Resonance Delayed Fluorescence Emitter Based on Ladder-Phthalazine Exhibiting Narrowband Sky-Blue Emission with Accelerated Reverse Intersystem Crossing. <i>Angewandte Chemie</i> , 2021, 133, 20442-20447.	1.6	41
16	Deep-Blue OLEDs Based on Organoboron-Phenazasiline-Hybrid Delayed Fluorescence Emitters Concurrently Achieving 30% External Quantum Efficiency and Small Efficiency Roll-Off. <i>Advanced Optical Materials</i> , 2021, 9, 2101282.	3.6	32
17	Wide-Range Color Tuning of Narrowband Emission in Multi-Resonance Organoboron Delayed Fluorescence Materials through Rational Imine/Amine Functionalization. <i>Angewandte Chemie</i> , 2021, 133, 23326-23331.	1.6	35
18	Wide-Range Color Tuning of Narrowband Emission in Multi-Resonance Organoboron Delayed Fluorescence Materials through Rational Imine/Amine Functionalization. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 23142-23147.	7.2	156

#	ARTICLE	IF	CITATIONS
19	An S-shaped thienoacene semiconductor forming unique cruciform lamellar packing <i>via</i> a 2D interaction network of $\pi$ -stacking and chalcogen bonding. <i>Journal of Materials Chemistry C</i> , 2021, 9, 13090-13093.	2.7	3
20	U-shaped Heteroacenes Embedded with Heavy Chalcogen Atoms: Unique Bilayer Self-Organization of Crooked $\pi$ -Cores Enabling Efficient Charge Transport. <i>Advanced Electronic Materials</i> , 2021, 7, 2001052.	2.6	7
21	A liquid-crystalline semiconducting polymer based on thienylene-vinylene-thienylene: Enhanced hole mobilities by mesomorphic molecular ordering and thermoplastic shape-deformable characteristics. <i>Polymer Journal</i> , 2020, 52, 313-321.	1.3	7
22	Dipolar and Quadrupolar Luminophores Based on 1,8-Dimethylcarbazole-Triazine Conjugates for High-Efficiency Blue Thermally Activated Delayed Fluorescence OLEDs. <i>ChemPhotoChem</i> , 2020, 4, 82-88.	1.5	8
23	Pentacyclic Ladder-Heteroborin Emitters Exhibiting High-Efficiency Blue Thermally Activated Delayed Fluorescence with an Ultrashort Emission Lifetime. , 2020, 2, 28-34.		61
24	Full-Color, Narrowband, and High-Efficiency Electroluminescence from Boron and Carbazole Embedded Polycyclic Heteroaromatics. <i>Journal of the American Chemical Society</i> , 2020, 142, 19468-19472.	6.6	449
25	Mechanochromic Delayed Fluorescence Switching in Propeller-Shaped Carbazole-Isophthalonitrile Luminogens with Stimuli-Responsive Intramolecular Charge-Transfer Excited States. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 13955-13961.	7.2	64
26	Mechanochromic Delayed Fluorescence Switching in Propeller-Shaped Carbazole-Isophthalonitrile Luminogens with Stimuli-Responsive Intramolecular Charge-Transfer Excited States. <i>Angewandte Chemie</i> , 2020, 132, 14059-14065.	1.6	15
27	Near-infrared absorbing pyrrolopyrrole aza-BODIPY-based donor-acceptor polymers with reasonable photoresponse. <i>Journal of Materials Chemistry C</i> , 2020, 8, 8770-8776.	2.7	19
28	Solution-Processable Organic Semiconductors Featuring S-Shaped Dinaphthothienothiophene (S-DNTT): Effects of Alkyl Chain Length on Self-Organization and Carrier Transport Properties. <i>Chemistry of Materials</i> , 2020, 32, 5350-5360.	3.2	33
29	White-light emission from a pyrimidine-carbazole conjugate with tunable phosphorescence-fluorescence dual emission and multicolor emission switching. <i>Chemical Communications</i> , 2020, 56, 4051-4054.	2.2	22
30	An Isonicotinonitrile-based Blue Thermally Activated Delayed Fluorescence Emitter. <i>Chemistry Letters</i> , 2020, 49, 210-213.	0.7	0
31	Rational design of pyrrolopyrrole-aza-BODIPY-based acceptor-donor-acceptor triads for organic photovoltaics application. <i>Chemical Communications</i> , 2020, 56, 2975-2978.	2.2	35
32	Organic energy-harvesting devices achieving power conversion efficiencies over 20% under ambient indoor lighting. <i>Journal of Materials Chemistry A</i> , 2019, 7, 20187-20192.	5.2	49
33	Synthesis of Anthracene Derivatives with Azaacene-Containing Iptycene Wings and the Utilization as a Dopant for Solution-Processed Organic Light-Emitting Diodes. <i>Chemistry - A European Journal</i> , 2019, 25, 15565-15571.	1.7	6
34	Strategic end-halogenation of $\pi$ -conjugated small molecules enabling fine morphological control and enhanced performance of organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14806-14815.	5.2	21
35	Mechanochromic fluorescence based on a combination of acceptor and bulky donor moieties: tuning emission color and regulating emission change direction. <i>New Journal of Chemistry</i> , 2019, 43, 4998-5010.	1.4	28
36	High-Performance Organic Energy-Harvesting Devices and Modules for Self-Sustainable Power Generation under Ambient Indoor Lighting Environments. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 9259-9264.	4.0	71

#	ARTICLE	IF	CITATIONS
37	Boronate- and borinate-based $\pi$ -systems for blue thermally activated delayed fluorescence materials. <i>Chemical Communications</i> , 2019, 55, 2501-2504.	2.2	38
38	Blue thermally activated delayed fluorescence emitters incorporating acridan analogues with heavy group 14 elements for high-efficiency doped and non-doped OLEDs. <i>Chemical Science</i> , 2019, 10, 10687-10697.	3.7	99
39	Highly Efficient Red "Orange Delayed Fluorescence Emitters Based on Strong $\pi$ -Accepting Dibenzophenazine and Dibenzoquinoxaline Cores: toward a Rational Pure Red OLED Design. <i>Advanced Optical Materials</i> , 2018, 6, 1701147.	3.6	169
40	Molecular engineering of phosphacycle-based thermally activated delayed fluorescence materials for deep-blue OLEDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 3578-3583.	2.7	32
41	Oligothiophene "Indandione-Linked Narrow-Band Gap Molecules: Impact of $\pi$ -Conjugated Chain Length on Photovoltaic Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 11083-11093.	4.0	21
42	High-Mobility Regioisomeric Thieno[2,2'-bis[1]benzothiophenes: Remarkable Effect of <i>Syn</i> / <i>Anti</i> Thiophene Configuration on Optoelectronic Properties, Self-Organization, and Charge-Transport Functions in Organic Transistors. <i>Advanced Electronic Materials</i> , 2018, 4, 1700390.	2.6	18
43	High-Crystallinity $\pi$ -Conjugated Small Molecules Based on Thienylene "Vinylene "Thienylene: Critical Role of Self-Organization in Photovoltaic, Charge-Transport, and Morphological Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 42756-42765.	4.0	8
44	High-Performance Dibenzoheteraborin-Based Thermally Activated Delayed Fluorescence Emitters: Molecular Architectonics for Concurrently Achieving Narrowband Emission and Efficient Triplet "Singlet Spin Conversion. <i>Advanced Functional Materials</i> , 2018, 28, 1802031.	7.8	264
45	Modulating Photo- and Electroluminescence in a Stimuli-Responsive $\pi$ -Conjugated Donor "Acceptor Molecular System. <i>Angewandte Chemie</i> , 2018, 130, 12158-12162.	1.6	22
46	Modulating Photo- and Electroluminescence in a Stimuli-Responsive $\pi$ -Conjugated Donor "Acceptor Molecular System. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11982-11986.	7.2	60
47	Tunable Full-Color Electroluminescence from All-Organic Optical Upconversion Devices by Near-Infrared Sensing. <i>ACS Photonics</i> , 2017, 4, 223-227.	3.2	61
48	Tetrathienoanthracene-based $\pi$ -Extended Narrow-band-gap Molecules: Synthesis, Physicochemical, and Photovoltaic Properties. <i>Chemistry Letters</i> , 2017, 46, 29-31.	0.7	2
49	Thermally Activated Delayed Fluorescence Properties of Regioisomeric Xanthone-Based Twisted Intramolecular Charge-Transfer Luminophores. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 231-236.	2.0	14
50	Solution-grown unidirectionally oriented crystalline thin films of a U-shaped thienoacene-based semiconductor for high-performance organic field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5872-5876.	2.7	17
51	Effects of chalcogen atom substitution on the optoelectronic and charge-transport properties in picene-type $\pi$ -systems. <i>Chemical Communications</i> , 2017, 53, 3814-3817.	2.2	34
52	Cyclohexane-Coupled Bipolar Host Materials with High Triplet Energies for Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 2693-2700.	4.0	29
53	Isobenzofuranone- and Chromone-Based Blue Delayed Fluorescence Emitters with Low Efficiency Roll-Off in Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2017, 29, 8012-8020.	3.2	68
54	Spin-Dependent Exciton Funneling to a Dendritic Fluorophore Mediated by a Thermally Activated Delayed Fluorescence Material as an Exciton-Harvesting Host. <i>Chemistry of Materials</i> , 2017, 29, 7014-7022.	3.2	53

#	ARTICLE	IF	CITATIONS
55	Î€-conjugated naphthodithiophene homopolymers bearing alkyl/alkylthio-thienyl substituents: facile synthesis using hexamethylditin and their charge-transport and photovoltaic properties. <i>Polymer Journal</i> , 2017, 49, 729-734.	1.3	0
56	Enhancing thermally activated delayed fluorescence characteristics by intramolecular Bâ€“N coordination in a phenylpyridine-containing donorâ€“acceptor Î€-system. <i>Chemical Communications</i> , 2017, 53, 8723-8726.	2.2	56
57	Versatile Molecular Functionalization for Inhibiting Concentration Quenching of Thermally Activated Delayed Fluorescence. <i>Advanced Materials</i> , 2017, 29, 1604856.	11.1	251
58	Pyrimidine-based twisted donorâ€“acceptor delayed fluorescence molecules: a new universal platform for highly efficient blue electroluminescence. <i>Chemical Science</i> , 2017, 8, 953-960.	3.7	140
59	Aggregation-induced delayed fluorescence from phenothiazine-containing donorâ€“acceptor molecules for high-efficiency non-doped organic light-emitting diodes. <i>Polymer Journal</i> , 2017, 49, 197-202.	1.3	61
60	Star-shaped and linear Î€-conjugated oligomers consisting of a tetrathienoanthracene core and multiple diketopyrrolopyrrole arms for organic solar cells. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 1459-1466.	1.3	6
61	High-performance blue organic light-emitting diodes with 20% external electroluminescence quantum efficiency based on pyrimidine-containing thermally activated delayed fluorescence emitters. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7911-7916.	2.7	71
62	Fullâ€“Color Delayed Fluorescence Materials Based on Wedgeâ€“Shaped Phthalonitriles and Dicyanopyrazines: Systematic Design, Tunable Photophysical Properties, and OLED Performance. <i>Advanced Functional Materials</i> , 2016, 26, 1813-1821.	7.8	236
63	Thermally Activated Delayed Fluorescence Polymers for Efficient Solutionâ€“Processed Organic Lightâ€“Emitting Diodes. <i>Advanced Materials</i> , 2016, 28, 4019-4024.	11.1	251
64	Aggregationâ€“Induced Delayed Fluorescence Based on Donor/Acceptorâ€“Tethered Janus Carborane Triads: Unique Photophysical Properties of Nondoped OLEDs. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7171-7175.	7.2	381
65	Blue Oleds: High-Efficiency Blue Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence from Phenoxaphosphine and Phenoxathiin Derivatives ( <i>Adv. Mater.</i> 23/2016). <i>Advanced Materials</i> , 2016, 28, 4625-4625.	11.1	5
66	Controlling Open-Circuit Voltage in Organic Solar Cells by Terminal Fluoro-Functionalization of Narrow-Bandgap Î€-Conjugated Molecules. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21235-21241.	1.5	16
67	A Phenazaborin-Based High-Efficiency Blue Delayed Fluorescence Material. <i>Bulletin of the Chemical Society of Japan</i> , 2016, 89, 375-377.	2.0	60
68	Highâ€“Efficiency Blue Organic Lightâ€“Emitting Diodes Based on Thermally Activated Delayed Fluorescence from Phenoxaphosphine and Phenoxathiin Derivatives. <i>Advanced Materials</i> , 2016, 28, 4626-4631.	11.1	179
69	Photon-absorbing charge-bridging states in organic bulk heterojunctions consisting of diketopyrrolopyrrole derivatives and PCBM. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 9514-9523.	1.3	8
70	Controlled emission colors and singletâ€“triplet energy gaps of dihydrophenazine-based thermally activated delayed fluorescence emitters. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2175-2181.	2.7	147
71	Nearly 100% Internal Quantum Efficiency in Undoped Electroluminescent Devices Employing Pure Organic Emitters. <i>Advanced Materials</i> , 2015, 27, 2096-2100.	11.1	495
72	X-shaped benzoylbenzophenone derivatives with crossed donors and acceptors for highly efficient thermally activated delayed fluorescence. <i>Dalton Transactions</i> , 2015, 44, 8356-8359.	1.6	64

#	ARTICLE	IF	CITATIONS
73	Organic Light-emitting Diodes Based on Donor-substituted Phthalimide and Maleimide Fluorophores. <i>Chemistry Letters</i> , 2015, 44, 1248-1250.	0.7	29
74	Highly efficient electroluminescence from purely organic donor-acceptor systems. <i>Pure and Applied Chemistry</i> , 2015, 87, 627-638.	0.9	45
75	High efficiency pure blue thermally activated delayed fluorescence molecules having 10H-phenoxaborin and acridan units. <i>Chemical Communications</i> , 2015, 51, 9443-9446.	2.2	299
76	Tetraphenyldibenzoperiflanthene as sensitizer for enhancing the performance in dinaphthothienothiophene-based photovoltaics with and without fullerene. <i>Synthetic Metals</i> , 2015, 205, 121-126.	2.1	12
77	Organic Light-Emitting Diodes (OLEDs): Materials, Photophysics, and Device Physics. , 2015, , 43-73.		5
78	Luminous Butterflies: Efficient Exciton Harvesting by Benzophenone Derivatives for Full-Color Delayed Fluorescence OLEDs. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6402-6406.	7.2	473
79	High-efficiency organic light-emitting diodes with fluorescent emitters. <i>Nature Communications</i> , 2014, 5, 4016.	5.8	869
80	Polymorphism in 9,9-diarylfuorene-based organic semiconductors: influence on optoelectronic functions. <i>Chemical Communications</i> , 2014, 50, 1523-1526.	2.2	26
81	Light-emitting organic field-effect transistors based on highly luminescent single crystals of thiophene/phenylene co-oligomers. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4918.	2.7	65
82	A six-carbazole-decorated cyclophosphazene as a host with high triplet energy to realize efficient delayed-fluorescence OLEDs. <i>Materials Horizons</i> , 2014, 1, 264-269.	6.4	150
83	Extended Narrow-Bandgap Diketopyrrolopyrrole-Based Oligomers for Solution-Processed Inverted Organic Solar Cells. <i>Advanced Energy Materials</i> , 2014, 4, 1400879.	10.2	47
84	Donor-acceptor-structured 1,4-diazatriphenylene derivatives exhibiting thermally activated delayed fluorescence: design and synthesis, photophysical properties and OLED characteristics. <i>Science and Technology of Advanced Materials</i> , 2014, 15, 034202.	2.8	67
85	Efficiency Enhancement of Organic Light-Emitting Diodes Incorporating a Highly Oriented Thermally Activated Delayed Fluorescence Emitter. <i>Advanced Functional Materials</i> , 2014, 24, 5232-5239.	7.8	159
86	Self-assembly, Physicochemical, and Field-effect Transistor Properties of Solution-crystallized Organic Semiconductors Based on $\beta$ -Extended Dithieno[3,2-b:2',3'-d]thiophenes. <i>Chemistry Letters</i> , 2014, 43, 293-295.	0.7	10
87	Thermally Activated Delayed Fluorescence from a Spiro-diazafluorene Derivative. <i>Chemistry Letters</i> , 2014, 43, 1017-1019.	0.7	62
88	High performance organic field-effect transistors based on single-crystal microribbons and microsheets of solution-processed dithieno[3,2-b:2',3'-d]thiophene derivatives. <i>Chemical Communications</i> , 2013, 49, 6483.	2.2	60
89	Effects of Intramolecular Donor-Acceptor Interactions on Bimolecular Recombination in Small-Molecule Organic Photovoltaic Cells. <i>Journal of Physical Chemistry C</i> , 2013, 117, 4986-4991.	1.5	17
90	A highly luminescent spiro-anthracenone-based organic light-emitting diode exhibiting thermally activated delayed fluorescence. <i>Chemical Communications</i> , 2013, 49, 10385-10387.	2.2	198

#	ARTICLE	IF	CITATIONS
91	Oxadiazole- and triazole-based highly-efficient thermally activated delayed fluorescence emitters for organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4599.	2.7	304
92	A host material consisting of a phosphinic amide directly linked donor-acceptor structure for efficient blue phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2013, 1, 2404.	2.7	56
93	Bifunctional Star-Burst Amorphous Molecular Materials for OLEDs: Achieving Highly Efficient Solid-State Luminescence and Carrier Transport Induced by Spontaneous Molecular Orientation. <i>Advanced Materials</i> , 2013, 25, 2666-2671.	11.1	92
94	Self-Organizing Mesomorphic Diketopyrrolopyrrole Derivatives for Efficient Solution-Processed Organic Solar Cells. <i>Chemistry of Materials</i> , 2013, 25, 2549-2556.	3.2	126
95	Triphenylene-based Host Materials for Low-voltage, Highly Efficient Red Phosphorescent Organic Light-emitting Diodes. <i>Chemistry Letters</i> , 2013, 42, 383-385.	0.7	9
96	Molecular Design of High-molecular-orientation Electron-transport Materials and Application to Organic Light-emitting Diodes. <i>Chemistry Letters</i> , 2013, 42, 651-653.	0.7	6
97	High-efficiency organic light-emitting diodes utilizing thermally activated delayed fluorescence from triazine-based donor-acceptor hybrid molecules. <i>Applied Physics Letters</i> , 2012, 101, 093306.	1.5	311
98	Organic Single-Crystal Transistors Based on $\pi$ -Extended Heteroheptacene Microribbons. <i>Bulletin of the Chemical Society of Japan</i> , 2012, 85, 1186-1191.	2.0	17
99	Efficient luminescence from a copper(I) complex doped in organic light-emitting diodes by suppressing C-H vibrational quenching. <i>Chemical Communications</i> , 2012, 48, 5340.	2.2	92
100	Liquid-Crystalline Catenanes and Rotaxanes. <i>Israel Journal of Chemistry</i> , 2012, 52, 854-862.	1.0	19
101	Highly luminescent $\pi$ -conjugated dithienometalloles: photophysical properties and their application in organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2012, 22, 16810.	6.7	40
102	Low driving voltage characteristics of triphenylene derivatives as electron transport materials in organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2012, 22, 20689.	6.7	97
103	Electro-Functional Octupolar $\pi$ -Conjugated Columnar Liquid Crystals. <i>Journal of the American Chemical Society</i> , 2011, 133, 13437-13444.	6.6	180
104	Horizontal Orientation of a Linear-Shaped Platinum(II) Complex in Organic Light-Emitting Diodes with a High Light Out-Coupling Efficiency. <i>Applied Physics Express</i> , 2011, 4, 071602.	1.1	25
105	A redox-switchable [2]rotaxane in a liquid-crystalline state. <i>Chemical Communications</i> , 2010, 46, 1224.	2.2	84
106	Alignment of photoconductive self-assembled fibers composed of $\pi$ -conjugated molecules under electric fields. <i>Journal of Materials Chemistry</i> , 2010, 20, 173-179.	6.7	34
107	Functional Soft Materials: Nanostructured Liquid Crystals and Self-Assembled Fibrous Aggregates. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2010, 68, 1169-1174.	0.0	9
108	Macrocyclic-Based Liquid Crystals: A Study of Topological Effects on Mesomorphism. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 509, 165/[907]-172/[914].	0.4	11

#	ARTICLE	IF	CITATIONS
109	Supramolecular structure of columnar liquid crystalline $\pi$ -conjugated oligothiophenes with highly polarized photoluminescence properties. <i>Journal of Applied Physics</i> , 2009, 105, .	1.1	4
110	$\pi$ -Conjugated Oligothiophene-Based Polycatenar Liquid Crystals: Self-Organization and Photoconductive, Luminescent, and Redox Properties. <i>Advanced Functional Materials</i> , 2009, 19, 411-419.	7.8	212
111	Anisotropic Self-Assembly of Photoluminescent Oligo( <i>p</i> -Phenylenevinylene) Derivatives in Liquid Crystals: An Effective Strategy for the Macroscopic Alignment of $\pi$ -Gels. <i>Advanced Materials</i> , 2009, 21, 4029-4033.	11.1	56
112	Truxene-Based Columnar Liquid Crystals: Self-Assembled Structures and Electro-Active Properties. <i>Chemistry - an Asian Journal</i> , 2009, 4, 1619-1625.	1.7	43
113	Self-assembly of functional columnar liquid crystals. <i>Chemical Communications</i> , 2009, , 729.	2.2	299
114	A layered liquid crystalline droplet. <i>Journal of Materials Chemistry</i> , 2009, 19, 3469.	6.7	8
115	Photoluminescent Liquid Crystals Based on Trithienylphosphine Oxides. <i>Chemistry Letters</i> , 2009, 38, 800-801.	0.7	14
116	Luminescent $\pi$ -conjugated poly(aryleneethynylene)s consisting of plural aromatic units: Preparation and systematic studies on their optical properties. <i>Reactive and Functional Polymers</i> , 2008, 68, 1483-1491.	2.0	13
117	Photosensitized Near-Infrared Luminescence of Yb(III) Complexes Containing Phenanthroline Derivatives. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 1192-1195.	0.8	8
118	Dipole-driven self-assembly of redox-active mesogenic tetracyanoanthraquinodimethanes. <i>Journal of Materials Chemistry</i> , 2008, 18, 4522.	6.7	33
119	Luminescent Ionic Liquid Crystals Based on Tripodal Pyridinium Salts. <i>Chemistry Letters</i> , 2008, 37, 1208-1209.	0.7	32
120	Clicked Interlocked Molecules. <i>Bulletin of the Chemical Society of Japan</i> , 2007, 80, 1856-1869.	2.0	119
121	Viologen-Based Redox-Active Ionic Liquid Crystals Forming Columnar Phases. <i>Organic Letters</i> , 2007, 9, 4271-4274.	2.4	83
122	A Liquid-Crystalline Bistable [2]Rotaxane. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4675-4679.	7.2	172
123	A Liquid-Crystalline [2]Catenane and Its Copper(I) Complex. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4680-4683.	7.2	93
124	New luminescent 1,2,4-triazole/thiophene alternating copolymers: Synthesis, characterization, and optical properties. <i>Polymer</i> , 2007, 48, 4375-4384.	1.8	23
125	Columnar liquid crystalline $\pi$ -conjugated oligothiophenes. <i>Chemical Communications</i> , 2006, , 3399-3401.	2.2	76
126	Oligothiophene-based Liquid Crystals Exhibiting Smectic A Phases in Wider Temperature Ranges. <i>Chemistry Letters</i> , 2006, 35, 1150-1151.	0.7	30

#	ARTICLE	IF	CITATIONS
127	Utilization of Industrially Available 2,3-Dichloro-1,3-butadiene for Direct Synthesis of 2,3-Diaryl-1,3-butadienes. <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 498-500.	2.0	12
128	Ambipolar Field-Effect Transistor (FET) and Redox Characteristics of $\pi$ -Conjugated Thiophene/1,3,4-Thiadiazole CT-Type Copolymer. <i>Macromolecular Rapid Communications</i> , 2005, 26, 1214-1217.	2.0	69
129	New Coplanar (ABA) <sub>n</sub> -Type Donor- $\pi$ -Acceptor $\pi$ -Conjugated Copolymers Constituted of Alkylthiophene (Unit A) and Pyridazine (Unit B): $\pi$ Synthesis Using Hexamethylditin, Self-Organized Solid Structure, and Optical and Electrochemical Properties of the Copolymers. <i>Chemistry of Materials</i> , 2005, 17, 6060-6068.	3.2	122
130	Transfer of Photoenergy in $\pi$ -Conjugated Polymers. Two Types of Photoluminescence that Involve Energy Transfer along a Polymer Chain. <i>Journal of Physical Chemistry B</i> , 2005, 109, 10605-10610.	1.2	12
131	Synthesis, Characterization, and Optical and Electrochemical Properties of New 2,1,3-Benzoselenadiazole-Based CT-Type Copolymers. <i>Macromolecules</i> , 2005, 38, 7378-7385.	2.2	66
132	Synthesis, Solid Structure, and Optical Properties of New Thiophene-Based Alternating $\pi$ -Conjugated Copolymers Containing 4-Alkyl-1,2,4-triazole or 1,3,4-Thiadiazole Unit as the Partner Unit. <i>Macromolecules</i> , 2005, 38, 1500-1503.	2.2	51
133	New Alternative Donor- $\pi$ -Acceptor Arranged Poly(Aryleneethynylene)s and Their Related Compounds Composed of Five-Membered Electron-Accepting 1,3,4-Thiadiazole, 1,2,4-Triazole, or 3,4-Dinitrothiophene Units: A Synthesis, Packing Structure, and Optical Properties. <i>Macromolecules</i> , 2005, 38, 4687-4697.	2.2	85
134	Preparation of Polyacetylenes via Organometallic C-C Coupling Reactions. <i>Polymer Bulletin</i> , 2004, 52, 315-319.	1.7	20
135	Synthesis and Characterization of New Luminescent 1,10-Phenanthroline- and Pyridine-Containing $\pi$ -Conjugated Polymers. Their Optical Response to Protic Acid, Mn <sup>+</sup> , and Solvents. <i>Macromolecules</i> , 2003, 36, 7513-7519.	2.2	95
136	A New Soluble 1,10-Phenanthroline-Containing $\pi$ -Conjugated Polymer: Synthesis and Effect of Metal Complexation on Optical Properties. <i>Advanced Materials</i> , 2003, 15, 293-296.	11.1	102
137	Poly(1,10-phenanthroline-3,8-diyl) and Its Derivatives. Preparation, Optical and Electrochemical Properties, Solid Structure, and Their Metal Complexes. <i>Macromolecules</i> , 2003, 36, 6722-6729.	2.2	55
138	Preparation of N-grafted polyanilines utilizing ring-opening copolymerization of epoxide. <i>Synthetic Metals</i> , 2003, 139, 35-38.	2.1	5
139	Preparation of N-grafted polyanilines with oligoether side chains by using ring-opening graft copolymerization of epoxide, and their optical, electrochemical and thermal properties and ionic conductivity. <i>Journal of Materials Chemistry</i> , 2003, 13, 2138.	6.7	16
140	Ring-opening graft copolymerization of epoxide with polyaniline: Chemical properties and lithium ionic conductivity of the copolymer. <i>Journal of Polymer Science Part A</i> , 2001, 39, 3137-3142.	2.5	13
141	Thermotropic liquid-crystalline folic acid derivatives: supramolecular discotic and smectic aggregation. <i>Chemical Communications</i> , 2000, , 1899-1900.	2.2	54
142	PAEs with Heteroaromatic Rings. <i>Advances in Polymer Science</i> , 0, , 181-208.	0.4	19