

Sean J Morrison

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7941260/sean-j-morrison-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96 papers	35,761 citations	55 h-index	109 g-index
109 ext. papers	40,514 ext. citations	25.8 avg, IF	7.55 L-index

#	Paper	IF	Citations
96	Metabolic regulation of somatic stem cells in vivo.. <i>Nature Reviews Molecular Cell Biology</i> , 2022 ,	48.7	4
95	Adiponectin receptors sustain haematopoietic stem cells throughout adulthood by protecting them from inflammation.. <i>Nature Cell Biology</i> , 2022 , 24, 697-707	23.4	0
94	Cell size is a determinant of stem cell potential during aging. <i>Science Advances</i> , 2021 , 7, eabk0271	14.3	6
93	Redox Regulation in Cancer Cells during Metastasis. <i>Cancer Discovery</i> , 2021 , 11, 2682-2692	24.4	7
92	New guidelines for stem cell and embryo research from the ISSCR. <i>Cell Stem Cell</i> , 2021 , 28, 991-992	18	0
91	A mechanosensitive peri-arteriolar niche for osteogenesis and lymphopoiesis. <i>Nature</i> , 2021 , 591, 438-444	50.4	52
90	Niches that regulate stem cells and hematopoiesis in adult bone marrow. <i>Developmental Cell</i> , 2021 , 56, 1848-1860	10.2	26
89	In-Depth Evaluation of a Case of Presumed Myocarditis After the Second Dose of COVID-19 mRNA Vaccine. <i>Circulation</i> , 2021 , 144, 487-498	16.7	52
88	Aspartate availability limits hematopoietic stem cell function during hematopoietic regeneration. <i>Cell Stem Cell</i> , 2021 , 28, 1982-1999.e8	18	5
87	Stable isotope tracing to assess tumor metabolism in vivo. <i>Nature Protocols</i> , 2021 , 16, 5123-5145	18.8	4
86	Metabolomic profiling of rare cell populations isolated by flow cytometry from tissues. <i>ELife</i> , 2021 , 10,	8.9	14
85	Reticular Dysgenesis-Associated Adenylate Kinase 2 Deficiency Impairs Hematopoietic Stem and Progenitor Cell Function through Reductive Stress. <i>Blood</i> , 2020 , 136, 33-33	2.2	
84	TLR9 and beclin1 crosstalk regulates muscle AMPK activation in exercise. <i>Nature</i> , 2020 , 578, 605-609	50.4	24
83	Metabolic heterogeneity confers differences in melanoma metastatic potential. <i>Nature</i> , 2020 , 577, 115-120	50.4	141
82	Identification of Fibroblast Activation Protein as an Osteogenic Suppressor and Anti-osteoporosis Drug Target. <i>Cell Reports</i> , 2020 , 33, 108252	10.6	8
81	Lymph protects metastasizing melanoma cells from ferroptosis. <i>Nature</i> , 2020 , 585, 113-118	50.4	176
80	TRPML1 Promotes Protein Homeostasis in Melanoma Cells by Negatively Regulating MAPK and mTORC1 Signaling. <i>Cell Reports</i> , 2019 , 28, 2293-2305.e9	10.6	20

79	Loss of EZH2 Reprograms BCAA Metabolism to Drive Leukemic Transformation. <i>Cancer Discovery</i> , 2019 , 9, 1228-1247	24.4	61
78	Metabolic Adaptation Fuels Lymph Node Metastasis. <i>Cell Metabolism</i> , 2019 , 29, 785-786	24.6	6
77	Evaluation of Xie et al.: Sphingolipid Modulation Activates Proteostasis Programs to Govern Human Hematopoietic Stem Cell Self-Renewal. <i>Cell Stem Cell</i> , 2019 , 25, 585-586	18	
76	Light-sheet microscopy of cleared tissues with isotropic, subcellular resolution. <i>Nature Methods</i> , 2019 , 16, 1109-1113	21.6	69
75	Integrin alpha11 is an Osteolectin receptor and is required for the maintenance of adult skeletal bone mass. <i>ELife</i> , 2019 , 8,	8.9	35
74	Restricted Hematopoietic Progenitors and Erythropoiesis Require SCF from Leptin Receptor+ Niche Cells in the Bone Marrow. <i>Cell Stem Cell</i> , 2019 , 24, 477-486.e6	18	79
73	Distinct Brca1 Mutations Differentially Reduce Hematopoietic Stem Cell Function. <i>Cell Reports</i> , 2017 , 18, 947-960	10.6	17
72	Adult haematopoietic stem cell niches. <i>Nature Reviews Immunology</i> , 2017 , 17, 573-590	36.5	379
71	Digoxin Plus Trametinib Therapy Achieves Disease Control in BRAF Wild-Type Metastatic Melanoma Patients. <i>Neoplasia</i> , 2017 , 19, 255-260	6.4	23
70	The abundance of metabolites related to protein methylation correlates with the metastatic capacity of human melanoma xenografts. <i>Science Advances</i> , 2017 , 3, eaao5268	14.3	28
69	Ascorbate regulates haematopoietic stem cell function and leukaemogenesis. <i>Nature</i> , 2017 , 549, 476-483	30.4	272
68	Bone marrow adipocytes promote the regeneration of stem cells and haematopoiesis by secreting SCF. <i>Nature Cell Biology</i> , 2017 , 19, 891-903	23.4	229
67	Prdm16 is required for the maintenance of neural stem cells in the postnatal forebrain and their differentiation into ependymal cells. <i>Genes and Development</i> , 2017 , 31, 1134-1146	12.6	32
66	27-Hydroxycholesterol induces hematopoietic stem cell mobilization and extramedullary hematopoiesis during pregnancy. <i>Journal of Clinical Investigation</i> , 2017 , 127, 3392-3401	15.9	29
65	CD4 is expressed on a heterogeneous subset of hematopoietic progenitors, which persistently harbor CXCR4 and CCR5-tropic HIV proviral genomes in vivo. <i>PLoS Pathogens</i> , 2017 , 13, e1006509	7.6	27
64	The rate of protein synthesis in hematopoietic stem cells is limited partly by 4E-BPs. <i>Genes and Development</i> , 2016 , 30, 1698-703	12.6	48
63	Synergistic effects of ion transporter and MAP kinase pathway inhibitors in melanoma. <i>Nature Communications</i> , 2016 , 7, 12336	17.4	29
62	Leptin Receptor Promotes Adipogenesis and Reduces Osteogenesis by Regulating Mesenchymal Stromal Cells in Adult Bone Marrow. <i>Cell Stem Cell</i> , 2016 , 18, 782-796	18	233

61	Lens regeneration using endogenous stem cells with gain of visual function. <i>Nature</i> , 2016 , 531, 323-8	50.4	125
60	Clec11a/osteolectin is an osteogenic growth factor that promotes the maintenance of the adult skeleton. <i>ELife</i> , 2016 , 5,	8.9	51
59	Digoxin plus trametinib therapy of BRAF wild type metastatic melanoma patients.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 9527-9527	2.2	
58	Cancer, Oxidative Stress, and Metastasis. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2016 , 81, 163-175	3.9	136
57	Bmi1 is required for the initiation of pancreatic cancer through an Ink4a-independent mechanism. <i>Carcinogenesis</i> , 2015 , 36, 730-8	4.6	25
56	Deep imaging of bone marrow shows non-dividing stem cells are mainly perisinusoidal. <i>Nature</i> , 2015 , 526, 126-30	50.4	428
55	Oxidative stress inhibits distant metastasis by human melanoma cells. <i>Nature</i> , 2015 , 527, 186-91	50.4	681
54	Hematopoietic stem and progenitor cells regulate the regeneration of their niche by secreting Angiopoietin-1. <i>ELife</i> , 2015 , 4, e05521	8.9	114
53	CXCL12-Producing Vascular Endothelial Niches Control Acute T Cell Leukemia Maintenance. <i>Cancer Cell</i> , 2015 , 27, 755-68	24.3	175
52	A perisinusoidal niche for extramedullary haematopoiesis in the spleen. <i>Nature</i> , 2015 , 527, 466-471	50.4	145
51	Precise let-7 expression levels balance organ regeneration against tumor suppression. <i>ELife</i> , 2015 , 4, e09431	8.9	37
50	Therapeutic Synergy from Combined Inhibition of the SERCA Channel and MAPK Signaling Pathway in MAPK-Dependent Leukemia. <i>Blood</i> , 2015 , 126, 1264-1264	2.2	
49	Haematopoietic stem cells require a highly regulated protein synthesis rate. <i>Nature</i> , 2014 , 509, 49-54	50.4	351
48	Oestrogen increases haematopoietic stem-cell self-renewal in females and during pregnancy. <i>Nature</i> , 2014 , 505, 555-8	50.4	235
47	The bone marrow niche for haematopoietic stem cells. <i>Nature</i> , 2014 , 505, 327-34	50.4	1479
46	Cellular differences in protein synthesis regulate tissue homeostasis. <i>Cell</i> , 2014 , 159, 242-51	56.2	125
45	Identifying metabolomic features that predict metastasis of melanoma from a primary site. <i>Cancer & Metabolism</i> , 2014 , 2,	5.4	1
44	Leptin-receptor-expressing mesenchymal stromal cells represent the main source of bone formed by adult bone marrow. <i>Cell Stem Cell</i> , 2014 , 15, 154-68	18	737

43	Infection mobilizes hematopoietic stem cells through cooperative NOD-like receptor and Toll-like receptor signaling. <i>Cell Host and Microbe</i> , 2014 , 15, 779-91	23.4	109
42	Prospective identification of functionally distinct stem cells and neurosphere-initiating cells in adult mouse forebrain. <i>ELife</i> , 2014 , 3, e02669	8.9	95
41	SLAM family markers resolve functionally distinct subpopulations of hematopoietic stem cells and multipotent progenitors. <i>Cell Stem Cell</i> , 2013 , 13, 102-16	18	388
40	Oncogenic Nras has bimodal effects on stem cells that sustainably increase competitiveness. <i>Nature</i> , 2013 , 504, 143-147	50.4	82
39	Mechanisms that regulate stem cell aging and life span. <i>Cell Stem Cell</i> , 2013 , 12, 152-65	18	245
38	Haematopoietic stem cells and early lymphoid progenitors occupy distinct bone marrow niches. <i>Nature</i> , 2013 , 495, 231-5	50.4	835
37	Author response: A network of heterochronic genes including Imp1 regulates temporal changes in stem cell properties 2013 ,		3
36	Temporal changes in PTEN and mTORC2 regulation of hematopoietic stem cell self-renewal and leukemia suppression. <i>Cell Stem Cell</i> , 2012 , 11, 415-28	18	147
35	Endothelial and perivascular cells maintain haematopoietic stem cells. <i>Nature</i> , 2012 , 481, 457-62	50.4	1285
34	Human melanoma metastasis in NSG mice correlates with clinical outcome in patients. <i>Science Translational Medicine</i> , 2012 , 4, 159ra149	17.5	81
33	Oncogenic Nras Increases Hematopoietic Stem Cell Proliferation and Self-Renewal Through a Bimodal Effect. <i>Blood</i> , 2012 , 120, 119-119	2.2	
32	HIV-1 utilizes the CXCR4 chemokine receptor to infect multipotent hematopoietic stem and progenitor cells. <i>Cell Host and Microbe</i> , 2011 , 9, 223-234	23.4	76
31	Lkb1 regulates cell cycle and energy metabolism in haematopoietic stem cells. <i>Nature</i> , 2010 , 468, 653-8	50.4	378
30	Prdm16 promotes stem cell maintenance in multiple tissues, partly by regulating oxidative stress. <i>Nature Cell Biology</i> , 2010 , 12, 999-1006	23.4	154
29	mTOR activation induces tumor suppressors that inhibit leukemogenesis and deplete hematopoietic stem cells after Pten deletion. <i>Cell Stem Cell</i> , 2010 , 7, 593-605	18	149
28	Phenotypic heterogeneity among tumorigenic melanoma cells from patients that is reversible and not hierarchically organized. <i>Cancer Cell</i> , 2010 , 18, 510-23	24.3	481
27	Bmi-1 over-expression in neural stem/progenitor cells increases proliferation and neurogenesis in culture but has little effect on these functions in vivo. <i>Developmental Biology</i> , 2009 , 328, 257-72	3.1	68
26	Mechanisms of stem cell self-renewal. <i>Annual Review of Cell and Developmental Biology</i> , 2009 , 25, 377-406	46.6	418

25	Efficient tumour formation by single human melanoma cells. <i>Nature</i> , 2008 , 456, 593-8	50.4	1463
24	Stem cells and niches: mechanisms that promote stem cell maintenance throughout life. <i>Cell</i> , 2008 , 132, 598-611	56.2	1449
23	Hmga2 promotes neural stem cell self-renewal in young but not old mice by reducing p16Ink4a and p19Arf Expression. <i>Cell</i> , 2008 , 135, 227-39	56.2	489
22	CD150- cells are transiently reconstituting multipotent progenitors with little or no stem cell activity. <i>Blood</i> , 2008 , 111, 4413-4; author reply 4414-5	2.2	49
21	Pten dependence distinguishes haematopoietic stem cells from leukaemia-initiating cells. <i>Nature</i> , 2006 , 441, 475-82	50.4	1104
20	Asymmetric and symmetric stem-cell divisions in development and cancer. <i>Nature</i> , 2006 , 441, 1068-74	50.4	1021
19	Increasing p16INK4a expression decreases forebrain progenitors and neurogenesis during ageing. <i>Nature</i> , 2006 , 443, 448-52	50.4	793
18	SLAM family receptors distinguish hematopoietic stem and progenitor cells and reveal endothelial niches for stem cells. <i>Cell</i> , 2005 , 121, 1109-21	56.2	2459
17	Toward an understanding of the physiological function of Mammalian stem cells. <i>Developmental Cell</i> , 2005 , 9, 173-83	10.2	81
16	Bmi-1 promotes neural stem cell self-renewal and neural development but not mouse growth and survival by repressing the p16Ink4a and p19Arf senescence pathways. <i>Genes and Development</i> , 2005 , 19, 1432-7	12.6	480
15	Neural crest stem cells undergo multilineage differentiation in developing peripheral nerves to generate endoneurial fibroblasts in addition to Schwann cells. <i>Development (Cambridge)</i> , 2004 , 131, 5599-612	6.6	238
14	Bmi-1 is required for maintenance of adult self-renewing haematopoietic stem cells. <i>Nature</i> , 2003 , 423, 302-5	50.4	1587
13	Bmi-1 dependence distinguishes neural stem cell self-renewal from progenitor proliferation. <i>Nature</i> , 2003 , 425, 962-7	50.4	1107
12	Fusion of bone-marrow-derived cells with Purkinje neurons, cardiomyocytes and hepatocytes. <i>Nature</i> , 2003 , 425, 968-73	50.4	1381
11	Stem cells, cancer, and cancer stem cells. <i>Nature</i> , 2001 , 414, 105-11	50.4	7504
10	Culture in reduced levels of oxygen promotes clonogenic sympathoadrenal differentiation by isolated neural crest stem cells. <i>Journal of Neuroscience</i> , 2000 , 20, 7370-6	6.6	342
9	Transient Notch activation initiates an irreversible switch from neurogenesis to gliogenesis by neural crest stem cells. <i>Cell</i> , 2000 , 101, 499-510	56.2	617
8	The aging of hematopoietic stem cells. <i>Nature Medicine</i> , 1996 , 2, 1011-6	50.5	691

7	The long-term repopulating subset of hematopoietic stem cells is deterministic and isolatable by phenotype. <i>Immunity</i> , 1994 , 1, 661-73	32.3	880
6	Metabolomic profiling of rare cell populations isolated by flow cytometry from tissues		1
5	Stem cells, cancer, and cancer stem cells		3
4	Cell size is a determinant of stem cell potential during aging		2
3	Light-sheet microscopy with isotropic, sub-micron resolution and solvent-independent large-scale imaging		2
2	Heterogeneity in PHGDH protein expression potentiates cancer cell dissemination and metastasis		2
1	Beth Levine M.D. Prize in Autophagy Research. <i>Autophagy</i> ,1-1		10.2