Beata Sredniawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7942974/publications.pdf Version: 2024-02-01



REATA SPEDNIAWA

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death. Europace, 2015, 17, euv319. | 0.7 | 635 |
| 2 | Defibrillator Implantation Early after Myocardial Infarction. New England Journal of Medicine, 2009, 361, 1427-1436. | 13.9 | 605 |
| 3 | Mid-term outcomes of triple-site vs. conventional cardiac resynchronization therapy: A preliminary study. International Journal of Cardiology, 2009, 133, 87-94. | 0.8 | 62 |
| 4 | COOL AMI EU pilot trial: a multicentre, prospective, randomised controlled trial to assess cooling as an adjunctive therapy to percutaneous intervention in patients with acute myocardial infarction. EuroIntervention, 2017, 13, e531-e539. | 1.4 | 53 |
| 5 | Triple-site biventricular pacing in patients undergoing cardiac resynchronization therapy: a feasibility study. Europace, 2007, 9, 762-767. | 0.7 | 50 |
| 6 | Natural History and Risk Stratification in Andersen-Tawil Syndrome Type 1. Journal of the American College of Cardiology, 2020, 75, 1772-1784. | 1.2 | 44 |
| 7 | Implantation Feasibility, Procedureâ€Related Adverse Events and Lead Performance During 1â€Year Followâ€Up in Patients Undergoing Tripleâ€Site Cardiac Resynchronization Therapy: A Substudy of TRUST CRT Randomized Trial. Journal of Cardiovascular Electrophysiology, 2012, 23, 1228-1236. | 0.8 | 43 |
| 8 | Effect of Type of Atrial Fibrillation on Prognosis in Acute Myocardial Infarction Treated Invasively. American Journal of Cardiology, 2012, 109, 1689-1693. | 0.7 | 41 |
| 9 | Many response criteria are poor predictors of outcomes after cardiac resynchronization therapy: validation using data from the randomized trial. Europace, 2013, 15, 835-844. | 0.7 | 38 |
| 10 | Effect of Percutaneous Interventions within the Coronary Sinus on the Success Rate of the Implantations of Resynchronization Pacemakers. PACE - Pacing and Clinical Electrophysiology, 2006, 29, 1075-1080. | 0.5 | 35 |
| 11 | Prognostic Significance of Hyperuricemia in Patients with Different Types of Renal Dysfunction and Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. Nephron Clinical Practice, 2010, 116, c114-c122. | 2.3 | 34 |
| 12 | Triple‣ite Versus Standard Cardiac Resynchronization Therapy Study (TRUST CRT): Clinical Rationale, Design, and Implementation. Journal of Cardiovascular Electrophysiology, 2009, 20, 658-662. | 0.8 | 30 |
| 13 | The prognostic value of different glucose abnormalities in patients with acute myocardial infarction treated invasively. Cardiovascular Diabetology, 2012, 11, 78. | 2.7 | 27 |
| 14 | Prognostic significance of HbA1c in patients with AMI treated invasively and newly detected glucose abnormalities. European Journal of Preventive Cardiology, 2015, 22, 798-806. | 0.8 | 24 |
| 15 | Transseptal versus transaortic approach for radiofrequency ablation in patients with cardioverter–defibrillator and electrical storm. Journal of Interventional Cardiac Electrophysiology, 2010, 28, 45-50. | 0.6 | 21 |
| 16 | Circadian and Sex-Dependent QT Dynamics. PACE - Pacing and Clinical Electrophysiology, 2005, 28, S211-S216. | 0.5 | 17 |
| 17 | Effect of Cardiac Resynchronization on Gradient Reduction in Patients with Obstructive Hypertrophic Cardiomyopathy: Preliminary Study. PACE - Pacing and Clinical Electrophysiology, 2011, 34, 1544-1552. | 0.5 | 17 |
| 18 | Comparison of heart rate variability between surgical and interventional closure of atrial septal defect in children. American Journal of Cardiology, 2003, 92, 356-358. | 0.7 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Contrast-induced acute kidney injury in patients undergoing cardiac resynchronization therapy—incidence and prognostic importance. Sub-analysis of data from randomized TRUST CRT trial. Journal of Interventional Cardiac Electrophysiology, 2014, 40, 1-8. | 0.6 | 16 |
| 20 | Long-term outcome of catheter ablation and other form of therapy for electrical storm in patients with implantable cardioverter-defibrillators. Journal of Interventional Cardiac Electrophysiology, 2017, 50, 227-234. | 0.6 | 16 |
| 21 | Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. Cardiovascular Diabetology, 2021, 20, 128. | 2.7 | 14 |
| 22 | Sleep apnoea as a predictor of mid- and long-term outcome in patients undergoing cardiac resynchronization therapy. Europace, 2008, 11, 106-114. | 0.7 | 10 |
| 23 | Effect of Intravascular Cooling on Microvascular Obstruction (MVO) in Conscious Patients with ST-Elevation Myocardial Infarction Undergoing Primary PCI: Results from the COOL AMI EU Pilot Study. Cardiovascular Revascularization Medicine, 2019, 20, 799-804. | 0.3 | 10 |
| 24 | Different Types of Renal Dysfunction in Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2007, 20, 143-152. | 0.5 | 9 |
| 25 | Heart Rate Turbulence for Prediction of Heart Transplantation and Mortality in Chronic Heart Failure. Annals of Noninvasive Electrocardiology, 2010, 15, 230-237. | 0.5 | 9 |
| 26 | Quality of Life in Cardiac Resynchronization Recipients: Association with Response and Impact on Outcome. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 8-17. | 0.5 | 9 |
| 27 | Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. Journal of Clinical Medicine, 2021, 10, 2321. | 1.0 | 9 |
| 28 | NOninvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. Kardiologia Polska, 2018, 76, 1482-1485. | 0.3 | 9 |
| 29 | Effects of Cardiac Resynchronization Therapy on Heart Rate Turbulence. PACE - Pacing and Clinical Electrophysiology, 2009, 32, S90-3. | 0.5 | 8 |
| 30 | The Significance of Heart Rate Turbulence in Predicting Major Cardiovascular Events in Patients after Myocardial Infarction Treated Invasively. Annals of Noninvasive Electrocardiology, 2012, 17, 230-240. | 0.5 | 7 |
| 31 | Methods of assessment and clinical relevance of QT dynamics. Indian Pacing and Electrophysiology Journal, 2005, 5, 221-32. | 0.3 | 7 |
| 32 | Atrial fibrillation in cardiac resynchronization recipients with and without prior arrhythmic history. How much of arrhythmia is too much?. Cardiology Journal, 2015, 22, 267-275. | 0.5 | 6 |
| 33 | The Impact of Routine Angiographic Follow-Up in a Population of Patients Undergoing Percutaneous Coronary Intervention Within the Left Main Coronary Artery. Angiology, 2016, 67, 742-748. | 0.8 | 5 |
| 34 | Upgrade from implantable cardioverter-defibrillator vs. <i>de novo</i> implantation of cardiac resynchronization therapy: long-term outcomes. Europace, 2021, 23, 113-122. | 0.7 | 5 |
| 35 | Implementation of mild therapeutic hypothermia for post-resuscitation care of sudden cardiac arrest survivors in cardiology units in Poland. Advances in Clinical and Experimental Medicine, 2017, 26, 1207-1212. | 0.6 | 4 |
| 36 | Trying to predict the unpredictable: Variations in device-based daily monitored diagnostic parameters can predict malignant arrhythmic events in patients undergoing cardiac resynchronization therapy. Cardiology Journal, 2014, 21, 405-412. | 0.5 | 4 |

BEATA SREDNIAWA

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Fragmentation of the QRS complex in patients with acute coronary syndrome treated invasively. Kardiologia Polska, 2016, 74, 644-649. | 0.3 | 4 |
| 38 | Prognosis in diabetic patients with acute myocardial infarction treated invasively is related to renal function. Medical Science Monitor, 2010, 16, CR67-74. | 0.5 | 4 |
| 39 | Microvolt T-wave alternans and other noninvasive predictors of serious arrhythmic events in patients with an implanted cardioverter-defibrillator. Kardiologia Polska, 2012, 70, 447-55. | 0.3 | 4 |
| 40 | Results of targeted temperature management of patients after sudden out‑of‑hospital cardiac arrest: a comparison between intensive general and cardiac care units. Kardiologia Polska, 2020, 78, 30-36. | 0.3 | 3 |
| 41 | Gender-dependent profile of heart rate turbulence parameters in patients after acute myocardial infarction treated invasively. Kardiologia Polska, 2016, 74, 274-279. | 0.3 | 3 |
| 42 | Early therapy following myocardial infarction: arguments for and against implantable cardioverter-defibrillators. Future Cardiology, 2010, 6, 315-323. | 0.5 | 2 |
| 43 | Interictal heart rate in patients with epilepsy. Wiadomości Lekarskie, 2016, 69, 443-448. | 0.1 | 2 |
| 44 | Quality of life in patients with a subcutaneous vs. transvenous implantable cardioverter-defibrillator. Kardiologia Polska, 2022, 80, 679-684. | 0.3 | 2 |
| 45 | Influence of Reciprocating Tachycardia on the Development of Atrial Fibrillation in Patients with Preexcitation Syndrome. PACE - Pacing and Clinical Electrophysiology, 2007, 30, 85-92. | 0.5 | 1 |
| 46 | Ostial stenosis of the left main coronary artery as the result of the previous percutaneous coronary intervention on the left coronary artery. Postepy W Kardiologii Interwencyjnej, 2013, 3, 317-320. | 0.1 | 1 |
| 47 | Evaluation of the usefulness of coronary catheters and 4 Fr insertion sets for transradial access coronarography in comparison with catheters and 5 Fr sets. Postepy W Kardiologii Interwencyjnej, 2013, 4, 332-336. | 0.1 | 1 |
| 48 | Impact of ventricular arrhythmias on survival in patients after myocardial infarction. International Journal of Diagnostic Imaging, 2014, 1, 21. | 0.1 | 1 |
| 49 | Sleep-disordered breathing and echocardiographic measures of function and dyssynchrony. Journal of Cardiovascular Medicine, 2016, 17, 886-895. | 0.6 | 1 |
| 50 | Gender-related differences in long-term outcome among high-risk patients with myocardial infarction treated invasively. Postepy W Kardiologii Interwencyjnej, 2017, 2, 107-116. | 0.1 | 1 |
| 51 | The first successful implantation of an intravenous AAIR pacemaker into autologous extracardiac lateral tunnel Fontan in the child. Journal of Electrocardiology, 2018, 51, 1015-1018. | 0.4 | 1 |
| 52 | Long QT syndrome and left ventricular non-compaction. Kardiologia Polska, 2014, 72, 556-556. | 0.3 | 1 |
| 53 | Evaluation of factors affecting persistence of atrial fibrillation in patients with concomitant atrial flutter treated with percutaneous radiofrequency current ablation of the right atrial cavotricuspid isthmus. Kardiologia Polska, 2013, 71, 247-252. | 0.3 | 1 |
| 54 | Implantation of a leadless pacemaker in a patient after Senning procedure – a case report Anatolian Journal of Cardiology, 2020, 25, 278-279. | 0.5 | 1 |

BEATA SREDNIAWA

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Association between electrocardiographic and electroencephalographic changes in patients with epilepsy. Archives of Medical Science, 2020, 16, 1472-1473. | 0.4 | 1 |
| 56 | Arrhythmias in dialysis patients. In A Good Rythm, 2021, 4, 8-11. | 0.0 | 0 |
| 57 | Radiofrequency catheter ablation as a treatment option in a patient with hypoplastic left heart syndrome and atrial flutter after Fontan operation—Case report. Journal of Arrhythmia, 2021, 37, 1101-1104. | 0.5 | 0 |
| 58 | Ultra-fast, high density 3D mapping (Rhythmia Mapping System) and catheter radiofrequency ablation for electrical storm – early single centre experience. Heart Beat Journal, 2017, 1, 35-40. | 0.2 | 0 |
| 59 | Ultra–fast, high density 3D mapping system for catheter ablation of atypical atrial flutter Heart Beat Journal, 2018, 3, 80-82. | 0.2 | 0 |
| 60 | Experts of the Heart Rhythm Section of the Polish Cardiac Society: opinion on the use of wearable cardioverter-defibrillators in Poland. Kardiologia Polska, 2019, 77, 238-243. | 0.3 | 0 |
| 61 | Leadless pacemaker implantation in a 102-year old patient – a case report. In A Good Rythm, 2020, 4, 23-24. | 0.0 | 0 |
| 62 | Implantation of a leadless pacemaker in a young adult patient with repaired tetralogy of Fallot. Cardiology Journal, 2020, 27, 652-653. | 0.5 | 0 |
| 63 | Interictal heart rate in patients with epilepsy. Wiadomości Lekarskie, 2016, 69, 443-448. | 0.1 | 0 |
| 64 | Therapeutic hypothermia and postreperfusion myocardial injury in myocardial infarction. Polski Merkuriusz Lekarski, 2020, 48, 365-369. | 0.3 | 0 |