

Beata Sredniawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7942974/publications.pdf>

Version: 2024-02-01

64
papers

2,013
citations

471371

17
h-index

243529

44
g-index

71
all docs

71
docs citations

71
times ranked

3154
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Quality of life in patients with a subcutaneous vs. transvenous implantable cardioverter-defibrillator. <i>Kardiologia Polska</i> , 2022, 80, 679-684. | 0.3 | 2 |
| 2 | Upgrade from implantable cardioverter-defibrillator vs. <i>de novo</i> implantation of cardiac resynchronization therapy: long-term outcomes. <i>Europace</i> , 2021, 23, 113-122. | 0.7 | 5 |
| 3 | Arrhythmias in dialysis patients. In <i>A Good Rythm</i> , 2021, 4, 8-11. | 0.0 | 0 |
| 4 | Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2321. | 1.0 | 9 |
| 5 | Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. <i>Cardiovascular Diabetology</i> , 2021, 20, 128. | 2.7 | 14 |
| 6 | Radiofrequency catheter ablation as a treatment option in a patient with hypoplastic left heart syndrome and atrial flutter after Fontan operation—Case report. <i>Journal of Arrhythmia</i> , 2021, 37, 1101-1104. | 0.5 | 0 |
| 7 | Natural History and Risk Stratification in Andersen-Tawil Syndrome Type 1. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1772-1784. | 1.2 | 44 |
| 8 | Results of targeted temperature management of patients after sudden out-of-hospital cardiac arrest: a comparison between intensive general and cardiac care units. <i>Kardiologia Polska</i> , 2020, 78, 30-36. | 0.3 | 3 |
| 9 | Implantation of a leadless pacemaker in a patient after Senning procedure — a case report.. <i>Anatolian Journal of Cardiology</i> , 2020, 25, 278-279. | 0.5 | 1 |
| 10 | Association between electrocardiographic and electroencephalographic changes in patients with epilepsy. <i>Archives of Medical Science</i> , 2020, 16, 1472-1473. | 0.4 | 1 |
| 11 | Leadless pacemaker implantation in a 102-year old patient — a case report. In <i>A Good Rythm</i> , 2020, 4, 23-24. | 0.0 | 0 |
| 12 | Implantation of a leadless pacemaker in a young adult patient with repaired tetralogy of Fallot. <i>Cardiology Journal</i> , 2020, 27, 652-653. | 0.5 | 0 |
| 13 | Therapeutic hypothermia and postreperfusion myocardial injury in myocardial infarction. <i>Polski Merkuriusz Lekarski</i> , 2020, 48, 365-369. | 0.3 | 0 |
| 14 | Effect of Intravascular Cooling on Microvascular Obstruction (MVO) in Conscious Patients with ST-Elevation Myocardial Infarction Undergoing Primary PCI: Results from the COOL AMI EU Pilot Study. <i>Cardiovascular Revascularization Medicine</i> , 2019, 20, 799-804. | 0.3 | 10 |
| 15 | Experts of the Heart Rhythm Section of the Polish Cardiac Society: opinion on the use of wearable cardioverter-defibrillators in Poland. <i>Kardiologia Polska</i> , 2019, 77, 238-243. | 0.3 | 0 |
| 16 | The first successful implantation of an intravenous AAIR pacemaker into autologous extracardiac lateral tunnel Fontan in the child. <i>Journal of Electrocardiology</i> , 2018, 51, 1015-1018. | 0.4 | 1 |
| 17 | NONinvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. <i>Kardiologia Polska</i> , 2018, 76, 1482-1485. | 0.3 | 9 |
| 18 | Ultra-fast, high density 3D mapping system for catheter ablation of atypical atrial flutter.. <i>Heart Beat Journal</i> , 2018, 3, 80-82. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Long-term outcome of catheter ablation and other form of therapy for electrical storm in patients with implantable cardioverter-defibrillators. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 50, 227-234. | 0.6 | 16 |
| 20 | Gender-related differences in long-term outcome among high-risk patients with myocardial infarction treated invasively. <i>Postepy W Kardiologii Interwencyjnej</i> , 2017, 2, 107-116. | 0.1 | 1 |
| 21 | Implementation of mild therapeutic hypothermia for post-resuscitation care of sudden cardiac arrest survivors in cardiology units in Poland. <i>Advances in Clinical and Experimental Medicine</i> , 2017, 26, 1207-1212. | 0.6 | 4 |
| 22 | COOL AMI EU pilot trial: a multicentre, prospective, randomised controlled trial to assess cooling as an adjunctive therapy to percutaneous intervention in patients with acute myocardial infarction. <i>EuroIntervention</i> , 2017, 13, e531-e539. | 1.4 | 53 |
| 23 | Ultra-fast, high density 3D mapping (Rhythmia Mapping System) and catheter radiofrequency ablation for electrical storm – early single centre experience. <i>Heart Beat Journal</i> , 2017, 1, 35-40. | 0.2 | 0 |
| 24 | Sleep-disordered breathing and echocardiographic measures of function and dyssynchrony. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 886-895. | 0.6 | 1 |
| 25 | The Impact of Routine Angiographic Follow-Up in a Population of Patients Undergoing Percutaneous Coronary Intervention Within the Left Main Coronary Artery. <i>Angiology</i> , 2016, 67, 742-748. | 0.8 | 5 |
| 26 | Gender-dependent profile of heart rate turbulence parameters in patients after acute myocardial infarction treated invasively. <i>Kardiologia Polska</i> , 2016, 74, 274-279. | 0.3 | 3 |
| 27 | Fragmentation of the QRS complex in patients with acute coronary syndrome treated invasively. <i>Kardiologia Polska</i> , 2016, 74, 644-649. | 0.3 | 4 |
| 28 | Interictal heart rate in patients with epilepsy. <i>Wiadomości Lekarskie</i> , 2016, 69, 443-448. | 0.1 | 0 |
| 29 | Interictal heart rate in patients with epilepsy. <i>Wiadomości Lekarskie</i> , 2016, 69, 443-448. | 0.1 | 2 |
| 30 | 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death. <i>Europace</i> , 2015, 17, euv319. | 0.7 | 635 |
| 31 | Prognostic significance of HbA1c in patients with AMI treated invasively and newly detected glucose abnormalities. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 798-806. | 0.8 | 24 |
| 32 | Quality of Life in Cardiac Resynchronization Recipients: Association with Response and Impact on Outcome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 8-17. | 0.5 | 9 |
| 33 | Atrial fibrillation in cardiac resynchronization recipients with and without prior arrhythmic history. How much of arrhythmia is too much?. <i>Cardiology Journal</i> , 2015, 22, 267-275. | 0.5 | 6 |
| 34 | Impact of ventricular arrhythmias on survival in patients after myocardial infarction. <i>International Journal of Diagnostic Imaging</i> , 2014, 1, 21. | 0.1 | 1 |
| 35 | Contrast-induced acute kidney injury in patients undergoing cardiac resynchronization therapy – incidence and prognostic importance. Sub-analysis of data from randomized TRUST CRT trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014, 40, 1-8. | 0.6 | 16 |
| 36 | Long QT syndrome and left ventricular non-compaction. <i>Kardiologia Polska</i> , 2014, 72, 556-556. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Trying to predict the unpredictable: Variations in device-based daily monitored diagnostic parameters can predict malignant arrhythmic events in patients undergoing cardiac resynchronization therapy. <i>Cardiology Journal</i> , 2014, 21, 405-412. | 0.5 | 4 |
| 38 | Many response criteria are poor predictors of outcomes after cardiac resynchronization therapy: validation using data from the randomized trial. <i>Europace</i> , 2013, 15, 835-844. | 0.7 | 38 |
| 39 | Ostial stenosis of the left main coronary artery as the result of the previous percutaneous coronary intervention on the left coronary artery. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 3, 317-320. | 0.1 | 1 |
| 40 | Evaluation of the usefulness of coronary catheters and 4 Fr insertion sets for transradial access coronarography in comparison with catheters and 5 Fr sets. <i>Postepy W Kardiologii Interwencyjnej</i> , 2013, 4, 332-336. | 0.1 | 1 |
| 41 | Evaluation of factors affecting persistence of atrial fibrillation in patients with concomitant atrial flutter treated with percutaneous radiofrequency current ablation of the right atrial cavotricuspid isthmus. <i>Kardiologia Polska</i> , 2013, 71, 247-252. | 0.3 | 1 |
| 42 | The Significance of Heart Rate Turbulence in Predicting Major Cardiovascular Events in Patients after Myocardial Infarction Treated Invasively. <i>Annals of Noninvasive Electrocardiology</i> , 2012, 17, 230-240. | 0.5 | 7 |
| 43 | The prognostic value of different glucose abnormalities in patients with acute myocardial infarction treated invasively. <i>Cardiovascular Diabetology</i> , 2012, 11, 78. | 2.7 | 27 |
| 44 | Effect of Type of Atrial Fibrillation on Prognosis in Acute Myocardial Infarction Treated Invasively. <i>American Journal of Cardiology</i> , 2012, 109, 1689-1693. | 0.7 | 41 |
| 45 | Implantation Feasibility, Procedure-Related Adverse Events and Lead Performance During 1-Year Follow-Up in Patients Undergoing Triple-Site Cardiac Resynchronization Therapy: A Substudy of TRUST CRT Randomized Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 1228-1236. | 0.8 | 43 |
| 46 | Microvolt T-wave alternans and other noninvasive predictors of serious arrhythmic events in patients with an implanted cardioverter-defibrillator. <i>Kardiologia Polska</i> , 2012, 70, 447-55. | 0.3 | 4 |
| 47 | Effect of Cardiac Resynchronization on Gradient Reduction in Patients with Obstructive Hypertrophic Cardiomyopathy: Preliminary Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 1544-1552. | 0.5 | 17 |
| 48 | Transseptal versus transaortic approach for radiofrequency ablation in patients with cardioverter-defibrillator and electrical storm. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2010, 28, 45-50. | 0.6 | 21 |
| 49 | Heart Rate Turbulence for Prediction of Heart Transplantation and Mortality in Chronic Heart Failure. <i>Annals of Noninvasive Electrocardiology</i> , 2010, 15, 230-237. | 0.5 | 9 |
| 50 | Prognostic Significance of Hyperuricemia in Patients with Different Types of Renal Dysfunction and Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. <i>Nephron Clinical Practice</i> , 2010, 116, c114-c122. | 2.3 | 34 |
| 51 | Early therapy following myocardial infarction: arguments for and against implantable cardioverter-defibrillators. <i>Future Cardiology</i> , 2010, 6, 315-323. | 0.5 | 2 |
| 52 | Prognosis in diabetic patients with acute myocardial infarction treated invasively is related to renal function. <i>Medical Science Monitor</i> , 2010, 16, CR67-74. | 0.5 | 4 |
| 53 | Defibrillator Implantation Early after Myocardial Infarction. <i>New England Journal of Medicine</i> , 2009, 361, 1427-1436. | 13.9 | 605 |
| 54 | Effects of Cardiac Resynchronization Therapy on Heart Rate Turbulence. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S90-3. | 0.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Triple-Site Versus Standard Cardiac Resynchronization Therapy Study (TRUST CRT): Clinical Rationale, Design, and Implementation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 658-662. | 0.8 | 30 |
| 56 | Mid-term outcomes of triple-site vs. conventional cardiac resynchronization therapy: A preliminary study. <i>International Journal of Cardiology</i> , 2009, 133, 87-94. | 0.8 | 62 |
| 57 | Sleep apnoea as a predictor of mid- and long-term outcome in patients undergoing cardiac resynchronization therapy. <i>Europace</i> , 2008, 11, 106-114. | 0.7 | 10 |
| 58 | Triple-site biventricular pacing in patients undergoing cardiac resynchronization therapy: a feasibility study. <i>Europace</i> , 2007, 9, 762-767. | 0.7 | 50 |
| 59 | Influence of Reciprocating Tachycardia on the Development of Atrial Fibrillation in Patients with Preexcitation Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007, 30, 85-92. | 0.5 | 1 |
| 60 | Different Types of Renal Dysfunction in Patients with Acute Myocardial Infarction Treated with Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , 2007, 20, 143-152. | 0.5 | 9 |
| 61 | Effect of Percutaneous Interventions within the Coronary Sinus on the Success Rate of the Implantations of Resynchronization Pacemakers. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, 1075-1080. | 0.5 | 35 |
| 62 | Circadian and Sex-Dependent QT Dynamics. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, S211-S216. | 0.5 | 17 |
| 63 | Methods of assessment and clinical relevance of QT dynamics. <i>Indian Pacing and Electrophysiology Journal</i> , 2005, 5, 221-32. | 0.3 | 7 |
| 64 | Comparison of heart rate variability between surgical and interventional closure of atrial septal defect in children. <i>American Journal of Cardiology</i> , 2003, 92, 356-358. | 0.7 | 16 |