

# Leila Naji

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7943882/publications.pdf>

Version: 2024-02-01

47  
papers

1,017  
citations

361296  
20  
h-index

454834  
30  
g-index

47  
all docs

47  
docs citations

47  
times ranked

949  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanocomposite proton exchange membranes based on Nafion containing Fe <sub>2</sub> TiO <sub>5</sub> nanoparticles in water and alcohol environments for PEMFC. <i>Journal of Membrane Science</i> , 2014, 454, 74-81.	4.1	80
2	Ytterbium(III)-selective membrane electrode based on cefixime. <i>Analytica Chimica Acta</i> , 2003, 475, 59-66.	2.6	78
3	Preparation, characterization and properties of proton exchange nanocomposite membranes based on poly(vinyl alcohol) and poly(sulfonic acid)-grafted silica nanoparticles. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 5473-5479.	3.8	65
4	The influence of fumed silica content and particle size in poly (amide 6-b-ethylene oxide) mixed matrix membranes for gas separation. <i>Separation and Purification Technology</i> , 2018, 199, 47-56.	3.9	54
5	Perchlorate-selective membrane sensors based on two nickel-hexaazamacrocyclic complexes. <i>Sensors and Actuators B: Chemical</i> , 2007, 120, 494-499.	4.0	43
6	Fabrication of SGO/Nafion-based IPMC soft actuators with sea anemone-like Pt electrodes and enhanced actuation performance. <i>Carbon</i> , 2016, 100, 243-257.	5.4	42
7	Electrochemical and electromechanical behavior of Nafion-based soft actuators with PPy/CB/MWCNT nanocomposite electrodes. <i>RSC Advances</i> , 2017, 7, 3190-3203.	1.7	41
8	Highly Selective and Sensitive Perchlorate Sensors Based on Some Recently Synthesized Ni(II)-Hexaazacyclotetradecane Complexes. <i>Electroanalysis</i> , 2003, 15, 1476-1480.	1.5	35
9	Novel sulfate ion-selective polymeric membrane electrode based on a derivative of pyrilium perchlorate. <i>Talanta</i> , 2002, 58, 359-366.	2.9	34
10	The enhancement effect of lithium ions on actuation performance of ionic liquid-based IPMC soft actuators. <i>Polymer</i> , 2015, 76, 140-149.	1.8	31
11	Electrochemical behavior of a Nafion®membrane-based solid-state supercapacitor with a graphene oxide®multiwalled carbon nanotube®polypyrrole nanocomposite. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	31
12	3D structured polypyrrole/reduced graphene oxide (PPy/rGO)-based electrode ionic soft actuators with improved actuation performance. <i>New Journal of Chemistry</i> , 2018, 42, 12104-12118.	1.4	31
13	Controlling interlayer spacing of graphene oxide membrane in aqueous media using a biocompatible heterobifunctional crosslinker for Penicillin-G Procaine removal. <i>Separation and Purification Technology</i> , 2021, 263, 118392.	3.9	26
14	Magnetic resonance imaging study of a soft actuator element during operation. <i>Soft Matter</i> , 2008, 4, 1879.	1.2	25
15	The influence of electrodeposited PPy film morphology on the electrochemical characteristics of Nafion-based energy storage devices. <i>Journal of Electroanalytical Chemistry</i> , 2019, 836, 165-175.	1.9	25
16	Electrochemical investigation of gel polymer electrolytes based on poly(methyl methacrylate) and dimethylacetamide for application in Li-ion batteries. <i>Chemical Papers</i> , 2018, 72, 2289-2300.	1.0	24
17	Electromechanical behaviour of Nafion-based soft actuators. <i>Journal of Materials Chemistry B</i> , 2013, 1, 2502.	2.9	23
18	The effect of MWCNT content on electropolymerization of PPy film and electromechanical behavior of PPy electrode-based soft actuators. <i>Journal of Electroanalytical Chemistry</i> , 2017, 806, 136-149.	1.9	21

#	ARTICLE	IF	CITATIONS
19	The influences of polyol process parameters on the optoelectronic characteristics of AgNWs-based flexible electrodes and their application in ITO-free polymer solar cells. <i>Organic Electronics</i> , 2018, 62, 621-629.	1.4	21
20	Systematic evaluation of factors influencing electrochemical and morphological characteristics of free-standing 3D graphene hydrogels as electrode material for supercapacitors. <i>Electrochimica Acta</i> , 2019, 301, 421-435.	2.6	20
21	Effect of bending deformation on photovoltaic performance of flexible graphene/Ag electrode-based polymer solar cells. <i>RSC Advances</i> , 2015, 5, 30889-30901.	1.7	19
22	Interface engineering of electrochemically deposited ZnO nanorods as electron transport layer in polymer solar cells using organic dyes. <i>Materials Chemistry and Physics</i> , 2021, 259, 124064.	2.0	17
23	In situ magnetic resonance imaging of electrically-induced water diffusion in a Nafion ionic polymer film Electronic supplementary information (ESI) available: structure of Na-exchanged Nafion and schematic description of actuation mechanism of an electro-active polymer actuator device. See <a href="http://www.rsc.org/suppdata/cc/b3/b301039b/">http://www.rsc.org/suppdata/cc/b3/b301039b/</a> . <i>Chemical Communications</i> , 2003, , 962-963.	2.2	16
24	Surface roughness regulation of reduced-graphene oxide/iodine “ Based electrodes and their application in polymer solar cells. <i>Journal of Colloid and Interface Science</i> , 2019, 540, 272-284.	5.0	16
25	Time-Resolved Mapping of Water Diffusion Coefficients in a Working Soft Actuator Device. <i>Journal of Physical Chemistry B</i> , 2008, 112, 9761-9768.	1.2	15
26	Enhancing the photovoltaic performance of bulk heterojunction polymer solar cells by adding Rhodamine B laser dye as co-sensitizer. <i>Journal of Colloid and Interface Science</i> , 2018, 515, 139-151.	5.0	14
27	Influences of synthesis parameters on the physicochemical and electrochemical characteristics of reduced graphene oxide/Pt nanoparticles as hole transporting layer in polymer solar cells. <i>Synthetic Metals</i> , 2020, 263, 116366.	2.1	14
28	Electrochemical characterization of Li-ion conducting polyvinylidene fluoride/sulfonated graphene oxide nanocomposite polymer electrolyte membranes for lithium ion batteries. <i>Journal of Membrane Science</i> , 2021, 636, 119563.	4.1	13
29	The influence of electrodeposited conducting polymer electrode structure on the actuation performance of muscle-like ionic actuators. <i>Sensors and Actuators A: Physical</i> , 2018, 279, 204-215.	2.0	12
30	Electrochemical and Electromechanical Study of Carbon-Electrode-Based Ionic Soft Actuators. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 795-806.	1.8	11
31	Nd:YAG pulsed laser production of reduced-graphene oxide as hole transporting layer in polymer solar cells and the influences of solvent type. <i>Organic Electronics</i> , 2020, 76, 105459.	1.4	11
32	Fabrication of high performance supercapacitors based on ethyl methyl imidazolium bis(trifluoromethylsulfonyl) imide (EMIMTFSI)-decorated reduced graphene oxide (rGO). <i>Journal of Alloys and Compounds</i> , 2022, 892, 162093.	2.8	11
33	Fabrication of non-fullerene P3HT/Agx-TiO2 based polymer solar cells with high open circuit voltage. <i>Journal of Alloys and Compounds</i> , 2017, 708, 1184-1194.	2.8	10
34	Synergistic effect of two complexing agents on the hydrothermal synthesis of self-supported ZnNiCo oxide as electrode material in supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2021, 901, 115779.	1.9	9
35	Graphene oxide-assisted electrochemical growth of Ni(OH)2 nanoflowers on nickel foam as electrode material for high-performance supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 640, 128450.	2.3	9
36	Complex electrochemical study of reduced graphene oxide/Pt produced by Nd:YAG pulsed laser reduction as photo-anode in polymer solar cells. <i>Journal of Electroanalytical Chemistry</i> , 2021, 880, 114927.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Systematic study of influencing parameters on the in-situ electrochemical growth of three-dimensional graphene on carbon cloth for supercapacitor applications. Journal of Energy Storage, 2022, 49, 104146.	3.9	8
38	The influence of sulfonation level on the electrochemical characteristics of Pt/rSGO as electrocatalyst for proton exchange membrane fuels cells. Solid State Ionics, 2018, 326, 27-36.	1.3	7
39	Novel mesoporous $\text{Co}_3\text{O}_4\text{-Sb}_2\text{O}_3\text{-SnO}_2$ active material in high-performance capacitive deionization. RSC Advances, 2021, 12, 907-920.	1.7	7
40	Influence of electrolytes of $\text{Li}^+$ salts, $\text{EMIMBF}_4$ , and mixed phases on electrochemical and physical properties of $\text{Nafion}$ membrane. Journal of Applied Polymer Science, 2017, 134, 45239.	1.3	6
41	Influence of Pt Nanoparticle Electroless Deposition Parameters on the Electrochemical Characteristics of Nafion-Based Catalyst-Coated Membranes. Industrial & Engineering Chemistry Research, 2018, 57, 434-445.	1.8	6
42	Influences of sulfonation level on the nanofiltration performance of sulfonated graphene oxide polyamide nanocomposite membranes. Thin Solid Films, 2021, 728, 138688.	0.8	6
43	Influencing parameters on the electrochemical growth of $\text{V}_2\text{O}_5$ nanorods on ITO as interfacial layer in bulk heterojunction polymer solar cells. Materials Science in Semiconductor Processing, 2022, 139, 106333.	1.9	6
44	Fabrication of membrane electrode assembly based on nafion/sulfonated graphene oxide nanocomposite by electroless deposition for proton exchange membrane fuel cells. Surfaces and Interfaces, 2021, 23, 100925.	1.5	5
45	Synergetic effect of Ag/PVP on nonlinear optical characteristic of rGO transparent thin films. Optical and Quantum Electronics, 2018, 50, 1.	1.5	4
46	Comparative study of electrochemically-grown vanadium pentoxide nanostructures synthesized using differential pulse voltammetry, cyclic voltammetry, and chronoamperometry methods as the hole transport layer. Journal of Alloys and Compounds, 2022, 900, 163501.	2.8	4
47	Robust siloxane/graphene oxide thin film membranes: Siloxane size adjustment for improved separation performance and flux recovery. Korean Journal of Chemical Engineering, 2020, 37, 2232-2247.	1.2	3